



Open Source Used In Crosswork Path Analytics 7.2.0

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-2560378855

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-2560378855

Contents

1.1 simple launcher 1.1.0.14

1.1.1 Available under license

1.2 libffi 3.5.2-r0

1.2.1 Available under license

1.3 now 1.1.5

1.3.1 Available under license

1.4 acl 2.3.2-r1

1.4.1 Available under license

1.5 proto-otlp 1.1.0

1.5.1 Available under license

1.6 expat 2.7.3-r0

1.6.1 Available under license

1.7 typeguard 4.3.0

1.7.1 Available under license

1.8 fgprof 0.9.5

1.8.1 Available under license

1.9 otel-exporters-stdout-stdouttrace 1.24.0

1.9.1 Available under license

1.10 idna 15.1.0

1.10.1 Available under license

1.11 goautoneg 0.0.0-20191010083416-a7dc8b61c822

1.11.1 Available under license

1.12 pax-utils 1.3.8-r2

1.12.1 Available under license

1.13 python-requests 2.32.3

1.13.1 Available under license

1.14 packaging 25.0

1.14.1 Available under license

1.15 python3-pycache-pyc0 3.12.12-r0

1.15.1 Available under license

1.16 libidn 2.3.8-r0

1.16.1 Available under license

1.17 otel-exporters-otlp-otlptrace 1.24.0

1.17.1 Available under license

1.18 more-itertools 10.3.0

1.18.1 Available under license

1.19 prometheus-client 1.20.5

1.19.1 Available under license

1.20 perks 1.0.1

1.20.1 Available under license

1.21 go-immutable-radix 1.3.1

1.21.1 Available under license

1.22 profile 1.7.0

1.22.1 Available under license

1.23 zlib 1.3.1-r2

1.23.1 Available under license

1.24 nkeys 0.4.8

1.24.1 Available under license

1.25 fsnotify 1.5.1

1.25.1 Available under license

1.26 gojsonschema 1.2.0

1.26.1 Available under license

1.27 jaraco-functools 4.0.1

1.27.1 Available under license

1.28 platformdirs 4.3.6

1.28.1 Available under license

1.29 xz-libs 5.8.1-r0

1.29.1 Available under license

1.30 pyc 3.12.12-r0

1.30.1 Available under license

1.31 xz 5.8.1-r0

1.31.1 Available under license

1.32 nats 1.36.0

1.32.1 Available under license

1.33 prometheus-common 0.62.0

1.33.1 Available under license

1.34 otel 1.38.0

1.34.1 Available under license

1.35 zipp 3.19.2

1.35.1 Available under license

1.36 markupsafe 3.0.3

1.36.1 Available under license

1.37 go-resiliency 1.7.0

1.37.1 Available under license

1.38 coreutils 9.8-r1

1.38.1 Available under license

1.39 py3-packaging-pyc 25.0-r0

1.39.1 Available under license

1.40 python3-pyc 3.12.12-r0

1.40.1 Available under license

1.41 lumberjack 2.0.0

1.41.1 Available under license

1.42 distro 1.9.0

1.42.1 Available under license

1.43 sqlx 1.3.4

1.43.1 Available under license

1.44 otel-trace 1.38.0

1.44.1 Available under license

1.45 rpc 2.0.3

1.45.1 Available under license

1.46 pgpassfile 1.0.0

1.46.1 Available under license

1.47 bzip2 1.0.8-r6

1.47.1 Available under license

1.48 codegangsta-cli 1.20.0

1.48.1 Available under license

1.49 hashicorp-uuid 1.0.3

1.49.1 Available under license

1.50 musl 1.2.5-r21

1.50.1 Available under license

1.51 jaraco.collections 5.1.0

1.51.1 Available under license

1.52 inotify 0.2.10

1.52.1 Available under license

1.53 semver 3.5.1+incompatible

1.53.1 Available under license

1.54 zstd 1.5.7-r2

1.54.1 Available under license

1.55 tzdata 2025b-r0

1.55.1 Available under license

1.56 wheel 0.45.1

1.56.1 Available under license

1.57 gofork 1.7.6

1.57.1 Available under license

1.58 backoff 4.2.1

1.58.1 Available under license

1.59 my-test-package 1.0

1.59.1 Available under license

1.60 pgx 5.7.6

1.60.1 Available under license

1.61 skalibs 2.14.4.0-r0

1.61.1 Available under license

1.62 queue 1.1.0

1.62.1 Available under license

1.63 pq 1.10.9

1.63.1 Available under license

1.64 visual-studio-runtime 15.9.9(VC++ 2017)

1.64.1 Available under license

1.65 pyproject-hooks 1.2.0

1.65.1 Available under license

1.66 python-pip 25.1.1

1.66.1 Available under license

1.67 libssl3 3.5.4-r0

1.67.1 Available under license

1.68 urllib3 1.26.20

1.68.1 Available under license

1.69 python-certifi 2025.01.31

1.69.1 Available under license

1.70 pgservicefile 0.0.0-20240606120523-5a60cdf6a761

1.70.1 Available under license

1.71 go-systemd 22.6.0

1.71.1 Available under license

1.72 aescts 2.0.0

1.72.1 Available under license

1.73 platformdirs 4.2.2

1.73.1 Available under license

1.74 gdbm 1.26-r0

1.74.1 Available under license

1.75 importlib-metadata 8.0.0

1.75.1 Available under license

1.76 rich 13.9.4

1.76.1 Available under license

1.77 libmd 1.1.0-r0

1.77.1 Available under license

1.78 backports.tarfile 1.2.0

1.78.1 Available under license

1.79 nose 1.3.7

1.79.1 Available under license

1.80 libpsl 0.21.5-r3

1.80.1 Available under license

1.81 platformdirs 4.3.7

1.81.1 Available under license

1.82 cachecontrol 0.14.2

1.82.1 Available under license

1.83 cachecontrol 0.14.1

1.83.1 Available under license

1.84 readline 8.3.1-r0

1.84.1 Available under license

1.85 python-pip 25.0.1

1.85.1 Available under license

1.86 openssl 3.5.4-r0

1.86.1 Available under license

1.87 otel-metric 1.38.0

1.87.1 Available under license

1.88 c-ares 1.34.5-r0

1.88.1 Available under license

1.89 google-uuid 1.6.0

1.89.1 Available under license

1.90 nuid 1.0.1

1.90.1 Available under license

1.91 pyparsing 3.2.3

1.91.1 Available under license

1.92 sh 1.14.3

1.92.1 Available under license

1.93 auto-sdk 1.2.1

1.93.1 Available under license

1.94 gojsonpointer 0.0.0-20180127040702-4e3ac2762d5f

1.94.1 Available under license

1.95 truststore 0.10.0

1.95.1 Available under license

1.96 golang-genproto 0.0.0-20240228224816-df926f6c8641

1.96.1 Available under license

1.97 etcd 3.5.16

1.97.1 Available under license

1.98 otel-sdk 1.38.0

1.98.1 Available under license

1.99 dlintw-goconf 0.0.0-20120228082610-dcc070983490

1.99.1 Available under license

1.100 alpine-keys 2.6-r0

1.100.1 Available under license

1.101 jinja 3.1.4

1.101.1 Available under license

1.102 bash 5.3.3-r1

1.102.1 Available under license

1.103 rich 14.0.0

1.103.1 Available under license

1.104 go-xerial-snappy 0.0.0-20230731223053-c322873962e3

1.104.1 Available under license

1.105 autocommand 2.2.2

1.105.1 Available under license

1.106 jaraco.text 3.12.1

1.106.1 Available under license

1.107 python-certifi 2024.08.30

1.107.1 Available under license

1.108 utmps-libs 0.1.3.1-r0

1.108.1 Available under license

1.109 prometheus-client-model 0.6.1

1.109.1 Available under license

1.110 tomli 2.0.1

1.110.1 Available under license

1.111 grpc-gateway 2.27.3

- 1.111.1 Available under license
- 1.112 python-setuptools 80.9.0**
 - 1.112.1 Available under license
- 1.113 otel-exporters-otlp-otlptrace-otlptracegrpc 1.24.0**
 - 1.113.1 Available under license
- 1.114 tomli 2.2.1**
 - 1.114.1 Available under license
- 1.115 multierr 1.11.0**
 - 1.115.1 Available under license
- 1.116 libcrypto3 3.5.4-r0**
 - 1.116.1 Available under license
- 1.117 procfs 0.15.1**
 - 1.117.1 Available under license
- 1.118 python 3.12.12-r0**
 - 1.118.1 Available under license
- 1.119 gokrb5 8.4.4**
 - 1.119.1 Available under license
- 1.120 futures 3.4.0**
 - 1.120.1 Available under license
- 1.121 driver-postgres 1.6.0**
 - 1.121.1 Available under license
- 1.122 gorilla-mux 1.8.1**
 - 1.122.1 Available under license
- 1.123 libbsd 0.12.2-r0**
 - 1.123.1 Available under license
- 1.124 puddle 2.2.2**
 - 1.124.1 Available under license
- 1.125 dnsutils 2.0.0**
 - 1.125.1 Available under license
- 1.126 gojsonreference 0.0.0-20180127040603-bd5ef7bd5415**
 - 1.126.1 Available under license
- 1.127 py3-parsing-pyc 3.2.3-r0**
 - 1.127.1 Available under license
- 1.128 golang-snappy 1.0.0**
 - 1.128.1 Available under license
- 1.129 gettext 0.24.1-r1**
 - 1.129.1 Available under license
- 1.130 protobuf 1.5.4**
 - 1.130.1 Available under license

- 1.131 jaraco.context 5.3.0**
 - 1.131.1 Available under license
- 1.132 rcrowley-go-metrics 0.0.0-20250401214520-65e299d6c5c9**
 - 1.132.1 Available under license
- 1.133 skalibs-libs 2.14.4.0-r0**
 - 1.133.1 Available under license
- 1.134 golang-lru 0.5.3**
 - 1.134.1 Available under license
- 1.135 go-envconfig 1.0.0**
 - 1.135.1 Available under license
- 1.136 distlib 0.3.9**
 - 1.136.1 Available under license
- 1.137 pprof 0.0.0-20250630185457-6e76a2b096b5**
 - 1.137.1 Available under license
- 1.138 inflect 7.3.1**
 - 1.138.1 Available under license
- 1.139 supervisor 4.2.5**
 - 1.139.1 Available under license
- 1.140 msgpack 1.1.0**
 - 1.140.1 Available under license
- 1.141 attr 2.5.2-r2**
 - 1.141.1 Available under license
- 1.142 utmps 0.1.3.1-r0**
 - 1.142.1 Available under license
- 1.143 mpdecimal 4.0.1-r0**
 - 1.143.1 Available under license
- 1.144 typing-extensions 4.12.2**
 - 1.144.1 Available under license
- 1.145 packaging 24.2**
 - 1.145.1 Available under license
- 1.146 truststore 0.10.1**
 - 1.146.1 Available under license
- 1.147 go.uber.org/atomi 1.10.0**
 - 1.147.1 Available under license
- 1.148 go-yaml 2.4.0**
 - 1.148.1 Available under license
- 1.149 stdr 1.2.2**
 - 1.149.1 Available under license
- 1.150 zstd-libs 1.5.7-r2**

1.150.1 Available under license

1.151 libintl 0.24.1-r1

1.151.1 Available under license

1.152 scanelf 1.3.8-r2

1.152.1 Available under license

1.153 musl-utils 1.2.5-r21

1.153.1 Available under license

1.154 cpp 15.2.0-r2

1.154.1 Available under license

1.155 libcap 2.77-r0

1.155.1 Available under license

1.156 nghttp2 1.68.0-r0

1.156.1 Available under license

1.157 logr 1.4.3

1.157.1 Available under license

1.158 gogo-protobuf 1.3.2

1.158.1 Available under license

1.159 coreos-semver 0.3.1

1.159.1 Available under license

1.160 xxhash 2.3.0

1.160.1 Available under license

1.161 sarama 1.46.3

1.161.1 Available under license

1.162 curl 8.17.0-r1

1.162.1 Available under license

1.163 pcre2 10.47-r0

1.163.1 Available under license

1.164 ca-certificates 20251003-r0

1.164.1 Available under license

1.165 grpc-go 1.77.0

1.165.1 Available under license

1.166 zap-exp 1.27.1

1.166.1 Available under license

1.167 zap 1.27.1

1.167.1 Available under license

1.168 busybox 1.37.0-r29

1.168.1 Available under license

1.169 nghttp3 1.13.1-r0

1.169.1 Available under license

1.170 alpine-baselayout 3.7.1-r8
1.170.1 Available under license

1.171 ncurses 6.5_p20251123-r0
1.171.1 Available under license

1.172 libunistring 1.4.1-r0
1.172.1 Available under license

1.173 pam 1.7.1-r1
1.173.1 Available under license

1.174 sqlite 3.51.1-r0
1.174.1 Available under license

1.175 go-lang 1.25.5
1.175.1 Available under license

1.176 apk-tools 3.0.1-r1
1.176.1 Available under license

1.177 alpine-base 3.23.0-r0
1.177.1 Available under license

1.178 ca-certificates-bundle 20251003-r0
1.178.1 Available under license

1.179 alpine-release 3.23.0-r0
1.179.1 Available under license

1.180 alpine-baselayout-data 3.7.1-r8
1.180.1 Available under license

1.181 ssl-client 1.37.0-r29
1.181.1 Available under license

1.182 brotli 1.2.0-r0
1.182.1 Available under license

1.183 libncursesw 6.5_p20251123-r0
1.183.1 Available under license

1.184 libucontext 1.3.3-r0
1.184.1 Available under license

1.185 musl-obstack 1.2.3-r2
1.185.1 Available under license

1.186 klauspost-compress 1.18.2
1.186.1 Available under license

1.187 x-sys 0.39.0
1.187.1 Available under license

1.188 x-sync 0.19.0
1.188.1 Available under license

1.189 x-term 0.38.0

1.189.1 Available under license

1.190 x-text 0.32.0

1.190.1 Available under license

1.191 iputils-arping 20250605-r0

1.191.1 Available under license

1.192 iputils-tracepath 20250605-r0

1.192.1 Available under license

1.193 bridgeutils 1.7.1-r2

1.193.1 Available under license

1.194 iputils-ping 20250605-r0

1.194.1 Available under license

1.195 iputils 20250605-r0

1.195.1 Available under license

1.196 iputils-clockdiff 20250605-r0

1.196.1 Available under license

1.197 gcompat 1.1.0-r4

1.197.1 Available under license

1.198 py3-parsing 3.2.3-r0

1.198.1 Available under license

1.199 py3-packaging 25.0-r0

1.199.1 Available under license

1.200 libstdc++ 15.2.0-r2

1.200.1 Available under license

1.201 libgcc 15.2.0-r2

1.201.1 Available under license

1.202 x-net 0.48.0

1.202.1 Available under license

1.203 libpanelw 6.5_p20251123-r0

1.203.1 Available under license

1.204 nspr 4.36-r0

1.204.1 Available under license

1.205 nss 3.118.1-r0

1.205.1 Available under license

1.206 py3-pip 25.1.1-r1

1.206.1 Available under license

1.207 apk-tools 3.0.1-r2

1.207.1 Available under license

1.208 py3-setuptools 80.9.0-r2

1.208.1 Available under license

1.209 py3-pip-pyc 25.1.1-r1

1.209.1 Available under license

1.210 libapk 3.0.1-r2

1.210.1 Available under license

1.211 py3-setuptools-pyc 80.9.0-r2

1.211.1 Available under license

1.212 shadow 4.18.0-r0

1.212.1 Available under license

1.213 x-crypto 0.46.0

1.213.1 Available under license

1.214 protobuf-go 1.36.11

1.214.1 Available under license

1.215 procs 4.0.5-r0

1.215.1 Available under license

1.216 libproc2 4.0.5-r0

1.216.1 Available under license

1.217 gorm-gorm 1.31.1

1.217.1 Available under license

1.218 netcat-openbsd 1.234.1-r0

1.218.1 Available under license

1.219 wget 1.25.0-r2

1.219.1 Available under license

1.220 drill 1.8.4-r1

1.220.1 Available under license

1.221 ldns 1.8.4-r1

1.221.1 Available under license

1.222 htop 3.4.1-r1

1.222.1 Available under license

1.223 libcurl 8.17.0-r1

1.223.1 Available under license

1.224 genproto-googleapis-api 0.0.0-20251213004720-97cd9d5aeac2

1.224.1 Available under license

1.225 genproto-googleapis-rpc 0.0.0-20251213004720-97cd9d5aeac2

1.225.1 Available under license

1.226 tre 0.8.0-r2

1.226.1 Available under license

1.227 etcd-client 3.6.7

1.227.1 Available under license

1.228 etcd-api 3.6.7

- 1.228.1 Available under license
- 1.229 etcd-client-pkg 3.6.7**
 - 1.229.1 Available under license
- 1.230 lz4 4.1.23**
 - 1.230.1 Available under license
- 1.231 logrus 1.9.3**
 - 1.231.1 Available under license
- 1.232 robot-robot-api 0.0.0-20260112112853-887f57c2bd53**
 - 1.232.1 Available under license
- 1.233 robot-infra-utils 1.0.2-0.20260112120652-53e304ab3cfa**
 - 1.233.1 Available under license
- 1.234 inflection 1.0.0**
 - 1.234.1 Available under license

1.1 simple launcher 1.1.0.14

1.1.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL- compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS

FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.
BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT

INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and

conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following
URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.
This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission
to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,

installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 82b32a7a0e773c8801056f80aae2a44

UNRECOGNIZED LICENSE; MD5 sum: 25e3201901e018ec6d4724df0a74d278

=====

Distutils2 Contributors

=====

The Distutils2 project was started by Tarek Ziad and is currently maintained by ric Araujo. Many people have contributed to the project.

distlib has started off using some of the code from distutil2.

If you're making a patch, please add your name below in alphabetical order, and welcome into the Fellowship of the Packaging!

Thanks to:

- Rajiv Abraham
- Ali Afshar
- David Barnett

- Pior Bastida
- Anthony Baxter
- Erik Bray
- C. Titus Brown
- Francisco Martn Brugu
- Nicolas Cadou
- Godefroid Chapelle
- Julien Courteau
- Christophe Combelles
- Jason R. Coombs
- Pierre-Yves David
- Ned Deily
- Konrad DeLong
- Josip Djolonga
- John Edmonds
- Andr Espaze
- Boris Feld
- Andrew Francis
- Hallvard B Furuseth
- Patrice Gauthier
- Yannick Gingras
- Filip Gruszczyski
- Walker Hale IV
- Alexandre Hamelin
- Kelsey Hightower
- Thomas Holmes
- Preston Holmes
- Christian Hudon
- Julien Jehannet
- Jeremy Kloth
- Thomas Kluyver
-
- Amos Latteier
- Mathieu Leduc-Hamel
- Pierre Paul Lefebvre
- Tshepang Lekhonkhobe
- Alain Leufroy
- Janusz Lewandowski
- Martin von Lwis
- Hugo Lopes Tavares
- Guillermo Lpez-Anglada
- Justin Love
- Simon Mathieu
- Carl Meyer
- Alexis Mtaireau
- Julien Miotte
- Zubin Mithra
- Derek McTavish Mounce

- Paul Moore
- Michael Mulich
- Louis Munro
- Gal Pasgrimaud
- George Peristerakis
- Mathieu Perreault
- Guillaume Pratte
- Sean Reifschneider
- Antoine Reversat
- Arc Riley
- C. Anthony Risinger
- Elson Rodriguez
- Luis Rojas
- Erik Rose
- Brian Rosner
- Vinay Sajip
- Victor Stinner
- Alexandre Vassalotti
- Nadeem Vawda

Metadata-Version: 1.0

Name: setuptools

Version: 0.6c9

Summary: Download, build, install, upgrade, and uninstall Python packages -- easily!

Home-page: <http://pypi.org/pypi/setuptools>

Author: Phillip J. Eby

Author-email: distutils-sig@python.org

License: PSF or ZPL

Description: =====

Installing and Using Setuptools

=====

.. contents:: **Table of Contents**

Installation Instructions

Windows
=====

Install setuptools using the provided ``.exe`` installer. If you've previously installed older versions of setuptools, please delete all ``setuptools\*.egg`` and ``setuptools.pth`` files from your system's ``site-packages`` directory (and any other ``sys.path`` directories) FIRST.

If you are upgrading a previous version of setuptools that was installed using an ``.exe`` installer,

please be sure to also *uninstall that older version*

via your system's "Add/Remove Programs" feature, BEFORE installing the newer version.

Once installation is complete, you will find an `easy_install.exe` program in your Python `Scripts` subdirectory. Be sure to add this directory to your `PATH` environment variable, if you haven't already done so.

RPM-Based Systems

=====

Install `setuptools` using the provided source RPM. The included `.spec` file assumes you are installing using the default `python` executable, and is not specific to a particular Python version. The `easy_install` executable will be installed to a system `bin` directory such as `/usr/bin`.

If you wish to install to a location other than the default Python installation's default `site-packages` directory (and `$prefix/bin` for scripts), please use the `.egg`-based installation approach described in the following section.

Cygwin, Mac OS X, Linux, Other

=====

1. Download the appropriate egg for your version of Python (e.g. `setuptools-0.6c9-py2.4.egg`). Do NOT rename it.
2. Run it as if it were a shell script, e.g. `sh setuptools-0.6c9-py2.4.egg`. `Setuptools` will install itself using the matching version of Python (e.g. `python2.4`), and will place the `easy_install` executable in the default location for installing Python scripts (as determined by the standard distutils configuration files, or by the Python installation).

If you want to install `setuptools` to somewhere other than `site-packages` or your default distutils installation locations for libraries and scripts, you may include EasyInstall command-line options such as `--prefix`, `--install-dir`, and so on, following the `.egg` filename on the same

command line. For example::

```
sh setuptools-0.6c9-py2.4.egg --prefix=~
```

You can use `--help` to get a full options list, but we recommend consulting the `EasyInstall manual` for detailed instructions, especially the section on custom installation locations.

.. _EasyInstall manual: <http://peak.telecommunity.com/DevCenter/EasyInstall>
.. _the section on custom installation locations: <http://peak.telecommunity.com/DevCenter/EasyInstall#custom-installation-locations>

Cygwin Note

If you are trying to install setuptools for the **Windows** version of Python (as opposed to the Cygwin version that lives in `usr/bin`), you must make sure that an appropriate executable (`python2.3`, `python2.4`, or `python2.5`) is on your **Cygwin** `PATH` when invoking the egg. For example, doing the following at a Cygwin bash prompt will install setuptools for the **Windows** Python found at `C:\Python24`:

```
ln -s /cygdrive/c/Python24/python.exe python2.4
PATH=.:$PATH sh setuptools-0.6c9-py2.4.egg
rm python2.4
```

Downloads

=====

All setuptools downloads can be found at the project's home page in the Python Package Index`. Scroll to the very bottom of the page to find the links.

.. _the project's home page in the Python Package Index: <http://pypi.org/pypi/setuptools>

In addition to the PyPI downloads, the development version of `setuptools` is available from the `Python SVN sandbox`, and in-development versions of the `0.6 branch` are available as well.

.. _0.6 branch: <http://svn.python.org/projects/sandbox/branches/setuptools-0.6/#egg=setuptools-dev06>

.. _Python SVN sandbox: <http://svn.python.org/projects/sandbox/trunk/setuptools/#egg=setuptools-dev>

Using

Setuptools and EasyInstall

Here are some of the available manuals, tutorials, and other resources for learning about Setuptools, Python Eggs, and EasyInstall:

- * `The EasyInstall user's guide and reference manual`
- * `The setuptools Developer's Guide`
- * `The pkg_resources API reference`

* `Package Compatibility Notes`_ (user-maintained)

* `The Internal Structure of Python Eggs`_

Questions, comments, and bug reports should be directed to the `distutils-sig mailing list`_. If you have written (or know of) any tutorials, documentation, plug-ins, or other resources for setuptools users, please let us know about them there, so this reference list can be updated. If you have working, *tested* patches to correct problems or add features, you may submit them to the `setuptools bug tracker`_.

.. _setuptools bug tracker: <http://bugs.python.org/setuptools/>

.. _Package Compatibility Notes: <http://peak.telecommunity.com/DevCenter/PackageNotes>

.. _The Internal Structure of Python Eggs: <http://peak.telecommunity.com/DevCenter/EggFormats>

.. _The setuptools Developer's Guide: <http://peak.telecommunity.com/DevCenter/setuptools>

.. _The pkg_resources API reference: <http://peak.telecommunity.com/DevCenter/PkgResources>

.. _The EasyInstall user's guide and reference manual: <http://peak.telecommunity.com/DevCenter/EasyInstall>

.. _distutils-sig mailing list: <http://mail.python.org/pipermail/distutils-sig/>

Credits

* The original design for the ``.egg`` format and the ``pkg\_resources`` API was co-created by Phillip Eby and Bob Ippolito. Bob also implemented the first version of ``pkg\_resources``, and supplied the OS X operating system version compatibility algorithm.

* Ian Bicking implemented many early "creature comfort" features of

easy_install, including support for downloading via Sourceforge and Subversion repositories. Ian's comments on the Web-SIG about WSGI application deployment also inspired the concept of "entry points" in eggs, and he has given talks at PyCon and elsewhere to inform and educate the community about eggs and setuptools.

* Jim Fulton contributed time and effort to build automated tests of various aspects of ``easy\_install``, and supplied the doctests for the command-line ``.exe`` wrappers on Windows.

* Phillip J. Eby is the principal author and maintainer of setuptools, and first proposed the idea of an importable binary distribution format for Python application plug-ins.

* Significant parts of the implementation of setuptools were funded by the Open Source Applications Foundation, to provide a plug-in infrastructure for the Chandler PIM application.

In addition, many OSAF staffers (such as Mike "Code Bear" Taylor) contributed their time and stress as guinea pigs for the use of eggs and setuptools, even before eggs were "cool". (Thanks, guys!)

Keywords: CPAN PyPI distutils eggs package management
Platform: UNKNOWN
Classifier: Development Status :: 3 - Alpha
Classifier: Intended Audience :: Developers
Classifier: License :: OSI Approved :: Python Software Foundation License
Classifier: License :: OSI Approved :: Zope Public License
Classifier: Operating System :: OS Independent
Classifier: Programming Language :: Python
Classifier: Topic :: Software Development :: Libraries :: Python Modules
Classifier: Topic :: System :: Archiving :: Packaging
Classifier: Topic :: System :: Systems Administration
Classifier: Topic :: Utilities
Copyright (C) 2013 by Test User.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Vinay Sajip not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

VINAY SAJIP DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL VINAY SAJIP BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

BSD-style without advertising clause

UNRECOGNIZED LICENSE; MD5 sum: e2ceb64456e606a09824fbf3dd9a158e

UNRECOGNIZED LICENSE; MD5 sum: 39cf6a4b85f545a48318dca445f2d0e6

BSD-licensed.

UNRECOGNIZED LICENSE; MD5 sum: dc4075889a5c2ece34c05148a2401013

UNRECOGNIZED LICENSE; MD5 sum: ee664a1e97eefe77d34ef50e74b7326d

1.2 libffi 3.5.2-r0

1.2.1 Available under license :

ISC

libffi - Copyright (c) 1996-2014 Anthony Green, Red Hat, Inc and others.

See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.3 now 1.1.5

1.3.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-NOW Jinzhu <wosmvp@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.4 acl 2.3.2-r1

1.4.1 Available under license :

Most components of the "acl" package are licensed under
Version 2.1 of the GNU Lesser General Public License (see COPYING.LGPL).

Some components (as annotated in the source) are licensed
under Version 2 of the GNU General Public License (see below),

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and
to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients

all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's

source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one
line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts
in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License
does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.
Most components of the "acl" package are licensed under
Version 2.1 of the GNU Lesser General Public License (see below).
below.

Some components (as annotated in the source) are licensed
under Version 2 of the GNU General Public License (see COPYING).

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must

be optional: if the application does not supply it, the square

root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by

this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the

Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies

the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version,

but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.5 proto-otlp 1.1.0

1.5.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.6 expat 2.7.3-r0

1.6.1 Available under license :

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2025 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.7 typeguard 4.3.0

1.7.1 Available under license :

This is the MIT license: <http://www.opensource.org/licenses/mit-license.php>

Copyright (c) Alex Grnholm

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.8 fgprof 0.9.5

1.8.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding
those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

1.9 otel-exporters-stdout-stdouttrace 1.24.0

1.9.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.10 idna 15.1.0

1.10.1 Available under license :

BSD-style without advertising clause

1.11 goautoneg 0.0.0-20191010083416-a7dc8b61c822

1.11.1 Available under license :

Copyright (c) 2011, Open Knowledge Foundation Ltd.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in

the documentation and/or other materials provided with the distribution.

Neither the name of the Open Knowledge Foundation Ltd. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.12 pax-utils 1.3.8-r2

1.12.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: pax-utils

Upstream-Contact: Ned Ludd <solar@gentoo.org>, Mike Frysinger <vapier@gentoo.org>

Source: <http://dev.gentoo.org/~solar/pax-utils/>

Comment: This package was debianized by Rmi Denis-Courmont
<rdenis@simphalempin.com> on Tue, 19 Sep 2006 17:43:40 +0300.

It was downloaded from <http://dev.gentoo.org/~solar/pax/>

Files: *

Copyright: (C) 2003, 2005-2006 Ned Ludd

(C) 2005-2006 Mike Frysinger

(C) 2003-2006 Gentoo Foundation

License: GPL-2+

Files: elf.h

Copyright: (C) 1995-2014 Free Software Foundation, Inc.

License: GPL-2+

Files: debian/*

Copyright: (C) 2006 Rmi Denis-Courmont <rdenis@simphalempin.com>

(C) 2011 Yves-Alexis Perez <yves-alexis.perez@ssi.gouv.fr>

(C) 2014 Tomasz Buchert <tomasz@debian.org>

License: GPL-2+

License: GPL-2+

On Debian systems, the complete text of the GNU General Public License can be found in ``usr/share/common-licenses/GPL-2'`

Files:

pspax.c

Copyright: (C) 2013 Ned Ludd

License: Beerware

THE BEER-WARE LICENSE (Revision 42):

As long as you retain this notice you can do whatever you want with this stuff. If we meet some day, and you think this stuff is worth it, you can buy me a beer in return.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that

you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute

verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can

be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program
(or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program
in object code or executable form with such
an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled

to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED

BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical
commands ``show w'` and ``show c'` should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than ``show w'` and ``show c'`; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.13 python-requests 2.32.3

1.13.1 Available under license :

Requests
Copyright 2019 Kenneth Reitz

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

1.14 packaging 25.0

1.14.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.15 python3-pycache-pyc0 3.12.12-r0

1.15.1 Available under license :

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code, copyrighted by Microsoft Corporation. The Microsoft Distributable Code is embedded in each .exe, .dll and .pyd file as a result of running the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or

- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper

Copyright (c) 2001-2022 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization

created specifically to own Python-related Intellectual Property.
Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the
Python Software Foundation License Version 2.

Starting with Python 3.8.6,
examples, recipes, and other code in
the documentation are dual licensed under the PSF License Version 2
and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses.
The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright
(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010,
2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation;
All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material

breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then

Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,

The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.16 libidn 2.3.8-r0

1.16.1 Available under license :

/* Extract the last component (base name) of a file name.

Copyright (C) 1998, 2001, 2003-2006, 2009-2025 Free Software Foundation, Inc.

This file is free software: you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This file is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>. */

```
#ifndef _BASENAME_LGPL_H
#define _BASENAME_LGPL_H

/* This file uses _GL_ATTRIBUTE_PURE. */
#if !_GL_CONFIG_H_INCLUDED
#error "Please include config.h first."
#endif

#include <stddef.h>

#ifndef
DOUBLE_SLASH_IS_DISTINCT_ROOT
# define DOUBLE_SLASH_IS_DISTINCT_ROOT 0
#endif

#ifdef __cplusplus
extern "C" {
#endif

/* Return the address of the last file name component of FILENAME.
   If FILENAME has some trailing slash(es), they are considered to be
   part of the last component.
   If FILENAME has no relative file name components because it is a file
   system root, return the empty string.
   Examples:
       FILENAME    RESULT
       "foo.c"     "foo.c"
       "foo/bar.c" "bar.c"
       "/foo/bar.c" "bar.c"
       "foo/bar/"  "bar/"
       "foo/bar/"  "bar/"
       "/"         ""
       "/"         ""
       ""          ""

   The return value is a tail of the given FILENAME; do NOT free() it! */

/* This function was traditionally called 'basename', but we avoid this
   function name because
   * Various platforms have different functions in their libc.
   In particular, the glibc basename(),
```


defined in <string.h>, does

not consider trailing slashes to be part of the component:

FILENAME	RESULT
"foo/bar/"	""
"foo/bar//"	""

* The 'basename' command eliminates trailing slashes and for a root produces a non-empty result:

FILENAME	RESULT
"foo/bar/"	"bar"
"foo/bar//"	"bar"
"/"	"/"
"//"	"/"

*/

extern char *last_component (char const *filename) _GL_ATTRIBUTE_PURE;

/* Return the length of the basename FILENAME.

Typically FILENAME is the value returned by base_name or last_component.

Act like strlen (FILENAME), except omit all trailing slashes. */

extern size_t base_len (char const *filename) _GL_ATTRIBUTE_PURE;

#ifdef __cplusplus

} /* extern "C" */

#endif

#endif /* _BASENAME_LGPL_H */

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided

by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by
the Library is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters,

data structure

layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible

with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser

General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,

<<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy,

distribute
and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program
or other work which contains
a notice placed by the copyright holder saying it may be distributed
under the terms of this General Public License. The "Program", below,
refers to any such program or work, and a "work based on the Program"
means either the Program or any derivative work under copyright law:
that is to say, a work containing the Program or a portion of it,
either verbatim or with modifications and/or translated into another
language. (Hereinafter, translation is included without limitation in
the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running the Program is not restricted, and the output from the Program
is covered only if its contents constitute a work based on the
Program (independent of having been made by running the Program).
Whether that is true depends on what the Program does.

1. You may copy and distribute
verbatim copies of the Program's
source code as you receive it, in any medium, provided that you
conspicuously and appropriately publish on each copy an appropriate
copyright notice and disclaimer of warranty; keep intact all the
notices that refer to this License and to the absence of any warranty;
and give any other recipients of the Program a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may copy and distribute the Program
(or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under

this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute
software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies
a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM,
TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show
c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Moe Ghoul>, 1 April 1989
Moe Ghoul, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to

freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a

covered work is

covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently

reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or

hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are

specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided

above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands

might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see [<https://www.gnu.org/licenses/>](https://www.gnu.org/licenses/).

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<https://www.gnu.org/licenses/why-not-lgpl.html>](https://www.gnu.org/licenses/why-not-lgpl.html).

A. Unicode Copyright.

Copyright 1991-2016 Unicode, Inc. All rights reserved.

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files solely for informational purposes and in the creation of products supporting the Unicode Standard, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the particular set of data files known as the "Unicode Character Database" can be found in the License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page. The online code charts carry specific restrictions. All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

B. Restricted Rights Legend.

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

C. Warranties and Disclaimers.

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION C.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO,

ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

D. Waiver of Damages.

In no event shall Unicode or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

E. Trademarks & Logos.

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement

of Unicode, Inc.'s exclusive worldwide rights in the Unicode Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

F. Miscellaneous.

Jurisdiction and Venue. This server is operated from a location in the State of California, United States of America. Unicode makes no representation that the materials are appropriate for use in other locations. If you access this server from other locations, you are responsible for compliance with local laws. This Agreement, all use of this site and any claims and damages resulting from use of this site are governed solely by the laws of the State of California without regard to any principles

which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this site shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode Unicode shall have the right to modify this Agreement at any time by posting it to this site. The user may not assign any part of this Agreement without Unicode's prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicode's net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

EXHIBIT 1

Unicode Data Files include all data files

under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER

TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

1.17 otel-exporters-otlp-otlptrace 1.24.0

1.17.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.18 more-itertools 10.3.0

1.18.1 Available under license :

Copyright (c) 2012 Erik Rose

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.19 prometheus-client 1.20.5

1.19.1 Available under license :

Copyright (c) 2013 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Prometheus instrumentation library for Go applications

Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (<http://soundcloud.com/>).

The following components are included in this product:

perks - a fork of <https://github.com/bmizerany/perks>
<https://github.com/beorn7/perks>
Copyright 2013-2015 Blake Mizerany, Bjrn Rabenstein
See <https://github.com/beorn7/perks/blob/master/README.md> for license details.

Go support for Protocol Buffers - Google's data interchange format
<http://github.com/golang/protobuf/>
Copyright 2010 The Go Authors
See source code for license details.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.20 perks 1.0.1

1.20.1 Available under license :

Copyright (C) 2013 Blake Mizerany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.21 go-immutable-radix 1.3.1

1.21.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the

License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is

controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of

its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free

of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible

With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible

With Secondary Licenses", as defined by
the Mozilla Public License, v. 2.0.

1.22 profile 1.7.0

1.22.1 Available under license :

Copyright (c) 2013 Dave Cheney. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.23 zlib 1.3.1-r2

1.23.1 Available under license :

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied
warranty. In no event will the authors be held liable for any damages
arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it
freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu
Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.24 nkeys 0.4.8

1.24.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.25 fsnotify 1.5.1

1.25.1 Available under license :

Copyright (c) 2012 The Go Authors. All rights reserved.

Copyright (c) 2012-2019 fsnotify Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.26 gojsonschema 1.2.0

1.26.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2015 xeipuuv

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.27 jaraco-functools 4.0.1

1.27.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.28 platformdirs 4.3.6

1.28.1 Available under license :

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.29 xz-libs 5.8.1-r0

1.29.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law:

that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to

control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For

example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

XZ Utils Licensing

=====

Different licenses apply to different files in this package. Here is a summary of which licenses apply to which parts of this package:

- liblzma is under the BSD Zero Clause License (0BSD).
- The command line tools xz, xzdec, lzmadec, and lzmainfo are under 0BSD except that, on systems that don't have a usable getopt_long, GNU getopt_long is compiled and linked in from the 'lib' directory. The getopt_long code is under GNU LGPLv2.1+.
- The scripts to grep, diff, and view compressed files have been adapted from GNU gzip. These scripts (xzgrep, xzdiff, xzless, and xzmore) are under GNU GPLv2+. The man pages of the scripts are under 0BSD; they aren't based on the man pages of GNU gzip.
- Most of the XZ Utils specific documentation that is in plain text files (like README, INSTALL, PACKAGERS, NEWS, and ChangeLog) are under 0BSD unless stated otherwise in the file itself. The files xz-file-format.txt and lzma-file-format.xt are in the public domain but may be distributed under the terms of 0BSD too.
- Translated messages and man pages are under 0BSD except that some old translations are in the public domain.
- Test files and test code in the 'tests' directory, and debugging utilities in the 'debug' directory are under the BSD Zero Clause License (0BSD).
- The GNU Autotools based build system contains files that are under GNU GPLv2+, GNU GPLv3+, and a few permissive licenses. These files don't affect the licensing of the binaries being built.
- The 'extra' directory contains files that are under various free software licenses. These aren't built or installed as part of XZ Utils.

The following command may be helpful in finding per-file license information. It works on xz.git and on a clean file tree extracted

from a release tarball.

```
sh build-aux/license-check.sh -v
```

For the files under the BSD Zero Clause License (0BSD), if a copyright notice is needed, the following is sufficient:

Copyright (C) The XZ Utils authors and contributors

If you copy significant amounts of 0BSD-licensed code from XZ Utils into your project, acknowledging this somewhere in your software is polite (especially if it is proprietary, non-free software), but it is not legally required by the license terms. Here is an example of a good notice to put into "about box" or into documentation:

This software includes code from XZ Utils <<https://tukaani.org/xz/>>.

The following license texts are included in the following files:

- COPYING.0BSD: BSD Zero Clause License
- COPYING.LGPLv2.1: GNU Lesser General Public License version 2.1
- COPYING.GPLv2: GNU General Public License version 2
- COPYING.GPLv3: GNU General Public License version 3

If

you have questions, don't hesitate to ask for more information.

The contact information is in the README file.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for

them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is

covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your

rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the

Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family,

or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you

received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor

version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying

the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you

have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the

Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,

if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read
<<https://www.gnu.org/licenses/why-not-lgpl.html>>.
Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.30 pyc 3.12.12-r0

1.30.1 Available under license :

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code, copyrighted by Microsoft Corporation. The Microsoft Distributable Code is embedded in each .exe, .dll and .pyd file as a result of running the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or
- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2022 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE =====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's

principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1

is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR

IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND

DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative

version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.31 xz 5.8.1-r0

1.31.1 Available under license :

Copyright (c) 2014-2020 Ulrich Kunitz
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * My name, Ulrich Kunitz, may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR

ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

// Copyright 2014-2019 Ulrich Kunitz. All rights reserved.

// Use of this source code is governed by a BSD-style

// license that can be found in the LICENSE file.

package main

```
import (  
    "bufio"  
    "bytes"  
    "flag"  
    "fmt"  
    "io"  
    "log"  
    "os"  
    "path/filepath"  
    "strings"  
)
```

```
const crUsageString = `xb copyright [options] <path>....
```

The xb copyright command adds a copyright remark to all go files below path.

```
-h prints this message and exits
```

```
,
```

```
func crUsage(w io.Writer) {  
    fmt.Fprint(w, crUsageString)  
}
```

```
const copyrightText = `  
Copyright 2014-2020 Ulrich Kunitz. All rights reserved.  
Use of this source code is governed by a BSD-style  
license that can be found in the LICENSE file.  
,
```

```
func goComment(text string) string {  
    buf := new(bytes.Buffer)  
    scanner := bufio.NewScanner(strings.NewReader(text))  
    var err error  
    for scanner.Scan() {  
        s := strings.TrimSpace(scanner.Text())  
        if len(s) == 0 {  
            continue  
        }  
        if _, err = fmt.Fprintln(buf, "/*", s); err != nil {  
            panic(err)  
        }  
    }  
    if err  
    = scanner.Err(); err != nil {  
        panic(err)  
    }  
    if _, err = fmt.Fprintln(buf); err != nil {  
        panic(err)  
    }  
    return buf.String()  
}
```

```
var goCopyright = goComment(copyrightText)
```

```
func addCopyright(path string) (err error) {  
    log.Printf("adding copyright to %s", path)  
    src, err := os.Open(path)  
    if err != nil {  
        return err  
    }
```

```

}
defer func() {
    cerr := src.Close()
    if cerr != nil && err == nil {
        err = cerr
    }
}()
newPath := path + ".new"
dst, err := os.Create(newPath)
if err != nil {
    return err
}
defer func() {
    cerr := dst.Close()
    if cerr != nil && err == nil {
        err = cerr
    }
}()
out := bufio.NewWriter(dst)
fmt.Fprint(out, goCopyright)
scanner := bufio.NewScanner(src)
line := 0
del := false
for scanner.Scan() {
    line++
    txt := scanner.Text()
    if line == 1 && strings.Contains(txt, "Copyright") {
        del = true
        continue
    }
    if del {
        s := strings.TrimSpace(txt)
        if len(s) == 0 {
            del = false
        }
        continue
    }
    fmt.Fprintln(out, txt)
}
if err = scanner.Err();
err != nil {
    return err
}
if err = out.Flush(); err != nil {
    return
}
err = os.Rename(newPath, path)
return

```



```

}

func walkCopyrights(path string, info os.FileInfo, err error) error {
    if err != nil {
        return err
    }
    if info.IsDir() {
        return nil
    }
    if !strings.HasSuffix(info.Name(), ".go") {
        return nil
    }
    return addCopyright(path)
}

func copyright() {
    cmdName := os.Args[0]
    log.SetPrefix(fmt.Sprintf("%s: ", cmdName))
    log.SetFlags(0)

    flag.CommandLine = flag.NewFlagSet(cmdName, flag.ExitOnError)
    flag.Usage = func() { crUsage(os.Stderr); os.Exit(1) }

    help := flag.Bool("h", false, "")

    flag.Parse()

    if *help {
        crUsage(os.Stdout)
        os.Exit(0)
    }

    for _, path := range flag.Args() {
        fi, err := os.Stat(path)
        if err != nil {
            log.Print(err)
            continue
        }
        if !fi.IsDir() {
            log.Printf("%s is not a directory", path)
            continue
        }
        if err = filepath.Walk(path, walkCopyrights); err != nil {
            log.Fatalf("%s error %s", path, err)
        }
    }
}

```

package main

```
const goLicense = `Copyright (c) 2009 The Go Authors. All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
const xzLicense = `Copyright (c) 2014-2020 Ulrich Kunitz  
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * My name, Ulrich Kunitz, may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.32 nats 1.36.0

1.32.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Mendelson Gusmo

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
{
  "Apache License 2.0":          "Apache-2.0",
  "BSD 2-Clause with views sentence": "BSD-2-Clause-Views",
  "BSD 2-Clause \"Simplified\" License": "BSD-2-Clause",
  "BSD 3-Clause \"New\" or \"Revised\" License": "BSD-3-Clause",
  "BSD 3-Clause Clear License":      "BSD-3-Clause",
  "BSD 3-Clause License":           "BSD-3-Clause",
  "Eclipse Public License - v 1.0":  "EPL-1.0",
  "Eclipse Public License - v 2.0":  "EPL-2.0",
  "ISC License":                   "ISC",
  "MIT License":                   "MIT",
  "Mozilla Public License 2.0":      "MPL-2.0",
  "The Unlicense":                  "Unlicense",
  "zlib License":                   "Zlib"
}
```

```
<github.com/ClickHouse/clickhouse-go@v2.0.0 MIT
<github.com/couchbase/goutils@v0.1.2 Apache-2.0
<=github.com/gorilla/websocket@v1.5.0 BSD-2-Clause
The MIT License (MIT)
```

Copyright (c) 2015-2024 InfluxData Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Dependency license verification tool

This tool allows the verification of information in ``docs/LICENSE_OF_DEPENDENCIES.md`` against the linked license information. To do so, the license reported by the user is checked against the license classification of the downloaded license file for each dependency.

Building

```
```shell
make build_tools
```
```

Running

The simplest way to run the verification tool is to execute

```
```shell
telegraf$./tools/license_checker/license_checker
```
```

using the current directory as telegraf's root directory and verifies all licenses. Only errors will be reported by default.

There are multiple options you can use to customize the verification. Take a look at

```
```shell
telegraf$./tools/license_checker/license_checker --help
```
```

to get an overview.

As the verification tool downloads each license file linked in the dependency license document, you should be careful on not exceeding the access limits of e.g. GitHub by running the tool too frequent.

Some

packages change the license for newer versions. As we always link to the latest license text the classification might not match the actual license of our used dependency. Furthermore, some license text might be wrongly classified, or not classified at all. In these cases, you can use a `_whitelist_` to explicitly state the license SPDX classifier for those packages.

See the `[whitelist section](#whitelist)` for more details.

The recommended use in telegraf is to run

```

```shell
telegraf$./tools/license_checker/license_checker \
 -whitelist ./tools/license_checker/data/whitelist
```

```

using the code-versioned whitelist. This command will report all non-matching entries with an `ERR:` prefix.

Whitelist

Whitelist entries contain explicit license information for a set of packages to use instead of classification. Each entry in the whitelist is a line of the form

```

```text
[comparison operator]<package name>[@vX.Y.Z] <license SPDX>
```

```

where the `_comparison operator_` is one of

``>`, `>=`, `=`, `<=`, or `<``

and the `_license SPDX_` is a [SPDX license identifier][spdx].

In case no package version is specified, the entry matches all versions of the library. Furthermore, the comparison operator can be omitted which is equivalent to an exact match (`=``).

The entries are processed in order until the first match is found.

Here is an example of a whitelist. Assume that you have library ``github.com/foo/bar`` which started out with the ``MIT`` license until version 1.0.0 where it changed to ``EFL-1.0`` until it again changed to ``EFL-2.0`` starting `__after__` version 2.3.0. In this case the whitelist should look like this

```

```text
<github.com/foo/bar@v1.0.0 MIT
<=github.com/foo/bar@v2.3.0 EFL-1.0
github.com/foo/bar EFL-2.0
```

```

All versions below 1.0.0 are matched by the first line and are thus classified as ``MIT``. The second line matches everything that is above 1.0.0 (thus not matched by the first line) until (and including) 2.3.0. The last line with catch everything that was passing the first two lines i.e. everything after 2.3.0.

[spdx]: <https://spdx.org/licenses/>

```

package main

import (
    "bufio"
    "log"
    "os"
    "regexp"
    "strings"

    "github.com/coreos/go-semver/semver"
)

type whitelist []whitelistEntry

type whitelistEntry struct {
    Name    string
    Version *semver.Version
    Operator string
    License string
}

var re = regexp.MustCompile(`^[<=>]+\s*?([-\.\\w]+)(@v[\\d\\.]+)?\s+([-\.\\w]+)$`)

func (w *whitelist) Parse(filename string) error {
    file, err := os.Open(filename)
    if err != nil {
        return err
    }
    defer file.Close()

    // Read file line-by-line and split by semicolon
    lineno := 0
    scanner := bufio.NewScanner(file)
    for scanner.Scan() {
        line := strings.TrimSpace(scanner.Text())
        lineno++
        if strings.HasPrefix(line, "#") {
            // Comment
            continue
        }

        groups := re.FindAllStringSubmatch(line, -1)
        if len(groups) != 1 {
            log.Printf("WARN: Ignoring not matching entry in line %d", lineno)
            continue
        }
        group := groups[0]
        if len(group) != 5 {

```

```

// Malformed
log.Printf("WARN: Ignoring malformed entry in line %d", lineno)
continue
}

//
An entry has the form:
// [operator]<package name>[@version] [license SPDX]
var operator, version string
if group[1] != "" {
    operator = strings.TrimSpace(group[1])
}
name := group[2]
if group[3] != "" {
    version = strings.TrimSpace(group[3])
    version = strings.TrimLeft(version, "@v")
}
license := strings.TrimSpace(group[4])

entry := whitelistEntry{Name: name, License: license, Operator: operator}
if version != "" {
    entry.Version, err = semver.NewVersion(version)
    if err != nil {
        // Malformed
        log.Printf("Ignoring malformed version in line %d: %v", lineno, err)
        continue
    }
    if entry.Operator == "" {
        entry.Operator = "="
    }
}
*w = append(*w, entry)
}

return scanner.Err()
}

func (w *whitelist) Check(pkg, version, spdx string) (ok, found bool) {
    v := strings.TrimSpace(version)
    v = strings.TrimPrefix(v, "v")
    if v == "" {
        return false, false
    }
    pkgver := *semver.New(v)

    for _, entry := range *w {
        if entry.Name

```

```

!= pkg {
    continue
}

var match bool
switch entry.Operator {
case "":
    match = true
case "=":
    match = pkgver.Equal(*entry.Version)
case "<":
    match = pkgver.LessThan(*entry.Version)
case "<=":
    match = pkgver.LessThan(*entry.Version) || pkgver.Equal(*entry.Version)
case ">":
    match = !(pkgver.LessThan(*entry.Version) || pkgver.Equal(*entry.Version))
case ">=":
    match = !pkgver.LessThan(*entry.Version)
}
if match {
    return entry.License == spdx, true
}
}

return false, false
}
package main

import (
    "errors"
    "fmt"
    "io"
    "net/http"
    "net/url"
    "strings"

    "github.com/google/licensecheck"
)

type packageInfo struct {
    name    string
    version string
    license string
    url     string
    spdx    string
}

func (pkg *packageInfo) ToSPDX() {

```

```

pkg.spdx = nameToSPDX[pkg.license]
}

func (pkg *packageInfo) Classify() (float64, error) {
    // Check for a valid SPDX
    if pkg.spdx == "" {
        return 0.0, fmt.Errorf("empty SPDX for license %q", pkg.license)
    }

    // Download the license text
    source, err := normalizeURL(pkg.url)
    if err != nil {
        return 0.0, fmt.Errorf("%q is not a valid URL: %w", pkg.url, err)
    }
    debugf("%q downloading from %q", pkg.name, source)

    response, err := http.Get(source.String())
    if err != nil {
        return 0.0, fmt.Errorf("download from %q failed: %w", source, err)
    }
    if response.StatusCode < 200 || response.StatusCode > 299 {
        status := response.StatusCode
        return 0.0, fmt.Errorf("download from %q failed %d: %s", source, status, http.StatusText(status))
    }
    defer
    response.Body.Close()
    text, err := io.ReadAll(response.Body)
    if err != nil {
        return 0.0, fmt.Errorf("reading body failed: %w", err)
    }
    if len(text) < 1 {
        return 0.0, errors.New("empty body")
    }

    // Classify the license text
    coverage := licensecheck.Scan(text)
    if len(coverage.Match) == 0 {
        return coverage.Percent, errors.New("no match found")
    }
    match := coverage.Match[0]
    debugf("%q found match: %q with confidence %f%%", pkg.name, match.ID, coverage.Percent)

    if match.ID != pkg.spdx {
        return coverage.Percent, fmt.Errorf("classification %q does not match", match.ID)
    }
    return coverage.Percent, nil
}

```

```

func normalizeURL(raw string) (*url.URL, error) {
    u, err := url.Parse(raw)
    if err != nil {
        return nil, err
    }

    switch u.Hostname() {
    case "github.com":
        u.Host = "raw.githubusercontent.com"
        var cleaned []string
        for _, p := range strings.Split(u.Path, "/") {
            // Filter out elements
            if p == "blob" {
                continue
            }
            cleaned = append(cleaned,
p)
        }
        u.Path = strings.Join(cleaned, "/")
    case "gitlab.com":
        u.Path = strings.Replace(u.Path, "/-/blob/", "/-/raw/", 1)
    case "git.octo.it":
        parts := strings.Split(u.RawQuery, ";")
        for i, p := range parts {
            if p == "a=blob" {
                parts[i] = "a=blob_plain"
                break
            }
        }
        u.RawQuery = strings.Join(parts, ";")
    }

    return u, nil
}
# Licenses of dependencies

```

When distributed in a binary form, Telegraf may contain portions of the following works:

- cloud.google.com/go [Apache License 2.0](<https://github.com/googleapis/google-cloud-go/blob/master/LICENSE>)
- code.cloudfoundry.org/clock [Apache License 2.0](<https://github.com/cloudfoundry/clock/blob/master/LICENSE>)
- collectd.org [ISC License](<https://github.com/collectd/go-collectd/blob/master/LICENSE>)
- dario.cat/mergo [BSD 3-Clause "New" or "Revised" License](<https://github.com/imdario/mergo/blob/master/LICENSE>)
- filippo.io/edwards25519 [BSD 3-Clause "New" or "Revised" License](<https://github.com/FiloSottile/edwards25519/blob/main/LICENSE>)
- github.com/99designs/keyring [MIT License](<https://github.com/99designs/keyring/blob/master/LICENSE>)
- github.com/Azure/azure-amqp-common-go [MIT License](<https://github.com/Azure/azure-amqp-common->

go/blob/master/LICENSE)

- github.com/Azure/azure-event-hubs-go [MIT License](https://github.com/Azure/azure-event-hubs-go/blob/master/LICENSE)
-
- github.com/Azure/azure-kusto-go [MIT License](https://github.com/Azure/azure-kusto-go/blob/master/LICENSE)
- github.com/Azure/azure-pipeline-go [MIT License](https://github.com/Azure/azure-pipeline-go/blob/master/LICENSE)
- github.com/Azure/azure-sdk-for-go [MIT License](https://github.com/Azure/azure-sdk-for-go/blob/main/LICENSE.txt)
- github.com/Azure/azure-sdk-for-go/sdk/azcore [MIT License](https://github.com/Azure/azure-sdk-for-go/blob/main/sdk/azcore/LICENSE.txt)
- github.com/Azure/azure-sdk-for-go/sdk/azidentity [MIT License](https://github.com/Azure/azure-sdk-for-go/blob/main/sdk/azidentity/LICENSE.txt)
- github.com/Azure/azure-sdk-for-go/sdk/internal [MIT License](https://github.com/Azure/azure-sdk-for-go/blob/main/sdk/internal/LICENSE.txt)
- github.com/Azure/azure-sdk-for-go/sdk/resourcemanager/monitor/armmonitor [MIT License](https://github.com/Azure/azure-sdk-for-go/blob/main/sdk/resourcemanager/monitor/armmonitor/LICENSE.txt)
- github.com/Azure/azure-sdk-for-go/sdk/resourcemanager/resources/armresources [MIT License](https://github.com/Azure/azure-sdk-for-go/blob/main/sdk/resourcemanager/resources/armresources/LICENSE.txt)
- github.com/Azure/azure-sdk-for-go/sdk/storage/azblob [MIT License](https://github.com/Azure/azure-sdk-for-go/blob/main/sdk/storage/azblob/LICENSE.txt)
- github.com/Azure/azure-storage-queue-go [MIT License](https://github.com/Azure/azure-storage-queue-go/blob/master/LICENSE)
- github.com/Azure/go-amqp [MIT License](https://github.com/Azure/go-amqp/blob/master/LICENSE)
- github.com/Azure/go-ansiterm [MIT License](https://github.com/Azure/go-ansiterm/blob/master/LICENSE)
- github.com/Azure/go-autorest [Apache License 2.0](https://github.com/Azure/go-autorest/blob/master/LICENSE)
- github.com/Azure/go-ntlmssp [MIT License](https://github.com/Azure/go-ntlmssp/blob/master/LICENSE)
- github.com/AzureAD/microsoft-authentication-library-for-go [MIT License](https://github.com/AzureAD/microsoft-authentication-library-for-go/blob/main/LICENSE)
-
- github.com/ClickHouse/clickhouse-go [MIT License](https://github.com/ClickHouse/clickhouse-go/blob/master/LICENSE)
- github.com/IBM/nzgo [MIT License](https://github.com/IBM/nzgo/blob/master/LICENSE.md)
- github.com/IBM/sarama [MIT License](https://github.com/IBM/sarama/blob/master/LICENSE.md)
- github.com/JohnCGriffin/overflow [MIT License](https://github.com/JohnCGriffin/overflow/blob/master/README.md)
- github.com/Masterminds/goutils [Apache License 2.0](https://github.com/Masterminds/goutils/blob/master/LICENSE.txt)
- github.com/Masterminds/semver [MIT License](https://github.com/Masterminds/semver/blob/master/LICENSE.txt)
- github.com/Masterminds/sprig [MIT License](https://github.com/Masterminds/sprig/blob/master/LICENSE.txt)
- github.com/Mellanox/rdmamap [Apache License 2.0](https://github.com/Mellanox/rdmamap/blob/master/LICENSE)
- github.com/Microsoft/go-winio [MIT License](https://github.com/Microsoft/go-winio/blob/master/LICENSE)
- github.com/Microsoft/hcsshim

[MIT License](https://github.com/microsoft/hcsshim/blob/main/LICENSE)

- github.com/PaesslerAG/gval [BSD 3-Clause "New" or "Revised" License](https://github.com/PaesslerAG/gval/blob/master/LICENSE)
- github.com/aerospike/aerospike-client-go [Apache License 2.0](https://github.com/aerospike/aerospike-client-go/blob/master/LICENSE)
- github.com/alecthommas/participle [MIT License](https://github.com/alecthommas/participle/blob/master/COPYING)
- github.com/alecthommas/units [MIT License](https://github.com/alecthommas/units/blob/master/COPYING)
- github.com/alitto/pond [MIT License](https://github.com/alitto/pond/blob/master/LICENSE)
- github.com/alibabacloud-sdk-go [Apache License 2.0](https://github.com/alibabacloud-sdk-go/blob/master/LICENSE)
- github.com/amir/raidman [The Unlicense](https://github.com/amir/raidman/blob/master/UNLICENSE)
- github.com/andybalholm/brotli [MIT License](https://github.com/andybalholm/brotli/blob/master/LICENSE)
- github.com/antchfx/jsonquery [MIT License](https://github.com/antchfx/jsonquery/blob/master/LICENSE)
- github.com/antchfx/xmlquery [MIT License](https://github.com/antchfx/xmlquery/blob/master/LICENSE)
- github.com/antchfx/xpath [MIT License](https://github.com/antchfx/xpath/blob/master/LICENSE)
- github.com/antlr4-go/antlr [BSD 3-Clause "New" or "Revised" License](https://github.com/antlr/antlr4/blob/master/LICENSE.txt)
- github.com/apache/arrow/go [Apache License 2.0](https://github.com/apache/arrow/blob/master/LICENSE.txt)
- github.com/apache/iotdb-client-go [Apache License 2.0](https://github.com/apache/iotdb-client-go/blob/main/LICENSE)
- github.com/apache/thrift [Apache License 2.0](https://github.com/apache/thrift/blob/master/LICENSE)
- github.com/aristanetworks/glog [Apache License 2.0](https://github.com/aristanetworks/glog/blob/master/LICENSE)
- github.com/aristanetworks/goarista [Apache License 2.0](https://github.com/aristanetworks/goarista/blob/master/COPYING)
- github.com/armon/go-metrics [MIT License](https://github.com/armon/go-metrics/blob/master/LICENSE)
- github.com/awnumar/memcall [Apache License 2.0](https://github.com/awnumar/memcall/blob/master/LICENSE)
- github.com/awnumar/memguard [Apache License 2.0](https://github.com/awnumar/memguard/blob/master/LICENSE)
- github.com/aws/aws-sdk-go [Apache License 2.0](https://github.com/aws/aws-sdk-go/blob/main/LICENSE.txt)
- github.com/aws/aws-sdk-go-v2 [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/LICENSE.txt)
- github.com/aws/aws-sdk-go-v2/aws/protocol/eventstream [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/aws/protocol/eventstream/LICENSE.txt)
- github.com/aws/aws-sdk-go-v2/config [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/config/LICENSE.txt)
- github.com/aws/aws-sdk-go-v2/credentials [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/credentials/LICENSE.txt)
- github.com/aws/aws-sdk-go-v2/feature/dynamodb/attributevalue [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/feature/dynamodb/attributevalue/LICENSE.txt)
- github.com/aws/aws-sdk-go-v2/feature/ec2/imds [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/feature/ec2/imds/LICENSE.txt)
- github.com/aws/aws-sdk-go-v2/feature/s3/manager [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/feature/s3/manager/LICENSE.txt)
- github.com/aws/aws-sdk-go-v2/internal/configsources [Apache License 2.0](https://github.com/aws/aws-sdk-go-

v2/blob/main/internal/configsources/LICENSE.txt)

- [github.com/aws/aws-sdk-go-v2/internal/endpoints](https://github.com/aws/aws-sdk-go-v2/blob/main/internal/endpoints/v2/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/internal/endpoints/v2/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/internal/ini](https://github.com/aws/aws-sdk-go-v2/blob/main/internal/ini/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/internal/ini/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/internal/v4a](https://github.com/aws/aws-sdk-go-v2/blob/main/internal/v4a/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/internal/v4a/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/cloudwatch](https://github.com/aws/aws-sdk-go-v2/blob/main/service/cloudwatch/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/cloudwatch/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/cloudwatchlogs](https://github.com/aws/aws-sdk-go-v2/blob/main/service/cloudwatchlogs/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/cloudwatchlogs/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/dynamodb](https://github.com/aws/aws-sdk-go-v2/blob/main/service/dynamodb/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/dynamodb/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/dynamodbstreams](https://github.com/aws/aws-sdk-go-v2/blob/main/service/dynamodbstreams/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/dynamodbstreams/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/ec2](https://github.com/aws/aws-sdk-go-v2/blob/main/service/ec2/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/ec2/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/internal/accept-encoding](https://github.com/aws/aws-sdk-go-v2/blob/main/service/internal/accept-encoding/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/internal/accept-encoding/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/internal/checksum](https://github.com/aws/aws-sdk-go-v2/blob/main/service/internal/checksum/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/internal/checksum/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/internal/endpoint-discovery](https://github.com/aws/aws-sdk-go-v2/blob/main/service/internal/endpoint-discovery/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/internal/endpoint-discovery/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/internal/presigned-url](https://github.com/aws/aws-sdk-go-v2/blob/main/service/internal/presigned-url/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/internal/presigned-url/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/internal/s3shared](https://github.com/aws/aws-sdk-go-v2/blob/main/service/internal/s3shared/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/internal/s3shared/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/kinesis](https://github.com/aws/aws-sdk-go-v2/blob/main/service/kinesis/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/kinesis/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/s3](https://github.com/aws/aws-sdk-go-v2/blob/main/service/s3/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/s3/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/sso](https://github.com/aws/aws-sdk-go-v2/blob/main/service/ec2/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/ec2/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/ssoidc](https://github.com/aws/aws-sdk-go-v2/blob/main/service/ssoidc/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/ssoidc/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/sts](https://github.com/aws/aws-sdk-go-v2/blob/main/service/sts/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/sts/LICENSE.txt)
- [github.com/aws/aws-sdk-go-v2/service/timestreamwrite](https://github.com/aws/aws-sdk-go-v2/blob/main/service/timestreamwrite/LICENSE.txt) [Apache License 2.0](https://github.com/aws/aws-sdk-go-v2/blob/main/service/timestreamwrite/LICENSE.txt)
- [github.com/aws/smithy-go](https://github.com/aws/smithy-go/blob/main/LICENSE) [Apache License 2.0](https://github.com/aws/smithy-go/blob/main/LICENSE)
- [github.com/aws-labs/kinesis-aggregation/go](https://github.com/aws-labs/kinesis-aggregation/blob/master/LICENSE.txt) [Apache License 2.0](https://github.com/aws-labs/kinesis-aggregation/blob/master/LICENSE.txt)
- [github.com/benbjohnson/clock](https://github.com/benbjohnson/clock/blob/master/LICENSE) [MIT License](https://github.com/benbjohnson/clock/blob/master/LICENSE)
- [github.com/beorn7/perks](https://github.com/beorn7/perks/blob/master/LICENSE) [MIT License](https://github.com/beorn7/perks/blob/master/LICENSE)
- [github.com/blues/jsonata-go](https://github.com/blues/jsonata-go/blob/main/LICENSE) [MIT License](https://github.com/blues/jsonata-go/blob/main/LICENSE)
- github.com/bmatcuk/doublestar

[MIT License](https://github.com/bmatcuk/doublestar/blob/master/LICENSE)

- github.com/boschrexroth/ctrlx-datalayer-golang [MIT License](https://github.com/boschrexroth/ctrlx-datalayer-golang/blob/main/LICENSE)
- github.com/bufbuild/protocompile [Apache License 2.0](https://github.com/bufbuild/protocompile/blob/main/LICENSE)
- github.com/caio/go-tdigest [MIT License](https://github.com/caio/go-tdigest/blob/master/LICENSE)
- github.com/cenkalti/backoff [MIT License](https://github.com/cenkalti/backoff/blob/master/LICENSE)
- github.com/cespare/xxhash [MIT License](https://github.com/cespare/xxhash/blob/master/LICENSE.txt)
- github.com/cisco-ie/nx-telemetry-proto [Apache License 2.0](https://github.com/cisco-ie/nx-telemetry-proto/blob/master/LICENSE)
- github.com/clarify/clarify-go [Apache License 2.0](https://github.com/clarify/clarify-go/blob/master/LICENSE)
- github.com/cloudevents/sdk-go [Apache License 2.0](https://github.com/cloudevents/sdk-go/blob/main/LICENSE)
- github.com/compose-spec/compose-go [Apache License 2.0](https://github.com/compose-spec/compose-go/blob/master/LICENSE)
- github.com/containerd/containerd [Apache License 2.0](https://github.com/containerd/containerd/blob/master/LICENSE)
- github.com/containerd/errdefs [Apache License 2.0](https://github.com/containerd/errdefs/blob/main/LICENSE)
- github.com/containerd/log [Apache License 2.0](https://github.com/containerd/log/blob/main/LICENSE)
- github.com/coocood/freecache [MIT License](https://github.com/coocood/freecache/blob/master/LICENSE)
- github.com/coreos/go-semver [Apache License 2.0](https://github.com/coreos/go-semver/blob/main/LICENSE)
- github.com/coreos/go-systemd [Apache License 2.0](https://github.com/coreos/go-systemd/blob/main/LICENSE)
- github.com/couchbase/go-couchbase [MIT License](https://github.com/couchbase/go-couchbase/blob/master/LICENSE)
- github.com/couchbase/gomemcached [MIT License](https://github.com/couchbase/gomemcached/blob/master/LICENSE)
- github.com/couchbase/goutils [Apache License 2.0](https://github.com/couchbase/goutils/blob/master/LICENSE.md)
- github.com/cpuguy83/dockercfg [MIT License](https://github.com/cpuguy83/dockercfg/blob/main/LICENSE)
- github.com/cpuguy83/go-md2man [MIT License](https://github.com/cpuguy83/go-md2man/blob/master/LICENSE.md)
- github.com/danieljoos/wincred [MIT License](https://github.com/danieljoos/wincred/blob/master/LICENSE)
- github.com/datadope-io/go-zabbix [MIT License](https://github.com/datadope-io/go-zabbix/blob/master/LICENSE)
- github.com/davecgh/go-spew [ISC License](https://github.com/davecgh/go-spew/blob/master/LICENSE)
- github.com/dennwc/varint [MIT License](https://github.com/dennwc/varint/blob/master/LICENSE)
- github.com/devigned/tab [MIT License](https://github.com/devigned/tab/blob/master/LICENSE)
- github.com/dgryski/go-rendezvous [MIT License](https://github.com/dgryski/go-rendezvous/blob/master/LICENSE)
- github.com/digitalocean/go-libvirt [Apache License 2.0](https://github.com/digitalocean/go-libvirt/blob/master/LICENSE.md)
- github.com/dimchansky/utfbom [Apache License 2.0](https://github.com/dimchansky/utfbom/blob/master/LICENSE)
- github.com/distribution/reference [Apache License 2.0](https://github.com/distribution/reference/blob/main/LICENSE)
- github.com/djherbis/times [MIT License](https://github.com/djherbis/times/blob/master/LICENSE)
- github.com/docker/docker [Apache License 2.0](https://github.com/docker/docker/blob/master/LICENSE)
- github.com/docker/go-connections [Apache License 2.0](https://github.com/docker/go-

connections/blob/master/LICENSE)

- github.com/docker/go-units [Apache License 2.0](https://github.com/docker/go-units/blob/master/LICENSE)
- github.com/dustin/go-humanize [MIT License](https://github.com/dustin/go-humanize/blob/master/LICENSE)
- github.com/dvsekhvalnov/jose2go [MIT License](https://github.com/dvsekhvalnov/jose2go/blob/master/LICENSE)
- github.com/dynatrace-oss/dynatrace-metric-utils-go [Apache License 2.0](https://github.com/dynatrace-oss/dynatrace-metric-utils-go/blob/master/LICENSE)
-
- github.com/eapache/go-resiliency [MIT License](https://github.com/eapache/go-resiliency/blob/master/LICENSE)
- github.com/eapache/go-xerial-snappy [MIT License](https://github.com/eapache/go-xerial-snappy/blob/master/LICENSE)
- github.com/eapache/queue [MIT License](https://github.com/eapache/queue/blob/master/LICENSE)
- github.com/eclipse/paho.golang [Eclipse Public License - v 2.0](https://github.com/eclipse/paho.golang/blob/master/LICENSE)
- github.com/eclipse/paho.mqtt.golang [Eclipse Public License - v 2.0](https://github.com/eclipse/paho.mqtt.golang/blob/master/LICENSE)
- github.com/emicklei/go-restful [MIT License](https://github.com/emicklei/go-restful/blob/v3/LICENSE)
- github.com/facebook/time [Apache License 2.0](https://github.com/facebook/time/blob/main/LICENSE)
- github.com/fatih/color [MIT License](https://github.com/fatih/color/blob/master/LICENSE.md)
- github.com/felixge/httpsnoop [MIT License](https://github.com/felixge/httpsnoop/blob/master/LICENSE.txt)
-
- github.com/fxamacker/cbor [MIT License](https://github.com/fxamacker/cbor/blob/master/LICENSE)
- github.com/gabriel-vasile/mimetype [MIT License](https://github.com/gabriel-vasile/mimetype/blob/master/LICENSE)
- github.com/go-asn1-ber/asn1-ber [MIT License](https://github.com/go-asn1-ber/asn1-ber/blob/v1.3/LICENSE)
- github.com/go-kit/log [MIT License](https://github.com/go-kit/log/blob/main/LICENSE)
- github.com/go-ldap/ldap [MIT License](https://github.com/go-ldap/ldap/blob/v3.4.1/LICENSE)
- github.com/go-logfmt/logfmt [MIT License](https://github.com/go-logfmt/logfmt/blob/master/LICENSE)
- github.com/go-logr/logr [Apache License 2.0](https://github.com/go-logr/logr/blob/master/LICENSE)
- github.com/go-logr/stdr [Apache License 2.0](https://github.com/go-logr/stdr/blob/master/LICENSE)
- github.com/go-ole/go-ole [MIT License](https://github.com/go-ole/go-ole/blob/master/LICENSE)
- github.com/go-openapi/jsonpointer [Apache License 2.0](https://github.com/go-openapi/jsonpointer/blob/master/LICENSE)
- github.com/go-openapi/jsonreference [Apache License 2.0](https://github.com/go-openapi/jsonreference/blob/master/LICENSE)
- github.com/go-openapi/swag [Apache License 2.0](https://github.com/go-openapi/swag/blob/master/LICENSE)
- github.com/go-redis/redis [BSD 2-Clause "Simplified" License](https://github.com/go-redis/redis/blob/master/LICENSE)
- github.com/go-sql-driver/mysql [Mozilla Public License 2.0](https://github.com/go-sql-driver/mysql/blob/master/LICENSE)
- github.com/go-stack/stack [MIT License](https://github.com/go-stack/stack/blob/master/LICENSE.md)
- github.com/go-stomp/stomp [Apache License 2.0](https://github.com/go-stomp/stomp/blob/master/LICENSE.txt)
- github.com/gobwas/glob [MIT License](https://github.com/gobwas/glob/blob/master/LICENSE)
- github.com/goccy/go-json [MIT License](https://github.com/goccy/go-json/blob/master/LICENSE)
- github.com/godbus/dbus [BSD 2-Clause "Simplified" License](https://github.com/godbus/dbus/blob/master/LICENSE)
-

github.com/gofrs/uuid [MIT License](https://github.com/gofrs/uuid/blob/master/LICENSE)

- github.com/gogo/protobuf [BSD 3-Clause Clear License](https://github.com/gogo/protobuf/blob/master/LICENSE)
- github.com/golang-jwt/jwt [MIT License](https://github.com/golang-jwt/jwt/blob/main/LICENSE)
- github.com/golang-sql/civil [Apache License 2.0](https://github.com/golang-sql/civil/blob/master/LICENSE)
- github.com/golang-sql/sqlx [BSD 3-Clause "New" or "Revised" License](https://github.com/golang-sql/sqlx/blob/master/LICENSE)
- github.com/golang/geo [Apache License 2.0](https://github.com/golang/geo/blob/master/LICENSE)
- github.com/golang/groupcache [Apache License 2.0](https://github.com/golang/groupcache/blob/master/LICENSE)
- github.com/golang/protobuf [BSD 3-Clause "New" or "Revised" License](https://github.com/golang/protobuf/blob/master/LICENSE)
- github.com/golang/snappy [BSD 3-Clause "New" or "Revised" License](https://github.com/golang/snappy/blob/master/LICENSE)
-
- github.com/google/cel-go [Apache License 2.0](https://github.com/google/cel-go/blob/master/LICENSE)
- github.com/google/flatbuffers [Apache License 2.0](https://github.com/google/flatbuffers/blob/master/LICENSE)
- github.com/google/gnostic-models [Apache License 2.0](https://github.com/google/gnostic-models/blob/master/LICENSE)
- github.com/google/gnxi [Apache License 2.0](https://github.com/google/gnxi/blob/master/LICENSE)
- github.com/google/go-cmp [BSD 3-Clause "New" or "Revised" License](https://github.com/google/go-cmp/blob/master/LICENSE)
- github.com/google/go-github [BSD 3-Clause "New" or "Revised" License](https://github.com/google/go-github/blob/master/LICENSE)
- github.com/google/go-querystring [BSD 3-Clause "New" or "Revised" License](https://github.com/google/go-querystring/blob/master/LICENSE)
- github.com/google/gofuzz [Apache License 2.0](https://github.com/google/gofuzz/blob/master/LICENSE)
- github.com/google/s2a-go [Apache License 2.0](https://github.com/google/s2a-go/blob/main/LICENSE.md)
- github.com/google/uuid [BSD 3-Clause "New" or "Revised" License](https://github.com/google/uuid/blob/master/LICENSE)
- github.com/googleapis/enterprise-certificate-proxy [Apache License 2.0](https://github.com/googleapis/enterprise-certificate-proxy/blob/main/LICENSE)
- github.com/googleapis/gax-go [BSD 3-Clause "New" or "Revised" License](https://github.com/googleapis/gax-go/blob/master/LICENSE)
- github.com/gopacket/gopacket [BSD 3-Clause "New" or "Revised" License](https://github.com/gopacket/gopacket/blob/master/LICENSE)
- github.com/gopcu/opcua [MIT License](https://github.com/gopcu/opcua/blob/master/LICENSE)
- github.com/gophercloud/gophercloud [Apache License 2.0](https://github.com/gophercloud/gophercloud/blob/master/LICENSE)
- github.com/gorcon/rcon [MIT License](https://github.com/gorcon/rcon/blob/master/LICENSE)
- github.com/gorilla/mux [BSD 3-Clause "New" or "Revised" License](https://github.com/gorilla/mux/blob/master/LICENSE)
-
- github.com/gorilla/websocket [BSD 2-Clause "Simplified" License](https://github.com/gorilla/websocket/blob/master/LICENSE)
- github.com/gosnmp/gosnmp [BSD 2-Clause "Simplified" License](https://github.com/gosnmp/gosnmp/blob/master/LICENSE)

- github.com/grafana/regexp [BSD 3-Clause "New" or "Revised" License](https://github.com/grafana/regexp/blob/main/LICENSE)
- github.com/grid-x/modbus [BSD 3-Clause "New" or "Revised" License](https://github.com/grid-x/modbus/blob/master/LICENSE)
- github.com/grid-x/serial [MIT License](https://github.com/grid-x/serial/blob/master/LICENSE)
- github.com/gsterjov/go-libsecret [MIT License](https://github.com/gsterjov/go-libsecret/blob/master/LICENSE)
- github.com/gwos/tcg/sdk [MIT License](https://github.com/gwos/tcg/blob/master/LICENSE)
- github.com/hailocab/go-hostpool [MIT License](https://github.com/hailocab/go-hostpool/blob/master/LICENSE)
- github.com/harlow/kinesis-consumer [MIT License](https://github.com/harlow/kinesis-consumer/blob/master/LICENSE)
-
- github.com/hashicorp/consul/api [Mozilla Public License 2.0](https://github.com/hashicorp/consul/blob/main/api/LICENSE)
- github.com/hashicorp/errwrap [Mozilla Public License 2.0](https://github.com/hashicorp/errwrap/blob/master/LICENSE)
- github.com/hashicorp/go-cleanhttp [Mozilla Public License 2.0](https://github.com/hashicorp/go-cleanhttp/blob/master/LICENSE)
- github.com/hashicorp/go-hclog [MIT License](https://github.com/hashicorp/go-hclog/blob/main/LICENSE)
- github.com/hashicorp/go-immutable-radix [Mozilla Public License 2.0](https://github.com/hashicorp/go-immutable-radix/blob/master/LICENSE)
- github.com/hashicorp/go-multierror [Mozilla Public License 2.0](https://github.com/hashicorp/go-multierror/blob/master/LICENSE)
- github.com/hashicorp/go-rootcerts [Mozilla Public License 2.0](https://github.com/hashicorp/go-rootcerts/blob/master/LICENSE)
- github.com/hashicorp/go-uuid [Mozilla Public License 2.0](https://github.com/hashicorp/go-uuid/blob/master/LICENSE)
-
- github.com/hashicorp/golang-lru [Mozilla Public License 2.0](https://github.com/hashicorp/golang-lru/blob/master/LICENSE)
- github.com/hashicorp/packer-plugin-sdk [Mozilla Public License 2.0](https://github.com/hashicorp/packer-plugin-sdk/blob/main/LICENSE)
- github.com/hashicorp/serf [Mozilla Public License 2.0](https://github.com/hashicorp/serf/blob/master/LICENSE)
- github.com/huandu/xstrings [MIT License](https://github.com/huandu/xstrings/blob/master/LICENSE)
- github.com/imdario/mergo [BSD 3-Clause "New" or "Revised" License](https://github.com/imdario/mergo/blob/master/LICENSE)
- github.com/influxdata/influxdb-observability/common [MIT License](https://github.com/influxdata/influxdb-observability/blob/main/LICENSE)
- github.com/influxdata/influxdb-observability/influx2otel [MIT License](https://github.com/influxdata/influxdb-observability/blob/main/LICENSE)
- github.com/influxdata/influxdb-observability/otel2influx [MIT License](https://github.com/influxdata/influxdb-observability/blob/main/LICENSE)
-
- github.com/influxdata/line-protocol [MIT License](https://github.com/influxdata/line-protocol/blob/v2/LICENSE)
- github.com/influxdata/tail [MIT License](https://github.com/influxdata/tail/blob/master/LICENSE.txt)
- github.com/influxdata/toml [MIT License](https://github.com/influxdata/toml/blob/master/LICENSE)
- github.com/influxdata/wlog [MIT License](https://github.com/influxdata/wlog/blob/master/LICENSE)
- github.com/intel/iaevents [Apache License 2.0](https://github.com/intel/iaevents/blob/main/LICENSE)
- github.com/intel/powertelemetry [Apache License

2.0](https://github.com/intel/powertelemetry/blob/main/LICENSE)

- github.com/jackc/chunkreader [MIT License](https://github.com/jackc/chunkreader/blob/master/LICENSE)
- github.com/jackc/pgconn [MIT License](https://github.com/jackc/pgconn/blob/master/LICENSE)
- github.com/jackc/pgio [MIT License](https://github.com/jackc/pgio/blob/master/LICENSE)
- github.com/jackc/pgpassfile [MIT License](https://github.com/jackc/pgpassfile/blob/master/LICENSE)
-
- github.com/jackc/pgproto3 [MIT License](https://github.com/jackc/pgproto3/blob/master/LICENSE)
- github.com/jackc/pgservicefile [MIT License](https://github.com/jackc/pgservicefile/blob/master/LICENSE)
- github.com/jackc/pgtype [MIT License](https://github.com/jackc/pgtype/blob/master/LICENSE)
- github.com/jackc/pgx [MIT License](https://github.com/jackc/pgx/blob/master/LICENSE)
- github.com/jackc/puddle [MIT License](https://github.com/jackc/puddle/blob/master/LICENSE)
- github.com/jaegertracing/jaeger [Apache License
- 2.0](https://github.com/jaegertracing/jaeger/blob/master/LICENSE)
- github.com/jcmtturner/aescts [Apache License 2.0](https://github.com/jcmtturner/aescts/blob/master/LICENSE)
- github.com/jcmtturner/dnsutils [Apache License 2.0](https://github.com/jcmtturner/dnsutils/blob/master/LICENSE)
- github.com/jcmtturner/gofork [BSD 3-Clause "New" or "Revised"
- License](https://github.com/jcmtturner/gofork/blob/master/LICENSE)
- github.com/jcmtturner/goidentity
- [Apache License 2.0](https://github.com/jcmtturner/goidentity/blob/master/LICENSE)
- github.com/jcmtturner/gokrb5 [Apache License 2.0](https://github.com/jcmtturner/gokrb5/blob/master/LICENSE)
- github.com/jcmtturner/rpc [Apache License 2.0](https://github.com/jcmtturner/rpc/blob/master/LICENSE)
- github.com/jeremywohl/flatten [MIT License](https://github.com/jeremywohl/flatten/blob/master/LICENSE)
- github.com/jhump/protorelect [Apache License
- 2.0](https://github.com/jhump/protorelect/blob/master/LICENSE)
- github.com/jmespath/go-jmespath [Apache License 2.0](https://github.com/jmespath/go-
- jmespath/blob/master/LICENSE)
- github.com/jmhodges/clock [MIT License](https://github.com/jmhodges/clock/blob/main/LICENSE)
- github.com/josharian/intern [MIT License](https://github.com/josharian/intern/blob/master/LICENSE.md)
- github.com/josharian/native [MIT License](https://github.com/josharian/native/blob/main/license)
- github.com/jpillora/backoff [MIT License](https://github.com/jpillora/backoff/blob/master/LICENSE)
-
- github.com/json-iterator/go [MIT License](https://github.com/json-iterator/go/blob/master/LICENSE)
- github.com/karrick/godirwalk [BSD 2-Clause "Simplified"
- License](https://github.com/karrick/godirwalk/blob/master/LICENSE)
- github.com/kballard/go-shellquote [MIT License](https://github.com/kballard/go-
- shellquote/blob/master/LICENSE)
- github.com/klauspost/compress [BSD 3-Clause Clear
- License](https://github.com/klauspost/compress/blob/master/LICENSE)
- github.com/klauspost/cpuid [MIT License](https://github.com/klauspost/cpuid/blob/master/LICENSE)
- github.com/klauspost/pgzip [MIT License](https://github.com/klauspost/pgzip/blob/master/LICENSE)
- github.com/kolo/xmlrpc [MIT License](https://github.com/kolo/xmlrpc/blob/master/LICENSE)
- github.com/kylelemons/godebug [Apache License
- 2.0](https://github.com/kylelemons/godebug/blob/master/LICENSE)
- github.com/leodido/go-syslog [MIT License](https://github.com/influxdata/go-syslog/blob/develop/LICENSE)
-
- github.com/leodido/ragel-machinery [MIT License](https://github.com/leodido/ragel-
- machinery/blob/develop/LICENSE)
- github.com/linkedin/goavro [Apache License 2.0](https://github.com/linkedin/goavro/blob/master/LICENSE)

- github.com/logzio/azure-monitor-metrics-receiver [MIT License](https://github.com/logzio/azure-monitor-metrics-receiver/blob/master/LICENSE)
- github.com/magiconair/properties [BSD 2-Clause "Simplified" License](https://github.com/magiconair/properties/blob/main/LICENSE.md)
- github.com/mailru/easyjson [MIT License](https://github.com/mailru/easyjson/blob/master/LICENSE)
- github.com/mattn/go-colorable [MIT License](https://github.com/mattn/go-colorable/blob/master/LICENSE)
- github.com/mattn/go-ieproxy [MIT License](https://github.com/mattn/go-ieproxy/blob/master/LICENSE)
- github.com/mattn/go-isatty [MIT License](https://github.com/mattn/go-isatty/blob/master/LICENSE)
- github.com/mdlayher/apcupsd [MIT License](https://github.com/mdlayher/apcupsd/blob/master/LICENSE.md)
-
- github.com/mdlayher/genetlink [MIT License](https://github.com/mdlayher/genetlink/blob/master/LICENSE.md)
- github.com/mdlayher/netlink [MIT License](https://github.com/mdlayher/netlink/blob/master/LICENSE.md)
- github.com/mdlayher/socket [MIT License](https://github.com/mdlayher/socket/blob/master/LICENSE.md)
- github.com/mdlayher/vsock [MIT License](https://github.com/mdlayher/vsock/blob/main/LICENSE.md)
- github.com/microsoft/ApplicationInsights-Go [MIT License](https://github.com/microsoft/ApplicationInsights-Go/blob/master/LICENSE)
- github.com/microsoft/go-mssqldb [BSD 3-Clause "New" or "Revised" License](https://github.com/microsoft/go-mssqldb/blob/master/LICENSE.txt)
- github.com/miekg/dns [BSD 3-Clause Clear License](https://github.com/miekg/dns/blob/master/LICENSE)
- github.com/minio/highwayhash [Apache License 2.0](https://github.com/minio/highwayhash/blob/master/LICENSE)
- github.com/mitchellh/copystructure [MIT License](https://github.com/mitchellh/copystructure/blob/master/LICENSE)
-
- github.com/mitchellh/go-homedir [MIT License](https://github.com/mitchellh/go-homedir/blob/master/LICENSE)
- github.com/mitchellh/mapstructure [MIT License](https://github.com/mitchellh/mapstructure/blob/master/LICENSE)
- github.com/mitchellh/reflectwalk [MIT License](https://github.com/mitchellh/reflectwalk/blob/master/LICENSE)
- github.com/moby/docker-image-spec [Apache License 2.0](https://github.com/moby/docker-image-spec/blob/main/LICENSE)
- github.com/moby/ipvs [Apache License 2.0](https://github.com/moby/ipvs/blob/master/LICENSE)
- github.com/moby/patternmatcher [Apache License 2.0](https://github.com/moby/patternmatcher/blob/main/LICENSE)
- github.com/moby/sys/sequential [Apache License 2.0](https://github.com/moby/sys/blob/main/LICENSE)
- github.com/moby/sys/user [Apache License 2.0](https://github.com/moby/sys/blob/main/LICENSE)
- github.com/moby/term [Apache License 2.0](https://github.com/moby/term/blob/master/LICENSE)
- github.com/modern-go/concurrent [Apache License 2.0](https://github.com/modern-go/concurrent/blob/master/LICENSE)
- github.com/modern-go/reflect2 [Apache License 2.0](https://github.com/modern-go/reflect2/blob/master/LICENSE)
- github.com/montanaflynn/stats [MIT License](https://github.com/montanaflynn/stats/blob/master/LICENSE)
- github.com/morikuni/aec [MIT License](https://github.com/morikuni/aec/blob/master/LICENSE)
- github.com/mtibben/percent [MIT License](https://github.com/mtibben/percent/blob/master/LICENSE)
- github.com/multiplay/go-ts3 [BSD 2-Clause "Simplified" License](https://github.com/multiplay/go-ts3/blob/master/LICENSE)
- github.com/munnerz/goautoneg [BSD 3-Clause Clear License](https://github.com/munnerz/goautoneg/blob/master/LICENSE)
- github.com/mwitkow/go-conntrack [Apache License 2.0](https://github.com/mwitkow/go-

conntrack/blob/master/LICENSE)
 - github.com/naoina/go-stringutil [MIT License](https://github.com/naoina/go-stringutil/blob/master/LICENSE)
 - github.com/nats-io/jwt
 [Apache License 2.0](https://github.com/nats-io/jwt/blob/master/LICENSE)
 - github.com/nats-io/nats-server [Apache License 2.0](https://github.com/nats-io/nats-server/blob/master/LICENSE)
 - github.com/nats-io/nats.go [Apache License 2.0](https://github.com/nats-io/nats.go/blob/master/LICENSE)
 - github.com/nats-io/nkeys [Apache License 2.0](https://github.com/nats-io/nkeys/blob/master/LICENSE)
 - github.com/nats-io/nuid [Apache License 2.0](https://github.com/nats-io/nuid/blob/master/LICENSE)
 - github.com/ncruces/go-strftime [MIT License](https://github.com/ncruces/go-strftime/blob/main/LICENSE)
 - github.com/netsampler/goflow2 [BSD 3-Clause "New" or "Revised"
 License](https://github.com/netsampler/goflow2/blob/main/LICENSE)
 - github.com/newrelic/newrelic-telemetry-sdk-go [Apache License 2.0](https://github.com/newrelic/newrelic-
 telemetry-sdk-go/blob/master/LICENSE.md)
 - github.com/nsqio/go-nsq [MIT License](https://github.com/nsqio/go-nsq/blob/master/LICENSE)
 - github.com/nwaples/tacplus
 [BSD 2-Clause "Simplified" License](https://github.com/nwaples/tacplus/blob/master/LICENSE)
 - github.com/olivere/elastic [MIT License](https://github.com/olivere/elastic/blob/release-branch.v7/LICENSE)
 - github.com/open-telemetry/opentelemetry-collector-contrib/pkg/pdatautil [Apache License
 2.0](https://github.com/open-telemetry/opentelemetry-collector-contrib/blob/main/LICENSE)
 - github.com/openconfig/gnmi [Apache License 2.0](https://github.com/openconfig/gnmi/blob/master/LICENSE)
 - github.com/openconfig/goyang [Apache License
 2.0](https://github.com/openconfig/goyang/blob/master/LICENSE)
 - github.com/opencontainers/go-digest [Apache License 2.0](https://github.com/opencontainers/go-
 digest/blob/master/LICENSE)
 - github.com/opencontainers/image-spec [Apache License 2.0](https://github.com/opencontainers/image-
 spec/blob/master/LICENSE)
 - github.com/opensearch-project/opensearch-go [Apache License 2.0](https://github.com/opensearch-
 project/opensearch-go/blob/main/LICENSE.txt)
 - github.com/opentracing/opentracing-go
 [Apache License 2.0](https://github.com/opentracing/opentracing-go/blob/master/LICENSE)
 - github.com/p4lang/p4runtime [Apache License 2.0](https://github.com/p4lang/p4runtime/blob/main/LICENSE)
 - github.com/pborman/ansi [BSD 3-Clause "New" or "Revised"
 License](https://github.com/pborman/ansi/blob/master/LICENSE)
 - github.com/peterbourgon/unixtransport [Apache License
 2.0](https://github.com/peterbourgon/unixtransport/blob/main/LICENSE)
 - github.com/philhofer/fwd [MIT License](https://github.com/philhofer/fwd/blob/master/LICENSE.md)
 - github.com/pierrec/lz4 [BSD 3-Clause "New" or "Revised"
 License](https://github.com/pierrec/lz4/blob/master/LICENSE)
 - github.com/pion/dtls [MIT License](https://github.com/pion/dtls/blob/master/LICENSES/MIT.txt)
 - github.com/pion/logging [MIT License](https://github.com/pion/logging/blob/master/LICENSES/MIT.txt)
 - github.com/pion/transport [MIT License](https://github.com/pion/transport/blob/master/LICENSES/MIT.txt)
 - github.com/pkg/browser
 [BSD 2-Clause "Simplified" License](https://github.com/pkg/browser/blob/master/LICENSE)
 - github.com/pkg/errors [BSD 2-Clause "Simplified" License](https://github.com/pkg/errors/blob/master/LICENSE)
 - github.com/pmezard/go-difflib [BSD 3-Clause Clear License](https://github.com/pmezard/go-
 difflib/blob/master/LICENSE)
 - github.com/prometheus-community/pro-bing [MIT License](https://github.com/prometheus-community/pro-
 bing/blob/main/LICENSE)

- github.com/prometheus/client_golang [Apache License 2.0](https://github.com/prometheus/client_golang/blob/master/LICENSE)
- github.com/prometheus/client_model [Apache License 2.0](https://github.com/prometheus/client_model/blob/master/LICENSE)
- github.com/prometheus/common [Apache License 2.0](https://github.com/prometheus/common/blob/master/LICENSE)
- github.com/prometheus/common/sigv4 [Apache License 2.0](https://github.com/prometheus/common/blob/master/LICENSE)
- github.com/prometheus/procfs [Apache License 2.0](https://github.com/prometheus/procfs/blob/master/LICENSE)
- github.com/prometheus/prometheus [Apache License 2.0](https://github.com/prometheus/prometheus/blob/master/LICENSE)
- github.com/rabbitmq/amqp091-go [BSD 2-Clause "Simplified" License](https://github.com/rabbitmq/amqp091-go/blob/main/LICENSE)
- github.com/rcrowley/go-metrics [BSD 2-Clause with views sentence](https://github.com/rcrowley/go-metrics/blob/master/LICENSE)
- github.com/redis/go-redis [BSD 2-Clause "Simplified" License](https://github.com/redis/go-redis/blob/master/LICENSE)
- github.com/remyoudompheng/bigfft [BSD 3-Clause "New" or "Revised" License](https://github.com/remyoudompheng/bigfft/blob/master/LICENSE)
- github.com/riemann/riemann-go-client [MIT License](https://github.com/riemann/riemann-go-client/blob/master/LICENSE)
- github.com/robbiet480/go.nut [MIT License](https://github.com/robbiet480/go.nut/blob/master/LICENSE)
- github.com/robinson/gos7 [BSD 3-Clause "New" or "Revised" License](https://github.com/robinson/gos7/blob/master/LICENSE)
- github.com/russross/blackfriday [BSD 2-Clause "Simplified" License](https://github.com/russross/blackfriday/blob/master/LICENSE.txt)
- github.com/safchain/ethtool [Apache License 2.0](https://github.com/safchain/ethtool/blob/master/LICENSE)
- github.com/samber/lo [MIT License](https://github.com/samber/lo/blob/master/LICENSE)
- github.com/seancfoley/bintree [Apache License 2.0](https://github.com/seancfoley/bintree/blob/master/LICENSE)
- github.com/seancfoley/ipaddress-go [Apache License 2.0](https://github.com/seancfoley/ipaddress-go/blob/master/LICENSE)
- github.com/shirou/gopsutil [BSD 3-Clause Clear License](https://github.com/shirou/gopsutil/blob/master/LICENSE)
- github.com/shoenig/go-m1cpu [Mozilla Public License 2.0](https://github.com/shoenig/go-m1cpu/blob/main/LICENSE)
- github.com/shopspring/decimal [MIT License](https://github.com/shopspring/decimal/blob/master/LICENSE)
- github.com/showwin/speedtest-go [MIT License](https://github.com/showwin/speedtest-go/blob/master/LICENSE)
- github.com/signalfx/com_signalfx_metrics_protobuf [Apache License 2.0](https://github.com/signalfx/com_signalfx_metrics_protobuf/blob/master/LICENSE)
- github.com/signalfx/gohistogram [MIT License](https://github.com/signalfx/gohistogram/blob/master/LICENSE)
- github.com/signalfx/golib [Apache License 2.0](https://github.com/signalfx/golib/blob/master/LICENSE)
- github.com/signalfx/sapm-proto [Apache License 2.0](https://github.com/signalfx/sapm-proto/blob/master/LICENSE)
- github.com/sijms/go-ora [MIT License](https://github.com/sijms/go-ora/blob/master/LICENSE)

- github.com/sirupsen/logrus [MIT License](https://github.com/sirupsen/logrus/blob/master/LICENSE)
- github.com/sleepinggenius2/gosmi [MIT License](https://github.com/sleepinggenius2/gosmi/blob/master/LICENSE)
- github.com/snowflakedb/gosnowflake [Apache License 2.0](https://github.com/snowflakedb/gosnowflake/blob/master/LICENSE)
- github.com/spf13/cast [MIT License](https://github.com/spf13/cast/blob/master/LICENSE)
- github.com/spf13/pflag [BSD 3-Clause "New" or "Revised" License](https://github.com/spf13/pflag/blob/master/LICENSE)
- github.com/srebhan/cborquery [MIT License](https://github.com/srebhan/cborquery/blob/main/LICENSE)
- github.com/srebhan/protobufquery [MIT License](https://github.com/srebhan/protobufquery/blob/master/LICENSE)
- github.com/stoewer/go-strcase [MIT License](https://github.com/stoewer/go-strcase/blob/master/LICENSE)
- github.com/stretchr/testify [MIT License](https://github.com/stretchr/testify/blob/master/LICENSE)
- github.com/testcontainers/testcontainers-go [MIT License](https://github.com/testcontainers/testcontainers-go/blob/main/LICENSE)
- github.com/thomasklein94/packer-plugin-libvirt [Mozilla Public License 2.0](https://github.com/thomasklein94/packer-plugin-libvirt/blob/main/LICENSE)
- github.com/tidwall/gjson [MIT License](https://github.com/tidwall/gjson/blob/master/LICENSE)
- github.com/tidwall/match [MIT License](https://github.com/tidwall/match/blob/master/LICENSE)
- github.com/tidwall/pretty [MIT License](https://github.com/tidwall/pretty/blob/master/LICENSE)
- github.com/tinylib/msgp [MIT License](https://github.com/tinylib/msgp/blob/master/LICENSE)
- github.com/tklauser/go-sysconf [BSD 3-Clause "New" or "Revised" License](https://github.com/tklauser/go-sysconf/blob/master/LICENSE)
- github.com/tklauser/numcpus [Apache License 2.0](https://github.com/tklauser/numcpus/blob/master/LICENSE)
- github.com/twmb/murmur3 [BSD 3-Clause "New" or "Revised" License](https://github.com/twmb/murmur3/blob/master/LICENSE)
- github.com/uber/jaeger-client-go [Apache License 2.0](https://github.com/uber/jaegertracing/jaeger-client-go/blob/master/LICENSE)
- github.com/uber/jaeger-lib [Apache License 2.0](https://github.com/uber/jaegertracing/jaeger-lib/blob/main/LICENSE)
- github.com/urfave/cli [MIT License](https://github.com/urfave/cli/blob/main/LICENSE)
- github.com/vapourismo/knx-go [MIT License](https://github.com/vapourismo/knx-go/blob/master/LICENSE)
- github.com/vishvananda/netlink [Apache License 2.0](https://github.com/vishvananda/netlink/blob/master/LICENSE)
- github.com/vishvananda/netns [Apache License 2.0](https://github.com/vishvananda/netns/blob/master/LICENSE)
- github.com/vjeantet/grok [Apache License 2.0](https://github.com/vjeantet/grok/blob/master/LICENSE)
- github.com/vmware/govmomi [Apache License 2.0](https://github.com/vmware/govmomi/blob/master/LICENSE.txt)
- github.com/wavefronthq/wavefront-sdk-go [Apache License 2.0](https://github.com/wavefrontHQ/wavefront-sdk-go/blob/master/LICENSE)
- github.com/x448/float16 [MIT License](https://github.com/x448/float16/blob/master/LICENSE)
- github.com/xdg-go/pbkdf2 [Apache License 2.0](https://github.com/xdg-go/pbkdf2/blob/main/LICENSE)
- github.com/xdg-go/scram [Apache License 2.0](https://github.com/xdg-go/scram/blob/master/LICENSE)
- github.com/xdg-go/stringprep

[Apache License 2.0](https://github.com/xdg-go/stringprep/blob/master/LICENSE)

- github.com/xdg/scram [Apache License 2.0](https://github.com/xdg-go/scram/blob/master/LICENSE)
- github.com/xdg/stringprep [Apache License 2.0](https://github.com/xdg-go/stringprep/blob/master/LICENSE)
- github.com/xrash/smetrics [MIT License](https://github.com/xrash/smetrics/blob/master/LICENSE)
- github.com/youmark/pkcs8 [MIT License](https://github.com/youmark/pkcs8/blob/master/LICENSE)
- github.com/yuin/gopher-lua [MIT License](https://github.com/yuin/gopher-lua/blob/master/LICENSE)
- github.com/yusufpapurcu/wmi [MIT License](https://github.com/yusufpapurcu/wmi/blob/master/LICENSE)
- github.com/zeebo/xxh3 [BSD 2-Clause "Simplified" License](https://github.com/zeebo/xxh3/blob/master/LICENSE)
- go.mongodb.org/mongo-driver [Apache License 2.0](https://github.com/mongodb/mongo-go-driver/blob/master/LICENSE)
- go.opencensus.io [Apache License 2.0](https://github.com/census-instrumentation/opencensus-go/blob/master/LICENSE)
-
- go.opentelemetry.io/collector/consumer [Apache License 2.0](https://github.com/open-telemetry/opentelemetry-collector/blob/main/LICENSE)
- go.opentelemetry.io/collector/pdata [Apache License 2.0](https://github.com/open-telemetry/opentelemetry-collector/blob/main/LICENSE)
- go.opentelemetry.io/collector/semconv [Apache License 2.0](https://github.com/open-telemetry/opentelemetry-collector/blob/main/LICENSE)
- go.opentelemetry.io/contrib/instrumentation/google.golang.org/grpc/otelgrpc [Apache License 2.0](https://github.com/open-telemetry/opentelemetry-go-contrib/blob/main/LICENSE)
- go.opentelemetry.io/contrib/instrumentation/net/http/otelhttp [Apache License 2.0](https://github.com/open-telemetry/opentelemetry-go-contrib/blob/main/LICENSE)
- go.opentelemetry.io/otel [Apache License 2.0](https://github.com/open-telemetry/opentelemetry-go/blob/main/LICENSE)
- go.opentelemetry.io/otel/metric [Apache License 2.0](https://github.com/open-telemetry/opentelemetry-go/blob/main/LICENSE)
-
- go.opentelemetry.io/otel/trace [Apache License 2.0](https://github.com/open-telemetry/opentelemetry-go/blob/main/LICENSE)
- go.starlark.net [BSD 3-Clause "New" or "Revised" License](https://github.com/google/starlark-go/blob/master/LICENSE)
- go.step.sm/crypto [Apache License 2.0](https://github.com/smallstep/crypto/blob/master/LICENSE)
- go.uber.org/atomic [MIT License](https://pkg.go.dev/go.uber.org/atomic?tab=licenses)
- go.uber.org/multierr [MIT License](https://pkg.go.dev/go.uber.org/multierr?tab=licenses)
- go.uber.org/zap [MIT License](https://pkg.go.dev/go.uber.org/zap?tab=licenses)
- golang.org/x/crypto [BSD 3-Clause Clear License](https://github.com/golang/crypto/blob/master/LICENSE)
- golang.org/x/exp [BSD 3-Clause Clear License](https://github.com/golang/exp/blob/master/LICENSE)
- golang.org/x/net [BSD 3-Clause Clear License](https://github.com/golang/net/blob/master/LICENSE)
- golang.org/x/oauth2 [BSD 3-Clause "New" or "Revised" License](https://github.com/golang/oauth2/blob/master/LICENSE)
-
- golang.org/x/sync [BSD 3-Clause "New" or "Revised" License](https://github.com/golang/sync/blob/master/LICENSE)
- golang.org/x/sys [BSD 3-Clause Clear License](https://github.com/golang/sys/blob/master/LICENSE)
- golang.org/x/term [BSD 3-Clause License](https://pkg.go.dev/golang.org/x/term?tab=licenses)
- golang.org/x/text [BSD 3-Clause Clear License](https://github.com/golang/text/blob/master/LICENSE)

- golang.org/x/time [BSD 3-Clause Clear License](https://github.com/golang/time/blob/master/LICENSE)
- golang.org/x/xerrors [BSD 3-Clause Clear License](https://github.com/golang/xerrors/blob/master/LICENSE)
- golang.zx2c4.com/wireguard [MIT License](https://github.com/WireGuard/wgctrl-go/blob/master/LICENSE.md)
- golang.zx2c4.com/wireguard/wgctrl [MIT License](https://github.com/WireGuard/wgctrl-go/blob/master/LICENSE.md)
- gonum.org/v1/gonum [BSD 3-Clause "New" or "Revised" License](https://github.com/gonum/gonum/blob/master/LICENSE)
- google.golang.org/api [BSD 3-Clause "New" or "Revised" License](https://github.com/googleapis/google-api-go-client/blob/master/LICENSE)
- google.golang.org/genproto [Apache License 2.0](https://github.com/google/go-genproto/blob/master/LICENSE)
- google.golang.org/genproto/googleapis/api [Apache License 2.0](https://pkg.go.dev/google.golang.org/genproto/googleapis/api?tab=licenses)
- google.golang.org/genproto/googleapis/rpc [Apache License 2.0](https://pkg.go.dev/google.golang.org/genproto/googleapis/rpc?tab=licenses)
- google.golang.org/grpc [Apache License 2.0](https://github.com/grpc/grpc-go/blob/master/LICENSE)
- google.golang.org/protobuf [BSD 3-Clause "New" or "Revised" License](https://pkg.go.dev/google.golang.org/protobuf?tab=licenses)
- gopkg.in/fatih/pool.v2 [MIT License](https://github.com/fatih/pool/blob/v2.0.0/LICENSE)
- gopkg.in/fsnotify.v1 [BSD 3-Clause "New" or "Revised" License](https://github.com/fsnotify/fsnotify/blob/v1.4.7/LICENSE)
- gopkg.in/gorethink/gorethink.v3 [Apache License 2.0](https://github.com/rethinkdb/rethinkdb-go/blob/v3.0.5/LICENSE)
- gopkg.in/inf.v0 [BSD 3-Clause "New" or "Revised" License](https://github.com/go-inf/inf/blob/v0.9.1/LICENSE)
- gopkg.in/ini.v1 [Apache License 2.0](https://github.com/go-ini/ini/blob/master/LICENSE)
- gopkg.in/olivere/elastic.v5 [MIT License](https://github.com/olivere/elastic/blob/v5.0.76/LICENSE)
- gopkg.in/tomb.v1 [BSD 3-Clause Clear License](https://github.com/go-tomb/tomb/blob/v1/LICENSE)
- gopkg.in/tomb.v2 [BSD 3-Clause Clear License](https://github.com/go-tomb/tomb/blob/v2/LICENSE)
- gopkg.in/yaml.v2 [Apache License 2.0](https://github.com/go-yaml/yaml/blob/v2.2.2/LICENSE)
- gopkg.in/yaml.v3 [MIT License](https://github.com/go-yaml/yaml/blob/v3/LICENSE)
- k8s.io/api [Apache License 2.0](https://github.com/kubernetes/client-go/blob/master/LICENSE)
- k8s.io/apimachinery [Apache License 2.0](https://github.com/kubernetes/client-go/blob/master/LICENSE)
- k8s.io/client-go [Apache License 2.0](https://github.com/kubernetes/client-go/blob/master/LICENSE)
-
- k8s.io/klog [Apache License 2.0](https://github.com/kubernetes/client-go/blob/master/LICENSE)
- k8s.io/kube-openapi [Apache License 2.0](https://github.com/kubernetes/client-go/blob/master/LICENSE)
- k8s.io/utils [Apache License 2.0](https://github.com/kubernetes/client-go/blob/master/LICENSE)
- layeh.com/radius [Mozilla Public License 2.0](https://github.com/layeh/radius/blob/master/LICENSE)
- modernc.org/libc [BSD 3-Clause "New" or "Revised" License](https://gitlab.com/cznic/libc/-/blob/master/LICENSE)
- modernc.org/mathutil [BSD 3-Clause "New" or "Revised" License](https://gitlab.com/cznic/mathutil/-/blob/master/LICENSE)
- modernc.org/memory [BSD 3-Clause "New" or "Revised" License](https://gitlab.com/cznic/memory/-/blob/master/LICENSE)
- modernc.org/sqlite [BSD 3-Clause "New" or "Revised" License](https://gitlab.com/cznic/sqlite/-/blob/master/LICENSE)
- sigs.k8s.io/json [Apache License 2.0](https://github.com/kubernetes/client-go/blob/master/LICENSE)
-

sigs.k8s.io/structured-merge-diff [Apache License 2.0](https://github.com/kubernetes/client-go/blob/master/LICENSE)
- sigs.k8s.io/yaml [Apache License 2.0](https://github.com/kubernetes/client-go/blob/master/LICENSE)

Telegraf used and modified code from these projects

- github.com/DataDog/datadog-agent [Apache License 2.0](https://github.com/DataDog/datadog-agent/blob/main/LICENSE)

1.33 prometheus-common 0.62.0

1.33.1 Available under license :

Common libraries shared by Prometheus Go components.
Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (<http://soundcloud.com/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.34 otel 1.38.0

1.34.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.35 zipp 3.19.2

1.35.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.36 markupsafe 3.0.3

1.36.1 Available under license :

Copyright 2010 Pallets

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.37 go-resiliency 1.7.0

1.37.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Evan Huus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.38 coreutils 9.8-r1

1.38.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

<<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to

make sure that you have the freedom to distribute copies of free software

(and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want

to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The

"Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c)

If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part

of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains,

plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your

rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted

interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to

most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does.
Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program;
if not, see
<<https://www.gnu.org/licenses/>>.
Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details
type `show w'. This is free software, and you are welcome
to redistribute it under certain conditions; type `show c'
for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright
interest
in the program `Gnomovision'
(which makes passes at compilers) written
by James Hacker.

signature of Moe Ghoul, 1 April 1989
Moe Ghoul, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```

# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>

```

```

# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
buildid="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"

```



```

makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
    need dbus
}

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz"

```

```

0001-bsd-games-scores-dir.patch
"
options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--scoaredir=/usr/share/$pkgname
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
    bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"
MIT License

```

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
  update_config_sub  
  default_prepare  
}
```

```

build() {
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr
make
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"
# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"

bulddir="$srcdir"
options="!check" # just headers

package() {
mkdir -p "$pkgdir"
install -Dm644 -t "$pkgdir"/usr/include/sys \
cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

Original Copyright (c) 1985 by Supoj Sutanthavibul

Parts Copyright (c) 1989-2012 by Brian V. Smith

Parts Copyright (c) 1991 by Paul King

Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

```
#ifndef _SYS_QUEUE_H_
```

```
#define _SYS_QUEUE_H_
```

```
/*
```

* This file defines five types of data structures: singly-linked lists,
* lists, simple queues, tail queues, and circular queues.

*

* A singly-linked list is headed by a single forward pointer. The
* elements are singly linked for minimum space and
pointer manipulation
* overhead at the expense of O(n) removal for arbitrary elements. New
* elements can be added to the list after an existing element or at the
* head of the list. Elements being removed from the head of the list
* should use the explicit macro for this purpose for optimum
* efficiency. A singly-linked list may only be traversed in the forward
* direction. Singly-linked lists are ideal for applications with large
* datasets and few or no removals or for implementing a LIFO queue.

*

* A list is headed by a single forward pointer (or an array of forward
* pointers for a hash table header). The elements are doubly linked
* so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before
* or after an existing element or at the head of the list. A list
* may only be traversed in the forward direction.

*

* A simple queue is headed by a pair of pointers, one the head of the
* list and the
other to the tail of the list. The elements are singly
* linked to save space, so elements can only be removed from the
* head of the list. New elements can be added to the list after
* an existing element, at the head of the list, or at the end of the
* list. A simple queue may only be traversed in the forward direction.

*

* A tail queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before or

```

* after an existing element, at the head of the list, or at the end of
* the list. A tail queue may be traversed in either direction.
*
* A circle queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements
* can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.
*/

```

```

/*
* Include the definition of NULL only on NetBSD because sys/null.h
* is not available elsewhere. This conditional makes the header
* portable and it can simply be dropped verbatim into any system.
* The caveat is that on other systems some other header
* must provide NULL before the macros can be used.
*/
#ifdef __NetBSD__
#include <sys/null.h>
#endif

```

```

#if defined(QEUEDEBUG)
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

```

```

/*
* Singly-linked List definitions.
*/
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \

```

```

struct {
    \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
    for((var) = (head)->slh_first; \
        (var) != SLIST_END(head); \
        (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = SLIST_FIRST((head)); \
        (var) != SLIST_END(head) && \
        ((tvar) = SLIST_NEXT((var), field), 1); \
        (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \

```



```

} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
    (var) != LIST_END(head); \
    (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \

```

```

    (var) != LIST_END(head) && \
    ((tvar) = LIST_NEXT((var), field), 1); \
    (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
    if ((head)->lh_first && \
        (head)->lh_first->field.le_prev != &(head)->lh_first) \
        QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
    if ((elm)->field.le_next && \
        (elm)->field.le_next->field.le_prev != \
        &(elm)->field.le_next) \
        QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \
    if (*(elm)->field.le_prev != (elm)) \
        QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm, field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \

```

```

LIST_END(head))    \
(listelm)->field.le_next->field.le_prev = \
    &(elm)->field.le_next;    \
(listelm)->field.le_next = (elm);    \
(elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next
    = (head)->lh_first) != LIST_END(head))\
        (head)->lh_first->field.le_prev = &(elm)->field.le_next;\
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */

#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct

```

```

type *sqh_first; /* first element */ \
struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head); \
    (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head) && \
    ((next = ((var)->field.sqe_next)), 1); \
    (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \

```

```

*(head)->sqh_last = (elm); \
(head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL)\
(head)->sqh_last = &(elm)->field.sqe_next; \
(listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL)\
(head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
if \
(((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
== NULL) \
(head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
if ((head)->sqh_first == (elm)) { \
SIMPLEQ_REMOVE_HEAD((head), field); \
} else { \
struct type *curelm = (head)->sqh_first; \
while (curelm->field.sqe_next != (elm)) \
curelm = curelm->field.sqe_next; \
if ((curelm->field.sqe_next = \
curelm->field.sqe_next->field.sqe_next) == NULL) \
(head)->sqh_last = &(curelm)->field.sqe_next; \
} \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
if (!SIMPLEQ_EMPTY((head2))) { \
*(head1)->sqh_last = (head2)->sqh_first; \
(head1)->sqh_last = (head2)->sqh_last; \
SIMPLEQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
(SIMPLEQ_EMPTY((head)) ? \
NULL : \
((struct type

```

```

*)(void *) \
((char *)((head)->sqh_last) - offsetof(struct type, field)))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
struct name { \
    qual type *tqh_first; /* first element */ \
    qual type *qual *tqh_last; /* addr of last next element */ \
}
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
{ TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *)((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *)((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->tqh_first); \
     (var) != TAILQ_END(head); \
     (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->tqh_first); \
     (var) != TAILQ_END(head) && \
     (next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \

```

```

for ((var) = TAILQ_LAST((head), headname); \
    (var) != TAILQ_END(head); \
    (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
for ((var) = TAILQ_LAST((head), headname); \
    (var) != TAILQ_END(head) && \
    ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QEUEDEBUG)
#define QEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
if ((head)->tqh_first && \
    (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
    QEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
if (*(head)->tqh_last != NULL) \
    QEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QEUEDEBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
    (elm)->field.tqe_next->field.tqe_prev != \
    &(elm)->field.tqe_next) \
    QEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
(elm)->field.tqe_next = (void *)1L; \
(elm)->field.tqe_prev = (void *)1L;
#else
#define QEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QEUEDEBUG_TAILQ_OP(elm, field)
#define QEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

```

```

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
        (head)->tqh_first = (elm); \
        (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
        (listelm)->field.tqe_next = (elm); \
        (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
        = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \

```



```

QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
QUEUEDEBUG_TAILQ_OP((elm), field) \
if (((elm)->field.tqe_next) != TAILQ_END(head)) \
    (elm)->field.tqe_next->field.tqe_prev = \
        (elm)->field.tqe_prev; \
else \
    (head)->tqh_last = (elm)->field.tqe_prev; \
*(elm)->field.tqe_prev = (elm)->field.tqe_next; \
QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

```

```

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next) == (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
        field); \
} while (/*CONSTCOND*/0)

```

```

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

```

/*

* Singly-linked Tail queue declarations.

*/

```

#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

```

```

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

```

```

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

```

```

}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head)
== STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
== NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \

```

```

while (curelm->field.stqe_next != (elm)) \
    curelm = curelm->field.stqe_next; \
if ((curelm->field.stqe_next = \
    curelm->field.stqe_next->field.stqe_next) == NULL) \
    (head)->stqh_last = &(curelm)->field.stqe_next; \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->stqh_first); \
    (var); \
    (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = STAILQ_FIRST((head)); \
    (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
    (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 */

```

```

*
* This hack is only to be used for comparisons and thus can be fully const.
* Do not use for assignment.
*
* If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
* this by changing the head/tail sentinel values, but see the note above
* this one.
*/

```

```

static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
    if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
        (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
            __FILE__, __LINE__); \
    if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
        (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_last != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } \
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \

```

```

(elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
listelm, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \

```

```

(elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
    (head)->cqh_first = (elm); \
else \
    (listelm)->field.cqe_prev->field.cqe_next = (elm); \
(listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \

```

```

for ((var) = ((head)->cqh_first); \
    (var) != CIRCLEQ_ENDC(head); \
    (var)
    = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
for ((var) = ((head)->cqh_last); \
    (var) != CIRCLEQ_ENDC(head); \
    (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */
#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_last) \
     :
     (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y

```

```

#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__ ((__nothrow__))
# define __NTH(fct) __attribute__ ((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl

```


}

sha512sums="

a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d

flake8-copyright-0.2.4.tar.gz

"

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE
 AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

```
#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_
```

```
#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
  ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
   (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif
```

```
#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif
```

```
/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
```

- * same number of black nodes,
- * - each red node (except for the root) has a black parent,
- * - each leaf node is black.
- *
- * Every operation on a red-black tree is bounded as $O(\lg n)$.
- * The maximum height of a red-black tree is $2\lg(n+1)$.
- */

```
#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}
```

```
#define SPLAY_INITIALIZER(root) \
{ NULL }
```

```
#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}
```

```
#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)
```

```
/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
}
```

```

(head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
    \
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
}

```

```

else    \
    elm = NULL;    \
return (elm);    \
}    \
    \

static __sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{    \
    name##_SPLAY_MINMAX(head, val);    \
    return (SPLAY_ROOT(head));    \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */

#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{    \
    if (SPLAY_EMPTY(head)) {    \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else {    \
        int __comp;    \
        name##_SPLAY(head, elm);    \
        __comp = (cmp)(elm, (head)->sph_root);    \
        if (__comp < 0) {    \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
            SPLAY_RIGHT(elm, field) = (head)->sph_root;    \
            SPLAY_LEFT((head)->sph_root, field) = NULL;    \
        } else if (__comp > 0) {    \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field); \
            SPLAY_LEFT(elm, field) = (head)->sph_root;    \
            SPLAY_RIGHT((head)->sph_root, field) = NULL;    \
        } else    \
            return ((head)->sph_root);    \
    }    \
    (head)->sph_root = (elm);    \
    return (NULL);    \
}    \
    \

struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{    \
    struct type *__tmp;    \
    if (SPLAY_EMPTY(head))    \
        return (NULL);    \
    name##_SPLAY(head, elm);    \

```

```

if ((cmp)(elm, (head)->sph_root) == 0) { \
    if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
        (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
    } else { \
        __tmp = SPLAY_RIGHT((head)->sph_root, field);\
        (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
        name##_SPLAY(head, elm); \
        SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
    } \
    return (elm); \
} \
return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
\
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
\
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field);\
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field);\
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) > 0){ \
                SPLAY_ROTATE_LEFT(head, __tmp, field);\
                if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
    SPLAY_ASSEMBLE(head,

```

```

    &__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
\
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
\
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp > 0) { \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root, \
field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
    SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \

```

```

: name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
: name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
for ((x) = SPLAY_MIN(name, head); \
(x) != NULL; \
(x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
struct name { \
    struct type *rbh_root; /* root of the tree */ \
}

#define RB_INITIALIZER(root) \
{ \
    NULL \
}

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \

```



```

RB_COLOR(red, field)
= RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do { } while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

```

```

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *);\
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        struct type \
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \
            RB_COLOR(parent, field) == RB_RED) { \
            gparent = RB_PARENT(parent, field); \
            if (parent == RB_LEFT(gparent, field)) { \
                tmp = RB_RIGHT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field);\
                    elm = gparent; \
                    continue; \
                } \
            } \
            if (RB_RIGHT(parent, field) == elm) { \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
        } \
    }

```

```

    } \
    RB_SET_BLACKRED(parent, gparent, field); \
    RB_ROTATE_RIGHT(head, gparent, tmp, field); \
} else { \
    tmp = RB_LEFT(gparent, field); \
    if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
        RB_COLOR(tmp, field) = RB_BLACK; \
        RB_SET_BLACKRED(parent, gparent, field); \
        elm = gparent; \
        continue; \
    } \
    if (RB_LEFT(parent, field) == elm)
{ \
    RB_ROTATE_RIGHT(head, parent, tmp, field); \
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
    RB_SET_BLACKRED(parent, gparent, field); \
    RB_ROTATE_LEFT(head, gparent, tmp, field); \
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp,
field), field) == RB_BLACK)) { \
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \

```

```

    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
struct type *oleft; \
if ((oleft = RB_LEFT(tmp, field)) \
    != NULL) \
    RB_COLOR(oleft, field) = RB_BLACK;\
    RB_COLOR(tmp, field) = RB_RED; \
    RB_ROTATE_RIGHT(head, tmp, oleft, field);\
    tmp = RB_RIGHT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \
if (RB_RIGHT(tmp, field)) \
    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
                RB_COLOR(tmp, field) = RB_RED; \
                RB_ROTATE_LEFT(head, tmp, oright, field);\
                tmp = RB_LEFT(parent, field); \
            } \
            RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
            RB_COLOR(parent, field) = RB_BLACK; \
            if (RB_LEFT(tmp, field)) \
                RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
            RB_ROTATE_RIGHT(head, parent, tmp, field);\

```

```

    elm = RB_ROOT(head); \
    break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
    \
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \
                RB_RIGHT(parent, field) = child; \
            RB_AUGMENT(parent); \
        } else \
            RB_ROOT(head)
    = child; \
    if (RB_PARENT(elm, field) == old) \
        parent = elm; \
    (elm)->field = (old)->field; \
    if (RB_PARENT(old, field)) { \
        if (RB_LEFT(RB_PARENT(old, field), field) == old)\
            RB_LEFT(RB_PARENT(old, field), field) = elm;\
        else \
            RB_RIGHT(RB_PARENT(old, field), field) = elm;\
        RB_AUGMENT(RB_PARENT(old, field)); \
    } else \

```

```

    RB_ROOT(head) = elm; \
    RB_PARENT(RB_LEFT(old, field), field) = elm; \
    if (RB_RIGHT(old, field)) \
        RB_PARENT(RB_RIGHT(old, field), field) = elm; \
    if (parent) { \
        left = parent; \
        do { \
            RB_AUGMENT(left); \
        } while ((left = RB_PARENT(left, field)) != NULL); \
    } \
    goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    }

```

```

} \
RB_SET(elm, parent, field); \
if (parent != NULL) { \
    if (comp < 0) \
        RB_LEFT(parent, field) = elm; \
    else \
        RB_RIGHT(parent, field) = elm; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = elm; \
name##_RB_INSERT_COLOR(head,
elm); \
return (NULL); \
} \
\
/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp =

```

```

RB_RIGHT(tmp, field); \
else \
    return (tmp); \
} \
return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    } \
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
} \

```



```

    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x, \
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
for ((x) = RB_MIN(name, head); \
(x) != NULL; \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \

```

```

for ((x) = RB_MAX(name, head); \
    (x) != NULL; \
    (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y) \
for ((x) = RB_MAX(name, head); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#endif /* _SYS_TREE_H */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
buildid="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {

```

```
make DESTDIR="$pkgdir" install
}
```

```
sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
Software-License-0.104007.tar.gz
"
```

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin.me>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-\$pkgver.tar.gz"

builddir="\$srcdir/\$_pkgname-\$pkgver"

```

build() {
  gpep517 build-wheel \
    --wheel-dir .dist \
    --output-fd 3 3>&1 >&2
}

check() {
  python3 -m venv --clear --without-pip --system-site-packages .testenv
  .testenv/bin/python3 -m installer .dist/*.whl
  .testenv/bin/python3 -m pytest
}

package() {
  python3 -m installer -d "$pkgdir" \
    .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
  license_expression-30.4.4.tar.gz
"

```

1.39 py3-packaging-pyc 25.0-r0

1.39.1 Available under license :

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

BSD-style without advertising clause

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.40 python3-pyc 3.12.12-r0

1.40.1 Available under license :

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code, copyrighted by Microsoft Corporation. The Microsoft Distributable Code is embedded in each .exe, .dll and .pyd file as a result of running the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or
- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper

Copyright (c) 2001-2022 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived	Year	Owner	GPL-

from		compatible? (1)		
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF				yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License

Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").
2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.
3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html>

may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have

made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.41 lumberjack 2.0.0

1.41.1 Available under license :

Copyright (c) 2016, Michael Strong
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN

1.42 distro 1.9.0

1.42.1 Available under license :

We thank anyone who has contributed to this project, and welcome anyone to contribute further.

For a list of contributors, please see <https://github.com/python-distro/distro/graphs/contributors>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted

against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.43 sqlx 1.3.4

1.43.1 Available under license :

Copyright (c) 2013, Jason Moiron

Permission is hereby granted, free of charge, to any person
obtaining a copy of this software and associated documentation
files (the "Software"), to deal in the Software without
restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.44 otel-trace 1.38.0

1.44.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names

of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.45 rpc 2.0.3

1.45.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 chenwenzhang

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.46 pgpassfile 1.0.0

1.46.1 Available under license :

Copyright (c) 2019 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.47 bzip2 1.0.8-r6

1.47.1 Available under license :

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2019 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@acm.org
bzip2/libbzip2 version 1.0.8 of 13 July 2019

1.48 codegangsta-cli 1.20.0

1.48.1 Available under license :

MIT License

Copyright (c) 2016 Jeremy Saenz & Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.49 hashicorp-uuid 1.0.3

1.49.1 Available under license :

Copyright 2015-2022 HashiCorp, Inc.

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a

separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the

outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary

to comply with
the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any

Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by

reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4.

Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License

with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing,

repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward.
Except as provided in Section

10.3, no one other than the license steward has the right to modify or

publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is

Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.50 musl 1.2.5-r21

1.50.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

<<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want

to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The

"Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c)

If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part

of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this

License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your

rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients'

exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a

consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY

AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does.

Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program;
if not, see

<<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details

type `show w'. This is free software, and you are welcome

to redistribute it under certain conditions; type `show c'

for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright
interest
in the program ``Gnomovision'`
(which makes passes at compilers) written
by James Hacker.

signature of Moe Ghoul, 1 April 1989

Moe Ghoul, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"
```

```
_types="html json rdfa rdft rdfturtle rdfxml template text"
```

```
for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done
```

```
package() {
    mkdir -p "$pkgdir"
}
```

```
_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
```

```

cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

```

```

}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdb5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a  cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon

```

```

command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
    need dbus
}
# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"
options="!check" # no tests

build() {
    # some GNU autoconf options are ignored, but it works
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr \
        --sysconfdir=/etc \
        --mandir=/usr/share/man \
        --sourcedir=/usr/share/$pkgname
    make
}

package() {
    make DESTDIR="$pkgdir" install
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
    bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"

```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
```

```
pkgname=libart-lgpl
```

```
pkgver=2.3.21
```

```
pkgrel=8
```

```
pkgdesc="A library for high-performance 2D graphics"
```

```
url="https://www.levien.com/libart/"
```

```
arch="all"
```

```
options="!check" # No test suite.
```

```
license="LGPL-2.0-or-later"
```

```
subpackages="$pkgname-dev"
```

```
source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-$pkgver.tar.bz2"
```

```
"
```

```
builddir="$srcdir"/libart-lgpl-$pkgver
```

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
        --build=$CBUILD \  
        --host=$CHOST \  
        --prefix=/usr  
    make
```



```

}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"
mini_sendmail - accept email on behalf of real sendmail

```

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"

```

```

builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}

sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

Original Copyright (c) 1985 by Supoj Sutanthavibul
 Parts Copyright (c) 1989-2012 by Brian V. Smith
 Parts Copyright (c) 1991 by Paul King
 Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
 The text rotation code in w_rottext.c was written by Alan Richardson.
 The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker
 The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick
 The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:
 "X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>
 /* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

```
#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_
```

```
/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 * pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large
 * datasets and few or no removals or for implementing a LIFO queue.
```

```

*
* A list is headed by a single forward pointer (or an array of forward
* pointers for a hash table header). The elements are doubly linked
* so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before
* or after an existing element or at the head of the list. A list
* may only be traversed in the forward direction.
*
* A simple queue is headed by a pair of pointers, one the head of the
* list and the
other to the tail of the list. The elements are singly
* linked to save space, so elements can only be removed from the
* head of the list. New elements can be added to the list after
* an existing element, at the head of the list, or at the end of the
* list. A simple queue may only be traversed in the forward direction.
*
* A tail queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before or
* after an existing element, at the head of the list, or at the end of
* the list. A tail queue may be traversed in either direction.
*
* A circle queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements
can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.
*/

/*
* Include the definition of NULL only on NetBSD because sys/null.h
* is not available elsewhere. This conditional makes the header
* portable and it can simply be dropped verbatim into any system.
* The caveat is that on other systems some other header
* must provide NULL before the macros can be used.
*/
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#if defined(QEUEDEBUG)
# if defined(_KERNEL)

```

```

# define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
# include <err.h>
# define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \

```

```

} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */

#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \

```

```

struct {
    \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */

#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
    for ((var) = ((head)->lh_first); \
         (var) != LIST_END(head); \
         (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = LIST_FIRST((head)); \
         (var) != LIST_END(head) && \
         ((tvar) = LIST_NEXT((var), field), 1); \
         (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */

#ifdef QUEUEDEBDEBUG
#define QUEUEDEBDEBUG_LIST_INSERT_HEAD(head, elm, field) \
    if ((head)->lh_first && \
        (head)->lh_first->field.le_prev != &(head)->lh_first) \
        QUEUEDEBDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBDEBUG_LIST_OP(elm, field) \
    if ((elm)->field.le_next && \
        (elm)->field.le_next->field.le_prev != \
        &(elm)->field.le_next) \
        QUEUEDEBDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \

```

```

if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \

```



```

    (elm)->field.le_prev; \
*(elm)->field.le_prev = (elm)->field.le_next; \
QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
    (elm2)->field.le_next->field.le_prev = \
        &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head); \
    (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head) && \

```

```

        ((next = ((var)->field.sqe_next)), 1); \
        (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \

```

```

    curelm = curelm->field.sqe_next; \
    if ((curelm->field.sqe_next = \
        curelm->field.sqe_next->field.sqe_next) == NULL) \
        (head)->sqh_last = &(curelm->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
        NULL : \
        ((struct type \
            *) (void *) \
            ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
    struct { \
        qual type *tqe_next; /* next element */ \
        qual type *qual *tqe_prev; /* address of previous next element */ \
    }
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)

```

```

#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
         (var) != TAILQ_END(head); \
         (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
         (var) != TAILQ_END(head) && \
         ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
         (var) != TAILQ_END(head); \
         (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
         (var) != TAILQ_END(head) && \
         ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
    if ((elm)->field.tqe_next && \
        (elm)->field.tqe_next->field.tqe_prev != \
        &(elm)->field.tqe_next) \
        QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \

```

```

if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \

```

```

    TAILQ_END(head))    \
    (elm)->field.tqe_next->field.tqe_prev = \
        &(elm)->field.tqe_next;    \
else    \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm);    \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
        *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
        QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
    } while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
        field); \
    } while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
    }

```

```

TAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

```

```

} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL)\
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
    (STAILQ_EMPTY((head)) ? \

```



```

NULL :    \
        ((struct type *)(void *) \
        ((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifndef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
    if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
        (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
            __FILE__, __LINE__); \
    if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
        (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_last != (elm)) \

```

```

    QUEUEDEBUG_ABORT("CIRCLEQ
elm last %p %s:%d", \
    (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    }
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
}

```

```

} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
    listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

```

```

} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm)->field.cqe_next)
#define CIRCLEQ_LOOP_PREV(head, elm, field) \

```

```

(((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
    ? ((head)->cqh_last) \
    :
    (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"

```

```

license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

```

IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
/* Modified by Void Linux. */
/*
 * Copyright 2002 Niels Provos <provos@citi.umich.edu>
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE
 * AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif
#endif

```

```

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

```

```

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

```

```

#define SPLAY_INITIALIZER(root) \
{ NULL }

```

```

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

```

```

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

```

```

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right

```



```

#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \

```

```

{
    \
    if (SPLAY_EMPTY(head))
        return(NULL);
    name##_SPLAY(head, elm);
    if ((cmp)(elm, (head)->sph_root) == 0)
        return (head->sph_root);
    return (NULL);
}

static __inline _sys_tree_h_unused struct type *
name##_SPLAY_NEXT(struct name *head, struct type *elm)
{
    name##_SPLAY(head, elm);
    if (SPLAY_RIGHT(elm, field) != NULL) {
        elm = SPLAY_RIGHT(elm, field);
        while (SPLAY_LEFT(elm, field) != NULL) {
            elm = SPLAY_LEFT(elm, field);
        }
    }
    else
        elm = NULL;
    return (elm);
}

static _sys_tree_h_unused __inline struct type *
name##_SPLAY_MIN_MAX(struct name *head, int val)
{
    name##_SPLAY_MINMAX(head, val);
    return (SPLAY_ROOT(head));
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp)
struct type *
name##_SPLAY_INSERT(struct name *head, struct type *elm)
{
    if (SPLAY_EMPTY(head)) {
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL;
    } else {
        int __comp;
        name##_SPLAY(head, elm);
        __comp = (cmp)(elm, (head)->sph_root);
        if (__comp < 0) {
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);
            SPLAY_RIGHT(elm, field) = (head)->sph_root;
            SPLAY_LEFT((head)->sph_root, field) = NULL;

```

```

    } else if (__comp > 0) { \
        SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field);\
        SPLAY_LEFT(elm, field) = (head)->sph_root; \
        SPLAY_RIGHT((head)->sph_root, field) = NULL; \
    } else \
        return ((head)->sph_root); \
} \
(head)->sph_root = (elm); \
return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \

```

```

if ((cmp)(elm, __tmp) < 0){ \
    SPLAY_ROTATE_RIGHT(head, __tmp, field); \
    if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if ((cmp)(elm, __tmp) > 0){ \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL; \
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp > 0) { \

```

```

    SPLAY_ROTATE_LEFT(head, __tmp, field); \
    if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
        break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
    } \
    } \
    SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
struct name { \
    struct type *rbh_root; /* root of the tree */ \
}

#define RB_INITIALIZER(root) \
{ \
    NULL \
}

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
}

```

```

struct type *rbe_parent; /* parent element */ \
int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \

```

```

(tmp) = RB_LEFT(elm, field); \
if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field))
!= NULL) { \
    RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
} \
RB_AUGMENT(elm); \
if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
    if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
        RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
    else \
        RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
    (head)->rbh_root = (tmp); \
RB_RIGHT(tmp, field) = (elm); \
RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct
    type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \

```

```

{
    \
    struct type
    *parent, *gparent, *tmp;
    \
    while ((parent = RB_PARENT(elm, field)) != NULL && \
        RB_COLOR(parent, field) == RB_RED) {
        \
        gparent = RB_PARENT(parent, field);
        \
        if (parent == RB_LEFT(gparent, field)) {
            \
            tmp = RB_RIGHT(gparent, field);
            \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) {
                \
                RB_COLOR(tmp, field) = RB_BLACK;
                \
                RB_SET_BLACKRED(parent, gparent, field);
                \
                elm = gparent;
                \
                continue;
            }
            \
            if (RB_RIGHT(parent, field) == elm) {
                \
                RB_ROTATE_LEFT(head, parent, tmp, field);
                \
                tmp = parent;
                \
                parent = elm;
                \
                elm = tmp;
            }
            \
            RB_SET_BLACKRED(parent, gparent, field);
            \
            RB_ROTATE_RIGHT(head, gparent, tmp, field);
        }
        else {
            \
            tmp = RB_LEFT(gparent, field);
            \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) {
                \
                RB_COLOR(tmp, field) = RB_BLACK;
                \
                RB_SET_BLACKRED(parent, gparent, field);
                \
                elm = gparent;
                \
                continue;
            }
            \
            if (RB_LEFT(parent, field) == elm)
        {
            \
            RB_ROTATE_RIGHT(head, parent, tmp, field);
            \
            tmp = parent;
            \
            parent = elm;
            \
            elm = tmp;
        }
        \
        RB_SET_BLACKRED(parent, gparent, field);
        \
        RB_ROTATE_LEFT(head, gparent, tmp, field);
    }
    \
}
    \
RB_COLOR(head->rbh_root, field) = RB_BLACK;
\
}
    \
attr void
    \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{
    \
    struct type *tmp;
    \

```



```

while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
    elm != RB_ROOT(head)) { \
    if (RB_LEFT(parent, field) == elm) { \
        tmp = RB_RIGHT(parent, field); \
        if (RB_COLOR(tmp, field) == RB_RED) { \
            RB_SET_BLACKRED(tmp, parent, field); \
            RB_ROTATE_LEFT(head, parent, tmp, field); \
            tmp = RB_RIGHT(parent, field); \
        } \
        if ((RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
            (RB_RIGHT(tmp, field) == NULL || \
            RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
            RB_COLOR(tmp, field) = RB_RED; \
            elm = parent; \
            parent = RB_PARENT(elm, field); \
        } else { \
            if (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                struct type *oleft; \
                if ((oleft = RB_LEFT(tmp, field)) \
                    != NULL) \
                    RB_COLOR(oleft, field) = RB_BLACK; \
                RB_COLOR(tmp, field) = RB_RED; \
                RB_ROTATE_RIGHT(head, tmp, oleft, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            RB_COLOR(tmp, field) = RB_COLOR(parent, field); \
            RB_COLOR(parent, field) = RB_BLACK; \
            if (RB_RIGHT(tmp, field)) \
                RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK; \
            RB_ROTATE_LEFT(head, parent, tmp, field); \
            elm = RB_ROOT(head); \
            break; \
        } \
    } else { \
        tmp = RB_LEFT(parent, field); \
        if (RB_COLOR(tmp, field) == RB_RED) { \
            RB_SET_BLACKRED(tmp, parent, field); \
            RB_ROTATE_RIGHT(head, parent, tmp, field); \
            tmp \
= RB_LEFT(parent, field); \
        } \
        if ((RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
            (RB_RIGHT(tmp, field) == NULL || \
            RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\

```

```

RB_COLOR(tmp, field) = RB_RED; \
elm = parent; \
parent = RB_PARENT(elm, field); \
} else { \
if (RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
    struct type *oright; \
    if ((oright = RB_RIGHT(tmp, field)) \
        != NULL) \
        RB_COLOR(oright, field) = RB_BLACK;\
    RB_COLOR(tmp, field) = RB_RED; \
    RB_ROTATE_LEFT(head, tmp, oright, field);\
    tmp = RB_LEFT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \
if (RB_LEFT(tmp, field)) \
    RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
RB_ROTATE_RIGHT(head, parent, tmp, field);\
elm = RB_ROOT(head); \
break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \

```

```

if (parent) { \
  if (RB_LEFT(parent, field) == elm) \
    RB_LEFT(parent, field) = child; \
  else \
    RB_RIGHT(parent, field) = child; \
  RB_AUGMENT(parent); \
} else \
  RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
  parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
  if (RB_LEFT(RB_PARENT(old, field), field) == old)\
    RB_LEFT(RB_PARENT(old, field), field) = elm;\
  else \
    RB_RIGHT(RB_PARENT(old, field), field) = elm;\
  RB_AUGMENT(RB_PARENT(old, field)); \
} else \
  RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
  RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
  left = parent; \
  do { \
    RB_AUGMENT(left); \
  } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
  RB_PARENT(child, field) = parent; \
if (parent) { \
  if (RB_LEFT(parent, field) == elm) \
    RB_LEFT(parent, field) = child; \
  else \
    RB_RIGHT(parent,
field) = child; \
  RB_AUGMENT(parent); \
} else \
  RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
  name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \

```

```

}    \
    \
/* Inserts a node into the RB tree */ \
attr struct type *    \
name##_RB_INSERT(struct name *head, struct type *elm) \
{    \
    struct type *tmp;    \
    struct type *parent = NULL;    \
    int comp = 0;    \
    tmp = RB_ROOT(head);    \
    while (tmp) {    \
        parent = tmp;    \
        comp = (cmp)(elm, parent);    \
        if (comp < 0)    \
            tmp = RB_LEFT(tmp, field);    \
        else if (comp > 0)    \
            tmp = RB_RIGHT(tmp, field);    \
        else    \
            return (tmp);    \
    }    \
    RB_SET(elm, parent, field);    \
    if (parent != NULL) {    \
        if (comp < 0)    \
            RB_LEFT(parent, field) = elm;    \
        else    \
            RB_RIGHT(parent, field) = elm;    \
        RB_AUGMENT(parent);    \
    } else    \
        RB_ROOT(head) = elm;    \
    name##_RB_INSERT_COLOR(head,    \
    elm);    \
    return (NULL);    \
}    \
    \
/* Finds the node with the same key as elm */ \
attr struct type *    \
name##_RB_FIND(struct name *head, struct type *elm) \
{    \
    struct type *tmp = RB_ROOT(head);    \
    int comp;    \
    while (tmp) {    \
        comp = cmp(elm, tmp);    \
        if (comp < 0)    \
            tmp = RB_LEFT(tmp, field);    \
        else if (comp > 0)    \
            tmp = RB_RIGHT(tmp, field);    \
        else    \
            return (tmp);    \
    }

```

```

    }    \
    return (NULL);    \
}    \
    \
/* Finds the first node greater than or equal to the search key */\
attr struct type *    \
name##_RB_NFIND(struct name *head, struct type *elm)    \
{    \
    struct type *tmp = RB_ROOT(head);    \
    struct type *res = NULL;    \
    int comp;    \
    while (tmp) {    \
        comp = cmp(elm, tmp);    \
        if (comp < 0) {    \
            res = tmp;    \
            tmp = RB_LEFT(tmp, field);    \
        }    \
        else if (comp > 0)    \
            tmp =
RB_RIGHT(tmp, field);    \
        else    \
            return (tmp);    \
    }    \
    return (res);    \
}    \
    \
/* ARGSUSED */    \
attr struct type *    \
name##_RB_NEXT(struct type *elm)    \
{    \
    if (RB_RIGHT(elm, field)) {    \
        elm = RB_RIGHT(elm, field);    \
        while (RB_LEFT(elm, field))    \
            elm = RB_LEFT(elm, field);    \
    } else {    \
        if (RB_PARENT(elm, field) &&    \
            (elm == RB_LEFT(RB_PARENT(elm, field), field)))    \
            elm = RB_PARENT(elm, field);    \
        else {    \
            while (RB_PARENT(elm, field) &&    \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field)))    \
                elm = RB_PARENT(elm, field);    \
            elm = RB_PARENT(elm, field);    \
        }    \
    }    \
    return (elm);    \
}    \
    \

```

```

/* ARGSUSED */      \
attr struct type *      \
name##_RB_PREV(struct type *elm)      \
{      \
    if (RB_LEFT(elm, field)) {      \
        elm = RB_LEFT(elm, field);      \
        while (RB_RIGHT(elm, field))      \
            elm = RB_RIGHT(elm, field);      \
    }      \
    else {      \
        if (RB_PARENT(elm, field) &&      \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field)))      \
            elm = RB_PARENT(elm, field);      \
        else {      \
            while (RB_PARENT(elm, field) &&      \
                (elm == RB_LEFT(RB_PARENT(elm, field), field)))      \
                elm = RB_PARENT(elm, field);      \
            elm = RB_PARENT(elm, field);      \
        }      \
    }      \
    return (elm);      \
}      \
\
attr struct type *      \
name##_RB_MINMAX(struct name *head, int val)      \
{      \
    struct type *tmp = RB_ROOT(head);      \
    struct type *parent = NULL;      \
    while (tmp) {      \
        parent = tmp;      \
        if (val < 0)      \
            tmp = RB_LEFT(tmp, field);      \
        else      \
            tmp = RB_RIGHT(tmp, field);      \
    }      \
    return (parent);      \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x, y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)

```

```

#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
    for ((x) = RB_MIN(name, head); \
        (x) != NULL; \
        (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
    for ((x) = (y); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
    for ((x) = RB_MIN(name, head); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
    for ((x) = RB_MAX(name, head); \
        (x) != NULL; \
        (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
    for ((x) = (y); \
        ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
    head, y) \
    for ((x) = RB_MAX(name, head); \
        ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
        (x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"

```

```

subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
Software-License-0.104007.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR


```

IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
# Contributor: Dhruvin Gandhi <contact@dhruvin>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=py3-license-expression
_pkgname=license_expression
pkgver=30.4.4
pkgrel=0
pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir/${_pkgname}-${pkgver}"

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
    license_expression-30.4.4.tar.gz
"

```

1.51 jaraco.collections 5.1.0

1.51.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.52 inotify 0.2.10

1.52.1 Available under license :

UNRECOGNIZED LICENSE; MD5 sum: 5cb13b05a253faf9cc933f3a438f1e2c

1.53 semver 3.5.1+incompatible

1.53.1 Available under license :

MIT

The MIT License

Copyright (c) 2014 Benedikt Lang <github at benediktlang.de>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.54 zstd 1.5.7-r2

1.54.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty;

and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program

with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License.

However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that

system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE

PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU

General Public License as published by

the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute

it

under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this

is what you want to do, use the GNU Lesser General

Public License instead of this License.

ZSTD Library

Copyright (c) 2014-2015, Yann Collet

All rights reserved.

BSD License

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.55 tzdata 2025b-r0

1.55.1 Available under license :

Unless specified below, all files in the tz code and data (including this LICENSE file) are in the public domain.

If the files date.c, newstrftime.3, and strftime.c are present, they contain material derived from BSD and use the BSD 3-clause license.

1.56 wheel 0.45.1

1.56.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

MIT License

Copyright (c) 2012 Daniel Holth <dholth@fastmail.fm> and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.57 gofork 1.7.6

1.57.1 Available under license :

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.58 backoff 4.2.1

1.58.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Cenk Alt

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.59 my-test-package 1.0

1.59.1 Available under license :

MIT

1.60 pgx 5.7.6

1.60.1 Available under license :

Copyright (c) 2013-2021 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.61 skalibs 2.14.4.0-r0

1.61.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid

anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program

is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands

`show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=10
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
```

```

_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch

```

```

"
options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--sourcedir=/usr/share/$pkgname
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
    bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"
MIT License

```

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
    --build=$CBUILD \  
    --host=$CHOST \  
    --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e76654309e001aee9bace727b5b4c8589405256a3c020 libart-lgpl-2.3.21.tar.bz2"

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>

Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>

pkgname=spdx-licenses

pkgver=3.26.0

pkgrel=0

pkgdesc="Various data formats for the SPDX License List"

url="https://spdx.org/"

arch="noarch"

options="!check" # no test suite

license="CC-BY-3.0"

source="license-list-data-\$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v\$pkgver.tar.gz"

builddir="\$srcdir/license-list-data-\$pkgver"

subpackages="\$pkgname-list"

_types="html json rdfa rdfnt rdfurtle rdfxml template text"

for type in \$_types; do

subpackages="\$subpackages \$pkgname-\$type:_subpkg"

done

package() {

mkdir -p "\$pkgdir"

}

_subpkg() {

local type=\${subpkgname/\$pkgname-/}

pkgdesc="\$pkgdesc (\$type)"

install_if="\$pkgname=\$pkgver-r\$pkgrel"

mkdir -p "\$subpkgdir"/usr/share/spdx

cp -r "\$builddir"/\$type "\$subpkgdir"/usr/share/spdx/

}

list() {

pkgdesc="\$pkgdesc (licence list)"

```

mkdir -p "$subpkgdir"/usr/share/spdx
local i; for i in "$builddir"/text/*.txt;
do
    local license=${i##*/}
    echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
done
}

sha512sums="
67e618d4642dfe4f366935d9514d6f7941d3711e77c49bc1b340ac572d36015981b8f10c72a9f80f1d83e132ae7e5093c
0155e0c0e786e4777ee16d1cb7b885a license-list-data-3.26.0.tar.gz
"

# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"

builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}

sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

Main Xfig copyright notice:

```

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnll.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.1

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-\$pkgver.tar.gz"

builddir="\$srcdir/\$_pkgname-\$pkgver"

build() {

gpep517 build-wheel \

--wheel-dir .dist \

--output-fd 3 3>&1 >&2

}

check() {

python3 -m venv --clear --without-pip --system-site-packages .testenv

```

.testenv/bin/python3 -m installer .dist/*.whl
.testenv/bin/python3 -m pytest
}

package() {
python3 -m installer -d "$pkgdir" \
.d/dist/*.whl
}

sha512sums="
114c630f098939757e49187e35b4e54883266a2ee9ca283724992420ef4c860f9606a8342da0ab74d93627c10805f312
fda3f699cbc7c4fbd47a71e220440fb0
license_expression-30.4.1.tar.gz
"

/* $NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp $ */

/*
 * Copyright (c) 1991, 1993
 * The Regents of the University of California. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the University nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * @(#)queue.h 8.5 (Berkeley) 8/20/94
 */

```



```

#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_

/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 * pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large
 * datasets and few or no removals or for implementing a LIFO queue.
 *
 * A list is headed by a single forward pointer (or an array of forward
 * pointers for a hash table header). The elements are doubly linked
 * so that an arbitrary element can be removed without a need to
 * traverse the list. New elements can be added to the list before
 * or after an existing element or at the head of the list. A list
 * may only be traversed in the forward direction.
 *
 * A simple queue is headed by a pair of pointers, one the head of the
 * list and the
 * other to the tail of the list. The elements are singly
 * linked to save space, so elements can only be removed from the
 * head of the list. New elements can be added to the list after
 * an existing element, at the head of the list, or at the end of the
 * list. A simple queue may only be traversed in the forward direction.
 *
 * A tail queue is headed by a pair of pointers, one to the head of the
 * list and the other to the tail of the list. The elements are doubly
 * linked so that an arbitrary element can be removed without a need to
 * traverse the list. New elements can be added to the list before or
 * after an existing element, at the head of the list, or at the end of
 * the list. A tail queue may be traversed in either direction.
 *
 * A circle queue is headed by a pair of pointers, one to the head of the
 * list and the other to the tail of the list. The elements are doubly
 * linked so that an arbitrary element can be removed without a need to
 * traverse the list. New elements
 * can be added to the list before or after
 * an existing element, at the head of the list, or at the end of the list.
 * A circle queue may be traversed in either direction, but has a more
 * complex end of list detection.

```

```

*
* For details on the use of these macros, see the queue(3) manual page.
*/

/*
* Include the definition of NULL only on NetBSD because sys/null.h
* is not available elsewhere. This conditional makes the header
* portable and it can simply be dropped verbatim into any system.
* The caveat is that on other systems some other header
* must provide NULL before the macros can be used.
*/
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#ifdef QUEUEDEBUG
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
* Singly-linked List definitions.
*/
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
* Singly-linked List access methods.
*/
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

```

```

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \

```

```

        curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
     (var) != LIST_END(head); \
     (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
     (var) != LIST_END(head) && \
     ((tvar) = LIST_NEXT((var), field), 1); \
     (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
}

```

```

} while (/*CONSTCOND*/0)

/*
 * List functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
    (head)->lh_first->field.le_prev != &(head)->lh_first) \
    QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
(elm)->field.le_next = (void *)1L; \
(elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
} while (/*CONSTCOND*/0)

```

```

*(listelm)->field.le_prev = (elm); \
(listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
    = (head)->lh_first) != LIST_END(head))\
    (head)->lh_first->field.le_prev = &(elm)->field.le_next;\
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
    (elm)->field.le_next->field.le_prev = \
    (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
    (elm2)->field.le_next->field.le_prev = \
    &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

```

```

/*
 * Simple queue access methods.
 */

#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head); \
     (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head) && \
     ((next = ((var)->field.sqe_next)), 1); \
     (var) = (next))

/*
 * Simple queue functions.
 */

#define SIMPLEQ_INIT(head) do { \
(head)->sqh_first = NULL; \
(head)->sqh_last \
= &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
(head)->sqh_last = &(elm)->field.sqe_next; \
(head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
(elm)->field.sqe_next = NULL; \
*(head)->sqh_last = (elm); \
(head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
(head)->sqh_last = &(elm)->field.sqe_next; \
(listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \

```

```

if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
    (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
    (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
     == NULL) \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \
            curelm->field.sqe_next->field.sqe_next) == NULL) \
            (head)->sqh_last = &(curelm)->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
     NULL : \
     ((struct type \
      *) (void *) \
      ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */

#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }

#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

```



```

#define TAILQ_HEAD_INITIALIZER(head) \
{ TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}

#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (*((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (*((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->tqh_first); \
     (var) != TAILQ_END(head); \
     (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->tqh_first); \
     (var) != TAILQ_END(head) && \
     ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
for ((var) = TAILQ_LAST((head), headname); \
     (var) != TAILQ_END(head); \
     (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
for ((var) = TAILQ_LAST((head), headname); \
     (var) != TAILQ_END(head) && \
     ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */

```

```

#if defined(QEUEDEDEBUG)
#define QEUEDEDEBUG_TAILQ_INSERT_HEAD(head,
elm, field) \
if ((head)->tqh_first && \
(head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
QEUEDEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
__FILE__, __LINE__);
#define QEUEDEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
if (*(head)->tqh_last != NULL) \
QEUEDEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
__FILE__, __LINE__);
#define QEUEDEDEBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
(elm)->field.tqe_next->field.tqe_prev != \
&(elm)->field.tqe_next) \
QEUEDEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
__FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
QEUEDEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
__FILE__, __LINE__);
#define QEUEDEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
(head)->tqh_last != &(elm)->field.tqe_next) \
QEUEDEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
(head), (elm), __FILE__, \
__LINE__);
#define QEUEDEDEBUG_TAILQ_POSTREMOVE(elm, field) \
(elm)->field.tqe_next = (void *)1L; \
(elm)->field.tqe_prev = (void *)1L;
#else
#define QEUEDEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QEUEDEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QEUEDEDEBUG_TAILQ_OP(elm, field)
#define QEUEDEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QEUEDEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
(head)->tqh_first = TAILQ_END(head); \
(head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
QEUEDEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
(head)->tqh_first->field.tqe_prev = \
&(elm)->field.tqe_next; \
else \

```

```

(head)->tqh_last = &(elm)->field.tqe_next; \
(head)->tqh_first = (elm); \
(elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head,
elm, field) do { \
    QUEUEDEBBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
        = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \

```

```

        if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm),
    field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*

```

```

* Singly-linked Tail queue functions.
*/
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

```

```

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = STAILQ_FIRST((head)); \
    (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
    (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{

```

```

__asm __volatile("" : "+r" (__x));
return __x;
}

#if defined(QEUEDEBUEG)
#define QEUEDEBUEG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
    (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
QEUEDEBUEG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
    __FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
    (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
QEUEDEBUEG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
    __FILE__, __LINE__);
#define QEUEDEBUEG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_last != (elm)) \
        QEUEDEBUEG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QEUEDEBUEG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} \
if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_first != (elm)) \
        QEUEDEBUEG_ABORT("CIRCLEQ elm first %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
        QEUEDEBUEG_ABORT("CIRCLEQ elm prev %p %s:%d", \
            (elm), __FILE__, __LINE__); \
}
#define QEUEDEBUEG_CIRCLEQ_POSTREMOVE(elm, field) \
(elm)->field.cqe_next = (void *)1L; \
(elm)->field.cqe_prev = (void *)1L;
#else
#define QEUEDEBUEG_CIRCLEQ_HEAD(head, field)
#define QEUEDEBUEG_CIRCLEQ_ELM(head, elm, field)
#define QEUEDEBUEG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \

```

```

}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
listelm, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

```



```

if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
    (head)->cqh_last = (elm); \
else \
    (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.

```

```

*/
#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__lauder_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_last) \
     : \
     (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
buildid="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2

```

```

}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
    .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"

#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Maintainer: fossdd <fossdd@pwned.life>
pkgname=cargo-license
pkgver=0.6.1
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"

```

```

url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
36215145e79965be090ae2f5ce6f5eb208465eb67a94c26bed1fe70a131c46c6dc35695e30852759b7366883fbc3caf00
272d796ac634f0a5e1d49232b6b29d5 cargo-license-0.6.1.tar.gz
"

/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
/* Modified by Void Linux. */
/*
* Copyright 2002 Niels Provos <provos@citi.umich.edu>
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE

```

AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

```
#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_
```

```
#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
  ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
   (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif
```

```
#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif
```

```
/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
```

```

* - each leaf node is black.
*
* Every operation on a red-black tree is bounded as  $O(\lg n)$ .
* The maximum height of a red-black tree is  $2\lg(n+1)$ .
*/

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

```

```

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
\
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
\
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
}

```

```

} \
\
static __sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if (__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field); \
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \

```



```

    } else { \
        __tmp = SPLAY_RIGHT((head)->sph_root, field); \
        (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
        name##_SPLAY(head, elm); \
        SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
    } \
    return (elm); \
} \
return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) > 0){ \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
    SPLAY_ASSEMBLE(head,
    &__node, __left, __right, field); \
} \
\

```

```

/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field);\
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field);\
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\
            if (__tmp == NULL) \
                break; \
            if (__comp > 0) { \
                SPLAY_ROTATE_LEFT(head, __tmp, field);\
                if (SPLAY_RIGHT((head)->sph_root, \
field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
    SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

```

```

#define SPLAY_NEGINF -1

```

```

#define SPLAY_INF 1

```

```

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

```

```

#define SPLAY_FOREACH(x, name, head) \
for ((x) = SPLAY_MIN(name, head); \
(x) != NULL; \
(x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
struct name { \
    struct type *rbh_root; /* root of the tree */ \
}

#define RB_INITIALIZER(root) \
{ \
    NULL \
}

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

```

```

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do { } while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \

```

```

RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct
    type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *);\
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        \
        struct type
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \
            RB_COLOR(parent, field) == RB_RED) { \
            \
            gparent = RB_PARENT(parent, field); \
            if (parent == RB_LEFT(gparent, field)) { \
                tmp = RB_RIGHT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field);\
                    elm = gparent; \
                    continue; \
                } \
            } \
            if (RB_RIGHT(parent, field) == elm) { \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \
            RB_ROTATE_RIGHT(head, gparent, tmp, field); \

```

```

} else { \
    tmp = RB_LEFT(gparent, field); \
    if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
        RB_COLOR(tmp, field) = RB_BLACK; \
        RB_SET_BLACKRED(parent, gparent, field);\
        elm = gparent; \
        continue; \
    } \
    if (RB_LEFT(parent, field) == elm)
{ \
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_LEFT(head, gparent, tmp, field);\
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \

```

```

    != NULL) \
    RB_COLOR(oleft, field) = RB_BLACK;\
    RB_COLOR(tmp, field) = RB_RED; \
    RB_ROTATE_RIGHT(head, tmp, oleft, field);\
    tmp = RB_RIGHT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \
if (RB_RIGHT(tmp, field)) \
    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\
            tmp = RB_LEFT(parent, field); \
        } \
        RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
        RB_COLOR(parent, field) = RB_BLACK; \
        if (RB_LEFT(tmp, field)) \
            RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        elm = RB_ROOT(head); \
        break; \
    } \
} \

```

```

    }    \
}    \
if
(elm)    \
    RB_COLOR(elm, field) = RB_BLACK; \
}    \
    \
attr struct type *    \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{    \
    struct type *child, *parent, *old = elm; \
    int color;    \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else {    \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) {    \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \
                RB_RIGHT(parent, field) = child; \
            RB_AUGMENT(parent); \
        } else \
            RB_ROOT(head)
    = child; \
    if (RB_PARENT(elm, field) == old) \
        parent = elm; \
    (elm)->field = (old)->field; \
    if (RB_PARENT(old, field)) { \
        if (RB_LEFT(RB_PARENT(old, field), field) == old)\
            RB_LEFT(RB_PARENT(old, field), field) = elm;\
        else \
            RB_RIGHT(RB_PARENT(old, field), field) = elm;\
        RB_AUGMENT(RB_PARENT(old, field)); \
    } else \
        RB_ROOT(head) = elm; \
    RB_PARENT(RB_LEFT(old, field), field) = elm; \
    if (RB_RIGHT(old, field)) \

```



```

    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
    if (parent) { \
        left = parent; \
        do { \
            RB_AUGMENT(left); \
        } while ((left = RB_PARENT(left, field)) != NULL); \
    } \
    goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent, \
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    RB_SET(elm, parent, field); \
    if (parent != NULL) { \

```

```

    if (comp < 0)    \
        RB_LEFT(parent, field) = elm; \
    else            \
        RB_RIGHT(parent, field) = elm; \
    RB_AUGMENT(parent); \
} else            \
    RB_ROOT(head) = elm; \
name##_RB_INSERT_COLOR(head,
elm); \
return (NULL); \
} \
\
/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    }

```

```

    } \
    return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    } \
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \

```

```

    \
attr struct type *    \
name##_RB_MINMAX(struct name *head, int val)  \
{
    \
    struct type *tmp = RB_ROOT(head);  \
    struct type *parent = NULL;  \
    while (tmp) {
        \
        parent = tmp;  \
        if (val < 0)  \
            tmp = RB_LEFT(tmp, field);  \
        else  \
            tmp = RB_RIGHT(tmp, field);  \
    }  \
    return (parent);  \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head)  \
for ((x) = RB_MIN(name, head);  \
     (x) != NULL;  \
     (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y)  \
for ((x) = (y);  \
     ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
     (x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y)  \
for ((x) = RB_MIN(name, head);  \
     ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
     (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head)  \
for ((x) = RB_MAX(name, head);  \
     (x) != NULL;  \
     (x) = name##_RB_PREV(x))

```

```

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
head, y) \
for ((x) = RB_MAX(name, head); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#endif /* _SYS_TREE_H_ */
pkgname=linux-headers
pkgver=6.14.2 # Follow the latest Linux stable
_kernver=${pkgver%.*}
pkgrel=0
pkgdesc="Linux system headers"
url="https://kernel.org/"
arch="all" # Headers are architecture specific
license="GPL-2.0-only"
makedepends="perl"
options="!check !dbg !strip !tracedeps !archcheck"
source="https://kernel.org/pub/linux/kernel/v6.x/linux-$_kernver.tar.xz
revert-broken-uapi.patch
0003-remove-inclusion-of-sysinfo.h-in-kernel.h.patch

```

1.62 queue 1.1.0

1.62.1 Available under license :

ISC

****University of Illinois/NCSA Open Source License****

Copyright (c) 2018 University of Illinois Urbana-Champaign

All rights reserved.

Developed by: University of Illinois Urbana-Champaign students and faculty

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following

disclaimers in the documentation and/or other materials provided with the distribution.

* Neither the names

of University of Illinois Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

1.63 pq 1.10.9

1.63.1 Available under license :

```
//go:build go1.10
```

```
// +build go1.10
```

```
package pq
```

```
import (  
    "context"  
    "database/sql/driver"  
)
```

```
// NoticeHandler returns the notice handler on the given connection, if any. A  
// runtime panic occurs if c is not a pq connection. This is rarely used  
// directly, use ConnectorNoticeHandler and ConnectorWithNoticeHandler instead.  
func NoticeHandler(c driver.Conn) func(*Error) {  
    return c.(*conn).noticeHandler  
}
```

```
// SetNoticeHandler sets the given notice handler on the given connection. A  
// runtime panic occurs if c is not a pq connection. A nil handler may be used  
// to unset it. This is rarely used directly, use ConnectorNoticeHandler and  
// ConnectorWithNoticeHandler instead.  
//  
// Note: Notice handlers are executed synchronously by pq meaning commands  
// won't continue to be processed until the handler returns.  
func SetNoticeHandler(c driver.Conn, handler func(*Error)) {  
    c.(*conn).noticeHandler = handler  
}
```

```
// NoticeHandlerConnector wraps a regular connector and sets a notice handler  
//  
on it.  
type NoticeHandlerConnector struct {
```

```

driver.Connector
noticeHandler func(*Error)
}

// Connect calls the underlying connector's connect method and then sets the
// notice handler.
func (n *NoticeHandlerConnector) Connect(ctx context.Context) (driver.Conn, error) {
    c, err := n.Connector.Connect(ctx)
    if err == nil {
        SetNoticeHandler(c, n.noticeHandler)
    }
    return c, err
}

// ConnectorNoticeHandler returns the currently set notice handler, if any. If
// the given connector is not a result of ConnectorWithNoticeHandler, nil is
// returned.
func ConnectorNoticeHandler(c driver.Connector) func(*Error) {
    if c, ok := c.(*NoticeHandlerConnector); ok {
        return c.noticeHandler
    }
    return nil
}

// ConnectorWithNoticeHandler creates or sets the given handler for the given
// connector. If the given connector is a result of calling this function
// previously, it is simply set on the given connector and returned. Otherwise,
// this returns a new connector wrapping the given one and
// setting the notice
// handler. A nil notice handler may be used to unset it.
//
// The returned connector is intended to be used with database/sql.OpenDB.
//
// Note: Notice handlers are executed synchronously by pq meaning commands
// won't continue to be processed until the handler returns.
func ConnectorWithNoticeHandler(c driver.Connector, handler func(*Error)) *NoticeHandlerConnector {
    if c, ok := c.(*NoticeHandlerConnector); ok {
        c.noticeHandler = handler
        return c
    }
    return &NoticeHandlerConnector{Connector: c, noticeHandler: handler}
}

Copyright (c) 2011-2013, 'pq' Contributors
Portions Copyright (C) 2011 Blake Mizerany

```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.64 visual-studio-runtime 15.9.9(VC++ 2017)

1.64.1 Available under license :

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for SIMD-Vectorisation-Burgers-Equation-CSharp

MIT License

Copyright (c) 2017 Gary Evans

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template
<http://www.opensource.org/licenses/bsd-license.php>

Copyright 2004-2008 Brent Fulgham, 2005-2016 Isaac Gouy
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE

IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for A Benchmark Test for Systems Implementation Languages

<http://www.cl.cam.ac.uk/~mr10/Bench/README>

Please feel free to re-implement this benchmark in any language you choose. I would be happy to incorporate such translations into this distribution together with their timing/size results.

Martin Richards
23 February 2007

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for .NET Foundation and Contributors

Copyright (c) .NET Foundation Contributors

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction,

including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for The Tragedy of Hamlet, Prince of Denmark

new XElement("TITLE", "The Tragedy of Hamlet, Prince of Denmark"),
new XElement("fm",
 new XElement("p", "Text placed in the public domain by Moby Lexical Tools, 1992."),
 new XElement("p", "SGML markup by Jon Bosak, 1992-1994."),
 new XElement("p", "XML version by Jon Bosak, 1996-1997."),
 new XElement("p", "This work may be freely copied and distributed worldwide.")

.NET Runtime uses third-party libraries or other resources that may be distributed under licenses different than the .NET Runtime software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for ASP.NET

Copyright (c) .NET Foundation. All rights reserved.
Licensed under the Apache License, Version 2.0.

Available at
<https://github.com/dotnet/aspnetcore/blob/main/LICENSE.txt>

License notice for Slicing-by-8

<http://sourceforge.net/projects/slicing-by-8/>

Copyright (c) 2004-2006 Intel Corporation - All Rights Reserved

This software program is licensed subject to the BSD License, available at
<http://www.opensource.org/licenses/bsd-license.html>.

License notice for Unicode data

<https://www.unicode.org/license.html>

Copyright

1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR

PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

License notice for Zlib

<https://github.com/madler/zlib>

http://zlib.net/zlib_license.html

/* zlib.h -- interface of the 'zlib' general purpose compression library
version 1.2.11, January 15th, 2017

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

*/

License notice for Mono

<http://www.mono-project.com/docs/about-mono/>

Copyright
(c) .NET Foundation Contributors

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for International Organization for Standardization

Portions (C) International Organization for Standardization 1986:

Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

License notice for Intel

"Copyright (c) 2004-2006 Intel Corporation - All Rights Reserved

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions
and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for Xamarin and Novell

Copyright (c) 2015 Xamarin, Inc (<http://www.xamarin.com>)

Permission

is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011 Novell, Inc (<http://www.novell.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Third party notice for W3C

"W3C SOFTWARE AND DOCUMENT NOTICE AND LICENSE

Status: This license takes effect 13 May, 2015.

This work is being provided by the copyright holders under the following license.

License

By obtaining and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this work, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the work or portions thereof, including modifications:

The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software and Document Short Notice should be included.

Notice of any changes or modifications, through a copyright statement on the new code or document such as "This software or document includes material copied from or derived from [title and URI of the W3C document].

Copyright [YEAR] W3C (MIT, ERCIM, Keio, Beihang)."

Disclaimers

THIS WORK IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENT WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENT.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the work without specific, written prior permission. Title to copyright in this work will at all times remain with copyright holders."

License notice for Bit Twiddling Hacks

Bit Twiddling Hacks

By Sean Eron Anderson
seander@cs.stanford.edu

Individually, the code snippets here are in the public domain (unless otherwise noted) feel free to use them however you please. The aggregate collection and descriptions are 1997-2005 Sean Eron Anderson. The code and descriptions are distributed in the hope that they will be useful, but WITHOUT ANY WARRANTY and

without even the implied warranty of merchantability or fitness for a particular purpose.

License notice for Brotli

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

compress_fragment.c:

Copyright (c) 2011, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

decode_fuzzer.c:

Copyright (c) 2015 The Chromium Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED
BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
""AS IS"" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

License notice for Json.NET

<https://github.com/JamesNK/Newtonsoft.Json/blob/master/LICENSE.md>

The MIT License (MIT)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for vectorized base64 encoding / decoding

Copyright
(c) 2005-2007, Nick Galbreath
Copyright (c) 2013-2017, Alfred Klomp
Copyright (c) 2015-2017, Wojciech Mula
Copyright (c) 2016-2017, Matthieu Darbois
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED

TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for RFC 3492

The punycode implementation is based on the sample code in RFC 3492

Copyright (C) The Internet Society (2003). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

License

notice for Algorithm from Internet Draft document "UUIDs and GUIDs"

Copyright (c) 1990- 1993, 1996 Open Software Foundation, Inc.

Copyright (c) 1989 by Hewlett-Packard Company, Palo Alto, Ca. & Digital Equipment Corporation, Maynard, Mass.

To anyone who acknowledges that this file is provided "AS IS" without any express or implied warranty: permission to use, copy, modify, and distribute this file for any purpose is hereby

granted without fee, provided that the above copyright notices and this notice appears in all source code copies, and that none of the names of Open Software Foundation, Inc., Hewlett-Packard Company, or Digital Equipment Corporation be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Neither Open Software Foundation, Inc., Hewlett-Packard Company, Microsoft, nor Digital Equipment Corporation makes any representations about the suitability of this software for any purpose.

Copyright(C) The Internet Society 1997. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

License notice for Algorithm from RFC 4122 -
A Universally Unique Identifier (UUID) URN Namespace

Copyright (c) 1990- 1993, 1996 Open Software Foundation, Inc.
Copyright (c) 1989 by Hewlett-Packard Company, Palo Alto, Ca. &
Digital Equipment Corporation, Maynard, Mass.
Copyright (c) 1998 Microsoft.

To anyone who acknowledges that this file is provided "AS IS" without any express or implied warranty: permission to use, copy, modify, and distribute this file for any purpose is hereby granted without fee,

provided that the above copyright notices and this notice appears in all source code copies, and that none of the names of Open Software Foundation, Inc., Hewlett-Packard Company, Microsoft, or Digital Equipment Corporation be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Neither Open Software Foundation, Inc., Hewlett-Packard Company, Microsoft, nor Digital Equipment Corporation makes any representations about the suitability of this software for any purpose."

License notice for The LLVM Compiler Infrastructure

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

<http://llvm.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
- * Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE

SOFTWARE.

License notice for Bob Jenkins

By Bob Jenkins, 1996. bob_jenkins@burtleburtle.net. You may use this code any way you wish, private, educational, or commercial. It's free.

License notice for Greg Parker

Greg Parker gparker@cs.stanford.edu December 2000

This code is in the public domain and may be copied or modified without permission.

License notice for libunwind based code

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for Printing Floating-Point Numbers (Dragon4)

/*****

Copyright

(c) 2014 Ryan Juckett

<http://www.ryanjuckett.com/>

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages

arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

*****/

License notice
for Printing Floating-point Numbers (Grisu3)

Copyright 2012 the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for xxHash

xxHash Library

Copyright (c) 2012-2014, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License

notice for Berkeley SoftFloat Release 3e

<https://github.com/ucb-bar/berkeley-softfloat-3>

<https://github.com/ucb-bar/berkeley-softfloat-3/blob/master/COPYING.txt>

License for Berkeley SoftFloat Release 3e

John R. Hauser

2018 January 20

The following applies to the whole of SoftFloat Release 3e as well as to each source file individually.

Copyright 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018 The Regents of the University of California. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS", AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for xoshiro RNGs

Written

in 2018 by David Blackman and Sebastiano Vigna (vigna@acm.org)

To the extent possible under law, the author has dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

See <<http://creativecommons.org/publicdomain/zero/1.0/>>.

License for fastmod (<https://github.com/lemire/fastmod>) and ibm-fpgen (<https://github.com/nigeltao/parse-number-fxx-test-data>)

Copyright 2018 Daniel Lemire

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

License notice for The C++ REST SDK

C++ REST SDK

The MIT License (MIT)

Copyright (c) Microsoft Corporation

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR

A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for MessagePack-CSharp

MessagePack for C#

MIT License

Copyright (c) 2017 Yoshifumi Kawai

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for lz4net

lz4net

Copyright (c) 2013-2017, Milosz Krajewski

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for Nerdbank.Streams

The MIT License (MIT)

Copyright (c) Andrew Arnott

Permission is hereby granted, free
of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

License
notice for RapidJSON

Tencent is pleased to support the open source community by making RapidJSON available.

Copyright (C) 2015 THL A29 Limited, a Tencent company, and Milo Yip. All rights reserved.

Licensed under the MIT License (the "License"); you may not use this file except
in compliance with the License. You may obtain a copy of the License at

<http://opensource.org/licenses/MIT>

Unless required by applicable law or agreed to in writing, software distributed
under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied. See the License for the
specific language governing permissions and limitations under the License.

License notice for DirectX Math Library

The MIT License (MIT)

Copyright (c) 2011-2020 Microsoft Corp

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice
for ldap4net

The MIT License (MIT)

Copyright (c) 2018 Alexander Chermeyanin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF

CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for vectorized sorting code

MIT License

Copyright (c) 2020 Dan Shechter

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for musl

musl as a whole is licensed under the following standard MIT license:

Copyright 2005-2020 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for "Faster Unsigned Division by Constants"

Reference implementations of computing and using the "magic number" approach to dividing by constants, including codegen instructions. The unsigned division incorporates the "round down" optimization per `ridiculous_fish`.

This is free and unencumbered software. Any copyright is dedicated to the Public Domain.

License notice for `mimalloc`

MIT License

Copyright (c) 2019 Microsoft Corporation,
Daan Leijen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for Apple header files

Copyright (c) 1980, 1986, 1993

The Regents of the University of California. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:
This product includes software developed by the University of California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for JavaScript queues

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons

of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
moral rights retained by the original author(s) and/or performer(s);
publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
rights protecting the extraction, dissemination, use and reuse of data in a Work;
database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination,

or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional

purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer

hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for SciMark C#

<https://github.com/dosvidos/SciMark>

<license>

This is a port of the SciMark2a Java Benchmark to C# by
Chris Re (cmr28@cornell.edu) and Werner Vogels (vogels@cs.cornell.edu)

For details on the original authors see <http://math.nist.gov/scimark2>

This software is likely to burn your processor, bitflip your memory chips
anihilate your screen and corrupt all your disks, so you it at your
own risk.

</license>

License notice for SciMark 2.0

<http://math.nist.gov/scimark2/credits.html>

As this software was developed as part of work done by the United States

Government, it is not subject to copyright, and is in the public domain.

We would, however, appreciate acknowledgements if this work is found useful. Note that according to GNU.org public domain is compatible with GPL.

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

`dotnet@microsoft.com`

The attached notices are provided for information only.

License notice for Rick Jelliffe and Academia Sinica Computing Center, Taiwan

Copyright (c) 2000,2001 Rick Jelliffe and Academia Sinica Computing Center, Taiwan

This software is provided 'as-is', without any express or implied warranty.
In no event will the authors be held liable for any damages arising from
the use of this software.

Permission is granted to anyone to use this software for any purpose,
including commercial applications, and to alter it and redistribute it freely,
subject to the following restrictions:

1. The origin of this software
must not be misrepresented; you must not claim
that you wrote the original software. If you use this software in a product,
an acknowledgment in the product documentation would be appreciated but is
not required.
2. Altered source versions must be plainly marked as such, and must not be
misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.
.NET Core uses third-party libraries or other resources that may be
distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please
bring it to our attention. Post an issue or email us:

`dotnet@microsoft.com`

The attached notices are provided for information only.

License notice for V8.Crypto

Copyright (c) 2003-2005 Tom Wu
All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL TOM WU BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

In addition, the following condition applies:

All redistributions must retain an intact copy of this copyright notice and disclaimer.

.NET Runtime uses third-party libraries or other resources that may be distributed under licenses different than the .NET Runtime software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for ASP.NET

Copyright (c) .NET Foundation. All rights reserved.
Licensed under the Apache License, Version 2.0.

Available at
<https://github.com/dotnet/aspnetcore/blob/main/LICENSE.txt>

License notice for Slicing-by-8

<http://sourceforge.net/projects/slicing-by-8/>

Copyright (c) 2004-2006 Intel Corporation - All Rights Reserved

This software program is licensed subject to the BSD License, available at
<http://www.opensource.org/licenses/bsd-license.html>.

License notice for Unicode data

<https://www.unicode.org/license.html>

Copyright

1991-2020 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <https://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale,

use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

License notice for Zlib

<https://github.com/madler/zlib>

http://zlib.net/zlib_license.html

/* zlib.h -- interface of the 'zlib' general purpose compression library
version 1.2.11, January 15th, 2017

Copyright (C) 1995-2017 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

*/

License notice for Mono

<http://www.mono-project.com/docs/about-mono/>

Copyright
(c) .NET Foundation Contributors

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for International Organization for Standardization

Portions (C) International Organization for Standardization 1986:

Permission to copy in any form is granted for use with
conforming SGML systems and applications as defined in
ISO 8879, provided this notice is included in all copies.

License notice for Intel

"Copyright (c) 2004-2006 Intel Corporation - All Rights Reserved

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for Xamarin and Novell

Copyright (c) 2015 Xamarin, Inc (<http://www.xamarin.com>)

Permission

is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011 Novell, Inc (<http://www.novell.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Third party notice for W3C

"W3C SOFTWARE AND DOCUMENT NOTICE AND LICENSE

Status: This license takes effect 13 May, 2015.

This work is being provided by the copyright holders under the following license.

License

By obtaining and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this work, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the work or portions thereof, including modifications:

The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software and Document Short Notice should be included.

Notice of any changes or modifications, through a copyright statement on the new code or document such as "This software or document includes material copied from or derived from [title and URI of the W3C document].

Copyright [YEAR] W3C (MIT, ERCIM, Keio, Beihang)."

Disclaimers

THIS WORK IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENT WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENT.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the work without specific, written prior permission. Title to copyright in this work will at all times remain with copyright holders."

License notice for Bit Twiddling Hacks

Bit Twiddling Hacks

By Sean Eron Anderson
seander@cs.stanford.edu

Individually, the code snippets here are in the public domain (unless otherwise noted) feel free to use them however you please. The aggregate collection and descriptions are 1997-2005 Sean Eron Anderson. The code and descriptions are distributed in the hope that they will be useful, but WITHOUT ANY WARRANTY and without even the implied warranty of merchantability or fitness for a particular purpose.

License notice for Brotli

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

compress_fragment.c:

Copyright (c) 2011, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

decode_fuzzer.c:

Copyright (c) 2015 The Chromium Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED
BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

License notice for Json.NET

<https://github.com/JamesNK/Newtonsoft.Json/blob/master/LICENSE.md>

The MIT License (MIT)

Copyright (c) 2007 James Newton-King

Permission is hereby granted, free of charge, to any person obtaining a copy

of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for vectorized base64 encoding / decoding

Copyright

(c) 2005-2007, Nick Galbreath

Copyright (c) 2013-2017, Alfred Klomp

Copyright (c) 2015-2017, Wojciech Mula

Copyright (c) 2016-2017, Matthieu Darbois

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING

NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for RFC 3492

The punycode implementation is based on the sample code in RFC 3492

Copyright (C) The Internet Society (2003). All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

License

notice for Algorithm from Internet Draft document "UUIDs and GUIDs"

Copyright (c) 1990- 1993, 1996 Open Software Foundation, Inc.
Copyright (c) 1989 by Hewlett-Packard Company, Palo Alto, Ca. &
Digital Equipment Corporation, Maynard, Mass.

To anyone who acknowledges that this file is provided "AS IS" without any express or implied warranty: permission to use, copy, modify, and distribute this file for any purpose is hereby granted without fee, provided that the above copyright notices and this notice appears in all source code copies, and that none of the names of Open Software Foundation, Inc., Hewlett-Packard

Company, or Digital Equipment Corporation be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Neither Open Software Foundation, Inc., Hewlett-Packard Company, Microsoft, nor Digital Equipment Corporation makes any representations about the suitability of this software for any purpose.

Copyright(C) The Internet Society 1997. All Rights Reserved.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself may not be modified in any way, such as by removing the copyright notice or references to the Internet Society or other Internet organizations, except as needed for the purpose of developing Internet standards in which case the procedures for copyrights defined in the Internet Standards process must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by the Internet Society or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and THE INTERNET SOCIETY AND THE INTERNET ENGINEERING TASK FORCE DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

License notice for Algorithm from RFC 4122 -
A Universally Unique IDentifier (UUID) URN Namespace

Copyright (c) 1990- 1993, 1996 Open Software Foundation, Inc.
Copyright (c) 1989 by Hewlett-Packard Company, Palo Alto, Ca. &
Digital Equipment Corporation, Maynard, Mass.
Copyright (c) 1998 Microsoft.

To anyone who acknowledges that this file is provided "AS IS" without any express or implied warranty: permission to use, copy, modify, and distribute this file for any purpose is hereby granted without fee, provided that the above copyright notices and this notice appears in all source code copies, and that none of the names of Open Software Foundation, Inc., Hewlett-Packard

Company, Microsoft, or Digital Equipment Corporation be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Neither Open Software Foundation, Inc., Hewlett-Packard Company, Microsoft, nor Digital Equipment Corporation makes any representations about the suitability of this software for any purpose."

License notice for The LLVM Compiler Infrastructure

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

<http://llvm.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
- * Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

License notice for Bob Jenkins

By Bob Jenkins, 1996. bob_jenkins@burtleburtle.net. You may use this code any way you wish, private, educational, or commercial. It's free.

License notice for Greg Parker

Greg Parker gparker@cs.stanford.edu December 2000
This code is in the public domain and may be copied or modified without permission.

License notice for libunwind based code

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for Printing Floating-Point Numbers (Dragon4)

/*****

Copyright
(c) 2014 Ryan Juckett
<http://www.ryanjuckett.com/>

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose,

including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

*****/

License notice
for Printing Floating-point Numbers (Grisu3)

Copyright 2012 the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT
NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for xxHash

xxHash Library
Copyright (c) 2012-2014, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this
list of conditions and
the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License
notice for Berkeley SoftFloat Release 3e

<https://github.com/ucb-bar/berkeley-softfloat-3>
<https://github.com/ucb-bar/berkeley-softfloat-3/blob/master/COPYING.txt>

License for Berkeley SoftFloat Release 3e

John R. Hauser
2018 January 20

The following applies to the whole of SoftFloat Release 3e as well as to
each source file individually.

Copyright 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018 The Regents of the
University of California. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS", AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for xoshiro RNGs

Written

in 2018 by David Blackman and Sebastiano Vigna (vigna@acm.org)

To the extent possible under law, the author has dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

See <<http://creativecommons.org/publicdomain/zero/1.0/>>.

License for fastmod (<https://github.com/lemire/fastmod>)

Copyright 2018 Daniel Lemire

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions
and
limitations under the License.

License notice for The C++ REST SDK

C++ REST SDK

The MIT License (MIT)

Copyright (c) Microsoft Corporation

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS
OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

License notice for MessagePack-CSharp

MessagePack for C#

MIT License

Copyright (c) 2017 Yoshifumi Kawai

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for lz4net

lz4net

Copyright (c) 2013-2017, Milosz Krajewski

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS

SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for Nerdbank.Streams

The MIT License (MIT)

Copyright (c) Andrew Arnott

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for RapidJSON

Tencent is pleased to support the open source community by making RapidJSON available.

Copyright (C) 2015 THL A29 Limited, a Tencent company, and Milo Yip. All rights reserved.

Licensed under the MIT License (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://opensource.org/licenses/MIT>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

License notice for DirectX Math Library

<https://github.com/microsoft/DirectXMath/blob/master/LICENSE>

The MIT License (MIT)

Copyright (c) 2011-2020 Microsoft Corp

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for ldap4net

The MIT License (MIT)

Copyright
(c) 2018 Alexander Chermeyanin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for vectorized sorting code

MIT License

Copyright (c) 2020 Dan Shechter

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for musl

musl as a whole is licensed under the following standard MIT license:

Copyright 2005-2020 Rich Felker, et al.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for "Faster Unsigned Division by Constants"

Reference implementations of computing and using the "magic number" approach to dividing by constants, including codegen instructions. The unsigned division incorporates the "round down" optimization per `ridiculous_fish`.

This is free and unencumbered software. Any copyright is dedicated to the Public Domain.

License notice for `mimalloc`

MIT License

Copyright (c) 2019 Microsoft Corporation, Daan Leijen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for
Apple header files

Copyright (c) 1980, 1986, 1993

The Regents of the University of California. All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:
This product includes software developed by the University of California, Berkeley and its contributors.
4. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License notice for Angular v8.0

The MIT License (MIT)
=====

Copyright (c) 2010-2019 Google LLC. <http://angular.io/license>

Permission is

hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License

notice for corefx

License notice for BedrockFramework

=====

MIT License

Copyright (c) 2019 David Fowler

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for Swashbuckle

=====

The MIT License (MIT)

Copyright (c) 2016 Richard Morris

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for cli-spinners

=====

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for dotnet-deb-tool

The MIT License (MIT)

Copyright (c) .NET Foundation and Contributors

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for IIS-Common

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

License notice for IIS-Setup

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

License notice for LZMA SDK

<http://7-zip.org/sdk.html>

LZMA SDK is placed in the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute the original LZMA SDK code, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

License notice for MonoDevelop

Copyright (c) 2015 Xamarin, Inc (<http://www.xamarin.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice

shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011 Novell, Inc (<http://www.novell.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice for Nuget.Client

Copyright (c) .NET Foundation. All rights reserved.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use these files except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

License notice for Ookie.Dialogs

<http://www.ookii.org/software/dialogs/>

Copyright Sven Groot (Oookii.org) 2009
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- 1) Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- 2) Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
- 3) Neither the name of the ORGANIZATION nor the names of its contributors
may be used
to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

License notice for viz.js

Copyright (c) 2014-2018 Michael Daines

Permission is hereby granted, free
of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to
do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License notice

for West Wind Live Reload ASP.NET Core Middleware

=====

lz4net

Copyright (c) 2013-2017, Milosz Krajewski

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (c) 2019-2020 West Wind Technologies

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

`dotnet@microsoft.com`

The attached notices are provided for information only.

License notice for The Computer Language Benchmarks Game

Revised BSD license

This is a specific instance of the Open Source Initiative (OSI) BSD license template
<http://www.opensource.org/licenses/bsd-license.php>

Copyright (c) 2004-2008 Brent Fulgham, 2005-2015 Isaac Gouy
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce
the above copyright notice,
this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

Neither the name of "The Computer Language Benchmarks Game" nor the name of "The Computer Language Shootout Benchmarks" nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright

=====

The .NET project copyright is held by ".NET Foundation and Contributors".

The [.NET Foundation](<http://www.dotnetfoundation.org/>) is an independent organization that encourages open development and collaboration around the .NET ecosystem.

Source License

The .NET project uses multiple licenses for the various project repositories.

- The [MIT License](<https://opensource.org/licenses/MIT>) is used for [code](<https://github.com/dotnet/runtime/>).
- The [Creative Commons Attribution 4.0 International Public License (CC-BY)](<https://creativecommons.org/licenses/by/4.0/>) is used for [documentation](<https://github.com/dotnet/docs/>) and [swag](<https://github.com/dotnet/swag>).

Binary License

.NET distributions are licensed with a variety of licenses, dependent on the content. By default, the MIT license is used, the exact same as the [source license](<https://github.com/dotnet/core/blob/master/LICENSE.TXT>), with the same copyright holder. There

are some cases where that isn't possible because a given component includes a proprietary Microsoft binary. This is typically only the case for Windows distributions.

The following rules are used for determining the binary license:

- .NET binary distributions (zips, nuget packages,) are licensed as MIT (identical to the [.NET source

license](https://github.com/dotnet/core/blob/master/LICENSE.TXT)).

- The license link (if there is one) should point to the repository where the file came from, for example:

[dotnet/runtime](https://github.com/dotnet/runtime/blob/main/LICENSE.TXT).

- If the contained binaries are built from multiple .NET repositories, the license should point to

[dotnet/core](https://github.com/dotnet/core/blob/master/LICENSE.TXT).

- If the contents are not 100% open source, the distribution should be licensed with the [.NET Library

license](https://www.microsoft.com/net/dotnet_library_license.htm).

- It is OK for licensing to be asymmetric for a single distribution type.

For example, its possible that the .NET SDK distribution might be fully open source for Linux but include a closed-source component on Windows. In this case, the SDK would be licensed as MIT on Linux and use the .NET Library License on Windows. It is better to have more open licenses than less.

- It is OK for the source and binary licenses not to match. For example, the source might be Apache 2 but ships as an MIT binary. The third party notices file should capture the Apache 2 license. This only works for a permissive licenses, however, we have limited the project to that class of licenses already. The value of this approach is that binary licenses are uniform.

Patents

Microsoft has issued a [Patent Promise for .NET Libraries and Runtime Components](/PATENTS.TXT).

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for Livermore Loops coded in C

<http://www.netlib.org/benchmark/livermorec>

No specific license is given, so attributing and using in "good faith" in the same way that it has been offered. We will delete upon request. .NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for An Artificial Garbage Collection Benchmark

http://hboehm.info/gc/gc_bench.html
http://hboehm.info/gc/gc_bench/GCBench.c

No specific license is given, so attributing and using in "good faith" in the same way that it has been offered. We will delete upon request.
Copyright (c) 2002 Hewlett-Packard Co.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.NET Runtime uses third-party libraries or other resources that may be distributed under licenses different than the .NET Runtime software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for <https://github.com/rust-lang/regex>

Copyright (c) 2014 The Rust Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge,

publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) .NET Foundation and Contributors

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Mono uses third-party libraries or other resources that may be distributed under licenses different than the Mono software.

Attributions and license notices for test cases originally authored by third parties can be found in the respective test directories.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for Southern Storm Software

GPL: Copyright (C) 2001 Southern Storm Software, Pty Ltd.

Use: <https://github.com/mono/mono/blob/23e6f6f4b58d72800f4e27fa29a6b58806ff475f/mono/mini/bench.cs#L65>
MIT

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for ByteMark

<https://github.com/santoshsahoo/nbench> (mirror of the same code)

/*

** BYTEmark (tm)

** BYTE Magazine's Native Mode benchmarks

** Rick Grehan, BYTE Magazine

**

** Create:

** Revision: 3/95

**

** DISCLAIMER

** The source, executable, and documentation files that comprise

** the BYTEmark benchmarks are made available on an "as is" basis.

** This means that we at BYTE Magazine have made every reasonable

** effort to verify that there are no errors in the source and

** executable code. We cannot, however, guarantee that the programs

** are error-free. Consequently, McGraw-Hill and

BYTE Magazine make

** no claims in regard to the fitness of the source code, executable

** code, and documentation of the BYTEmark.

**

** Furthermore, BYTE Magazine, McGraw-Hill, and all employees
** of McGraw-Hill cannot be held responsible for any damages resulting
** from the use of this code or the results obtained from using
** this code.

*/

MICROSOFT SOFTWARE LICENSE TERMS

MICROSOFT .NET LIBRARY

These license terms are an agreement between Microsoft Corporation (or based on where you live, one of its affiliates) and you. Please read them. They apply to the software named above, which includes the media on which you received it, if any. The terms also apply to any Microsoft

- * updates,
- * supplements,
- * Internet-based services, and
- * support services

for this software, unless other terms accompany those items. If so, those terms apply.

BY USING THE SOFTWARE, YOU ACCEPT THESE TERMS. IF YOU DO NOT ACCEPT THEM, DO NOT USE THE SOFTWARE.

IF YOU COMPLY WITH THESE LICENSE TERMS, YOU HAVE THE PERPETUAL RIGHTS BELOW.

1. INSTALLATION AND USE RIGHTS.

a. Installation and Use. You may install and use any number of copies of the software to design, develop and test your programs.

b. Third Party Programs. The software may include third party programs that Microsoft, not the third party, licenses to you under this agreement. Notices, if any, for the third party program are included for your information only.

2. DATA. The software may collect information about you and your use of the software, and send that to Microsoft. Microsoft may use this information to improve our products and services. You can learn more about data collection and use in the help documentation and the privacy statement at <https://go.microsoft.com/fwlink/?LinkId=528096>. Your use of the software operates as your consent to these practices.

3. ADDITIONAL LICENSING REQUIREMENTS AND/OR USE RIGHTS.

a. DISTRIBUTABLE CODE. The software is comprised of Distributable Code. "Distributable Code" is code that you are permitted to distribute in programs you develop if you comply with the terms below.

i. Right to Use and Distribute.

- * You may copy and distribute the object code form of the software.

- * Third Party Distribution. You may permit distributors of your programs to copy and distribute the Distributable Code as part of those programs.

ii. Distribution Requirements. For any Distributable Code you distribute, you must

- * add significant primary functionality to it in your programs;
- * require distributors and external end users to agree to terms that protect it at least as much as this agreement;
- * display your valid copyright notice on your programs; and
- * indemnify, defend, and hold harmless Microsoft from any claims, including attorneys' fees, related to the distribution or use of your programs.

iii. Distribution Restrictions. You may not

- * alter any copyright, trademark or patent notice in the Distributable Code;
- * use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- * include Distributable Code in malicious, deceptive or unlawful programs; or

* modify or distribute the source code of any Distributable Code so that any part of it becomes subject to an Excluded License. An Excluded

License is one that requires, as a condition of use, modification or distribution, that

* the code be disclosed or distributed in source code form; or

* others have the right to modify it.

4. SCOPE OF LICENSE. The software is licensed, not sold. This agreement only gives you some rights to use the software. Microsoft reserves all other rights. Unless applicable law gives you more rights despite this limitation, you may use the software only as expressly permitted in this agreement. In doing so, you must comply with any technical limitations in the software that only allow you to use it in certain ways. You may not

* work around any technical limitations in the software;

* reverse engineer, decompile or disassemble the software, except and only to the extent that applicable law expressly permits, despite this limitation;

* publish the software for others to copy;

* rent, lease or lend the software;

* transfer the software or this agreement to any third party;

or

* use the software for commercial software hosting services.

5. BACKUP COPY. You may make one backup copy of the software. You may use it only to reinstall the software.

6. DOCUMENTATION. Any person that has valid access to your computer or internal network may copy and use the documentation for your internal, reference purposes.

7. EXPORT RESTRICTIONS. The software is subject to United States export laws and regulations. You must comply with all domestic and international export laws and regulations that apply to the software. These laws include restrictions on destinations, end users and end use. For additional information, see www.microsoft.com/exporting.

8. SUPPORT SERVICES. Because this software is "as is," we may not provide support services for it.

9. ENTIRE AGREEMENT. This agreement, and the terms for supplements, updates, Internet-based services and support services that you use, are the entire agreement for the software and support services.

10. APPLICABLE LAW.

a. United

States. If you acquired the software in the United States, Washington state law governs the interpretation of this agreement and applies to claims for breach of it, regardless of conflict of laws principles. The laws of the state where you live govern all other claims, including claims under state consumer protection laws, unfair competition laws, and in tort.

b. Outside the United States. If you acquired the software in any other country, the laws of that country apply.

11. LEGAL EFFECT. This agreement describes certain legal rights. You may have other rights under the laws of your country. You may also have rights with respect to the party from whom you acquired the software. This agreement does not change your rights under the laws of your country if the laws of your country do not permit it to do so.

12. DISCLAIMER OF WARRANTY. THE SOFTWARE IS LICENSED "AS-IS." YOU BEAR THE RISK OF USING IT. MICROSOFT GIVES NO EXPRESS WARRANTIES, GUARANTEES OR CONDITIONS. YOU MAY HAVE ADDITIONAL

CONSUMER RIGHTS OR STATUTORY GUARANTEES UNDER YOUR LOCAL LAWS WHICH THIS AGREEMENT CANNOT CHANGE. TO THE EXTENT PERMITTED UNDER YOUR LOCAL LAWS, MICROSOFT EXCLUDES THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT.

FOR AUSTRALIA - YOU HAVE STATUTORY GUARANTEES UNDER THE AUSTRALIAN CONSUMER LAW AND NOTHING IN THESE TERMS IS INTENDED TO AFFECT THOSE RIGHTS.

13. LIMITATION ON AND EXCLUSION OF REMEDIES AND DAMAGES. YOU CAN RECOVER FROM

MICROSOFT AND ITS SUPPLIERS ONLY DIRECT DAMAGES UP TO U.S. \$5.00. YOU CANNOT RECOVER ANY OTHER DAMAGES, INCLUDING CONSEQUENTIAL, LOST PROFITS, SPECIAL, INDIRECT OR INCIDENTAL DAMAGES.

This limitation applies to

- * anything related to the software, services, content (including code) on third party Internet sites, or third party programs; and
- * claims for breach of contract, breach of warranty, guarantee or condition, strict liability, negligence, or other tort to the extent permitted by applicable law.

It

also applies even if Microsoft knew or should have known about the possibility of the damages. The above limitation or exclusion may not apply to you because your country may not allow the exclusion or limitation of incidental, consequential or other damages.

Please note: As this software is distributed in Quebec, Canada, some of the clauses in this agreement are provided below in French.

Remarque : Ce logiciel tant distribu au Qubec, Canada, certaines des clauses dans ce contrat sont fournies ci-dessous en franais.

EXONRATION DE GARANTIE. Le logiciel vis par une licence est offert tel quel . Toute utilisation de ce logiciel est votre seule risque et pril. Microsoft n'accorde aucune autre garantie expresse. Vous pouvez bnficier de droits additionnels en vertu du droit local sur la protection des consommateurs, que ce contrat ne peut modifier. La ou elles sont permises par le droit locale, les garanties implicites de qualit marchande, d'adquation un usage particulier et d'absence de contrefaon sont exclues.

LIMITATION DES DOMMAGES-INTRTS ET EXCLUSION DE RESPONSABILIT POUR LES DOMMAGES.

Vous pouvez obtenir de Microsoft et de ses fournisseurs une indemnisation en cas de dommages directs uniquement hauteur de 5,00 \$ US. Vous ne pouvez prtendre aucune indemnisation pour les autres dommages, y compris les dommages spciaux, indirects ou accessoires et pertes de bnfices.

Cette limitation concerne :

- * tout ce qui est reli au logiciel, aux services ou au contenu (y compris le code) figurant sur des sites Internet tiers ou dans des programmes tiers ; et
- * les rclamations au titre de violation de contrat ou de garantie, ou au titre de responsabilit stricte, de ngligence ou d'une autre faute dans la limite autorise par la loi en vigueur.

Elle s'applique galement, mme si Microsoft connaissait ou devrait connatre l'ventualit d'un tel dommage. Si votre pays n'autorise pas l'exclusion ou la limitation de responsabilit pour les dommages indirects, accessoires ou de quelque

nature que ce soit, il se peut que la limitation ou l'exclusion ci-dessus ne s'appliquera pas votre gard.

EFFET JURIDIQUE. Le prsent contrat dcrit certains droits juridiques. Vous pourriez avoir d'autres droits prvus par les lois de votre pays. Le prsent contrat ne modifie pas les droits que vous confrent les lois de votre pays si celles-ci ne le permettent pas.

.NET uses third-party libraries or other resources that may be distributed under licenses different than the .NET software.

Attributions and license notices for test cases originally authored by third parties can be found in the respective test directories.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for Stack Overflow

Policy: <https://stackoverflow.com/help/licensing>

License: <https://creativecommons.org/licenses/by-sa/3.0/>

Title: Dealing with commas in a CSV file

Content: <https://stackoverflow.com/a/769713>

Question author: Bob The Janitor -- <https://stackoverflow.com/users/55102/bob-the-janitor>

Answer author: harp -- <https://stackoverflow.com/users/4525/harpo>

Use:

<https://github.com/dotnet/coreclr/blob/a9074bce5e3814db67dbec1c56f477202164d162/tests/src/sizeondisk/sodbench/SoDBench.cs#L738>

```
<Project Sdk="Microsoft.NET.Sdk">
```

```
<PropertyGroup>
```

```
<OutputType>Exe</OutputType>
```

```
<ApplicationManifest>App.manifest</ApplicationManifest>
```

```
</PropertyGroup>
```

```
<ItemGroup>
```

```
<Compile Include="Program.cs" />
```

```
<Compile Include="..\..\ServerContracts/Server.CoClasses.cs" />
```

```
<Compile Include="..\..\ServerContracts/Server.Contracts.cs" />
```

```
<Compile Include="..\..\ServerContracts/ServerGuids.cs" />
```

```
</ItemGroup>
```

```
<ItemGroup>
```

```
<ProjectReference Include="..\..\NativeServer/CMakeLists.txt" />
```

```
<ProjectReference Include="$(TestSourceDir)Common/CoreCLRTestLibrary/CoreCLRTestLibrary.csproj" />
```

```
</ItemGroup>
```

```
</Project>
```

.NET Core uses third-party libraries or other resources that may be distributed under licenses different than the .NET Core software.

In the event that we accidentally failed to list a required notice, please bring it to our attention. Post an issue or email us:

dotnet@microsoft.com

The attached notices are provided for information only.

License notice for Red Gate Software Ltd

<https://www.simple-talk.com/dotnet/.net-framework/the-dangers-of-the-large-object-heap/>

Copyright (c) 2009, Red Gate Software Ltd

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.65 pyproject-hooks 1.2.0

1.65.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.66 python-pip 25.1.1

1.66.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes

2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.
8. By copying, installing or otherwise

using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").
2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.
3.
BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any

third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT

INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to

distribution of the software
without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SPDX-License-Identifier: MIT

SPDX-FileCopyrightText: 2021 Taneli Hukkinen

Licensed to PSF under a Contributor Agreement.

Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL- compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes

2.2 and above 2.1.1 2001-now
PSF yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright,

i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using

this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National

Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such

U.S. federal law does not apply,
by the law of the Commonwealth of
Virginia, excluding Virginia's conflict of law provisions.
Notwithstanding the foregoing, with regard to derivative works based
on Python 1.6.1 that incorporate non-separable material that was
previously distributed under the GNU General Public License (GPL), the
law of the Commonwealth of Virginia shall govern this License
Agreement only as to issues arising under or with respect to
Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this
License Agreement shall be deemed to create any relationship of
agency, partnership, or joint venture between CNRI and Licensee. This
License Agreement does not grant permission to use CNRI trademarks or
trade name in a trademark sense to endorse or promote products or
services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying,
installing or otherwise using Python 1.6.1, Licensee agrees to be
bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree: <https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt> It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication. Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$
MIT License

Copyright (c) 2024-present Stephen Rosen <sirosen0@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

BSD 3-Clause License

Copyright (c) 2013-2024, Kim Davies and contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2018, Tzu-ping Chung <uranusjr@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2008-present The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006-2022 by the respective authors (see AUTHORS file).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT

OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.67 libssl3 3.5.4-r0

1.67.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free
Software Foundation; either version 1, or (at your option) any
later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

- a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,
- b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,
- c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER

PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the

appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (a program to direct compilers to make passes at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for

the package.

- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
 - d) make other distribution arrangements with the Copyright Holder.
4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
 - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
 - b) accompany the distribution with the machine-readable source of the Package

with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.68 urllib3 1.26.20

1.68.1 Available under license :

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.69 python-certifi 2025.01.31

1.69.1 Available under license :

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree: <https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt> It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication. Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$

1.70 pgservicefile 0.0.0-20240606120523-5a60cdf6a761

1.70.1 Available under license :

Copyright (c) 2020 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.71 go-systemd 22.6.0

1.71.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where

such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form

of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted

for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or

claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

CoreOS Project

Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.
(<http://www.coreos.com/>).

1.72 aescts 2.0.0

1.72.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.73 platformdirs 4.2.2

1.73.1 Available under license :

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.74 gdbm 1.26-r0

1.74.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007, 2011 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to

use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays

"Appropriate Legal Notices"

to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other

than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but

which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content,

constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users'

Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of

technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

a) The work must carry prominent notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an

"aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge.

You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the

Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and

execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information

does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of

rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single

combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief
idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes
with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

1.75 importlib-metadata 8.0.0

1.75.1 Available under license :

UNRECOGNIZED LICENSE; MD5 sum: 67a0449e1745cb3a0d5ef058e15bb91a

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.76 rich 13.9.4

1.76.1 Available under license :

Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.77 libmd 1.1.0-r0

1.77.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files:

*

Copyright:

Copyright 2009, 2011, 2016 Guillem Jover <guillem@hadrons.org>

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

include/sha2.h

src/sha2.c

Copyright:

Copyright 2000-2001, Aaron D. Gifford

All rights reserved.

License: BSD-3-clause-Aaron-D-Gifford

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
 3. Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.
- .

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTOR(S) ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

SUCH DAMAGE.

Files:

include/rmd160.h

src/rmd160.c

Copyright:

Copyright 2001 Markus Friedl. All rights reserved.

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

src/md2.c

Copyright:

Copyright (c) 2001 The NetBSD Foundation, Inc.

All rights reserved.

.

This code is derived from software contributed to The NetBSD Foundation by Andrew Brown.

License: BSD-2-clause-NetBSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

man/rmd160.3

man/sha1.3

man/sha2.3

Copyright:

Copyright 1997, 2003, 2004 Todd C. Miller <Todd.Miller@courtesan.com>

License: ISC

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:

man/mdX.3

src/helper.c

Copyright:

Poul-Henning Kamp <phk@login.dkuug.dk>

License: Beerware

"THE BEER-WARE LICENSE" (Revision 42):

<phk@login.dkuug.dk> wrote this file. As long as you retain this notice you

can do whatever you want with this stuff. If we meet some day, and you think this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp

Files:

include/md4.h

src/md4.c

Copyright:

Colin Plumb

Todd C. Miller

License: public-domain-md4

This code implements the MD4 message-digest algorithm.

The algorithm is due to Ron Rivest. This code was written by Colin Plumb in 1993, no copyright is claimed.

This code is in the public domain; do with it what you wish.

Todd C. Miller modified the MD5 code to do MD4 based on RFC 1186.

Files:

include/md5.h

src/md5.c

Copyright:

Colin Plumb

License: public-domain-md5

This code implements the MD5 message-digest algorithm.

The algorithm is due to Ron Rivest. This code was written by Colin Plumb in 1993, no copyright is claimed.

This code is in the public domain; do with it what you wish.

Files:

include/sha1.h

src/sha1.c

Copyright:

Steve Reid <steve@edmweb.com>

License: public-domain-sha1

100% Public

Domain

1.78 backports.tarfile 1.2.0

1.78.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS

IN
THE SOFTWARE.

1.79 nose 1.3.7

1.79.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest
you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis

or for a fee, you must give the recipients
all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the
library, and (2) we offer you this license, which gives you legal
permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that
there is no warranty for the free library. Also, if the library is
modified by someone else and passed on, the recipients should know
that what they have is not the original version, so that the original
author's reputation will not be affected by problems that might be
introduced by others.

Finally, software patents pose a constant threat to the existence
of
any free program. We wish to make sure that a company cannot
effectively restrict the users of a free program by obtaining a
restrictive license from a patent holder. Therefore, we insist that
any patent license obtained for a version of the library must be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the
ordinary GNU General Public License. This license, the GNU Lesser
General Public License, applies to certain designated libraries, and
is quite different from the ordinary General Public License. We use
this license for certain libraries in order to permit linking those
libraries into non-free programs.

When a program is linked with a library, whether statically or using
a shared library, the combination of the two is legally speaking a
combined work, a derivative of the original library. The ordinary
General Public License therefore permits such linking only if the
entire combination fits
its criteria of freedom. The Lesser General
Public License permits more lax criteria for linking other code with
the library.

We call this license the "Lesser" General Public License because it
does Less to protect the user's freedom than the ordinary General
Public License. It also provides other free software developers Less
of an advantage over competing non-free programs. These disadvantages
are the reason we use the ordinary General Public License for many

libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated

straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility

is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables

containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are

prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR

CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

UNRECOGNIZED LICENSE; MD5 sum: 67754003ea4840eb1aec1056e8625271

UNRECOGNIZED LICENSE; MD5 sum: 9ce62a9273775e40c4b20db212473d33

UNRECOGNIZED LICENSE; MD5 sum: dfb000f72d2c889c22e4b96a80a7c3e0

1.80 libpsl 0.21.5-r3

1.80.1 Available under license :

Copyright (C) 2014-2024 Tim Rhsen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

* The following License is for the source code files
psl-make-dafsa and lookup_string_in_fixed_set.c.

```
// Copyright 2015 The Chromium Authors. All rights reserved.  
//  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// met:  
//  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer
```



```
// in the documentation and/or other materials provided with the
// distribution.
// * Neither the name of Google Inc. nor the names of its
// contributors may be used to endorse or promote products derived from
// this software without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
// BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
// A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
// OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
// SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
// LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
// DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
// THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
// (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
// OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

1.81 platformdirs 4.3.7

1.81.1 Available under license :

MIT License

Copyright (c) 2024 Jacob Hummer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

1.82 cachecontrol 0.14.2

1.82.1 Available under license :

Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.83 cachecontrol 0.14.1

1.83.1 Available under license :

Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.84 readline 8.3.1-r0

1.84.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
<<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an

appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c)

If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part

of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable

source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains,

plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your

rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients'

exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under

any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of

that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does.

Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program;

if not, see

<<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details

type `show w'. This is free software, and you are welcome

to redistribute it under certain conditions; type `show c'

for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License.

Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest

in the program `Gnomovision'

(which makes passes at compilers) written

by James Hacker.

signature of Moe Ghoul, 1 April 1989

Moe Ghoul, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdfnt rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}
```



```

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkbuid-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkbuid-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license

```

```

pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
    need dbus
}

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"

```

```

arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--sourcedir=/usr/share/$pkgname
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"

MIT License

```

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```

prepare() {
    update_config_sub
    default_prepare
}

build() {
    ./configure \
    --build=$CBUILD \
    --host=$CHOST \
    --prefix=/usr
    make
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"
# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da

```

cef2092881eded0a2e94f6a07752ef3 tree.h

"

Original Copyright (c) 1985 by Supoj Sutanthavibul

Parts Copyright (c) 1989-2012 by Brian V. Smith

Parts Copyright (c) 1991 by Paul King

Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.

*
 * @(#)queue.h 8.5 (Berkeley) 8/20/94
 */

#ifndef _SYS_QUEUE_H_
 #define _SYS_QUEUE_H_

/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 * pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large
 * datasets and few or no removals or for implementing a LIFO queue.
 *
 * A list is headed by a single forward pointer (or an array of forward
 * pointers for a hash table header). The elements are doubly linked
 * so that an arbitrary element can be removed without a need to
 * traverse the list. New elements can be added to the list before
 * or after an existing element or at the head of the list. A list
 * may only be traversed in the forward direction.
 *
 * A simple queue is headed by a pair of pointers, one the head of the
 * list and the
 * other to the tail of the list. The elements are singly
 * linked to save space, so elements can only be removed from the
 * head of the list. New elements can be added to the list after
 * an existing element, at the head of the list, or at the end of the

```

* list. A simple queue may only be traversed in the forward direction.
*
* A tail queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before or
* after an existing element, at the head of the list, or at the end of
* the list. A tail queue may be traversed in either direction.
*
* A circle queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements
* can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.
*/

/*
* Include the definition of NULL only on NetBSD because sys/null.h
* is not available elsewhere. This conditional makes the header
* portable and it can simply be dropped verbatim into any system.
* The caveat is that on other systems some other header
* must provide NULL before the macros can be used.
*/
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#if defined(QUEUEDEBUG)
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
* Singly-linked List definitions.
*/
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first

```



```

element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

```

```

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
     (var) != LIST_END(head); \
     (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
     (var) != LIST_END(head) && \
     ((tvar) = LIST_NEXT((var), field), 1); \
     (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
LIST_INIT((head2)); \
if (!LIST_EMPTY((head1))) \
{ \
(head2)->lh_first = (head1)->lh_first; \
LIST_INIT((head1)); \
} \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
     (head)->lh_first->field.le_prev != &(head)->lh_first) \
QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
                 __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
     (elm)->field.le_next->field.le_prev != \
     &(elm)->field.le_next) \
QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
                 __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
                 __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
(elm)->field.le_next = (void *)1L; \
(elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm, field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

```

```

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
    (listelm)->field.le_next->field.le_prev = \
        &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
    = (head)->lh_first) != LIST_END(head)) \
    (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
    (elm)->field.le_next->field.le_prev = \
        (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
    (elm2)->field.le_next->field.le_prev = \
        &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

```

```

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type)  \
struct name {  \
    struct  \
    type *sqh_first; /* first element */  \
    struct type **sqh_last; /* addr of last next element */  \
}

#define SIMPLEQ_HEAD_INITIALIZER(head)  \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type)  \
struct {  \
    struct type *sqe_next; /* next element */  \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field)  \
for ((var) = ((head)->sqh_first);  \
     (var) != SIMPLEQ_END(head);  \
     (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next)  \
for ((var) = ((head)->sqh_first);  \
     (var) != SIMPLEQ_END(head) &&  \
     ((next = ((var)->field.sqe_next)), 1);  \
     (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do {  \
    (head)->sqh_first = NULL;  \
    (head)->sqh_last  \
    = &(head)->sqh_first;  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do {  \

```

```

if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
    (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
        (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \
            curelm->field.sqe_next->field.sqe_next) == NULL) \
            (head)->sqh_last = &(curelm)->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
}

```

```

} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
(SIMPLEQ_EMPTY((head)) ? \
    NULL : \
    ((struct type \
    *) (void *) \
    ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
struct name { \
    qual type *tqh_first; /* first element */ \
    qual type *qual *tqh_last; /* addr of last next element */ \
}
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
{ TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *)((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname \
    *) (void *)((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->tqh_first); \
    (var) != TAILQ_END(head); \
    (var) = ((var)->field.tqe_next))

```

```

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->tqh_first); \
     (var) != TAILQ_END(head) && \
     ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
for ((var) = TAILQ_LAST((head), headname); \
     (var) != TAILQ_END(head); \
     (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
for ((var) = TAILQ_LAST((head), headname); \
     (var) != TAILQ_END(head) && \
     ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
elm, field) \
if ((head)->tqh_first && \
     (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
if (*(head)->tqh_last != NULL) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
     (elm)->field.tqe_next->field.tqe_prev != \
     &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
     (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
(elm)->field.tqe_next = (void *)1L; \
(elm)->field.tqe_prev = (void *)1L;
#else

```



```

#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \

```

```

*(listelm)->field.tqe_prev = (elm); \
(listelm)->field.tqe_prev
= &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
    (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
    *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
        field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

```

```

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

```

```

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
    (STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *) ((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */
/*

```

```

* __launder_type(): We use this ugly hack to work around the the compiler
* noticing that two types may not alias each other and elide tests in code.
* We hit this in the CIRCLEQ macros when comparing 'struct name *' and
* 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
* 4.8) declare these comparisons as always false, causing the code to
* not run as designed.
*
* This hack is only to be used for comparisons and thus can be fully const.
* Do not use for assignment.
*
* If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
* this by changing the head/tail sentinel values, but see the note above
* this one.
*/
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
    if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
        (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
            __FILE__, __LINE__); \
    if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
        (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_last != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \

```

```

if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
    QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
        (elm), __FILE__, __LINE__); \
}
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
    struct name { \
        struct type *cqh_first; /* \
        first element */ \
        struct type *cqh_last; /* last element */ \
    }

#define CIRCLEQ_HEAD_INITIALIZER(head) \
    { CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
    struct { \
        struct type *cqe_next; /* next element */ \
        struct type *cqe_prev; /* previous element */ \
    }

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

```

```
#define CIRCLEQ_INSERT_BEFORE(head,
listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)
```

```
#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)
```

```
#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)
```

```
#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \

```

```

(elm)->field.cqe_prev->field.cqe_next = \
    (elm)->field.cqe_next; \
QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->cqh_first); \
    (var) != CIRCLEQ_ENDC(head); \
    (var) \
    = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
for ((var) = ((head)->cqh_last); \
    (var) != CIRCLEQ_ENDC(head); \
    (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
    ? ((head)->cqh_first) \
    : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
    ? ((head)->cqh_last) \
    : \
    (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P

```



```

#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=${pkgver}-r${pkgrel}" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \

```

```
--output-fd 3 3>&1 >&2
}

package() {
  gpep517 install-wheel --destdir "$pkgdir" \
    .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
  flake8-copyright-0.2.4.tar.gz
"
(The MIT License)
```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- *
- * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- * IN NO EVENT SHALL THE
- AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
- * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- */

```
#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_
```

```
#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
 (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif
```

```
#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif
```

```
/*
* This file defines data structures for different types of trees:
* splay trees and red-black trees.
*
* A splay tree is a self-organizing
data structure. Every operation
* on the tree causes a splay to happen. The splay moves the requested
* node to the root of the tree and partly rebalances it.
*
* This has the benefit that request locality causes faster lookups as
* the requested nodes move to the top of the tree. On the other hand,
* every lookup causes memory writes.
*
* The Balance Theorem bounds the total access time for m operations
```

- * and n inserts on an initially empty tree as $O((m + n)\lg n)$. The
- * amortized cost for a sequence of m accesses to a splay tree is $O(\lg n)$;
- *
- * A red-black tree is a binary search tree with the node color as an
- * extra attribute. It fulfills a set of conditions:
- * - every search path from the root to a leaf consists of the
- * same number of black nodes,
- * - each red node (except for the root) has a black parent,
- * - each leaf node is black.
- *
- * Every operation on a red-black tree is bounded as $O(\lg n)$.
- * The maximum height of a red-black tree is $2\lg(n+1)$.
- */

```
#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}
```

```
#define SPLAY_INITIALIZER(root) \
{ NULL }
```

```
#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}
```

```
#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)
```

```
/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
}
```

```

(head)->sph_root = tmp;    \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do {    \
    SPLAY_LEFT(tmp, field) = (head)->sph_root;    \
    tmp = (head)->sph_root;    \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);    \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do {    \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root;    \
    tmp = (head)->sph_root;    \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);    \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do {    \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field);    \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field);    \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field);    \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field);    \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp)    \
void name##_SPLAY(struct name *, struct type *);    \
void name##_SPLAY_MINMAX(struct name *, int);    \
struct type *name##_SPLAY_INSERT(struct name *, struct type *);    \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *);    \
    \
/* Finds the node with the same key as elm */    \
static __inline struct type *    \
name##_SPLAY_FIND(struct name *head, struct type *elm)    \
{    \
    if (SPLAY_EMPTY(head))    \
        return(NULL);    \
    name##_SPLAY(head, elm);    \
    if ((cmp)(elm, (head)->sph_root) == 0)    \
        return (head->sph_root);    \
    return (NULL);    \
}    \
    \
static __inline _sys_tree_h_unused struct type *    \
name##_SPLAY_NEXT(struct name *head, struct type *elm)    \
{    \
    name##_SPLAY(head, elm);    \
    if (SPLAY_RIGHT(elm, field) != NULL) {    \

```

```

elm = SPLAY_RIGHT(elm, field); \
while (SPLAY_LEFT(elm, field) != NULL) { \
    elm = SPLAY_LEFT(elm, field); \
} \
}
else \
    elm = NULL; \
return (elm); \
} \
\

static __sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if (__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field); \
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\

struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \

```

```

{
    \
    struct type *__tmp;
    if (SPLAY_EMPTY(head))
        return (NULL);
    name##_SPLAY(head, elm);
    if ((cmp)(elm, (head)->sph_root) == 0) {
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) {
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);
        } else {
            __tmp = SPLAY_RIGHT((head)->sph_root, field);
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);
            name##_SPLAY(head, elm);
            SPLAY_RIGHT((head)->sph_root, field) = __tmp;
        }
        return (elm);
    }
    return (NULL);
}

void
name##_SPLAY(struct
name *head, struct type *elm)
{
    \
    struct type __node, *__left, *__right, *__tmp;
    int __comp;
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;
    __left = __right = &__node;
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) {
        if (__comp < 0) {
            __tmp = SPLAY_LEFT((head)->sph_root, field);
            if (__tmp == NULL)
                break;
            if ((cmp)(elm, __tmp) < 0) {
                SPLAY_ROTATE_RIGHT(head, __tmp, field);
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)
                    break;
            }
            SPLAY_LINKLEFT(head, __right, field);
        } else if (__comp > 0) {
            __tmp = SPLAY_RIGHT((head)->sph_root, field);
            if (__tmp == NULL)
                break;
            if ((cmp)(elm, __tmp) > 0) {
                SPLAY_ROTATE_LEFT(head, __tmp, field);
                if (SPLAY_RIGHT((head)->sph_root, field) == NULL)
                    break;
            }
        }
    }
}

```

```

    } \
    SPLAY_LINKRIGHT(head, __left, field); \
    } \
    } \
    SPLAY_ASSEMBLE(head,
    &__node, __left, __right, field); \
    } \
    \
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp > 0) { \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
    SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

```



```

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
    struct { \
        struct type *rbe_left; /* left element */ \
        struct type *rbe_right; /* right element */ \
        struct type *rbe_parent; /* parent element */ \
        int rbe_color; /* node color */ \
    }

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
} while (0)

```

```

RB_COLOR(elm, field) = RB_RED;  \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do {  \
    RB_COLOR(black, field) = RB_BLACK;  \
    RB_COLOR(red, field) \
    = RB_RED;  \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do {  \
    (tmp) = RB_RIGHT(elm, field);  \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    }  \
    RB_AUGMENT(elm);  \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else  \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else  \
        (head)->rbh_root = (tmp);  \
    RB_LEFT(tmp, field) = (elm);  \
    RB_PARENT(elm, field) = (tmp);  \
    RB_AUGMENT(tmp);  \
    if ((RB_PARENT(tmp, field)))  \
        RB_AUGMENT(RB_PARENT(tmp, field));  \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do {  \
    (tmp) = RB_LEFT(elm, field);  \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
    != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    }  \
    RB_AUGMENT(elm);  \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else  \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else  \
        (head)->rbh_root = (tmp);  \
    RB_RIGHT(tmp, field) = (elm);  \

```

```

RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *);\
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        \
        struct type \
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \
            RB_COLOR(parent, field) == RB_RED) { \
            \
            gparent = RB_PARENT(parent, field); \
            if (parent == RB_LEFT(gparent, field)) { \
                tmp = RB_RIGHT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field);\
                    elm = gparent; \
                    continue; \
                } \
            } \
        } \
    } \

```

```

if (RB_RIGHT(parent, field) == elm) { \
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field);\
RB_ROTATE_RIGHT(head, gparent, tmp, field);\
} else { \
    tmp = RB_LEFT(gparent, field); \
    if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
        RB_COLOR(tmp, field) = RB_BLACK;\
        RB_SET_BLACKRED(parent, gparent, field);\
        elm = gparent; \
        continue; \
    } \
    if (RB_LEFT(parent, field) == elm)
{ \
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
    RB_SET_BLACKRED(parent, gparent, field);\
    RB_ROTATE_LEFT(head, gparent, tmp, field);\
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field);\
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp,

```

```

field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
    if (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
        struct type *oleft; \
        if ((oleft = RB_LEFT(tmp, field)) \
            != NULL) \
            RB_COLOR(oleft, field) = RB_BLACK;\
        RB_COLOR(tmp, field) = RB_RED; \
        RB_ROTATE_RIGHT(head, tmp, oleft, field);\
        tmp = RB_RIGHT(parent, field); \
    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK; \
    if (RB_RIGHT(tmp, field)) \
        RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp \
    = RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\
            tmp = RB_LEFT(parent, field); \

```

```

    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK;\
    if (RB_LEFT(tmp, field)) \
        RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \
                RB_RIGHT(parent, field) = child; \
            RB_AUGMENT(parent); \
        } else \
            RB_ROOT(head)
    = child; \
    if (RB_PARENT(elm, field) == old) \
        parent = elm; \
    (elm)->field = (old)->field; \
    if (RB_PARENT(old, field)) { \

```

```

if (RB_LEFT(RB_PARENT(old, field), field) == old)\
    RB_LEFT(RB_PARENT(old, field), field) = elm;\
else \
    RB_RIGHT(RB_PARENT(old, field), field) = elm;\
RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \

```

```

    if (comp < 0)    \
        tmp = RB_LEFT(tmp, field); \
    else if (comp > 0) \
        tmp = RB_RIGHT(tmp, field); \
    else \
        return (tmp); \
} \
RB_SET(elm, parent, field); \
if (parent != NULL) { \
    if (comp < 0) \
        RB_LEFT(parent, field) = elm; \
    else \
        RB_RIGHT(parent, field) = elm; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = elm; \
name##_RB_INSERT_COLOR(head,
elm); \
return (NULL); \
} \
\
/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \

```



```

if (comp < 0) {
    res = tmp;
    tmp = RB_LEFT(tmp, field);
}
else if (comp > 0)
    tmp =
RB_RIGHT(tmp, field);
else
    return (tmp);
}
return (res);
}

/* ARGSUSED */
attr struct type *
name##_RB_NEXT(struct type *elm)
{
    if (RB_RIGHT(elm, field)) {
        elm = RB_RIGHT(elm, field);
        while (RB_LEFT(elm, field))
            elm = RB_LEFT(elm, field);
    } else {
        if (RB_PARENT(elm, field) &&
            (elm == RB_LEFT(RB_PARENT(elm, field), field)))
            elm = RB_PARENT(elm, field);
        else {
            while (RB_PARENT(elm, field) &&
                (elm == RB_RIGHT(RB_PARENT(elm, field), field)))
                elm = RB_PARENT(elm, field);
            elm = RB_PARENT(elm, field);
        }
    }
    return (elm);
}

/* ARGSUSED */
attr struct type *
name##_RB_PREV(struct type *elm)
{
    if (RB_LEFT(elm, field)) {
        elm = RB_LEFT(elm, field);
        while (RB_RIGHT(elm, field))
            elm = RB_RIGHT(elm, field);
    }
    else {
        if (RB_PARENT(elm, field) &&
            (elm == RB_RIGHT(RB_PARENT(elm, field), field)))
            elm = RB_PARENT(elm, field);
    }
}

```

```

else {
    while (RB_PARENT(elm, field) &&
        (elm == RB_LEFT(RB_PARENT(elm, field), field)))
        elm = RB_PARENT(elm, field);
    elm = RB_PARENT(elm, field);
}
return (elm);
}

attr struct type *
name##_RB_MINMAX(struct name *head, int val)
{
    struct type *tmp = RB_ROOT(head);
    struct type *parent = NULL;
    while (tmp) {
        parent = tmp;
        if (val < 0)
            tmp = RB_LEFT(tmp, field);
        else
            tmp = RB_RIGHT(tmp, field);
    }
    return (parent);
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head)
for ((x) = RB_MIN(name, head);
    (x) != NULL;
    (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y)
for ((x) = (y);
    ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL);
    (x) = (y))

```

```

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
    ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
    (x) != NULL; \
    (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
head, y) \
for ((x) = RB_MAX(name, head); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

```

```

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
    Software-License-0.104007.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

```

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir/${_pkgname}-${pkgver}"

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
    license_expression-30.4.4.tar.gz
"

```

1.85 python-pip 25.0.1

1.85.1 Available under license :

```

UNRECOGNIZED LICENSE; MD5 sum: 45874240865793abc3a77b0bbdf3dc51
UNRECOGNIZED LICENSE; MD5 sum: b0eaf0c960a0f5d744339da436682707
UNRECOGNIZED LICENSE; MD5 sum: 856bd8901cf18d4edc40b86012a95b26
UNRECOGNIZED LICENSE; MD5 sum: d2e8c3bce80da2a2e51cffd44205a7b1
UNRECOGNIZED LICENSE; MD5 sum: 89c981cb43c0c7a860b8a18449e92a38
UNRECOGNIZED LICENSE; MD5 sum: f7cacecf6ff92c07405436643ace4302
PKu5Z\&#license.dist-0.2.dist-info/METADATAUT ggux]MN@s
J*VT$$ ~nH-dKp>NXw
'h4xOAZu'OR#diT>?ECesh
%W6Q:'nl|^?t){u-{Z0XPKa5Zhb'!license.dist-0.2.dist-info/RECORDUT ggux}r03l,HZK
m^2fXZ;wzmUnjWU]52+\Gfmy8sUP-"7DbuhoAUo9sM"T_ST
,9%=-la1?O"+l[0]y:4o$6}D
HzPs_`1rPK5d#Ahr6s%license.dist-0.2.dist-info/RECORD.jwsUT DPmgux%N@EHq()04@:*`w].9?`$mZK'3'
}g7.hl[zMeH4 TQzI9 +g\v7+L? iOU{RC3;>>p_,7:N-f@]i#
;_*bl-X,sZzoI]4a%JQy+KI(:d=^Su`t5U@d"R7PK

```

d#A~XY@@ license.dist-0.2.dist-info/WHEELUT FDPmguxWheel-Version: 0.1

Packager: bdist_wheel

Root-Is-Purelib: true

PK

o@licensedist/__init__.pyUT PBmguxPKu5Z\&#license.dist-0.2.dist-

info/METADATAUTguxPKa5Zhb'!)license.dist-0.2.dist-info/RECORDUTguxPK5d#Ahr6s%Vlicense.dist-0.2.dist-
info/RECORD.jwsUTDPuxPK

d#A~XY@@ license.dist-0.2.dist-info/WHEELUTFDPuxPK

o@licensedist/__init__.pyUTPuxPK

SPDX-License-Identifier: MIT

SPDX-FileCopyrightText: 2021 Taneli Hukkinen

Licensed to PSF under a Contributor Agreement.

Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Python/Jython

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

UNRECOGNIZED LICENSE; MD5 sum: 969a9e986521a635141d6b548aea92ad

UNRECOGNIZED LICENSE; MD5 sum: c0f4347d81adc62c6cd62b1b85aa469b

BSD 3-Clause License

Copyright (c) 2013-2024, Kim Davies and contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006-2022 by the respective authors (see AUTHORS file).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

UNRECOGNIZED LICENSE; MD5 sum: 224a0356792d38f867e73fdd7ee8bc68
argparse is (c) 2006-2009 Steven J. Bethard <steven.bethard@gmail.com>.

The argparse module was contributed to Python as of Python 2.7 and thus was licensed under the Python license. Same license applies to all files in the argparse package project.

For details about the Python License, please see doc/Python-License.txt.

History

Before (and including) argparse 1.1, the argparse package was licensed under Apache License v2.0.

After argparse 1.1, all project files from the argparse project were deleted due to license compatibility issues between Apache License 2.0 and GNU GPL v2.

The project repository then had a clean start with some files taken from Python 2.7.1, so definitely all files are under Python License now.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Philip Jenvey
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think you name is missing, please add it (alpha order by first name)

UNRECOGNIZED LICENSE; MD5 sum: b7f43a4fdd86a40df4c36e1b6afca602

Copyright (c) 2011 Agendaless Consulting and Contributors.

(<http://www.agendaless.com>), All Rights Reserved

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Dirley Rodrigues
- * Donald Stufft
- * Grigory Petrov
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Phillip J. Eby
- * Philip Jenvey
- * Philip Thiem
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think your name is missing, please add it (alpha order by first name)

UNRECOGNIZED LICENSE; MD5 sum: 83ef8a4c430ba194704fb45783887e46

UNRECOGNIZED LICENSE; MD5 sum: aa439617d32fe0ada48c0da904366da4

MIT

UNRECOGNIZED LICENSE; MD5 sum: 279f913b168e268d25ef6188c9e3ffd4

Copyright (c) 2008-present The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
UNRECOGNIZED LICENSE; MD5 sum: 69a0cd56dc900d1143c236b05bb465ac
Copyright (c) 2008-2013 The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License for Bundle of CA Root Certificates (pip/cacert.pem)

=====

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Copyright (c) 2007 Ian Bicking and Contributors
Copyright (c) 2009 Ian Bicking, The Open Planning Project
Copyright (c) 2011-2013 The virtualenv developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
UNRECOGNIZED LICENSE; MD5 sum: 4ffcc98b2323777b0f5c002e45250264
The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
UNRECOGNIZED LICENSE; MD5 sum: 185fbba8d66d86d1c6cc10d6b557cb3f

UNRECOGNIZED LICENSE; MD5 sum: 3fd6103100722c2ab40319eb942c4c6a
UNRECOGNIZED LICENSE; MD5 sum: a7e9b70ca59c69b9aa662e8ae7bbec00
UNRECOGNIZED LICENSE; MD5 sum: 504fdd18bdcfd3f7606b5a0f88addea3
UNRECOGNIZED LICENSE; MD5 sum: bbfcbab4df1f200b2a9ca494c44800c0

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version

prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License

Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".
3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.
4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based

on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree: <https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt> It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication. Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$
UNRECOGNIZED LICENSE; MD5 sum: ee4b86b7d59c7064abc30c2496ac78b9
UNRECOGNIZED LICENSE; MD5 sum: f148932318e88b83787b4b3a0bdcf70a
UNRECOGNIZED LICENSE; MD5 sum: 351b831d68a447eabcbaa43af18d7b41
This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.
UNRECOGNIZED LICENSE; MD5 sum: b8d0bf09a388e9b6640ef5c7c153d61d
MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2018, Tzu-ping Chung <uranusjr@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: c0c0185b7475d96d2c346c55c3e53ab7

UNRECOGNIZED LICENSE; MD5 sum: f659b2cbaf5278203e32eb1f5a5f79c7

Pylons Project Contributor Agreement

=====

The submitter agrees by adding his or her name within the section below named "Contributors" and submitting the resulting modified document to the canonical shared repository location for this software project (whether directly, as a user with "direct commit access", or via a "pull request"), he or she is signing a contract electronically. The submitter becomes a Contributor after a) he or she signs this document by adding their name beneath the "Contributors" section below, and b) the resulting document is accepted into the canonical version control repository.

Treatment of Account

Contributor will not allow anyone other than the Contributor to use his or her username or source repository login to submit code to a Pylons Project source repository. Should Contributor become aware of any such use, Contributor will immediately by notifying Agendaless Consulting.

Notification must be performed

by sending an email to

webmaster@agendaless.com. Until such notice is received, Contributor will be presumed to have taken all actions made through Contributor's account. If the Contributor has direct commit access, Agendaless Consulting will have complete control and discretion over capabilities assigned to Contributor's

account, and may disable Contributor's account for any reason at any time.

Legal Effect of Contribution

Upon submitting a change or new work to a Pylons Project source Repository (a "Contribution"), you agree to assign, and hereby do assign, a one-half interest of all right, title and interest in and to copyright and other intellectual property rights with respect to your new and original portions of the Contribution to Agendaless Consulting. You and Agendaless Consulting each agree that the other shall be free to exercise any and all exclusive rights in and to the Contribution, without accounting to one another, including without limitation, the right to license the Contribution to others under the Repoze Public License. This agreement shall run with title to the Contribution. Agendaless Consulting does not convey to you any right, title or interest in or to the Program or such portions of the Contribution that were taken from the Program. Your transmission of a submission to the Pylons Project source Repository and marks of identification concerning the Contribution itself constitute your intent to contribute and your assignment of the work in accordance with the provisions of this Agreement.

License Terms

Code committed to the Pylons Project source repository (Committed Code) must be governed by the Repoze Public License (<http://repoze.org/LICENSE.txt>, aka "the RPL") or another license acceptable to Agendaless Consulting. Until Agendaless Consulting declares in writing an acceptable license other than the RPL, only the RPL shall be used. A list of exceptions is detailed within the "Licensing Exceptions" section of this document, if one exists.

Representations, Warranty, and Indemnification

Contributor represents and warrants that the Committed Code does not violate the rights of any person or entity, and that the Contributor has legal authority to enter into this Agreement and legal authority over Contributed Code. Further, Contributor indemnifies Agendaless Consulting against violations.

Cryptography

Contributor understands that cryptographic code may be subject to government regulations with which Agendaless Consulting and/or entities using Committed Code must comply. Any code which contains any of the items listed below must

not be checked-in until Agendaless Consulting staff has been notified and has approved such contribution in writing.

- Cryptographic capabilities or features
- Calls to cryptographic features
- User interface elements which provide context relating to cryptography
- Code which may, under casual inspection, appear to be cryptographic.

Notices

Contributor confirms that any notices required will be included in any Committed Code.

Licensing Exceptions

=====

None.

List of Contributors

=====

The below-signed are contributors to a code repository that is part of the project named "Translationstring". Each below-signed contributor has read, understands and agrees to the terms above in the section within this document entitled "Pylons Project Contributor Agreement" as of the date beside his or her name.

Contributors

- Chris McDonough, 2011/02/16

- Wichert Akkerman, 2012/02/02

UNRECOGNIZED LICENSE; MD5 sum: 3f2777d4b97006c32953b26ef1f7ac43

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems
that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work
or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution
of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted

against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes

2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
2.7	2.6	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").
2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.
3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark

sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License

Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND

DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S.

federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions.

Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in

supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
UNRECOGNIZED LICENSE; MD5 sum: 1545853f429fe0b615b6e97ded0d7631

A. HISTORY OF THE SOFTWARE
=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no

2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,

OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.
BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following

URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software
without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 8ad4ae5e46a2a3afa27316325386f1cb
UNRECOGNIZED LICENSE; MD5 sum: 45ea32bdebfc2e63ec2b131cd4bc11af
UNRECOGNIZED LICENSE; MD5 sum: c197738b997df284a755c01a887f0ed9
UNRECOGNIZED LICENSE; MD5 sum: 804cd29e64bdef8111fd6b88180e19dc
UNRECOGNIZED LICENSE; MD5 sum: b5e84cb1dddb61a4f3868fc707971432
UNRECOGNIZED LICENSE; MD5 sum: 80d13bfe019695adda309f6a182a2695
UNRECOGNIZED LICENSE; MD5 sum: efc9c2dbdd704e7546d437a42525644c
License

A copyright notice accompanies this license document that identifies
the copyright holders.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions in source code must retain the accompanying
copyright notice, this list of conditions, and the following
disclaimer.
2. Redistributions in binary form must reproduce the accompanying
copyright notice, this list of conditions, and the following
disclaimer in the documentation and/or other materials provided
with the distribution.

3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.
4. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: c4d2ef9007518f78fd9ae6bb89c51ef7

UNRECOGNIZED LICENSE; MD5 sum: ef8d703a4d226a68185ce4c5c15d90d7

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 95594488233717b3db751ed31d203303

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stuftt and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: 19a553a1ca654d9e1b3a5c06882c91fa

PK'u5ZtGH#license.dist-0.1.dist-info/METADATAUT ggux]AN0E>rT*VF]D

(&CjxR5[(Xf\$~"N.vVw5u%Q?8SC'%%q]#n?H]][@6=}))V_Li

^8r&ZOsyh8P]/Gy\8[C]'

c?R:@W5{Sha.PK*u5ZP%r'!license.dist-0.1.dist-info/RECORDUT ggux}N0I`0W ROonkE0UFqjgd[><i\$

```

)r^7f!{"-3T
]l5w|lQ9!2/7apt81hg\N8|15![A~&x%>PK5d#Ahr6s%license.dist-0.1.dist-info/RECORD.jwsUT
DPmgux%N@EHq()04@:*`w].9?`$mZK'3'
}g7.hl[zMeH4 TQzI9 +g\v7+L? iOU{RC3;>>p_,7:N-f@]i#
;_ *bl-X,sZzoI]4a%JQy+KI(:d=^Su`t5U@d"R7PK
d#A~XY@@ license.dist-0.1.dist-info/WHEELUT FDPmguxWheel-Version: 0.1
Packager: bdist_wheel
Root-Is-Purelib: true

PK
o@licensedist/__init__.pyUT PBmguxPK'u5ZtGH#license.dist-0.1.dist-
info/METADATAUTguxPK*u5ZP%r'!<license.dist-0.1.dist-info/RECORDUTguxPK5d#Ahr6s%ilicense.dist-
0.1.dist-info/RECORD.jwsUTDPuxPK
d#A~XY@@ license.dist-0.1.dist-info/WHEELUTFDPUxPK
o@licensedist/__init__.pyUTPUxPK
UNRECOGNIZED LICENSE; MD5 sum: c1872b37e59a0ddda1fe4cf8a81192a
UNRECOGNIZED LICENSE; MD5 sum: c628ada423b19fd269a474e38eb93287
Copyright 2012-2021 Eric Larson

```

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.86 openssl 3.5.4-r0

1.86.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free
Software Foundation; either version 1, or (at your option) any
later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE

Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions
for copying, distribution and
modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

- a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and
- b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive

use

in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that

accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer

the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE

PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY
SERVICING,
REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to humanity, the best way to achieve this is to make it
free software which everyone can redistribute and change under these
terms.

To do so,
attach the following notices to the program. It is safest to
attach them to the start of each source file to most effectively convey
the exclusion of warranty; and each file should have at least the
"copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 1, or (at your option)
any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free
Software

Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

- a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.87 otel-metric 1.38.0

1.87.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
- * Neither the name of Google LLC nor the names
of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.88 c-ares 1.34.5-r0

1.88.1 Available under license :

/* MIT License

*

* Copyright (c) John Schember

*

* Permission is hereby granted, free of charge, to any person obtaining a copy

* of this software and associated documentation files (the "Software"), to deal

* in the Software without restriction, including without limitation the rights

* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

* copies of the Software, and to permit persons to whom the Software is

* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice (including the next

* paragraph) shall be included in all copies or substantial portions of the

* Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

* LIABILITY, WHETHER

IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

* SOFTWARE.

*

* SPDX-License-Identifier: MIT

*/

MIT License

Copyright (c) 1998 Massachusetts Institute of Technology

Copyright (c) 2007 - 2023 Daniel Stenberg with many contributors, see AUTHORS
file.

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice (including the next
paragraph) shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.89 google-uuid 1.6.0

1.89.1 Available under license :

Paul Borman <borman@google.com>

bmatsuo

shawnps

theory

jboverfelt

dsymonds

cd1

wallclockbuilder

dansouza

Copyright (c) 2009,2014 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.90 nuid 1.0.1

1.90.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.91 pyparsing 3.2.3

1.91.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.92 sh 1.14.3

1.92.1 Available under license :

Copyright (C) 2011-2012 by Andrew Moffat

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.93 auto-sdk 1.2.1

1.93.1 Available under license :

MIT License

Copyright (c) 2019 Montgomery Edwards and Faye Amacker

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
The MIT License (MIT)

Copyright (c) 2014 Cenk Alt

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal in
the Software without restriction, including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software is furnished to do so,
subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2015, Dave Cheney <dave@cheney.net>

All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (c) 2019-present Faye Amacker

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication

that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any

Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks,

or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.
Copyright 2011-2016 Canonical Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.
Data model artifacts for Prometheus.
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (<http://soundcloud.com/>).
MIT License

Copyright (c) 2016 json-iterator

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011, Open Knowledge Foundation Ltd.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Open Knowledge Foundation Ltd. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014 gRPC authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

procfs provides functions to retrieve system, kernel and process metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at SoundCloud Ltd. (<http://soundcloud.com/>).

This project is covered by two different licenses: MIT and Apache.

MIT License

The following files were ported to Go from C files of libyaml, and thus are still covered by their original MIT license, with the additional copyright starting in 2011 when the project was ported over:

apic.go emitterc.go parserc.go readerc.go scannerc.go
writerc.go yamlh.go yamlprivateh.go

Copyright (c) 2006-2010 Kirill Simonov

Copyright (c) 2006-2011 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

All the remaining project files are covered by the Apache license:

Copyright (c) 2011-2019 Canonical Ltd

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR
CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright (c) 2017-2021 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.
- * Neither the name of Google LLC nor the names
of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Common libraries shared by Prometheus Go components.

Copyright 2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (<http://soundcloud.com/>).
Copyright (C) 2014-2019, Matt Butcher and Matt Farina

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2017 Nathan Sweet
Copyright (c) 2018, 2019 Cloudflare
Copyright (c) 2019 Authors of Cilium

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN

ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/* This is auto-generated file. See bpf_doc.py for details. */

/* Forward declarations of BPF structs */

```
struct bpf_fib_lookup;
struct bpf_sk_lookup;
struct bpf_perf_event_data;
struct bpf_perf_event_value;
struct bpf_pidns_info;
struct bpf_redir_neigh;
struct bpf_sock;
struct bpf_sock_addr;
struct bpf_sock_ops;
struct bpf_sock_tuple;
struct bpf_spin_lock;
struct bpf_sysctl;
struct bpf_tcp_sock;
struct bpf_tunnel_key;
struct bpf_xfrm_state;
struct linux_binprm;
struct pt_regs;
```



```

struct sk_reuseport_md;
struct sockaddr;
struct tcphdr;
struct seq_file;
struct tcp6_sock;
struct tcp_sock;
struct tcp_timewait_sock;
struct tcp_request_sock;
struct udp6_sock;
struct unix_sock;
struct task_struct;
struct cgroup;
struct __sk_buff;
struct sk_msg_md;
struct xdp_md;
struct path;
struct btf_ptr;
struct inode;
struct socket;
struct file;
struct bpf_timer;
struct mptcp_sock;
struct bpf_dynptr;
struct iphdr;
struct ipv6hdr;

/*
 * bpf_map_lookup_elem
 *
 * Perform a lookup in *map* for an entry associated
 * to *key*.
 *
 * Returns
 * Map value associated to *key*, or **NULL** if no entry was
 * found.
 */
static void *(* const bpf_map_lookup_elem)(void *map, const void *key) = (void *) 1;

/*
 * bpf_map_update_elem
 *
 * Add or update the value of the entry associated to *key* in
 * *map* with *value*. *flags* is one of:
 *
 * **BPF_NOEXIST**
 * The entry for *key* must not exist in the map.
 * **BPF_EXIST**
 * The entry for *key* must already exist in the map.

```

```

* **BPF_ANY**
* No condition on the existence of the entry for *key*.
*
* Flag value **BPF_NOEXIST** cannot be used for maps of types
* **BPF_MAP_TYPE_ARRAY** or **BPF_MAP_TYPE_PERCPU_ARRAY** (all
* elements always exist), the helper would return an error.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_map_update_elem)(void *map, const void *key, const void *value, __u64 flags) = (void *)
2;

/*
* bpf_map_delete_elem
*
* Delete entry with *key* from
* *map*.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_map_delete_elem)(void *map, const void *key) = (void *) 3;

/*
* bpf_probe_read
*
* For tracing programs, safely attempt to read *size* bytes from
* kernel space address *unsafe_ptr* and store the data in *dst*.
*
* Generally, use **bpf_probe_read_user**\ () or
* **bpf_probe_read_kernel**\ () instead.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_probe_read)(void *dst, __u32 size, const void *unsafe_ptr) = (void *) 4;

/*
* bpf_ktime_get_ns
*
* Return the time elapsed since system boot, in nanoseconds.
* Does not include time the system was suspended.
* See: **clock_gettime**\ (**CLOCK_MONOTONIC**)
*
* Returns
* Current *ktime*.
*/

```

```

static __u64 (* const bpf_ktime_get_ns)(void) = (void *) 5;

/*
 * bpf_trace_printk
 *
 * This helper is a "printk()-like" facility for debugging. It
 * prints a message
 * defined by format *fmt* (of size *fmt_size*)
 * to file */sys/kernel/tracing/trace* from TraceFS, if
 * available. It can take up to three additional **u64**
 * arguments (as an eBPF helpers, the total number of arguments is
 * limited to five).
 *
 * Each time the helper is called, it appends a line to the trace.
 * Lines are discarded while */sys/kernel/tracing/trace* is
 * open, use */sys/kernel/tracing/trace_pipe* to avoid this.
 * The format of the trace is customizable, and the exact output
 * one will get depends on the options set in
 * */sys/kernel/tracing/trace_options* (see also the
 * *README* file under the same directory). However, it usually
 * defaults to something like:
 *
 * ::
 *
 * telnet-470 [001] .N.. 419421.045894: 0x00000001: <formatted msg>
 *
 * In the above:
 *
 * * ``telnet`` is the name of the current task.
 * * * ``470`` is the PID of the current task.
 * * * ``001`` is the CPU number on which the task is
 *   running.
 * * In
 *   ``.N..``, each character refers to a set of
 *   options (whether irqs are enabled, scheduling
 *   options, whether hard/softirqs are running, level of
 *   preempt_disabled respectively). **N** means that
 *   **TIF_NEED_RESCHED** and **PREEMPT_NEED_RESCHED**
 *   are set.
 * * * ``419421.045894`` is a timestamp.
 * * * ``0x00000001`` is a fake value used by BPF for the
 *   instruction pointer register.
 * * * ``<formatted msg>`` is the message formatted with
 *   *fmt*.
 *
 * The conversion specifiers supported by *fmt* are similar, but
 * more limited than for printk(). They are **%d**, **%i**,
 * **%u**, **%x**, **%ld**, **%li**, **%lu**, **%lx**, **%lld**,

```

```

* **%lli**, **%llu**, **%llx**, **%p**, **%s**. No modifier (size
* of field, padding with zeroes, etc.) is available, and the
* helper will return **-EINVAL** (but print nothing) if it
* encounters an unknown specifier.
*
* Also, note that bpf_trace_printk() is slow, and should
* only be used
for debugging purposes. For this reason, a notice
* block (spanning several lines) is printed to kernel logs and
* states that the helper should not be used "for production use"
* the first time this helper is used (or more precisely, when
* trace_printk() buffers are allocated). For passing values
* to user space, perf events should be preferred.
*
* Returns
* The number of bytes written to the buffer, or a negative error
* in case of failure.
*/
static long (* const bpf_trace_printk)(const char *fmt, __u32 fmt_size, ...) = (void *) 6;

/*
* bpf_get_prandom_u32
*
* Get a pseudo-random number.
*
* From a security point of view, this helper uses its own
* pseudo-random internal state, and cannot be used to infer the
* seed of other random functions in the kernel. However, it is
* essential to note that the generator used by the helper is not
* cryptographically secure.
*
* Returns
* A random 32-bit unsigned value.
*/
static __u32 (* const bpf_get_prandom_u32)(void)
= (void *) 7;

/*
* bpf_get_smp_processor_id
*
* Get the SMP (symmetric multiprocessing) processor id. Note that
* all programs run with migration disabled, which means that the
* SMP processor id is stable during all the execution of the
* program.
*
* Returns
* The SMP id of the processor running the program.
*/

```

```

static __u32 (* const bpf_get_smp_processor_id)(void) = (void *) 8;

/*
 * bpf_skb_store_bytes
 *
 * Store *len* bytes from address *from* into the packet
 * associated to *skb*, at *offset*. *flags* are a combination of
 * **BPF_F_RECOMPUTE_CSUM** (automatically recompute the
 * checksum for the packet after storing the bytes) and
 * **BPF_F_INVALIDATE_HASH** (set *skb*->hash**, *skb*->
 * **->swhash** and *skb*->l4hash** to 0).
 *
 * A call to this helper is susceptible to change the underlying
 * packet buffer. Therefore, at load time, all checks on pointers
 * previously done by the verifier are invalidated and must
 * be
 * performed again, if the helper is used in combination with
 * direct packet access.
 *
 * Returns
 * 0 on success, or a negative error in case of failure.
 */
static long (* const bpf_skb_store_bytes)(struct __sk_buff *skb, __u32 offset, const void *from, __u32 len, __u64
flags) = (void *) 9;

/*
 * bpf_l3_csum_replace
 *
 * Recompute the layer 3 (e.g. IP) checksum for the packet
 * associated to *skb*. Computation is incremental, so the helper
 * must know the former value of the header field that was
 * modified (*from*), the new value of this field (*to*), and the
 * number of bytes (2 or 4) for this field, stored in *size*.
 * Alternatively, it is possible to store the difference between
 * the previous and the new values of the header field in *to*, by
 * setting *from* and *size* to 0. For both methods, *offset*
 * indicates the location of the IP checksum within the packet.
 *
 * This helper works in combination with **bpf_csum_diff**(),
 * which does not update
 * the checksum in-place, but offers more
 * flexibility and can handle sizes larger than 2 or 4 for the
 * checksum to update.
 *
 * A call to this helper is susceptible to change the underlying
 * packet buffer. Therefore, at load time, all checks on pointers
 * previously done by the verifier are invalidated and must be
 * performed again, if the helper is used in combination with

```

```

* direct packet access.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_l3_csum_replace)(struct __sk_buff *skb, __u32 offset, __u64 from, __u64 to, __u64 size) =
(void *) 10;

/*
* bpf_l4_csum_replace
*
* Recompute the layer 4 (e.g. TCP, UDP or ICMP) checksum for the
* packet associated to *skb*. Computation is incremental, so the
* helper must know the former value of the header field that was
* modified (*from*), the new value of this field (*to*), and the
* number of bytes (2 or 4) for this field, stored on the lowest
* four bits
* of *flags*. Alternatively, it is possible to store
* the difference between the previous and the new values of the
* header field in *to*, by setting *from* and the four lowest
* bits of *flags* to 0. For both methods, *offset* indicates the
* location of the IP checksum within the packet. In addition to
* the size of the field, *flags* can be added (bitwise OR) actual
* flags. With BPF_F_MARK_MANGLED_0, a null checksum is left
* untouched (unless BPF_F_MARK_ENFORCE is added as well), and
* for updates resulting in a null checksum the value is set to
* CSUM_MANGLED_0 instead. Flag BPF_F_PSEUDO_HDR indicates
* the checksum is to be computed against a pseudo-header.
*
* This helper works in combination with bpf_csum_diff (),
* which does not update the checksum in-place, but offers more
* flexibility and can handle sizes larger than 2 or 4 for the
* checksum to update.
*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all checks on pointers
* previously done by the verifier are invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_l4_csum_replace)(struct __sk_buff *skb, __u32 offset, __u64 from, __u64 to, __u64 flags)
= (void *) 11;

/*
* bpf_tail_call

```

```

*
* This special helper is used to trigger a "tail call", or in
* other words, to jump into another eBPF program. The same stack
* frame is used (but values on stack and in registers for the
* caller are not accessible to the callee). This mechanism allows
* for program chaining, either for raising the maximum number of
* available eBPF instructions, or to execute given programs in
* conditional blocks. For security reasons, there is an upper
* limit to the number of successive tail calls that can be
* performed.
*
* Upon call
of this helper, the program attempts to jump into a
* program referenced at index *index* in *prog_array_map*, a
* special map of type BPF_MAP_TYPE_PROG_ARRAY, and passes
* *ctx*, a pointer to the context.
*
* If the call succeeds, the kernel immediately runs the first
* instruction of the new program. This is not a function call,
* and it never returns to the previous program. If the call
* fails, then the helper has no effect, and the caller continues
* to run its subsequent instructions. A call can fail if the
* destination program for the jump does not exist (i.e. *index*
* is superior to the number of entries in *prog_array_map*), or
* if the maximum number of tail calls has been reached for this
* chain of programs. This limit is defined in the kernel by the
* macro MAX_TAIL_CALL_CNT (not accessible to user space),
* which is currently set to 33.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const
bpf_tail_call)(void *ctx, void *prog_array_map, __u32 index) = (void *) 12;

/*
* bpf_clone_redirect
*
* Clone and redirect the packet associated to *skb* to another
* net device of index *ifindex*. Both ingress and egress
* interfaces can be used for redirection. The BPF_F_INGRESS
* value in *flags* is used to make the distinction (ingress path
* is selected if the flag is present, egress path otherwise).
* This is the only flag supported for now.
*
* In comparison with bpf_redirect() helper,
* bpf_clone_redirect() has the associated cost of
* duplicating the packet buffer, but this can be executed out of

```

```

* the eBPF program. Conversely, bpf_redirect() is more
* efficient, but it is handled through an action code where the
* redirection happens only after the eBPF program has returned.
*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all checks on pointers
* previously
done by the verifier are invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
* Returns
* 0 on success, or a negative error in case of failure. Positive
* error indicates a potential drop or congestion in the target
* device. The particular positive error codes are not defined.
*/
static long (* const bpf_clone_redirect)(struct __sk_buff *skb, __u32 ifindex, __u64 flags) = (void *) 13;

/*
* bpf_get_current_pid_tgid
*
* Get the current pid and tgid.
*
* Returns
* A 64-bit integer containing the current tgid and pid, and
* created as such:
* *current_task* \ **->tgid << 32 \| **
* *current_task* \ **->pid**.
*/
static __u64 (* const bpf_get_current_pid_tgid)(void) = (void *) 14;

/*
* bpf_get_current_uid_gid
*
* Get the current uid and gid.
*
* Returns
* A 64-bit integer containing the current GID and UID, and
* created as such: *current_gid* **<< 32 \| ** *current_uid*.
*/
static __u64 (* const
bpf_get_current_uid_gid)(void) = (void *) 15;

/*
* bpf_get_current_comm
*
* Copy the comm attribute of the current task into buf of
* size_of_buf. The comm attribute contains the name of

```


- * the executable (excluding the path) for the current task. The
- * `*size_of_buf*` must be strictly positive. On success, the
- * helper makes sure that the `*buf*` is NUL-terminated. On failure,
- * it is filled with zeroes.
- *
- * Returns
- * 0 on success, or a negative error in case of failure.
- */

```
static long (* const bpf_get_current_comm)(void *buf, __u32 size_of_buf) = (void *) 16;
```



```
/*
```

- * `bpf_get_cgroup_classid`
- *
- * Retrieve the classid for the current task, i.e. for the `net_cls`
- * cgroup to which `*skb*` belongs.
- *
- * This helper can be used on TC egress path, but not on ingress.
- *
- * The `net_cls` cgroup provides an interface to tag network packets
- * based on a user-provided identifier for all traffic coming from
- * the tasks belonging to the related cgroup. See also the
- related
- * kernel documentation, available from the Linux sources in file
- * `*Documentation/admin-guide/cgroup-v1/net_cls.rst*`.
- *
- * The Linux kernel has two versions for cgroups: there are
- * cgroups v1 and cgroups v2. Both are available to users, who can
- * use a mixture of them, but note that the `net_cls` cgroup is for
- * cgroup v1 only. This makes it incompatible with BPF programs
- * run on cgroups, which is a cgroup-v2-only feature (a socket can
- * only hold data for one version of cgroups at a time).
- *
- * This helper is only available if the kernel was compiled with
- * the `**CONFIG_CGROUP_NET_CLASSID**` configuration option set to
- * `"**y**"` or to `"**m**"`.
- *
- * Returns
- * The classid, or 0 for the default unconfigured classid.
- */

```
static __u32 (* const bpf_get_cgroup_classid)(struct __sk_buff *skb) = (void *) 17;
```



```
/*
```

- * `bpf_skb_vlan_push`
- *
- * Push a `*vlan_tci*` (VLAN tag control information) of protocol
- * `*vlan_proto*` to the packet associated to `*skb*`, then update
- * the checksum. Note that if `*vlan_proto*` is different from
- * `**ETH_P_8021Q**` and `**ETH_P_8021AD**`, it is considered to

```

* be ETH_P_8021Q.
*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all checks on pointers
* previously done by the verifier are invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_vlan_push)(struct __sk_buff *skb, __be16 vlan_proto, __u16 vlan_tci) = (void *) 18;

/*
* bpf_skb_vlan_pop
*
* Pop a VLAN header from the packet associated to *skb*.
*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all checks on pointers
* previously done by the verifier are invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_vlan_pop)(struct __sk_buff *skb) = (void *) 19;

/*
* bpf_skb_get_tunnel_key
*
* Get tunnel metadata. This helper takes a pointer *key* to an
* empty struct bpf_tunnel_key of size, that will be
* filled with tunnel metadata for the packet associated to *skb*.
* The *flags* can be set to BPF_F_TUNINFO_IPV6, which
* indicates that the tunnel is based on IPv6 protocol instead of
* IPv4.
*
* The struct bpf_tunnel_key is an object that generalizes the
* principal parameters used by various tunneling protocols into a
* single struct. This way, it can be used to easily make a
* decision based on the contents of the encapsulation header,
* "summarized" in this struct. In particular, it holds the IP
* address of the remote end (IPv4 or IPv6, depending on the case)
* in *key* ->remote_ip4 or *key* ->remote_ip6. Also,
* this struct

```

```

exposes the *key* \ **->tunnel_id**, which is
* generally mapped to a VNI (Virtual Network Identifier), making
* it programmable together with the **bpf_skb_set_tunnel_key**\
* () helper.
*
* Let's imagine that the following code is part of a program
* attached to the TC ingress interface, on one end of a GRE
* tunnel, and is supposed to filter out all messages coming from
* remote ends with IPv4 address other than 10.0.0.1:
*
* ::
*
* int ret;
* struct bpf_tunnel_key key = {};
*
* ret = bpf_skb_get_tunnel_key(skb, &key, sizeof(key), 0);
* if (ret < 0)
*     return TC_ACT_SHOT; // drop packet
*
* if (key.remote_ipv4 != 0x0a000001)
*     return TC_ACT_SHOT; // drop packet
*
* return TC_ACT_OK; // accept packet
*
* This interface can also be used with all encapsulation devices
* that can operate in "collect metadata" mode: instead of having
* one network device per specific configuration, the "collect
* metadata" mode only requires a single
device where the
* configuration can be extracted from this helper.
*
* This can be used together with various tunnels such as VXLAN,
* Geneve, GRE or IP in IP (IPIP).
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_get_tunnel_key)(struct __sk_buff *skb, struct bpf_tunnel_key *key, __u32 size, __u64
flags) = (void *) 20;

/*
* bpf_skb_set_tunnel_key
*
* Populate tunnel metadata for packet associated to *skb.* The
* tunnel metadata is set to the contents of *key*, of *size*. The
* *flags* can be set to a combination of the following values:
*
* **BPF_F_TUNINFO_IPV6**

```

- * Indicate that the tunnel is based on IPv6 protocol
- * instead of IPv4.
- * **BPF_F_ZERO_CSUM_TX**
- * For IPv4 packets, add a flag to tunnel metadata
- * indicating that checksum computation should be skipped
- * and checksum set to zeroes.
- * **BPF_F_DONT_FRAGMENT**
- * Add a flag to tunnel metadata indicating that the
- * packet should
- * not be fragmented.
- * **BPF_F_SEQ_NUMBER**
- * Add a flag to tunnel metadata indicating that a
- * sequence number should be added to tunnel header before
- * sending the packet. This flag was added for GRE
- * encapsulation, but might be used with other protocols
- * as well in the future.
- * **BPF_F_NO_TUNNEL_KEY**
- * Add a flag to tunnel metadata indicating that no tunnel
- * key should be set in the resulting tunnel header.
- *
- * Here is a typical usage on the transmit path:
- *
- * ::
- *
- * struct bpf_tunnel_key key;
- * populate key ...
- * bpf_skb_set_tunnel_key(skb, &key, sizeof(key), 0);
- * bpf_clone_redirect(skb, vxlan_dev_ifindex, 0);
- *
- * See also the description of the **bpf_skb_get_tunnel_key**()
- * helper for additional information.
- *
- * Returns
- * 0 on success, or a negative error in case of failure.
- */

```
static long (* const bpf_skb_set_tunnel_key)(struct __sk_buff *skb, struct bpf_tunnel_key *key, __u32 size, __u64 flags) = (void *) 21;
```

/*

- * bpf_perf_event_read
- *
- * Read the value of a perf event counter. This helper relies on a
- * ***map*** of type **BPF_MAP_TYPE_PERF_EVENT_ARRAY**. The nature of
- * the perf event counter is selected when ***map*** is updated with
- * perf event file descriptors. The ***map*** is an array whose size
- * is the number of available CPUs, and each cell contains a value
- * relative to one CPU. The value to retrieve is indicated by
- * ***flags***, that contains the index of the CPU to look up, masked

- * with `BPF_F_INDEX_MASK`. Alternatively, `*flags` can be set to
- * `BPF_F_CURRENT_CPU` to indicate that the value for the
- * current CPU should be retrieved.
- *
- * Note that before Linux 4.13, only hardware perf event can be
- * retrieved.
- *
- * Also, be aware that the newer helper
- * `bpf_perf_event_read_value()` is recommended over
- * `bpf_perf_event_read()` in general. The latter has some ABI
- * quirks where error and counter value are used as a return code
- * (which is wrong
- to do since ranges may overlap). This issue is
- * fixed with `bpf_perf_event_read_value()`, which at the same
- * time provides more features over the `bpf_perf_event_read()`
- * interface. Please refer to the description of
- * `bpf_perf_event_read_value()` for details.
- *
- * Returns
- * The value of the perf event counter read from the map, or a
- * negative error code in case of failure.
- */

```
static __u64 (* const bpf_perf_event_read)(void *map, __u64 flags) = (void *) 22;
```



```
/*
```

- * `bpf_redirect`
- *
- * Redirect the packet to another net device of index `*ifindex`.
- * This helper is somewhat similar to `bpf_clone_redirect()`,
- * except that the packet is not cloned, which provides
- * increased performance.
- *
- * Except for XDP, both ingress and egress interfaces can be used
- * for redirection. The `BPF_F_INGRESS` value in `*flags` is used
- * to make the distinction (ingress path is selected if the flag
- * is present, egress path otherwise). Currently, XDP only
- *
- supports redirection to the egress interface, and accepts no
- * flag at all.
- *
- * The same effect can also be attained with the more generic
- * `bpf_redirect_map()`, which uses a BPF map to store the
- * redirect target instead of providing it directly to the helper.
- *
- * Returns
- * For XDP, the helper returns `XDP_REDIRECT` on success or
- * `XDP_ABORTED` on error. For other program types, the values
- * are `TC_ACT_REDIRECT` on success or `TC_ACT_SHOT` on

```

* error.
*/
static long (* const bpf_redirect)(__u32 ifindex, __u64 flags) = (void *) 23;

/*
* bpf_get_route_realms
*
* Retrieve the realm or the route, that is to say the
* **tclassid** field of the destination for the *skb*. The
* identifier retrieved is a user-provided tag, similar to the
* one used with the net_cls cgroup (see description for
* **bpf_get_cgroup_classid**\ () helper), but here this tag is
* held by a route (a destination entry), not by a task.
*
* Retrieving this identifier
works with the clsact TC egress hook
* (see also **tc-bpf(8)**), or alternatively on conventional
* classful egress qdiscs, but not on TC ingress path. In case of
* clsact TC egress hook, this has the advantage that, internally,
* the destination entry has not been dropped yet in the transmit
* path. Therefore, the destination entry does not need to be
* artificially held via **netif_keep_dst**\ () for a classful
* qdisc until the *skb* is freed.
*
* This helper is available only if the kernel was compiled with
* **CONFIG_IP_ROUTE_CLASSID** configuration option.
*
* Returns
* The realm of the route for the packet associated to *skb*, or 0
* if none was found.
*/
static __u32 (* const bpf_get_route_realms)(struct __sk_buff *skb) = (void *) 24;

/*
* bpf_perf_event_output
*
* Write raw *data* blob into a special BPF perf event held by
* *map* of type **BPF_MAP_TYPE_PERF_EVENT_ARRAY**. This perf
* event must have the following attributes: **PERF_SAMPLE_RAW**
* as **sample_type**, **PERF_TYPE_SOFTWARE** as **type**, and
* **PERF_COUNT_SW_BPF_OUTPUT** as **config**.
*
* The *flags* are used to indicate the index in *map* for which
* the value must be put, masked with **BPF_F_INDEX_MASK**.
* Alternatively, *flags* can be set to **BPF_F_CURRENT_CPU**
* to indicate that the index of the current CPU core should be
* used.
*

```

```

* The value to write, of *size*, is passed through eBPF stack and
* pointed by *data*.
*
* The context of the program *ctx* needs also be passed to the
* helper.
*
* On user space, a program willing to read the values needs to
* call perf_event_open() on the perf event (either for
* one or for all CPUs) and to store the file descriptor into the
* *map*. This must be done before the eBPF program can send data
* into it. An example is available in file
* samples/bpf/trace_output_user.c in the Linux kernel source
* tree (the eBPF program counterpart is in
* samples/bpf/trace_output_kern.c).
*
* bpf_perf_event_output() achieves better performance
* than bpf_trace_printk() for sharing data with user
* space, and is much better suitable for streaming data from eBPF
* programs.
*
* Note that this helper is not restricted to tracing use cases
* and can be used with programs attached to TC or XDP as well,
* where it allows for passing data to user space listeners. Data
* can be:
*
* * Only custom structs,
* * Only the packet payload, or
* * A combination of both.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_perf_event_output)(void *ctx, void *map, __u64 flags, void *data, __u64 size) = (void *)
25;

/*
* bpf_skb_load_bytes
*
* This helper was provided as an easy way to load data from a
* packet. It can be used to load *len* bytes from *offset* from
* the packet associated to *skb*, into the buffer pointed by
* *to*.
*
* Since Linux 4.7, usage of this helper
has mostly been replaced
* by "direct packet access", enabling packet data to be
* manipulated with skb->data and skb->data_end
* pointing respectively to the first byte of packet data and to

```

- * the byte after the last byte of packet data. However, it
- * remains useful if one wishes to read large quantities of data
- * at once from a packet into the eBPF stack.
- *
- * Returns
- * 0 on success, or a negative error in case of failure.
- */

```
static long (* const bpf_skb_load_bytes)(const void *skb, __u32 offset, void *to, __u32 len) = (void *) 26;
```

```
/*
 * bpf_get_stackid
 *
 * Walk a user or a kernel stack and return its id. To achieve
 * this, the helper needs *ctx*, which is a pointer to the context
 * on which the tracing program is executed, and a pointer to a
 * *map* of type BPF_MAP_TYPE_STACK_TRACE.
 *
 * The last argument, *flags*, holds the number of stack frames to
 * skip (from 0 to 255), masked with
 * BPF_F_SKIP_FIELD_MASK. The next bits can
 * be used to set
 * a combination of the following flags:
 *
 * BPF_F_USER_STACK
 * Collect a user space stack instead of a kernel stack.
 * BPF_F_FAST_STACK_CMP
 * Compare stacks by hash only.
 * BPF_F_REUSE_STACKID
 * If two different stacks hash into the same *stackid*,
 * discard the old one.
 *
 * The stack id retrieved is a 32 bit long integer handle which
 * can be further combined with other data (including other stack
 * ids) and used as a key into maps. This can be useful for
 * generating a variety of graphs (such as flame graphs or off-cpu
 * graphs).
 *
 * For walking a stack, this helper is an improvement over
 * bpf_probe_read(), which can be used with unrolled loops
 * but is not efficient and consumes a lot of eBPF instructions.
 * Instead, bpf_get_stackid() can collect up to
 * PERF_MAX_STACK_DEPTH both kernel and user frames. Note that
 * this limit can be controlled with the sysctl program, and
 * that it should
 * be manually increased in order to profile long
 * user stacks (such as stacks for Java programs). To do so, use:
 *
 * ::
```



```

*
* # sysctl kernel.perf_event_max_stack=<new value>
*
* Returns
* The positive or null stack id on success, or a negative error
* in case of failure.
*/
static long (* const bpf_get_stackid)(void *ctx, void *map, __u64 flags) = (void *) 27;

/*
* bpf_csum_diff
*
* Compute a checksum difference, from the raw buffer pointed by
* *from*, of length *from_size* (that must be a multiple of 4),
* towards the raw buffer pointed by *to*, of size *to_size*
* (same remark). An optional *seed* can be added to the value
* (this can be cascaded, the seed may come from a previous call
* to the helper).
*
* This is flexible enough to be used in several ways:
*
* * With *from_size* == 0, *to_size* > 0 and *seed* set to
* checksum, it can be used when pushing new data.
* * With *from_size* > 0, *to_size* == 0 and *seed* set to
* checksum,
* it can be used when removing data from a packet.
* * With *from_size* > 0, *to_size* > 0 and *seed* set to 0, it
* can be used to compute a diff. Note that *from_size* and
* *to_size* do not need to be equal.
*
* This helper can be used in combination with
* **bpf_l3_csum_replace**() and **bpf_l4_csum_replace**(), to
* which one can feed in the difference computed with
* **bpf_csum_diff**().
*
* Returns
* The checksum result, or a negative error code in case of
* failure.
*/
static __s64 (* const bpf_csum_diff)(__be32 *from, __u32 from_size, __be32 *to, __u32 to_size, __wsum seed) =
(void *) 28;

/*
* bpf_skb_get_tunnel_opt
*
* Retrieve tunnel options metadata for the packet associated to
* *skb*, and store the raw tunnel option data to the buffer *opt*
* of *size*.

```

```

*
* This helper can be used with encapsulation devices that can
* operate in "collect metadata" mode (please refer to the related
* note in the description of bpf_skb_get_tunnel_key\
() for
* more details). A particular example where this can be used is
* in combination with the Geneve encapsulation protocol, where it
* allows for pushing (with bpf_skb_get_tunnel_opt\ () helper)
* and retrieving arbitrary TLVs (Type-Length-Value headers) from
* the eBPF program. This allows for full customization of these
* headers.
*
* Returns
* The size of the option data retrieved.
*/
static long (* const bpf_skb_get_tunnel_opt)(struct __sk_buff *skb, void *opt, __u32 size) = (void *) 29;

/*
* bpf_skb_set_tunnel_opt
*
* Set tunnel options metadata for the packet associated to *skb*
* to the option data contained in the raw buffer *opt* of *size*.
*
* See also the description of the bpf_skb_get_tunnel_opt\ ()
* helper for additional information.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_set_tunnel_opt)(struct __sk_buff *skb, void *opt, __u32 size) = (void *) 30;

/*
*
* bpf_skb_change_proto
*
* Change the protocol of the *skb* to *proto*. Currently
* supported are transition from IPv4 to IPv6, and from IPv6 to
* IPv4. The helper takes care of the groundwork for the
* transition, including resizing the socket buffer. The eBPF
* program is expected to fill the new headers, if any, via
* skb_store_bytes\ () and to recompute the checksums with
* bpf_l3_csum_replace\ () and bpf_l4_csum_replace\
(). The main case for this helper is to perform NAT64
* operations out of an eBPF program.
*
* Internally, the GSO type is marked as dodgy so that headers are
* checked and segments are recalculated by the GSO/GRO engine.
* The size for GSO target is adapted as well.

```

```

*
* All values for *flags* are reserved for future usage, and must
* be left at zero.
*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all checks on pointers
* previously done by the verifier are
* invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_change_proto)(struct __sk_buff *skb, __be16 proto, __u64 flags) = (void *) 31;

/*
* bpf_skb_change_type
*
* Change the packet type for the packet associated to *skb*. This
* comes down to setting *skb* \ **->pkt_type** to *type*, except
* the eBPF program does not have a write access to *skb* \
* **->pkt_type** beside this helper. Using a helper here allows
* for graceful handling of errors.
*
* The major use case is to change incoming *skb*s to
* **PACKET_HOST** in a programmatic way instead of having to
* recirculate via **redirect** \ (... , **BPF_F_INGRESS**), for
* example.
*
* Note that *type* only allows certain values. At this time, they
* are:
*
* **PACKET_HOST**
*   Packet is for us.
* **PACKET_BROADCAST**
*   Send packet to all.
* **PACKET_MULTICAST**
*   Send packet to group.
* **PACKET_OTHERHOST**
*   Send packet to someone else.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_change_type)(struct __sk_buff *skb, __u32 type) = (void *) 32;

/*

```

```

* bpf_skb_under_cgroup
*
* Check whether *skb* is a descendant of the cgroup2 held by
* *map* of type **BPF_MAP_TYPE_CGROUP_ARRAY**, at *index*.
*
* Returns
* The return value depends on the result of the test, and can be:
*
* * 0, if the *skb* failed the cgroup2 descendant test.
* * 1, if the *skb* succeeded the cgroup2 descendant test.
* * A negative error code, if an error occurred.
*/
static long (* const bpf_skb_under_cgroup)(struct __sk_buff *skb, void *map, __u32 index) = (void *) 33;

/*
* bpf_get_hash_recalc
*
* Retrieve the hash of the packet, *skb* \ **->hash**. If it is
* not set, in particular if the hash was cleared due to mangling,
* recompute this hash. Later accesses
* to the hash can be done
* directly with *skb* \ **->hash**.
*
* Calling **bpf_set_hash_invalid**(), changing a packet
* prototype with **bpf_skb_change_proto**(), or calling
* **bpf_skb_store_bytes**() with the
* **BPF_F_INVALIDATE_HASH** are actions susceptible to clear
* the hash and to trigger a new computation for the next call to
* **bpf_get_hash_recalc**().
*
* Returns
* The 32-bit hash.
*/
static __u32 (* const bpf_get_hash_recalc)(struct __sk_buff *skb) = (void *) 34;

/*
* bpf_get_current_task
*
* Get the current task.
*
* Returns
* A pointer to the current task struct.
*/
static __u64 (* const bpf_get_current_task)(void) = (void *) 35;

/*
* bpf_probe_write_user
*

```

```

* Attempt in a safe way to write *len* bytes from the buffer
* *src* to *dst* in memory. It only works for threads that are in
* user context, and *dst* must be a valid user space address.
*
* This helper should not be used to implement any kind of
* security mechanism
because of TOC-TOU attacks, but rather to
* debug, divert, and manipulate execution of semi-cooperative
* processes.
*
* Keep in mind that this feature is meant for experiments, and it
* has a risk of crashing the system and running programs.
* Therefore, when an eBPF program using this helper is attached,
* a warning including PID and process name is printed to kernel
* logs.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_probe_write_user)(void *dst, const void *src, __u32 len) = (void *) 36;

/*
* bpf_current_task_under_cgroup
*
* Check whether the probe is being run in the context of a given
* subset of the cgroup2 hierarchy. The cgroup2 to test is held by
* *map* of type **BPF_MAP_TYPE_CGROUP_ARRAY**, at *index*.
*
* Returns
* The return value depends on the result of the test, and can be:
*
* * 1, if current task belongs to the cgroup2.
* * 0, if current task does not belong to the cgroup2.
* * A negative error code, if an error occurred.
*/
static long (* const bpf_current_task_under_cgroup)(void *map, __u32 index) = (void *) 37;

/*
* bpf_skb_change_tail
*
* Resize (trim or grow) the packet associated to *skb* to the
* new *len*. The *flags* are reserved for future usage, and must
* be left at zero.
*
* The basic idea is that the helper performs the needed work to
* change the size of the packet, then the eBPF program rewrites
* the rest via helpers like **bpf_skb_store_bytes**(),
* **bpf_l3_csum_replace**(), **bpf_l3_csum_replace**()

```

```

* and others. This helper is a slow path utility intended for
* replies with control messages. And because it is targeted for
* slow path, the helper itself can afford to be slow: it
* implicitly linearizes, unclones and drops offloads from the
* *skb*.
*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all checks on pointers
* previously done
  by the verifier are invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_change_tail)(struct __sk_buff *skb, __u32 len, __u64 flags) = (void *) 38;

/*
* bpf_skb_pull_data
*
* Pull in non-linear data in case the *skb* is non-linear and not
* all of *len* are part of the linear section. Make *len* bytes
* from *skb* readable and writable. If a zero value is passed for
* *len*, then all bytes in the linear part of *skb* will be made
* readable and writable.
*
* This helper is only needed for reading and writing with direct
* packet access.
*
* For direct packet access, testing that offsets to access
* are within packet boundaries (test on *skb* \ **->data_end**) is
* susceptible to fail if offsets are invalid, or if the requested
* data is in non-linear parts of the *skb*. On failure the
* program
  can just bail out, or in the case of a non-linear
* buffer, use a helper to make the data available. The
* **bpf_skb_load_bytes**\ () helper is a first solution to access
* the data. Another one consists in using **bpf_skb_pull_data**
* to pull in once the non-linear parts, then retesting and
* eventually access the data.
*
* At the same time, this also makes sure the *skb* is uncloned,
* which is a necessary condition for direct write. As this needs
* to be an invariant for the write part only, the verifier
* detects writes and adds a prologue that is calling
* **bpf_skb_pull_data** to effectively unclone the *skb* from
* the very beginning in case it is indeed cloned.

```

```

*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all checks on pointers
* previously done by the verifier are invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
*
Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_pull_data)(struct __sk_buff *skb, __u32 len) = (void *) 39;

/*
* bpf_csum_update
*
* Add the checksum *csum* into *skb* **->csum** in case the
* driver has supplied a checksum for the entire packet into that
* field. Return an error otherwise. This helper is intended to be
* used in combination with **bpf_csum_diff**(), in particular
* when the checksum needs to be updated after data has been
* written into the packet through direct packet access.
*
* Returns
* The checksum on success, or a negative error code in case of
* failure.
*/
static __s64 (* const bpf_csum_update)(struct __sk_buff *skb, __wsum csum) = (void *) 40;

/*
* bpf_set_hash_invalid
*
* Invalidate the current *skb* **->hash**. It can be used after
* mangling on headers through direct packet access, in order to
* indicate that the hash is outdated and to trigger a
* recalculation the next
time the kernel tries to access this
* hash or when the **bpf_get_hash_recalc**() helper is called.
*
* Returns
* void.
*/
static void (* const bpf_set_hash_invalid)(struct __sk_buff *skb) = (void *) 41;

/*
* bpf_get_numa_node_id
*
* Return the id of the current NUMA node. The primary use case

```

```

* for this helper is the selection of sockets for the local NUMA
* node, when the program is attached to sockets using the
* SO_ATTACH_REUSEPORT_EBPF option (see also socket(7)),
* but the helper is also available to other eBPF program types,
* similarly to bpf_get_smp_processor_id ().
*
* Returns
* The id of current NUMA node.
*/
static long (* const bpf_get_numa_node_id)(void) = (void *) 42;

/*
* bpf_skb_change_head
*
* Grows headroom of packet associated to skb and adjusts the
* offset of the MAC header accordingly, adding len bytes of
* space. It automatically extends and reallocates memory as
* required.
*
* This helper can be used
on a layer 3 skb to push a MAC header
* for redirection into a layer 2 device.
*
* All values for flags are reserved for future usage, and must
* be left at zero.
*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all checks on pointers
* previously done by the verifier are invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_change_head)(struct __sk_buff *skb, __u32 len, __u64 flags) = (void *) 43;

/*
* bpf_xdp_adjust_head
*
* Adjust (move) xdp_md->data by delta bytes. Note that
* it is possible to use a negative value for delta. This helper
* can be used to prepare the packet for pushing or popping
* headers.
*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all

```



```

checks on pointers
* previously done by the verifier are invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_xdp_adjust_head)(struct xdp_md *xdp_md, int delta) = (void *) 44;

/*
* bpf_probe_read_str
*
* Copy a NUL terminated string from an unsafe kernel address
* *unsafe_ptr* to *dst*. See **bpf_probe_read_kernel_str**\ () for
* more details.
*
* Generally, use **bpf_probe_read_user_str**\ () or
* **bpf_probe_read_kernel_str**\ () instead.
*
* Returns
* On success, the strictly positive length of the string,
* including the trailing NUL character. On error, a negative
* value.
*/
static long (* const bpf_probe_read_str)(void *dst, __u32 size, const void *unsafe_ptr) = (void *) 45;

/*
* bpf_get_socket_cookie
*
* If the **struct sk_buff** pointed by *skb* has a known socket,
* retrieve the cookie
* (generated by the kernel) of this socket.
* If no cookie has been set yet, generate a new cookie. Once
* generated, the socket cookie remains stable for the life of the
* socket. This helper can be useful for monitoring per socket
* networking traffic statistics as it provides a global socket
* identifier that can be assumed unique.
*
* Returns
* A 8-byte long unique number on success, or 0 if the socket
* field is missing inside *skb*.
*/
static __u64 (* const bpf_get_socket_cookie)(void *ctx) = (void *) 46;

/*
* bpf_get_socket_uid
*

```

```

* Get the owner UID of the socked associated to *skb*.
*
* Returns
* The owner UID of the socket associated to *skb*. If the socket
* is **NULL**, or if it is not a full socket (i.e. if it is a
* time-wait or a request socket instead), **overflowuid** value
* is returned (note that **overflowuid** might also be the actual
* UID value for the socket).
*/
static __u32 (* const bpf_get_socket_uid)(struct __sk_buff *skb) =
(void *) 47;

/*
* bpf_set_hash
*
* Set the full hash for *skb* (set the field *skb*->hash**)
* to value *hash*.
*
* Returns
* 0
*/
static long (* const bpf_set_hash)(struct __sk_buff *skb, __u32 hash) = (void *) 48;

/*
* bpf_setsockopt
*
* Emulate a call to **setsockopt()** on the socket associated to
* *bpf_socket*, which must be a full socket. The *level* at
* which the option resides and the name *optname* of the option
* must be specified, see **setsockopt(2)** for more information.
* The option value of length *optlen* is pointed by *optval*.
*
* *bpf_socket* should be one of the following:
*
* * **struct bpf_sock_ops** for **BPF_PROG_TYPE_SOCKET_OPS**.
* * **struct bpf_sock_addr** for **BPF_CGROUP_INET4_CONNECT**,
*   **BPF_CGROUP_INET6_CONNECT** and **BPF_CGROUP_UNIX_CONNECT**.
*
* This helper actually implements a subset of **setsockopt()**.
* It supports the following *level*\ s:
*
* * **SOL_SOCKET**, which supports the following *optname*\ s:
*   **SO_RCVBUF**, **SO_SNDBUF**, **SO_MAX_PACING_RATE**,
*   **SO_PRIORITY**, **SO_RCVLOWAT**, **SO_MARK**,
*   **SO_BINDTODEVICE**, **SO_KEEPAIVE**, **SO_REUSEADDR**,
*   **SO_REUSEPORT**, **SO_BINDTOIFINDEX**, **SO_TXREHASH**.
* * **IPPROTO_TCP**, which supports the following *optname*\ s:

```

```

* **TCP_CONGESTION**, **TCP_BPF_IW**,
* **TCP_BPF_SNDCWND_CLAMP**, **TCP_SAVE_SYN**,
* **TCP_KEEPIPLE**, **TCP_KEEPIPTVL**, **TCP_KEEPCNT**,
* **TCP_SYNCNT**, **TCP_USER_TIMEOUT**, **TCP_NOTSENT_LOWAT**,
* **TCP_NODELAY**, **TCP_MAXSEG**, **TCP_WINDOW_CLAMP**,
* **TCP_THIN_LINEAR_TIMEOUTS**, **TCP_BPF_DELACK_MAX**,
* **TCP_BPF_RTO_MIN**.
* * **IPPROTO_IP**, which supports *optname* **IP_TOS**.
* * **IPPROTO_IPV6**, which supports the following *optname*\ s:
* **IPV6_TCLASS**, **IPV6_AUTOFLOWLABEL**.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_setsockopt)(void *bpf_socket, int level,
int optname, void *optval, int optlen) = (void *) 49;

/*
* bpf_skb_adjust_room
*
* Grow or shrink the room for data in the packet associated to
* *skb* by *len_diff*, and according to the selected *mode*.
*
* By default, the helper will reset any offloaded checksum
* indicator of the skb to CHECKSUM_NONE. This can be avoided
* by the following flag:
*
* * **BPF_F_ADJ_ROOM_NO_CSUM_RESET**: Do not reset offloaded
* checksum data of the skb to CHECKSUM_NONE.
*
* There are two supported modes at this time:
*
* * **BPF_ADJ_ROOM_MAC**: Adjust room at the mac layer
* (room space is added or removed between the layer 2 and
* layer 3 headers).
*
* * **BPF_ADJ_ROOM_NET**: Adjust room at the network layer
* (room space is added or removed between the layer 3 and
* layer 4 headers).
*
* The following flags are supported at this time:
*
* * **BPF_F_ADJ_ROOM_FIXED_GSO**: Do not adjust gso_size.
* Adjusting mss in this way is not allowed for datagrams.
*
* * **BPF_F_ADJ_ROOM_ENCAP_L3_IPV4**,
* **BPF_F_ADJ_ROOM_ENCAP_L3_IPV6**:
* Any new space is reserved to hold a tunnel header.

```

- * Configure skb offsets and other fields accordingly.
- *
- * **BPF_F_ADJ_ROOM_ENCAP_L4_GRE**,
- * **BPF_F_ADJ_ROOM_ENCAP_L4_UDP**;
- * Use with ENCAP_L3 flags to further specify the tunnel type.
- *
- * **BPF_F_ADJ_ROOM_ENCAP_L2** (*len*):
- * Use with ENCAP_L3/L4 flags to further specify the tunnel
- * type; *len* is the length of the inner MAC header.
- *
- * **BPF_F_ADJ_ROOM_ENCAP_L2_ETH**;
- * Use with BPF_F_ADJ_ROOM_ENCAP_L2 flag to further specify the
- * L2 type as Ethernet.
- *
- * **BPF_F_ADJ_ROOM_DECAP_L3_IPV4**,
- * **BPF_F_ADJ_ROOM_DECAP_L3_IPV6**;
- * Indicate the new IP header version after decapsulating the outer
- * IP header. Used when the inner and outer IP versions are different.
- *
- * A call to this helper is susceptible to change the underlying
- * packet buffer. Therefore, at load time, all
- checks on pointers
- * previously done by the verifier are invalidated and must be
- * performed again, if the helper is used in combination with
- * direct packet access.
- *
- * Returns
- * 0 on success, or a negative error in case of failure.
- */

```
static long (* const bpf_skb_adjust_room)(struct __sk_buff *skb, __s32 len_diff, __u32 mode, __u64 flags) = (void *) 50;
```

/*

- * bpf_redirect_map
- *
- * Redirect the packet to the endpoint referenced by *map* at
- * index *key*. Depending on its type, this *map* can contain
- * references to net devices (for forwarding packets through other
- * ports), or to CPUs (for redirecting XDP frames to another CPU;
- * but this is only implemented for native XDP (with driver
- * support) as of this writing).
- *
- * The lower two bits of *flags* are used as the return code if
- * the map lookup fails. This is so that the return value can be
- * one of the XDP program return codes up to **XDP_TX**, as chosen
- * by the caller. The higher bits of *flags*
- can be set to
- * BPF_F_BROADCAST or BPF_F_EXCLUDE_INGRESS as defined below.

```

*
* With BPF_F_BROADCAST the packet will be broadcasted to all the
* interfaces in the map, with BPF_F_EXCLUDE_INGRESS the ingress
* interface will be excluded when do broadcasting.
*
* See also bpf_redirect(), which only supports redirecting
* to an ifindex, but doesn't require a map to do so.
*
* Returns
* XDP_REDIRECT on success, or the value of the two lower bits
* of the flags argument on error.
*/
static long (* const bpf_redirect_map)(void *map, __u64 key, __u64 flags) = (void *) 51;

/*
* bpf_sk_redirect_map
*
* Redirect the packet to the socket referenced by map (of type
* BPF_MAP_TYPE_SOCKMAP) at index key. Both ingress and
* egress interfaces can be used for redirection. The
* BPF_F_INGRESS value in flags is used to make the
* distinction (ingress path is selected if the flag is present,
* egress path otherwise). This is the only flag supported
* for now.
*
* Returns
* SK_PASS on success, or SK_DROP on error.
*/
static long (* const bpf_sk_redirect_map)(struct __sk_buff *skb, void *map, __u32 key, __u64 flags) = (void *) 52;

/*
* bpf_sock_map_update
*
* Add an entry to, or update a map referencing sockets. The
* skops is used as a new value for the entry associated to
* key. flags is one of:
*
* BPF_NOEXIST
* The entry for key must not exist in the map.
* BPF_EXIST
* The entry for key must already exist in the map.
* BPF_ANY
* No condition on the existence of the entry for key.
*
* If the map has eBPF programs (parser and verdict), those will
* be inherited by the socket being added. If the socket is
* already attached to eBPF programs, this results in an error.
*

```

```

* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_sock_map_update)(struct bpf_sock_ops *skops, void *map, void *key, __u64 flags) = (void *)
53;

/*
* bpf_xdp_adjust_meta
*
* Adjust the address pointed by *xdp_md* \ **->data_meta** by
* *delta* (which can be positive or negative). Note that this
* operation modifies the address stored in *xdp_md* \ **->data**,
* so the latter must be loaded only after the helper has been
* called.
*
* The use of *xdp_md* \ **->data_meta** is optional and programs
* are not required to use it. The rationale is that when the
* packet is processed with XDP (e.g. as DoS filter), it is
* possible to push further meta data along with it before passing
* to the stack, and to give the guarantee that an ingress eBPF
* program attached as a TC classifier on the same device can pick
* this up for further post-processing. Since TC works with socket
* buffers, it remains possible to set from XDP the **mark** or
* **priority** pointers, or other pointers for the socket buffer.
* Having this scratch space generic and programmable allows for
* more flexibility as the user is
free to store whatever meta
* data they need.
*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all checks on pointers
* previously done by the verifier are invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_xdp_adjust_meta)(struct xdp_md *xdp_md, int delta) = (void *) 54;

/*
* bpf_perf_event_read_value
*
* Read the value of a perf event counter, and store it into *buf*
* of size *buf_size*. This helper relies on a *map* of type
* **BPF_MAP_TYPE_PERF_EVENT_ARRAY**. The nature of the perf event
* counter is selected when *map* is updated with perf event file

```

* descriptors. The `*map*` is an array whose size is the number of
 * available CPUs, and each cell contains a value relative to one
 * CPU. The value to retrieve is indicated by `*flags*`, that
 * contains the index of the CPU to look up, masked with
 * `**BPF_F_INDEX_MASK**`. Alternatively, `*flags*` can be set to
 * `**BPF_F_CURRENT_CPU**` to indicate that the value for the
 * current CPU should be retrieved.

*
 * This helper behaves in a way close to
 * `**bpf_perf_event_read**()` helper, save that instead of
 * just returning the value observed, it fills the `*buf*`
 * structure. This allows for additional data to be retrieved: in
 * particular, the enabled and running times (in `*buf*`
 * `**->enabled**` and `*buf*` `**->running**`, respectively) are
 * copied. In general, `**bpf_perf_event_read_value**()` is
 * recommended over `**bpf_perf_event_read**()`, which has some
 * ABI issues and provides fewer functionalities.

*
 * These values are interesting, because hardware PMU (Performance
 * Monitoring Unit) counters are limited resources. When there are
 * more PMU based perf events opened than available counters,
 * kernel will multiplex these events so each event
 * gets certain
 * percentage (but not all) of the PMU time. In case that
 * multiplexing happens, the number of samples or counter value
 * will not reflect the case compared to when no multiplexing
 * occurs. This makes comparison between different runs difficult.
 * Typically, the counter value should be normalized before
 * comparing to other experiments. The usual normalization is done
 * as follows.

*
 * ::
 *
 *
$$\text{normalized\_counter} = \text{counter} * \text{t\_enabled} / \text{t\_running}$$
 *
 * Where `t_enabled` is the time enabled for event and `t_running` is
 * the time running for event since last normalization. The
 * enabled and running times are accumulated since the perf event
 * open. To achieve scaling factor between two invocations of an
 * eBPF program, users can use CPU id as the key (which is
 * typical for perf array usage model) to remember the previous
 * value and do the calculation inside the eBPF program.

*
 * Returns
 * 0 on success, or a negative error in case of failure.

*/
 static long (* const bpf_perf_event_read_value)(void *map, __u64 flags, struct bpf_perf_event_value *buf, __u32
 buf_size) = (void *) 55;

```

/*
 * bpf_perf_prog_read_value
 *
 * For an eBPF program attached to a perf event, retrieve the
 * value of the event counter associated to *ctx* and store it in
 * the structure pointed by *buf* and of size *buf_size*. Enabled
 * and running times are also stored in the structure (see
 * description of helper **bpf_perf_event_read_value**\ () for
 * more details).
 *
 * Returns
 * 0 on success, or a negative error in case of failure.
 */
static long (* const bpf_perf_prog_read_value)(struct bpf_perf_event_data *ctx, struct bpf_perf_event_value *buf,
__u32 buf_size) = (void *) 56;

/*
 * bpf_getsockopt
 *
 * Emulate a call to **getsockopt()** on the socket associated to
 * *bpf_socket*, which must be a full socket. The *level* at
 * which the option resides and the name *optname* of the option
 * must be specified, see **getsockopt(2)**
 * for more information.
 * The retrieved value is stored in the structure pointed by
 * *optval* and of length *optlen*.
 *
 * *bpf_socket* should be one of the following:
 *
 * * **struct bpf_sock_ops** for **BPF_PROG_TYPE_SOCKET_OPS**.
 * * **struct bpf_sock_addr** for **BPF_CGROUP_INET4_CONNECT**,
 *   **BPF_CGROUP_INET6_CONNECT** and **BPF_CGROUP_UNIX_CONNECT**.
 *
 * This helper actually implements a subset of **getsockopt()**.
 * It supports the same set of *optname*'s that is supported by
 * the **bpf_setsockopt**\ () helper. The exceptions are
 * **TCP_BPF** is **bpf_setsockopt**\ () only and
 * **TCP_SAVED_SYN** is **bpf_getsockopt**\ () only.
 *
 * Returns
 * 0 on success, or a negative error in case of failure.
 */
static long (* const bpf_getsockopt)(void *bpf_socket, int level, int optname, void *optval, int optlen) = (void *) 57;

/*
 * bpf_override_return
 *

```


- * Used for error injection, this helper uses kprobes to override
- * the return value of the probed
- function, and to set it to `*rc*`.
- * The first argument is the context `*regs*` on which the kprobe
- * works.
- *
- * This helper works by setting the PC (program counter)
- * to an override function which is run in place of the original
- * probed function. This means the probed function is not run at
- * all. The replacement function just returns with the required
- * value.
- *
- * This helper has security implications, and thus is subject to
- * restrictions. It is only available if the kernel was compiled
- * with the `**CONFIG_BPF_KPROBE_OVERRIDE**` configuration
- * option, and in this case it only works on functions tagged with
- * `**ALLOW_ERROR_INJECTION**` in the kernel code.
- *
- * Also, the helper is only available for the architectures having
- * the `CONFIG_FUNCTION_ERROR_INJECTION` option. As of this writing,
- * x86 architecture is the only one to support this feature.
- *
- * Returns
- * 0
- */

```
static long (* const bpf_override_return)(struct pt_regs *regs, __u64 rc) = (void
*) 58;
```



```
/*
 * bpf_sock_ops_cb_flags_set
 *
 * Attempt to set the value of the **bpf_sock_ops_cb_flags** field
 * for the full TCP socket associated to *bpf_sock_ops* to
 * *argval*.
 *
 * The primary use of this field is to determine if there should
 * be calls to eBPF programs of type
 * **BPF_PROG_TYPE_SOCKET_OPS** at various points in the TCP
 * code. A program of the same type can change its value, per
 * connection and as necessary, when the connection is
 * established. This field is directly accessible for reading, but
 * this helper must be used for updates in order to return an
 * error if an eBPF program tries to set a callback that is not
 * supported in the current kernel.
 *
 * *argval* is a flag array which can combine these flags:
 *
 * **BPF_SOCKET_OPS_RTO_CB_FLAG** (retransmission time out)
```

```

* **BPF_SOCK_OPS_RETRANS_CB_FLAG** (retransmission)
* **BPF_SOCK_OPS_STATE_CB_FLAG** (TCP state change)
* **BPF_SOCK_OPS_RTT_CB_FLAG** (every RTT)
*
* Therefore,
this function can be used to clear a callback flag by
* setting the appropriate bit to zero. e.g. to disable the RTO
* callback:
*
* **bpf_sock_ops_cb_flags_set(bpf_sock,**
* **bpf_sock->bpf_sock_ops_cb_flags & ~BPF_SOCK_OPS_RTO_CB_FLAG)**
*
* Here are some examples of where one could call such eBPF
* program:
*
* * When RTO fires.
* * When a packet is retransmitted.
* * When the connection terminates.
* * When a packet is sent.
* * When a packet is received.
*
* Returns
* Code **-EINVAL** if the socket is not a full TCP socket;
* otherwise, a positive number containing the bits that could not
* be set is returned (which comes down to 0 if all bits were set
* as required).
*/
static long (* const bpf_sock_ops_cb_flags_set)(struct bpf_sock_ops *bpf_sock, int argval) = (void *) 59;

/*
* bpf_msg_redirect_map
*
* This helper is used in programs implementing policies at the
* socket level. If the message *msg* is allowed to pass (i.e. if
* the verdict eBPF program returns **SK_PASS**), redirect it to
* the socket referenced by *map* (of type
* **BPF_MAP_TYPE_SOCKMAP**) at index *key*. Both ingress and
* egress interfaces can be used for redirection. The
* **BPF_F_INGRESS** value in *flags* is used to make the
* distinction (ingress path is selected if the flag is present,
* egress path otherwise). This is the only flag supported for now.
*
* Returns
* **SK_PASS** on success, or **SK_DROP** on error.
*/
static long (* const bpf_msg_redirect_map)(struct sk_msg_md *msg, void *map, __u32 key, __u64 flags) = (void *)
60;

```

```

/*
 * bpf_msg_apply_bytes
 *
 * For socket policies, apply the verdict of the eBPF program to
 * the next *bytes* (number of bytes) of message *msg*.
 *
 * For example, this helper can be used in the following cases:
 *
 * * A single **sendmsg**\ () or **sendfile**\ () system call
 *   contains multiple logical messages that the eBPF program is
 *   supposed to read and for which
 *   it should apply a verdict.
 * * An eBPF program only cares to read the first *bytes* of a
 *   *msg*. If the message has a large payload, then setting up
 *   and calling the eBPF program repeatedly for all bytes, even
 *   though the verdict is already known, would create unnecessary
 *   overhead.
 *
 * When called from within an eBPF program, the helper sets a
 * counter internal to the BPF infrastructure, that is used to
 * apply the last verdict to the next *bytes*. If *bytes* is
 * smaller than the current data being processed from a
 * **sendmsg**\ () or **sendfile**\ () system call, the first
 * *bytes* will be sent and the eBPF program will be re-run with
 * the pointer for start of data pointing to byte number *bytes*
 * **+ 1**. If *bytes* is larger than the current data being
 * processed, then the eBPF verdict will be applied to multiple
 * **sendmsg**\ () or **sendfile**\ () calls until *bytes* are
 * consumed.
 *
 * Note that if a socket closes with the
 * internal counter holding
 * a non-zero value, this is not a problem because data is not
 * being buffered for *bytes* and is sent as it is received.
 *
 * Returns
 * 0
 */
static long (* const bpf_msg_apply_bytes)(struct sk_msg_md *msg, __u32 bytes) = (void *) 61;

```

```

/*
 * bpf_msg_cork_bytes
 *
 * For socket policies, prevent the execution of the verdict eBPF
 * program for message *msg* until *bytes* (byte number) have been
 * accumulated.
 *
 * This can be used when one needs a specific number of bytes

```

```

* before a verdict can be assigned, even if the data spans
* multiple **sendmsg**\ () or **sendfile**\ () calls. The extreme
* case would be a user calling **sendmsg**\ () repeatedly with
* 1-byte long message segments. Obviously, this is bad for
* performance, but it is still valid. If the eBPF program needs
* *bytes* bytes to validate a header, this helper can be used to
* prevent the eBPF program to be called again until *bytes* have
* been accumulated.
*
* Returns
* 0
*/
static long (* const bpf_msg_cork_bytes)(struct sk_msg_md *msg, __u32 bytes) = (void *) 62;

/*
* bpf_msg_pull_data
*
* For socket policies, pull in non-linear data from user space
* for *msg* and set pointers *msg* \ **->data** and *msg* \
* **->data_end** to *start* and *end* bytes offsets into *msg*,
* respectively.
*
* If a program of type **BPF_PROG_TYPE_SK_MSG** is run on a
* *msg* it can only parse data that the (**data**, **data_end**)
* pointers have already consumed. For **sendmsg**\ () hooks this
* is likely the first scatterlist element. But for calls relying
* on the **sendpage** handler (e.g. **sendfile**\ ()) this will
* be the range (**0**, **0**) because the data is shared with
* user space and by default the objective is to avoid allowing
* user space to modify data while (or after) eBPF verdict is
* being decided. This helper can be used to pull in data and to
* set the start and end pointer to given values. Data will be
* copied if necessary (i.e. if data was not linear and if start
* and end pointers do not point to the same chunk).
*
* A call to this helper is susceptible to change the underlying
* packet buffer. Therefore, at load time, all checks on pointers
* previously done by the verifier are invalidated and must be
* performed again, if the helper is used in combination with
* direct packet access.
*
* All values for *flags* are reserved for future usage, and must
* be left at zero.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_msg_pull_data)(struct sk_msg_md *msg, __u32 start, __u32 end, __u64 flags) = (void *)

```

63;

```
/*
 * bpf_bind
 *
 * Bind the socket associated to *ctx* to the address pointed by
 * *addr*, of length *addr_len*. This allows for making outgoing
 * connection from the desired IP address, which can be useful for
 * example when all processes inside a cgroup should use one
 * single IP address on a host
 * that has multiple IP configured.
 *
 * This helper works for IPv4 and IPv6, TCP and UDP sockets. The
 * domain (*addr*->sa_family) must be **AF_INET** (or
 * **AF_INET6**). It's advised to pass zero port (**sin_port**
 * or **sin6_port**) which triggers IP_BIND_ADDRESS_NO_PORT-like
 * behavior and lets the kernel efficiently pick up an unused
 * port as long as 4-tuple is unique. Passing non-zero port might
 * lead to degraded performance.
 *
 * Returns
 * 0 on success, or a negative error in case of failure.
 */
static long (* const bpf_bind)(struct bpf_sock_addr *ctx, struct sockaddr *addr, int addr_len) = (void *) 64;

/*
 * bpf_xdp_adjust_tail
 *
 * Adjust (move) *xdp_md*->data_end by *delta* bytes. It is
 * possible to both shrink and grow the packet tail.
 * Shrink done via *delta* being a negative integer.
 *
 * A call to this helper is susceptible to change the underlying
 * packet buffer. Therefore, at load time, all checks on pointers
 * previously
 * done by the verifier are invalidated and must be
 * performed again, if the helper is used in combination with
 * direct packet access.
 *
 * Returns
 * 0 on success, or a negative error in case of failure.
 */
static long (* const bpf_xdp_adjust_tail)(struct xdp_md *xdp_md, int delta) = (void *) 65;

/*
 * bpf_skb_get_xfrm_state
 *
 * Retrieve the XFRM state (IP transform framework, see also
```

```

* **ip-xfrm(8)**) at *index* in XFRM "security path" for *skb*.
*
* The retrieved value is stored in the **struct bpf_xfrm_state**
* pointed by *xfrm_state* and of length *size*.
*
* All values for *flags* are reserved for future usage, and must
* be left at zero.
*
* This helper is available only if the kernel was compiled with
* **CONFIG_XFRM** configuration option.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_get_xfrm_state)(struct __sk_buff *skb, __u32 index, struct bpf_xfrm_state *xfrm_state,
__u32 size, __u64
flags) = (void *) 66;

/*
* bpf_get_stack
*
* Return a user or a kernel stack in bpf program provided buffer.
* To achieve this, the helper needs *ctx*, which is a pointer
* to the context on which the tracing program is executed.
* To store the stacktrace, the bpf program provides *buf* with
* a nonnegative *size*.
*
* The last argument, *flags*, holds the number of stack frames to
* skip (from 0 to 255), masked with
* **BPF_F_SKIP_FIELD_MASK**. The next bits can be used to set
* the following flags:
*
* **BPF_F_USER_STACK**
* Collect a user space stack instead of a kernel stack.
* **BPF_F_USER_BUILD_ID**
* Collect (build_id, file_offset) instead of ips for user
* stack, only valid if **BPF_F_USER_STACK** is also
* specified.
*
* *file_offset* is an offset relative to the beginning
* of the executable or shared object file backing the vma
* which the *ip* falls in. It is *not* an offset relative
* to that object's base address. Accordingly,
it must be
* adjusted by adding (sh_addr - sh_offset), where
* sh_{addr,offset} correspond to the executable section
* containing *file_offset* in the object, for comparisons
* to symbols' st_value to be valid.

```

```

*
* **bpf_get_stack**\ () can collect up to
* **PERF_MAX_STACK_DEPTH** both kernel and user frames, subject
* to sufficient large buffer size. Note that
* this limit can be controlled with the **sysctl** program, and
* that it should be manually increased in order to profile long
* user stacks (such as stacks for Java programs). To do so, use:
*
* ::
*
* # sysctl kernel.perf_event_max_stack=<new value>
*
* Returns
* The non-negative copied *buf* length equal to or less than
* *size* on success, or a negative error in case of failure.
*/
static long (* const bpf_get_stack)(void *ctx, void *buf, __u32 size, __u64 flags) = (void *) 67;

/*
* bpf_skb_load_bytes_relative
*
* This helper is similar to **bpf_skb_load_bytes**\ () in that
* it provides an easy way to load *len* bytes from *offset*
* from the packet associated to *skb*, into the buffer pointed
* by *to*. The difference to **bpf_skb_load_bytes**\ () is that
* a fifth argument *start_header* exists in order to select a
* base offset to start from. *start_header* can be one of:
*
* **BPF_HDR_START_MAC**
* Base offset to load data from is *skb*'s mac header.
* **BPF_HDR_START_NET**
* Base offset to load data from is *skb*'s network header.
*
* In general, "direct packet access" is the preferred method to
* access packet data, however, this helper is in particular useful
* in socket filters where *skb* \ **->data** does not always point
* to the start of the mac header and where "direct packet access"
* is not available.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_load_bytes_relative)(const void *skb, __u32 offset, void *to, __u32 len, __u32
start_header) = (void *) 68;

/*
* bpf_fib_lookup
*

```

- * Do FIB lookup in kernel tables using parameters in `*params*`.
- * If lookup is successful and result shows packet is to be
- * forwarded, the neighbor tables are searched for the nexthop.
- * If successful (ie., FIB lookup shows forwarding and nexthop
- * is resolved), the nexthop address is returned in `ipv4_dst`
- * or `ipv6_dst` based on family, `smac` is set to mac address of
- * egress device, `dmac` is set to nexthop mac address, `rt_metric`
- * is set to metric from route (IPv4/IPv6 only), and `ifindex`
- * is set to the device index of the nexthop from the FIB lookup.
- *
- * `*plen*` argument is the size of the passed in struct.
- * `*flags*` argument can be a combination of one or more of the
- * following values:
- *
- * **`**BPF_FIB_LOOKUP_DIRECT**`**
- * Do a direct table lookup vs full lookup using FIB
- * rules.
- * **`**BPF_FIB_LOOKUP_TBID**`**
- * Used with `BPF_FIB_LOOKUP_DIRECT`.
- * Use the routing table ID present in `*params*->tbid`
- * for the fib lookup.
- * **`**BPF_FIB_LOOKUP_OUTPUT**`**
- * Perform lookup from an egress perspective (default is
- * ingress).
- * **`**BPF_FIB_LOOKUP_SKIP_NEIGH**`**
- * Skip the neighbour table lookup. `*params*->dmac`
- * and `*params*->smac` will not be set as output. A common
- * use case is to call `**bpf_redirect_neigh**` () after
- * doing `**bpf_fib_lookup**` ().
- * **`**BPF_FIB_LOOKUP_SRC**`**
- * Derive and set source IP addr in `*params*->ipv{4,6}_src`
- * for the nexthop. If the src addr cannot be derived,
- * **`**BPF_FIB_LKUP_RET_NO_SRC_ADDR**`** is returned. In this
- * case, `*params*->dmac` and `*params*->smac` are not set either.
- *
- * `*ctx*` is either `**struct xdp_md**` for XDP programs or
- * `**struct sk_buff**` tc cls_act programs.
- *
- * Returns
- * * < 0 if any input argument is invalid
- * * 0 on success (packet is forwarded, nexthop neighbor exists)
- * * > 0 one of **`**BPF_FIB_LKUP_RET_**`** codes explaining why the
- * packet is not forwarded or needs assist from full stack
- *
- * If lookup fails with `BPF_FIB_LKUP_RET_FRAG_NEEDED`,
- * then the MTU
- * was exceeded and output `params->mtu_result` contains the MTU.
- */


```

static long (* const bpf_fib_lookup)(void *ctx, struct bpf_fib_lookup *params, int plen, __u32 flags) = (void *) 69;

/*
 * bpf_sock_hash_update
 *
 * Add an entry to, or update a sockhash *map* referencing sockets.
 * The *skops* is used as a new value for the entry associated to
 * *key*. *flags* is one of:
 *
 * **BPF_NOEXIST**
 * The entry for *key* must not exist in the map.
 * **BPF_EXIST**
 * The entry for *key* must already exist in the map.
 * **BPF_ANY**
 * No condition on the existence of the entry for *key*.
 *
 * If the *map* has eBPF programs (parser and verdict), those will
 * be inherited by the socket being added. If the socket is
 * already attached to eBPF programs, this results in an error.
 *
 * Returns
 * 0 on success, or a negative error in case of failure.
 */
static long (* const bpf_sock_hash_update)(struct bpf_sock_ops *skops, void *map, void
*key, __u64 flags) = (void *) 70;

/*
 * bpf_msg_redirect_hash
 *
 * This helper is used in programs implementing policies at the
 * socket level. If the message *msg* is allowed to pass (i.e. if
 * the verdict eBPF program returns **SK_PASS**), redirect it to
 * the socket referenced by *map* (of type
 * **BPF_MAP_TYPE_SOCKHASH**) using hash *key*. Both ingress and
 * egress interfaces can be used for redirection. The
 * **BPF_F_INGRESS** value in *flags* is used to make the
 * distinction (ingress path is selected if the flag is present,
 * egress path otherwise). This is the only flag supported for now.
 *
 * Returns
 * **SK_PASS** on success, or **SK_DROP** on error.
 */
static long (* const bpf_msg_redirect_hash)(struct sk_msg_md *msg, void *map, void *key, __u64 flags) = (void *)
71;

/*
 * bpf_sk_redirect_hash
 *

```

- * This helper is used in programs implementing policies at the
- * skb socket level. If the sk_buff *skb* is allowed to pass (i.e.
- * if the verdict eBPF
- program returns **SK_PASS**), redirect it
- * to the socket referenced by *map* (of type
- * **BPF_MAP_TYPE_SOCKHASH**) using hash *key*. Both ingress and
- * egress interfaces can be used for redirection. The
- * **BPF_F_INGRESS** value in *flags* is used to make the
- * distinction (ingress path is selected if the flag is present,
- * egress otherwise). This is the only flag supported for now.
- *
- * Returns
- * **SK_PASS** on success, or **SK_DROP** on error.
- */

```
static long (* const bpf_sk_redirect_hash)(struct __sk_buff *skb, void *map, void *key, __u64 flags) = (void *) 72;
```

```
/*
```

- * bpf_lwt_push_encap
- *
- * Encapsulate the packet associated to *skb* within a Layer 3
- * protocol header. This header is provided in the buffer at
- * address *hdr*, with *len* its size in bytes. *type* indicates
- * the protocol of the header and can be one of:
- *
- * **BPF_LWT_ENCAP_SEG6**
- * IPv6 encapsulation with Segment Routing Header
- * (**struct ipv6_sr_hdr**). *hdr* only contains the SRH,
- * the IPv6 header is computed by the kernel.
- * **BPF_LWT_ENCAP_SEG6_INLINE**
- * Only works if *skb* contains an IPv6 packet. Insert a
- * Segment Routing Header (**struct ipv6_sr_hdr**) inside
- * the IPv6 header.
- * **BPF_LWT_ENCAP_IP**
- * IP encapsulation (GRE/GUE/IPIP/etc). The outer header
- * must be IPv4 or IPv6, followed by zero or more
- * additional headers, up to **LWT_BPF_MAX_HEADROOM**
- * total bytes in all prepended headers. Please note that
- * if **skb_is_gso** (*skb*) is true, no more than two
- * headers can be prepended, and the inner header, if
- * present, should be either GRE or UDP/GUE.
- *
- * **BPF_LWT_ENCAP_SEG6*** types can be called by BPF programs
- * of type **BPF_PROG_TYPE_LWT_IN***; **BPF_LWT_ENCAP_IP** type can
- * be called by bpf programs of types **BPF_PROG_TYPE_LWT_IN** and
- * **BPF_PROG_TYPE_LWT_XMIT**.
- *
- * A call to this helper is susceptible to change the underlying
- * packet buffer. Therefore, at load time, all checks on

pointers

- * previously done by the verifier are invalidated and must be
- * performed again, if the helper is used in combination with
- * direct packet access.

*

* Returns

- * 0 on success, or a negative error in case of failure.

*/

```
static long (* const bpf_lwt_push_encap)(struct __sk_buff *skb, __u32 type, void *hdr, __u32 len) = (void *) 73;
```

/*

* bpf_lwt_seg6_store_bytes

*

- * Store *len* bytes from address *from* into the packet
- * associated to *skb*, at *offset*. Only the flags, tag and TLVs
- * inside the outermost IPv6 Segment Routing Header can be
- * modified through this helper.

*

- * A call to this helper is susceptible to change the underlying
- * packet buffer. Therefore, at load time, all checks on pointers
- * previously done by the verifier are invalidated and must be
- * performed again, if the helper is used in combination with
- * direct packet access.

*

* Returns

- * 0 on success, or a negative error in case of failure.

*/

```
static long (* const bpf_lwt_seg6_store_bytes)(struct  
__sk_buff *skb, __u32 offset, const void *from, __u32 len) = (void *) 74;
```

/*

* bpf_lwt_seg6_adjust_srh

*

- * Adjust the size allocated to TLVs in the outermost IPv6
- * Segment Routing Header contained in the packet associated to
- * *skb*, at position *offset* by *delta* bytes. Only offsets
- * after the segments are accepted. *delta* can be as well
- * positive (growing) as negative (shrinking).

*

- * A call to this helper is susceptible to change the underlying
- * packet buffer. Therefore, at load time, all checks on pointers
- * previously done by the verifier are invalidated and must be
- * performed again, if the helper is used in combination with
- * direct packet access.

*

* Returns

- * 0 on success, or a negative error in case of failure.

*/

```

static long (* const bpf_lwt_seg6_adjust_srh)(struct __sk_buff *skb, __u32 offset, __s32 delta) = (void *) 75;

/*
 * bpf_lwt_seg6_action
 *
 * Apply an IPv6 Segment Routing action of type *action* to the
 * packet associated to *skb*. Each action takes a parameter
 * contained at address *param*, and of length *param_len* bytes.
 * *action* can be one of:
 *
 * **SEG6_LOCAL_ACTION_END_X**
 * End.X action: Endpoint with Layer-3 cross-connect.
 * Type of *param*: **struct in6_addr**.
 * **SEG6_LOCAL_ACTION_END_T**
 * End.T action: Endpoint with specific IPv6 table lookup.
 * Type of *param*: **int**.
 * **SEG6_LOCAL_ACTION_END_B6**
 * End.B6 action: Endpoint bound to an SRv6 policy.
 * Type of *param*: **struct ipv6_sr_hdr**.
 * **SEG6_LOCAL_ACTION_END_B6_ENCAP**
 * End.B6.Encap action: Endpoint bound to an SRv6
 * encapsulation policy.
 * Type of *param*: **struct ipv6_sr_hdr**.
 *
 * A call to this helper is susceptible to change the underlying
 * packet buffer. Therefore, at load time, all checks on pointers
 * previously done by the verifier are invalidated and must be
 * performed again, if the helper is used in combination with
 * direct packet access.
 *
 * Returns
 * 0 on success, or a negative error in case of failure.
 */
static long (* const bpf_lwt_seg6_action)(struct __sk_buff *skb, __u32 action, void *param, __u32 param_len) =
(void *) 76;

/*
 * bpf_rc_repeat
 *
 * This helper is used in programs implementing IR decoding, to
 * report a successfully decoded repeat key message. This delays
 * the generation of a key up event for previously generated
 * key down event.
 *
 * Some IR protocols like NEC have a special IR message for
 * repeating last button, for when a button is held down.
 *
 * The *ctx* should point to the lirc sample as passed into

```

```

* the program.
*
* This helper is only available is the kernel was compiled with
* the **CONFIG_BPF_LIRC_MODE2** configuration option set to
* "**y**".
*
* Returns
* 0
*/
static long (* const bpf_rc_repeat)(void *ctx) = (void *) 77;

/*
* bpf_rc_keydown
*
* This helper is used in programs implementing IR decoding, to
* report a successfully decoded key
* press with *scancode*,
* *toggle* value in the given *protocol*. The scancode will be
* translated to a keycode using the rc keymap, and reported as
* an input key down event. After a period a key up event is
* generated. This period can be extended by calling either
* **bpf_rc_keydown**\ () again with the same values, or calling
* **bpf_rc_repeat**\ ().
*
* Some protocols include a toggle bit, in case the button was
* released and pressed again between consecutive scancodes.
*
* The *ctx* should point to the lirc sample as passed into
* the program.
*
* The *protocol* is the decoded protocol number (see
* **enum rc_proto** for some predefined values).
*
* This helper is only available is the kernel was compiled with
* the **CONFIG_BPF_LIRC_MODE2** configuration option set to
* "**y**".
*
* Returns
* 0
*/
static long (* const bpf_rc_keydown)(void *ctx, __u32 protocol, __u64 scancode, __u32 toggle) = (void *) 78;

/*
* bpf_skb_cgroup_id
*
* Return
* the cgroup v2 id of the socket associated with the *skb*.
* This is roughly similar to the **bpf_get_cgroup_classid**\ ()

```

- * helper for cgroup v1 by providing a tag resp. identifier that
- * can be matched on or used for map lookups e.g. to implement
- * policy. The cgroup v2 id of a given path in the hierarchy is
- * exposed in user space through the f_handle API in order to get
- * to the same 64-bit id.
- *
- * This helper can be used on TC egress path, but not on ingress,
- * and is available only if the kernel was compiled with the
- * **CONFIG_SOCK_CGROUP_DATA** configuration option.
- *
- * Returns
- * The id is returned or 0 in case the id could not be retrieved.
- */

```
static __u64 (* const bpf_skb_cgroup_id)(struct __sk_buff *skb) = (void *) 79;
```



```
/*
```

- * bpf_get_current_cgroup_id
- *
- * Get the current cgroup id based on the cgroup within which
- * the current task is running.
- *
- * Returns
- * A 64-bit integer containing the current cgroup id based
- * on the cgroup within which
- the current task is running.
- */

```
static __u64 (* const bpf_get_current_cgroup_id)(void) = (void *) 80;
```



```
/*
```

- * bpf_get_local_storage
- *
- * Get the pointer to the local storage area.
- * The type and the size of the local storage is defined
- * by the *map* argument.
- * The *flags* meaning is specific for each map type,
- * and has to be 0 for cgroup local storage.
- *
- * Depending on the BPF program type, a local storage area
- * can be shared between multiple instances of the BPF program,
- * running simultaneously.
- *
- * A user should care about the synchronization by himself.
- * For example, by using the **BPF_ATOMIC** instructions to alter
- * the shared data.
- *
- * Returns
- * A pointer to the local storage area.
- */

```

static void (* const bpf_get_local_storage)(void *map, __u64 flags) = (void *) 81;

/*
 * bpf_sk_select_reuseport
 *
 * Select a **SO_REUSEPORT** socket from a
 * **BPF_MAP_TYPE_REUSEPORT_SOCKARRAY** *map*.
 * It checks the selected socket is matching the incoming
 * request in the socket buffer.
 *
 * Returns
 * 0 on success, or a negative error in case of failure.
 */
static long (* const bpf_sk_select_reuseport)(struct sk_reuseport_md *reuse, void *map, void *key, __u64 flags) =
(void *) 82;

/*
 * bpf_skb_ancestor_cgroup_id
 *
 * Return id of cgroup v2 that is ancestor of cgroup associated
 * with the *skb* at the *ancestor_level*. The root cgroup is at
 * *ancestor_level* zero and each step down the hierarchy
 * increments the level. If *ancestor_level* == level of cgroup
 * associated with *skb*, then return value will be same as that
 * of **bpf_skb_cgroup_id**\ ().
 *
 * The helper is useful to implement policies based on cgroups
 * that are upper in hierarchy than immediate cgroup associated
 * with *skb*.
 *
 * The format of returned id and helper limitations are same as in
 * **bpf_skb_cgroup_id**\ ().
 *
 * Returns
 * The id is returned or 0 in case the id could not be retrieved.
 */
static __u64 (* const bpf_skb_ancestor_cgroup_id)(struct
__sk_buff *skb, int ancestor_level) = (void *) 83;

/*
 * bpf_sk_lookup_tcp
 *
 * Look for TCP socket matching *tuple*, optionally in a child
 * network namespace *netns*. The return value must be checked,
 * and if non-**NULL**, released via **bpf_sk_release**\ ().
 *
 * The *ctx* should point to the context of the program, such as
 * the skb or socket (depending on the hook in use). This is used

```

```

* to determine the base network namespace for the lookup.
*
* *tuple_size* must be one of:
*
* **sizeof**\ (*tuple*\ **->ipv4**)
* Look for an IPv4 socket.
* **sizeof**\ (*tuple*\ **->ipv6**)
* Look for an IPv6 socket.
*
* If the *netns* is a negative signed 32-bit integer, then the
* socket lookup table in the netns associated with the *ctx*
* will be used. For the TC hooks, this is the netns of the device
* in the skb. For socket hooks, this is the netns of the socket.
* If *netns* is any other signed 32-bit value greater than or
* equal to zero then it specifies the ID of the netns relative to
* the netns associated with the *ctx*. *netns* values beyond the
* range of 32-bit integers are reserved for future use.
*
* All values for *flags* are reserved for future usage, and must
* be left at zero.
*
* This helper is available only if the kernel was compiled with
* **CONFIG_NET** configuration option.
*
* Returns
* Pointer to **struct bpf_sock**, or **NULL** in case of failure.
* For sockets with reuseport option, the **struct bpf_sock**
* result is from *reuse*\ **->socks**\ [] using the hash of the
* tuple.
*/
static struct bpf_sock *(* const bpf_sk_lookup_tcp)(void *ctx, struct bpf_sock_tuple *tuple, __u32 tuple_size,
__u64 netns, __u64 flags) = (void *) 84;

/*
* bpf_sk_lookup_udp
*
* Look for UDP socket matching *tuple*, optionally in a child
* network namespace *netns*. The return value must be checked,
* and if non-**NULL**, released via **bpf_sk_release**\ ().
*
* The
* *ctx* should point to the context of the program, such as
* the skb or socket (depending on the hook in use). This is used
* to determine the base network namespace for the lookup.
*
* *tuple_size* must be one of:
*
* **sizeof**\ (*tuple*\ **->ipv4**)

```


- * Look for an IPv4 socket.
- * **sizeof** (*tuple\ **->ipv6**)
- * Look for an IPv6 socket.
- *
- * If the *netns* is a negative signed 32-bit integer, then the
- * socket lookup table in the netns associated with the *ctx*
- * will be used. For the TC hooks, this is the netns of the device
- * in the skb. For socket hooks, this is the netns of the socket.
- * If *netns* is any other signed 32-bit value greater than or
- * equal to zero then it specifies the ID of the netns relative to
- * the netns associated with the *ctx*. *netns* values beyond the
- * range of 32-bit integers are reserved for future use.
- *
- * All values for *flags* are reserved for future usage, and must
- * be left at zero.
- *
- * This helper is available
- only if the kernel was compiled with
- * **CONFIG_NET** configuration option.
- *
- * Returns
- * Pointer to **struct bpf_sock**, or **NULL** in case of failure.
- * For sockets with reuseport option, the **struct bpf_sock**
- * result is from *reuse* \ **->socks** \ [] using the hash of the
- * tuple.
- */

```
static struct bpf_sock (* const bpf_sk_lookup_udp)(void *ctx, struct bpf_sock_tuple *tuple, __u32 tuple_size,
__u64 netns, __u64 flags) = (void *) 85;
```



```
/*
 * bpf_sk_release
 *
```

- * Release the reference held by *sock*. *sock* must be a
- * non-**NULL** pointer that was returned from
- * **bpf_sk_lookup_xxx** ().
- *
- * Returns
- * 0 on success, or a negative error in case of failure.
- */

```
static long (* const bpf_sk_release)(void *sock) = (void *) 86;
```



```
/*
 * bpf_map_push_elem
 *
```

- * Push an element *value* in *map*. *flags* is one of:
- *
- * **BPF_EXIST**
- * If the queue/stack is full, the oldest element is

```

* removed to make room for this.
*
* Returns
* 0 on success, or
a negative error in case of failure.
*/
static long (* const bpf_map_push_elem)(void *map, const void *value, __u64 flags) = (void *) 87;

/*
* bpf_map_pop_elem
*
* Pop an element from *map*.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_map_pop_elem)(void *map, void *value) = (void *) 88;

/*
* bpf_map_peek_elem
*
* Get an element from *map* without removing it.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_map_peek_elem)(void *map, void *value) = (void *) 89;

/*
* bpf_msg_push_data
*
* For socket policies, insert *len* bytes into *msg* at offset
* *start*.
*
* If a program of type **BPF_PROG_TYPE_SK_MSG** is run on a
* *msg* it may want to insert metadata or options into the *msg*.
* This can later be read and used by any of the lower layer BPF
* hooks.
*
* This helper may fail if under memory pressure (a malloc
* fails) in these cases BPF programs
will get an appropriate
* error and BPF programs will need to handle them.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_msg_push_data)(struct sk_msg_md *msg, __u32 start, __u32 len, __u64 flags) = (void *)

```

90;

```
/*
 * bpf_msg_pop_data
 *
 * Will remove *len* bytes from a *msg* starting at byte *start*.
 * This may result in **ENOMEM** errors under certain situations if
 * an allocation and copy are required due to a full ring buffer.
 * However, the helper will try to avoid doing the allocation
 * if possible. Other errors can occur if input parameters are
 * invalid either due to *start* byte not being valid part of *msg*
 * payload and/or *pop* value being too large.
 *
 * Returns
 * 0 on success, or a negative error in case of failure.
 */
static long (* const bpf_msg_pop_data)(struct sk_msg_md *msg, __u32 start, __u32 len, __u64 flags) = (void *) 91;

/*
 * bpf_rc_pointer_rel
 *
 * This helper is used in programs implementing
 * IR decoding, to
 * report a successfully decoded pointer movement.
 *
 * The *ctx* should point to the lirc sample as passed into
 * the program.
 *
 * This helper is only available if the kernel was compiled with
 * the **CONFIG_BPF_LIRC_MODE2** configuration option set to
 * "y".
 *
 * Returns
 * 0
 */
static long (* const bpf_rc_pointer_rel)(void *ctx, __s32 rel_x, __s32 rel_y) = (void *) 92;

/*
 * bpf_spin_lock
 *
 * Acquire a spinlock represented by the pointer *lock*, which is
 * stored as part of a value of a map. Taking the lock allows to
 * safely update the rest of the fields in that value. The
 * spinlock can (and must) later be released with a call to
 * **bpf_spin_unlock**(\ *lock*\ ).
 *
 * Spinlocks in BPF programs come with a number of restrictions
 * and constraints:
```

```

*
* * **bpf_spin_lock** objects are only allowed inside maps of
* types **BPF_MAP_TYPE_HASH** and **BPF_MAP_TYPE_ARRAY** (this
* list could be extended in the future).
* * BTF description of the map is mandatory.
* * The BPF program can take ONE lock at a time, since taking two
* or more could cause dead locks.
* * Only one **struct bpf_spin_lock** is allowed per map element.
* * When the lock is taken, calls (either BPF to BPF or helpers)
* are not allowed.
* * The **BPF_LD_ABS** and **BPF_LD_IND** instructions are not
* allowed inside a spinlock-ed region.
* * The BPF program MUST call **bpf_spin_unlock**\ () to release
* the lock, on all execution paths, before it returns.
* * The BPF program can access **struct bpf_spin_lock** only via
* the **bpf_spin_lock**\ () and **bpf_spin_unlock**\ ()
* helpers. Loading or storing data into the **struct
* bpf_spin_lock** *lock*\ **,** field of a map is not allowed.
* * To use the **bpf_spin_lock**\ () helper, the BTF description
* of the map value must be a struct and have **struct
* bpf_spin_lock** *anyname*\ **,** field at the top level.
* Nested
lock inside another struct is not allowed.
* * The **struct bpf_spin_lock** *lock* field in a map value must
* be aligned on a multiple of 4 bytes in that value.
* * Syscall with command **BPF_MAP_LOOKUP_ELEM** does not copy
* the **bpf_spin_lock** field to user space.
* * Syscall with command **BPF_MAP_UPDATE_ELEM**, or update from
* a BPF program, do not update the **bpf_spin_lock** field.
* * **bpf_spin_lock** cannot be on the stack or inside a
* networking packet (it can only be inside of a map values).
* * **bpf_spin_lock** is available to root only.
* * Tracing programs and socket filter programs cannot use
* **bpf_spin_lock**\ () due to insufficient preemption checks
* (but this may change in the future).
* * **bpf_spin_lock** is not allowed in inner maps of map-in-map.
*
* Returns
* 0
*/
static long (* const bpf_spin_lock)(struct bpf_spin_lock *lock) = (void *) 93;

/*
* bpf_spin_unlock
*
* Release the *lock* previously locked
by a call to
* **bpf_spin_lock**\ (\ *lock*\ ).

```

```

*
* Returns
* 0
*/
static long (* const bpf_spin_unlock)(struct bpf_spin_lock *lock) = (void *) 94;

/*
* bpf_sk_fullsock
*
* This helper gets a **struct bpf_sock** pointer such
* that all the fields in this **bpf_sock** can be accessed.
*
* Returns
* A **struct bpf_sock** pointer on success, or **NULL** in
* case of failure.
*/
static struct bpf_sock *(* const bpf_sk_fullsock)(struct bpf_sock *sk) = (void *) 95;

/*
* bpf_tcp_sock
*
* This helper gets a **struct bpf_tcp_sock** pointer from a
* **struct bpf_sock** pointer.
*
* Returns
* A **struct bpf_tcp_sock** pointer on success, or **NULL** in
* case of failure.
*/
static struct bpf_tcp_sock *(* const bpf_tcp_sock)(struct bpf_sock *sk) = (void *) 96;

/*
* bpf_skb_ecn_set_ce
*
* Set ECN (Explicit Congestion Notification) field of IP header
* to **CE** (Congestion Encountered) if current value is **ECT**
* (ECN Capable Transport). Otherwise, do nothing.
* Works with IPv6
* and IPv4.
*
* Returns
* 1 if the **CE** flag is set (either by the current helper call
* or because it was already present), 0 if it is not set.
*/
static long (* const bpf_skb_ecn_set_ce)(struct __sk_buff *skb) = (void *) 97;

/*
* bpf_get_listener_sock
*

```

```

* Return a struct bpf_sock pointer in TCP_LISTEN state.
* bpf_sk_release() is unnecessary and not allowed.
*
* Returns
* A struct bpf_sock pointer on success, or NULL in
* case of failure.
*/
static struct bpf_sock *(* const bpf_get_listener_sock)(struct bpf_sock *sk) = (void *) 98;

/*
* bpf_sk_lookup_tcp
*
* Look for TCP socket matching tuple, optionally in a child
* network namespace netns. The return value must be checked,
* and if non-NULL, released via bpf_sk_release().
*
* This function is identical to bpf_sk_lookup_tcp(), except
* that it also returns timewait or request sockets. Use
* bpf_sk_fullsock() or bpf_tcp_sock()
* to access the
* full structure.
*
* This helper is available only if the kernel was compiled with
* CONFIG_NET configuration option.
*
* Returns
* Pointer to struct bpf_sock, or NULL in case of failure.
* For sockets with reuseport option, the struct bpf_sock
* result is from reuse socks[] using the hash of the
* tuple.
*/
static struct bpf_sock *(* const bpf_sk_lookup_tcp)(void *ctx, struct bpf_sock_tuple *tuple, __u32 tuple_size,
__u64 netns, __u64 flags) = (void *) 99;

/*
* bpf_tcp_check_syncookie
*
* Check whether iph and th contain a valid SYN cookie ACK for
* the listening socket in sk.
*
* iph points to the start of the IPv4 or IPv6 header, while
* iph_len contains sizeof (struct iphdr) or
* sizeof (struct ipv6hdr).
*
* th points to the start of the TCP header, while th_len
* contains the length of the TCP header (at least
* sizeof (struct tcphdr)).
*

```

```

* Returns
* 0 if *iph* and *th* are a valid SYN cookie ACK, or a negative
* error otherwise.
*/
static long (* const bpf_tcp_check_syncookie)(void *sk, void *iph, __u32 iph_len, struct tcphdr *th, __u32 th_len)
= (void *) 100;

/*
* bpf_sysctl_get_name
*
* Get name of sysctl in /proc/sys/ and copy it into provided by
* program buffer *buf* of size *buf_len*.
*
* The buffer is always NUL terminated, unless it's zero-sized.
*
* If *flags* is zero, full name (e.g. "net/ipv4/tcp_mem") is
* copied. Use **BPF_F_SYSCTL_BASE_NAME** flag to copy base name
* only (e.g. "tcp_mem").
*
* Returns
* Number of character copied (not including the trailing NUL).
*
* **-E2BIG** if the buffer wasn't big enough (*buf* will contain
* truncated name in this case).
*/
static long (* const bpf_sysctl_get_name)(struct bpf_sysctl *ctx, char *buf, unsigned long buf_len, __u64 flags) =
(void *) 101;

/*
* bpf_sysctl_get_current_value
*
* Get current value of sysctl as it is presented in
/proc/sys
* (incl. newline, etc), and copy it as a string into provided
* by program buffer *buf* of size *buf_len*.
*
* The whole value is copied, no matter what file position user
* space issued e.g. sys_read at.
*
* The buffer is always NUL terminated, unless it's zero-sized.
*
* Returns
* Number of character copied (not including the trailing NUL).
*
* **-E2BIG** if the buffer wasn't big enough (*buf* will contain
* truncated name in this case).
*
* **-EINVAL** if current value was unavailable, e.g. because

```

```

* sysctl is uninitialized and read returns -EIO for it.
*/
static long (* const bpf_sysctl_get_current_value)(struct bpf_sysctl *ctx, char *buf, unsigned long buf_len) = (void *) 102;

/*
* bpf_sysctl_get_new_value
*
* Get new value being written by user space to sysctl (before
* the actual write happens) and copy it as a string into
* provided by program buffer *buf* of size *buf_len*.
*
* User space may write new value at file position >
0.
*
* The buffer is always NUL terminated, unless it's zero-sized.
*
* Returns
* Number of character copied (not including the trailing NUL).
*
* **E2BIG** if the buffer wasn't big enough (*buf* will contain
* truncated name in this case).
*
* **EINVAL** if sysctl is being read.
*/
static long (* const bpf_sysctl_get_new_value)(struct bpf_sysctl *ctx, char *buf, unsigned long buf_len) = (void *) 103;

/*
* bpf_sysctl_set_new_value
*
* Override new value being written by user space to sysctl with
* value provided by program in buffer *buf* of size *buf_len*.
*
* *buf* should contain a string in same form as provided by user
* space on sysctl write.
*
* User space may write new value at file position > 0. To override
* the whole sysctl value file position should be set to zero.
*
* Returns
* 0 on success.
*
* **E2BIG** if the *buf_len* is too big.
*
* **EINVAL** if sysctl is being read.
*/
static long (* const bpf_sysctl_set_new_value)(struct

```



```

bpf_sysctl *ctx, const char *buf, unsigned long buf_len) = (void *) 104;

/*
 * bpf_strtol
 *
 * Convert the initial part of the string from buffer *buf* of
 * size *buf_len* to a long integer according to the given base
 * and save the result in *res*.
 *
 * The string may begin with an arbitrary amount of white space
 * (as determined by **isspace**\ (3)) followed by a single
 * optional '**_**' sign.
 *
 * Five least significant bits of *flags* encode base, other bits
 * are currently unused.
 *
 * Base must be either 8, 10, 16 or 0 to detect it automatically
 * similar to user space **strtol**\ (3).
 *
 * Returns
 * Number of characters consumed on success. Must be positive but
 * no more than *buf_len*.
 *
 * **EINVAL** if no valid digits were found or unsupported base
 * was provided.
 *
 * **ERANGE** if resulting value was out of range.
 */
static long (* const bpf_strtol)(const char *buf, unsigned long buf_len, __u64 flags, long *res) = (void *) 105;

/*
 *
 * bpf_strtoul
 *
 * Convert the initial part of the string from buffer *buf* of
 * size *buf_len* to an unsigned long integer according to the
 * given base and save the result in *res*.
 *
 * The string may begin with an arbitrary amount of white space
 * (as determined by **isspace**\ (3)).
 *
 * Five least significant bits of *flags* encode base, other bits
 * are currently unused.
 *
 * Base must be either 8, 10, 16 or 0 to detect it automatically
 * similar to user space **strtoul**\ (3).
 *
 * Returns

```

```

* Number of characters consumed on success. Must be positive but
* no more than *buf_len*.
*
* **EINVAL** if no valid digits were found or unsupported base
* was provided.
*
* **ERANGE** if resulting value was out of range.
*/
static long (* const bpf_strtoul)(const char *buf, unsigned long buf_len, __u64 flags, unsigned long *res) = (void *)
106;

/*
* bpf_sk_storage_get
*
* Get a bpf-local-storage from a *sk*.
*
* Logically, it could be thought of getting
the value from
* a *map* with *sk* as the **key**. From this
* perspective, the usage is not much different from
* **bpf_map_lookup_elem**(*map*, **&sk*) except this
* helper enforces the key must be a full socket and the map must
* be a **BPF_MAP_TYPE_SK_STORAGE** also.
*
* Underneath, the value is stored locally at *sk* instead of
* the *map*. The *map* is used as the bpf-local-storage
* "type". The bpf-local-storage "type" (i.e. the *map*) is
* searched against all bpf-local-storages residing at *sk*.
*
* *sk* is a kernel **struct sock** pointer for LSM program.
* *sk* is a **struct bpf_sock** pointer for other program types.
*
* An optional *flags* (**BPF_SK_STORAGE_GET_F_CREATE**) can be
* used such that a new bpf-local-storage will be
* created if one does not exist. *value* can be used
* together with **BPF_SK_STORAGE_GET_F_CREATE** to specify
* the initial value of a bpf-local-storage. If *value* is
* **NULL**, the new bpf-local-storage
will be zero initialized.
*
* Returns
* A bpf-local-storage pointer is returned on success.
*
* **NULL** if not found or there was an error in adding
* a new bpf-local-storage.
*/
static void (* const bpf_sk_storage_get)(void *map, void *sk, void *value, __u64 flags) = (void *) 107;

```

```

/*
 * bpf_sk_storage_delete
 *
 * Delete a bpf-local-storage from a *sk*.
 *
 * Returns
 * 0 on success.
 *
 * ** -ENOENT** if the bpf-local-storage cannot be found.
 * ** -EINVAL** if sk is not a fullsock (e.g. a request_sock).
 */
static long (* const bpf_sk_storage_delete)(void *map, void *sk) = (void *) 108;

```

```

/*
 * bpf_send_signal
 *
 * Send signal *sig* to the process of the current task.
 * The signal may be delivered to any of this process's threads.
 *
 * Returns
 * 0 on success or successfully queued.
 *
 * ** -EBUSY** if work queue under nmi is full.
 *
 * ** -EINVAL** if *sig* is invalid.
 *
 * ** -EPERM** if no permission to send the *sig*.
 *
 * ** -EAGAIN** if bpf
program can try again.
 */
static long (* const bpf_send_signal)(__u32 sig) = (void *) 109;

```

```

/*
 * bpf_tcp_gen_syncookie
 *
 * Try to issue a SYN cookie for the packet with corresponding
 * IP/TCP headers, *iph* and *th*, on the listening socket in *sk*.
 *
 * *iph* points to the start of the IPv4 or IPv6 header, while
 * *iph_len* contains **sizeof**\ (**struct iphdr**) or
 * **sizeof**\ (**struct ipv6hdr**).
 *
 * *th* points to the start of the TCP header, while *th_len*
 * contains the length of the TCP header with options (at least
 * **sizeof**\ (**struct tcphdr**)).
 *
 * Returns

```

```

* On success, lower 32 bits hold the generated SYN cookie in
* followed by 16 bits which hold the MSS value for that cookie,
* and the top 16 bits are unused.
*
* On failure, the returned value is one of the following:
*
* **EINVAL** SYN cookie cannot be issued due to error
*
* **ENOENT** SYN cookie should not be issued (no SYN flood)
*
* **EOPNOTSUPP** kernel configuration
does not enable SYN cookies
*
* **EPROTONOSUPPORT** IP packet version is not 4 or 6
*/
static __s64 (* const bpf_tcp_gen_syncookie)(void *sk, void *iph, __u32 iph_len, struct tcphdr *th, __u32 th_len) =
(void *) 110;

/*
* bpf_skb_output
*
* Write raw *data* blob into a special BPF perf event held by
* *map* of type **BPF_MAP_TYPE_PERF_EVENT_ARRAY**. This perf
* event must have the following attributes: **PERF_SAMPLE_RAW**
* as **sample_type**, **PERF_TYPE_SOFTWARE** as **type**, and
* **PERF_COUNT_SW_BPF_OUTPUT** as **config**.
*
* The *flags* are used to indicate the index in *map* for which
* the value must be put, masked with **BPF_F_INDEX_MASK**.
* Alternatively, *flags* can be set to **BPF_F_CURRENT_CPU**
* to indicate that the index of the current CPU core should be
* used.
*
* The value to write, of *size*, is passed through eBPF stack and
* pointed by *data*.
*
* *ctx* is a pointer to in-kernel struct sk_buff.
*
* This helper is similar to
**bpf_perf_event_output**\ () but
* restricted to raw_tracepoint bpf programs.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_skb_output)(void *ctx, void *map, __u64 flags, void *data, __u64 size) = (void *) 111;

/*

```

```

* bpf_probe_read_user
*
* Safely attempt to read *size* bytes from user space address
* *unsafe_ptr* and store the data in *dst*.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_probe_read_user)(void *dst, __u32 size, const void *unsafe_ptr) = (void *) 112;

/*
* bpf_probe_read_kernel
*
* Safely attempt to read *size* bytes from kernel space address
* *unsafe_ptr* and store the data in *dst*.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_probe_read_kernel)(void *dst, __u32 size, const void *unsafe_ptr) = (void *) 113;

/*
* bpf_probe_read_user_str
*
* Copy a NUL terminated string from an unsafe
user address
* *unsafe_ptr* to *dst*. The *size* should include the
* terminating NUL byte. In case the string length is smaller than
* *size*, the target is not padded with further NUL bytes. If the
* string length is larger than *size*, just *size*-1 bytes are
* copied and the last byte is set to NUL.
*
* On success, returns the number of bytes that were written,
* including the terminal NUL. This makes this helper useful in
* tracing programs for reading strings, and more importantly to
* get its length at runtime. See the following snippet:
*
* ::
*
* SEC("kprobe/sys_open")
* void bpf_sys_open(struct pt_regs *ctx)
* {
*     char buf[PATHLEN]; // PATHLEN is defined to 256
*     int res = bpf_probe_read_user_str(buf, sizeof(buf),
*                                     ctx->di);
*
*     // Consume buf, for example push it to
*     // userspace via bpf_perf_event_output(); we

```

```

* // can use res (the string length) as event
* // size,
after checking its boundaries.
* }
*
* In comparison, using bpf_probe_read_user() helper here
* instead to read the string would require to estimate the length
* at compile time, and would often result in copying more memory
* than necessary.
*
* Another useful use case is when parsing individual process
* arguments or individual environment variables navigating
* *current* **->mm->arg_start** and *current*
* **->mm->env_start**: using this helper and the return value,
* one can quickly iterate at the right offset of the memory area.
*
* Returns
* On success, the strictly positive length of the output string,
* including the trailing NUL character. On error, a negative
* value.
*/
static long (* const bpf_probe_read_user_str)(void *dst, __u32 size, const void *unsafe_ptr) = (void *) 114;

/*
* bpf_probe_read_kernel_str
*
* Copy a NUL terminated string from an unsafe kernel address *unsafe_ptr*
* to *dst*. Same semantics as with bpf_probe_read_user_str()
* apply.
*
* Returns
* On success, the strictly positive length of the string, including
* the trailing NUL character. On error, a negative value.
*/
static long (* const bpf_probe_read_kernel_str)(void *dst, __u32 size, const void *unsafe_ptr) = (void *) 115;

/*
* bpf_tcp_send_ack
*
* Send out a tcp-ack. *tp* is the in-kernel struct **tcp_sock**.
* *rcv_nxt* is the ack_seq to be sent out.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_tcp_send_ack)(void *tp, __u32 rcv_nxt) = (void *) 116;

/*

```

```

* bpf_send_signal_thread
*
* Send signal *sig* to the thread corresponding to the current task.
*
* Returns
* 0 on success or successfully queued.
*
* **.-EBUSY** if work queue under nmi is full.
*
* **.-EINVAL** if *sig* is invalid.
*
* **.-EPERM** if no permission to send the *sig*.
*
* **.-EAGAIN** if bpf program can try again.
*/
static long (* const bpf_send_signal_thread)(__u32 sig) = (void
*) 117;

/*
* bpf_jiffies64
*
* Obtain the 64bit jiffies
*
* Returns
* The 64 bit jiffies
*/
static __u64 (* const bpf_jiffies64)(void) = (void *) 118;

/*
* bpf_read_branch_records
*
* For an eBPF program attached to a perf event, retrieve the
* branch records (**struct perf_branch_entry**) associated to *ctx*
* and store it in the buffer pointed by *buf* up to size
* *size* bytes.
*
* Returns
* On success, number of bytes written to *buf*. On error, a
* negative value.
*
* The *flags* can be set to **BPF_F_GET_BRANCH_RECORDS_SIZE** to
* instead return the number of bytes required to store all the
* branch entries. If this flag is set, *buf* may be NULL.
*
* **.-EINVAL** if arguments invalid or **size** not a multiple
* of **sizeof** ( **struct perf_branch_entry** ).
*
* **.-ENOENT** if architecture does not support branch records.

```

```

*/
static long (* const bpf_read_branch_records)(struct bpf_perf_event_data *ctx, void *buf, __u32 size, __u64
flags) = (void *) 119;

/*
 * bpf_get_ns_current_pid_tgid
 *
 * Returns 0 on success, values for *pid* and *tgid* as seen from the current
 * *namespace* will be returned in *nsdata*.
 *
 * Returns
 * 0 on success, or one of the following in case of failure:
 *
 * **EINVAL** if dev and inum supplied don't match dev_t and inode number
 * with nsfs of current task, or if dev conversion to dev_t lost high bits.
 *
 * **ENOENT** if pidns does not exists for the current task.
 */
static long (* const bpf_get_ns_current_pid_tgid)(__u64 dev, __u64 ino, struct bpf_pidns_info *nsdata, __u32 size)
= (void *) 120;

/*
 * bpf_xdp_output
 *
 * Write raw *data* blob into a special BPF perf event held by
 * *map* of type **BPF_MAP_TYPE_PERF_EVENT_ARRAY**. This perf
 * event must have the following attributes: **PERF_SAMPLE_RAW**
 * as **sample_type**, **PERF_TYPE_SOFTWARE** as **type**, and
 * **PERF_COUNT_SW_BPF_OUTPUT** as **config**.
 *
 * The *flags* are used to indicate the index
 * in *map* for which
 * the value must be put, masked with **BPF_F_INDEX_MASK**.
 * Alternatively, *flags* can be set to **BPF_F_CURRENT_CPU**
 * to indicate that the index of the current CPU core should be
 * used.
 *
 * The value to write, of *size*, is passed through eBPF stack and
 * pointed by *data*.
 *
 * *ctx* is a pointer to in-kernel struct xdp_buff.
 *
 * This helper is similar to **bpf_perf_eventoutput**() but
 * restricted to raw_tracepoint bpf programs.
 *
 * Returns
 * 0 on success, or a negative error in case of failure.
 */

```



```
static long (* const bpf_xdp_output)(void *ctx, void *map, __u64 flags, void *data, __u64 size) = (void *) 121;
```

```
/*
```

```
* bpf_get_netns_cookie
```

```
*
```

```
* Retrieve the cookie (generated by the kernel) of the network  
* namespace the input *ctx* is associated with. The network  
* namespace cookie remains stable for its lifetime and provides  
* a global identifier that can be assumed unique. If *ctx* is  
* NULL, then the helper returns the cookie  
for the initial  
* network namespace. The cookie itself is very similar to that  
* of bpf_get_socket_cookie() helper, but for network  
* namespaces instead of sockets.
```

```
*
```

```
* Returns
```

```
* A 8-byte long opaque number.
```

```
*/
```

```
static __u64 (* const bpf_get_netns_cookie)(void *ctx) = (void *) 122;
```

```
/*
```

```
* bpf_get_current_ancestor_cgroup_id
```

```
*
```

```
* Return id of cgroup v2 that is ancestor of the cgroup associated  
* with the current task at the *ancestor_level*. The root cgroup  
* is at *ancestor_level* zero and each step down the hierarchy  
* increments the level. If *ancestor_level* == level of cgroup  
* associated with the current task, then return value will be the  
* same as that of bpf_get_current_cgroup_id().
```

```
*
```

```
* The helper is useful to implement policies based on cgroups  
* that are upper in hierarchy than immediate cgroup associated  
* with the current task.
```

```
*
```

```
* The format of returned id and helper limitations are same as in
```

```
* bpf_get_current_cgroup_id
```

```
().
```

```
*
```

```
* Returns
```

```
* The id is returned or 0 in case the id could not be retrieved.
```

```
*/
```

```
static __u64 (* const bpf_get_current_ancestor_cgroup_id)(int ancestor_level) = (void *) 123;
```

```
/*
```

```
* bpf_sk_assign
```

```
*
```

```
* Helper is overloaded depending on BPF program type. This  
* description applies to BPF_PROG_TYPE_SCHED_CLS and
```

```

* **BPF_PROG_TYPE_SCHED_ACT** programs.
*
* Assign the *sk* to the *skb*. When combined with appropriate
* routing configuration to receive the packet towards the socket,
* will cause *skb* to be delivered to the specified socket.
* Subsequent redirection of *skb* via **bpf_redirect**\ (),
* **bpf_clone_redirect**\ () or other methods outside of BPF may
* interfere with successful delivery to the socket.
*
* This operation is only valid from TC ingress path.
*
* The *flags* argument must be zero.
*
* Returns
* 0 on success, or a negative error in case of failure:
*
* **EINVAL** if specified *flags* are not supported.
*
* **ENOENT**
if the socket is unavailable for assignment.
*
* **ENETUNREACH** if the socket is unreachable (wrong netns).
*
* **EOPNOTSUPP** if the operation is not supported, for example
* a call from outside of TC ingress.
*/
static long (* const bpf_sk_assign)(void *ctx, void *sk, __u64 flags) = (void *) 124;

/*
* bpf_ktime_get_boot_ns
*
* Return the time elapsed since system boot, in nanoseconds.
* Does include the time the system was suspended.
* See: **clock_gettime**\ (**CLOCK_BOOTTIME**)
*
* Returns
* Current *ktime*.
*/
static __u64 (* const bpf_ktime_get_boot_ns)(void) = (void *) 125;

/*
* bpf_seq_printf
*
* **bpf_seq_printf**\ () uses seq_file **seq_printf**\ () to print
* out the format string.
* The *m* represents the seq_file. The *fmt* and *fmt_size* are for
* the format string itself. The *data* and *data_len* are format string
* arguments. The *data* are a **u64** array and corresponding format string

```

- * values are stored in the array. For strings and pointers where pointees
- * are accessed, only the pointer values are stored in the `*data*` array.
- * The `*data_len*` is the size of `*data*` in bytes - must be a multiple of 8.
- *
- * Formats `**%s**`, `**%p{i,I}{4,6}**` requires to read kernel memory.
- * Reading kernel memory may fail due to either invalid address or
- * valid address but requiring a major memory fault. If reading kernel memory
- * fails, the string for `**%s**` will be an empty string, and the ip
- * address for `**%p{i,I}{4,6}**` will be 0. Not returning error to
- * bpf program is consistent with what `**bpf_trace_printk**\()` does for now.
- *
- * Returns
- * 0 on success, or a negative error in case of failure:
- *
- * `**EBUSY**` if per-CPU memory copy buffer is busy, can try again
- * by returning 1 from bpf program.
- *
- * `**EINVAL**` if arguments are invalid, or if `*fmt*` is invalid/unsupported.
- *
- * `**E2BIG**` if `*fmt*` contains too many format specifiers.
- *
- * `**EOVERFLOW**` if an overflow happened: The same object will be tried again.
- */

```
static long (* const bpf_seq_printf)(struct seq_file *m, const char *fmt, __u32 fmt_size, const void *data, __u32 data_len) = (void *) 126;
```

/*

- * bpf_seq_write
- *
- * `**bpf_seq_write**\()` uses `seq_file **seq_write**\()` to write the data.
- * The `*m*` represents the `seq_file`. The `*data*` and `*len*` represent the
- * data to write in bytes.
- *
- * Returns
- * 0 on success, or a negative error in case of failure:
- *
- * `**EOVERFLOW**` if an overflow happened: The same object will be tried again.
- */

```
static long (* const bpf_seq_write)(struct seq_file *m, const void *data, __u32 len) = (void *) 127;
```

/*

- * bpf_sk_cgroup_id
- *
- * Return the cgroup v2 id of the socket `*sk*`.
- *
- * `*sk*` must be a non-`**NULL**` pointer to a socket, e.g. one

```

* returned from bpf_sk_lookup_xxx() ,
* bpf_sk_fullsock() , etc. The format of returned id is
* same as in bpf_skb_cgroup_id() .
*
* This helper is available only if the kernel was compiled with
* the
* CONFIG_SOCK_CGROUP_DATA configuration option.
*
* Returns
* The id is returned or 0 in case the id could not be retrieved.
*/
static __u64 (* const bpf_sk_cgroup_id)(void *sk) = (void *) 128;

/*
* bpf_sk_ancestor_cgroup_id
*
* Return id of cgroup v2 that is ancestor of cgroup associated
* with the *sk* at the *ancestor_level*. The root cgroup is at
* *ancestor_level* zero and each step down the hierarchy
* increments the level. If *ancestor_level* == level of cgroup
* associated with *sk*, then return value will be same as that
* of bpf_sk_cgroup_id() .
*
* The helper is useful to implement policies based on cgroups
* that are upper in hierarchy than immediate cgroup associated
* with *sk*.
*
* The format of returned id and helper limitations are same as in
* bpf_sk_cgroup_id() .
*
* Returns
* The id is returned or 0 in case the id could not be retrieved.
*/
static __u64 (* const bpf_sk_ancestor_cgroup_id)(void *sk, int ancestor_level)
= (void *) 129;

/*
* bpf_ringbuf_output
*
* Copy *size* bytes from *data* into a ring buffer *ringbuf*.
* If BPF_RB_NO_WAKEUP is specified in *flags*, no notification
* of new data availability is sent.
* If BPF_RB_FORCE_WAKEUP is specified in *flags*, notification
* of new data availability is sent unconditionally.
* If 0 is specified in *flags*, an adaptive notification
* of new data availability is sent.
*
* An adaptive notification is a notification sent whenever the user-space

```

```

* process has caught up and consumed all available payloads. In case the user-space
* process is still processing a previous payload, then no notification is needed
* as it will process the newly added payload automatically.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_ringbuf_output)(void *ringbuf, void *data, __u64 size, __u64 flags) = (void *) 130;

/*
* bpf_ringbuf_reserve
*
* Reserve *size* bytes of payload
in a ring buffer *ringbuf*.
* *flags* must be 0.
*
* Returns
* Valid pointer with *size* bytes of memory available; NULL,
* otherwise.
*/
static void (* const bpf_ringbuf_reserve)(void *ringbuf, __u64 size, __u64 flags) = (void *) 131;

/*
* bpf_ringbuf_submit
*
* Submit reserved ring buffer sample, pointed to by *data*.
* If **BPF_RB_NO_WAKEUP** is specified in *flags*, no notification
* of new data availability is sent.
* If **BPF_RB_FORCE_WAKEUP** is specified in *flags*, notification
* of new data availability is sent unconditionally.
* If **0** is specified in *flags*, an adaptive notification
* of new data availability is sent.
*
* See 'bpf_ringbuf_output()' for the definition of adaptive notification.
*
* Returns
* Nothing. Always succeeds.
*/
static void (* const bpf_ringbuf_submit)(void *data, __u64 flags) = (void *) 132;

/*
* bpf_ringbuf_discard
*
* Discard reserved ring buffer sample, pointed to by *data*.
* If **BPF_RB_NO_WAKEUP**
is specified in *flags*, no notification
* of new data availability is sent.
* If **BPF_RB_FORCE_WAKEUP** is specified in *flags*, notification

```

```

* of new data availability is sent unconditionally.
* If **0** is specified in *flags*, an adaptive notification
* of new data availability is sent.
*
* See 'bpf_ringbuf_output()' for the definition of adaptive notification.
*
* Returns
* Nothing. Always succeeds.
*/
static void (* const bpf_ringbuf_discard)(void *data, __u64 flags) = (void *) 133;

/*
* bpf_ringbuf_query
*
* Query various characteristics of provided ring buffer. What
* exactly is queried is determined by *flags*:
*
* * **BPF_RB_AVAIL_DATA**: Amount of data not yet consumed.
* * **BPF_RB_RING_SIZE**: The size of ring buffer.
* * **BPF_RB_CONS_POS**: Consumer position (can wrap around).
* * **BPF_RB_PROD_POS**: Producer(s) position (can wrap around).
*
* Data returned is just a momentary snapshot of actual values
* and could be inaccurate,
* so this facility should be used to
* power heuristics and for reporting, not to make 100% correct
* calculation.
*
* Returns
* Requested value, or 0, if *flags* are not recognized.
*/
static __u64 (* const bpf_ringbuf_query)(void *ringbuf, __u64 flags) = (void *) 134;

/*
* bpf_csum_level
*
* Change the skbs checksum level by one layer up or down, or
* reset it entirely to none in order to have the stack perform
* checksum validation. The level is applicable to the following
* protocols: TCP, UDP, GRE, SCTP, FCOE. For example, a decap of
* | ETH | IP | UDP | GUE | IP | TCP | into | ETH | IP | TCP |
* through **bpf_skb_adjust_room**() helper with passing in
* **BPF_F_ADJ_ROOM_NO_CSUM_RESET** flag would require one call
* to **bpf_csum_level**() with **BPF_CSUM_LEVEL_DEC** since
* the UDP header is removed. Similarly, an encap of the latter
* into the former could be accompanied by a helper call to
* **bpf_csum_level**() with **BPF_CSUM_LEVEL_INC**

```

```

if the
* skb is still intended to be processed in higher layers of the
* stack instead of just egressing at tc.
*
* There are three supported level settings at this time:
*
* * **BPF_CSUM_LEVEL_INC***: Increases skb->csum_level for skbs
*   with CHECKSUM_UNNECESSARY.
* * **BPF_CSUM_LEVEL_DEC***: Decreases skb->csum_level for skbs
*   with CHECKSUM_UNNECESSARY.
* * **BPF_CSUM_LEVEL_RESET***: Resets skb->csum_level to 0 and
*   sets CHECKSUM_NONE to force checksum validation by the stack.
* * **BPF_CSUM_LEVEL_QUERY***: No-op, returns the current
*   skb->csum_level.
*
* Returns
* 0 on success, or a negative error in case of failure. In the
* case of **BPF_CSUM_LEVEL_QUERY**, the current skb->csum_level
* is returned or the error code -EACCES in case the skb is not
* subject to CHECKSUM_UNNECESSARY.
*/
static long (* const bpf_csum_level)(struct __sk_buff *skb, __u64 level) = (void *) 135;

/*
* bpf_skc_to_tcp6_sock
*
* Dynamically cast a *sk* pointer to
* a *tcp6_sock* pointer.
*
* Returns
* *sk* if casting is valid, or **NULL** otherwise.
*/
static struct tcp6_sock *(* const bpf_skc_to_tcp6_sock)(void *sk) = (void *) 136;

/*
* bpf_skc_to_tcp_sock
*
* Dynamically cast a *sk* pointer to a *tcp_sock* pointer.
*
* Returns
* *sk* if casting is valid, or **NULL** otherwise.
*/
static struct tcp_sock *(* const bpf_skc_to_tcp_sock)(void *sk) = (void *) 137;

/*
* bpf_skc_to_tcp_timewait_sock
*
* Dynamically cast a *sk* pointer to a *tcp_timewait_sock* pointer.

```

```

*
* Returns
* *sk* if casting is valid, or **NULL** otherwise.
*/
static struct tcp_timewait_sock *(* const bpf_skc_to_tcp_timewait_sock)(void *sk) = (void *) 138;

/*
* bpf_skc_to_tcp_request_sock
*
* Dynamically cast a *sk* pointer to a *tcp_request_sock* pointer.
*
* Returns
* *sk* if casting is valid, or **NULL** otherwise.
*/
static struct tcp_request_sock *(* const bpf_skc_to_tcp_request_sock)(void *sk) = (void *) 139;

/*
* bpf_skc_to_udp6_sock
*
* Dynamically cast a *sk* pointer to a *udp6_sock* pointer.
*
* Returns
* *sk* if casting is valid, or **NULL** otherwise.
*/
static struct udp6_sock *(* const bpf_skc_to_udp6_sock)(void *sk) = (void *) 140;

/*
* bpf_get_task_stack
*
* Return a user or a kernel stack in bpf program provided buffer.
* Note: the user stack will only be populated if the *task* is
* the current task; all other tasks will return -EOPNOTSUPP.
* To achieve this, the helper needs *task*, which is a valid
* pointer to **struct task_struct**. To store the stacktrace, the
* bpf program provides *buf* with a nonnegative *size*.
*
* The last argument, *flags*, holds the number of stack frames to
* skip (from 0 to 255), masked with
* **BPF_F_SKIP_FIELD_MASK**. The next bits can be used to set
* the following flags:
*
* **BPF_F_USER_STACK**
* Collect a user space stack instead of a kernel stack.
* The *task* must be the current task.
* **BPF_F_USER_BUILD_ID**
* Collect
* buildid+offset instead of ips for user stack,
* only valid if **BPF_F_USER_STACK** is also specified.

```



```

*
* **bpf_get_task_stack**\ () can collect up to
* **PERF_MAX_STACK_DEPTH** both kernel and user frames, subject
* to sufficient large buffer size. Note that
* this limit can be controlled with the **sysctl** program, and
* that it should be manually increased in order to profile long
* user stacks (such as stacks for Java programs). To do so, use:
*
* ::
*
* # sysctl kernel.perf_event_max_stack=<new value>
*
* Returns
* The non-negative copied *buf* length equal to or less than
* *size* on success, or a negative error in case of failure.
*/
static long (* const bpf_get_task_stack)(struct task_struct *task, void *buf, __u32 size, __u64 flags) = (void *) 141;

/*
* bpf_load_hdr_opt
*
* Load header option. Support reading a particular TCP header
* option for bpf program (**BPF_PROG_TYPE_SOCKET_OPS**).
*
* If *flags* is 0, it will search the option from
the
* *skops* \ ***->skb_data**. The comment in **struct bpf_sock_ops**
* has details on what skb_data contains under different
* *skops* \ ***->op**.
*
* The first byte of the *searchby_res* specifies the
* kind that it wants to search.
*
* If the searching kind is an experimental kind
* (i.e. 253 or 254 according to RFC6994). It also
* needs to specify the "magic" which is either
* 2 bytes or 4 bytes. It then also needs to
* specify the size of the magic by using
* the 2nd byte which is "kind-length" of a TCP
* header option and the "kind-length" also
* includes the first 2 bytes "kind" and "kind-length"
* itself as a normal TCP header option also does.
*
* For example, to search experimental kind 254 with
* 2 byte magic 0xB9F, the searchby_res should be
* [ 254, 4, 0xB9, 0xF, 0, 0, .... 0 ].
*
* To search for the standard window scale option (3),

```

- * the `*searchby_res*` should be [3, 0, 0, ... 0].
- * Note, kind-length must be 0 for regular option.
- *
- * Searching for No-Op (0) and End-of-Option-List (1) are not supported.
- *
- * `*len*` must be at least 2 bytes which is the minimal size of a header option.
- *
- * Supported flags:
- *
- * `***BPF_LOAD_HDR_OPT_TCP_SYN**` to search from the saved_syn packet or the just-received syn packet.
- *
- *
- * Returns
- * > 0 when found, the header option is copied to `*searchby_res*`.
- * The return value is the total length copied. On failure, a negative error code is returned:
- *
- * `**-EINVAL**` if a parameter is invalid.
- *
- * `**-ENOMSG**` if the option is not found.
- *
- * `**-ENOENT**` if no syn packet is available when `***BPF_LOAD_HDR_OPT_TCP_SYN**` is used.
- *
- * `**-ENOSPC**` if there is not enough space. Only `*len*` number of bytes are copied.
- *
- * `**-EFAULT**` on failure to parse the header options in the packet.
- *
- * `**-EPERM**` if the helper cannot be used under the current `*skops*\ **->op**`.
- */

```
static long (* const bpf_load_hdr_opt)(struct bpf_sock_ops
*skops, void *searchby_res, __u32 len, __u64 flags) = (void *) 142;
```

- /*
- * bpf_store_hdr_opt
- *
- * Store header option. The data will be copied
- * from buffer `*from*` with length `*len*` to the TCP header.
- *
- * The buffer `*from*` should have the whole option that
- * includes the kind, kind-length, and the actual

```

* option data. The *len* must be at least kind-length
* long. The kind-length does not have to be 4 byte
* aligned. The kernel will take care of the padding
* and setting the 4 bytes aligned value to th->doff.
*
* This helper will check for duplicated option
* by searching the same option in the outgoing skb.
*
* This helper can only be called during
* **BPF_SOCKET_OPS_WRITE_HDR_OPT_CB**.
*
*
* Returns
* 0 on success, or negative error in case of failure:
*
* **EINVAL** If param is invalid.
*
* **ENOSPC** if there is not enough space in the header.
* Nothing has been written
*
* **EEXIST** if the option already exists.
*
* **EFAULT**
on failure to parse the existing header options.
*
* **EPERM** if the helper cannot be used under the current
* *skops* \ **->op**.
*/
static long (* const bpf_store_hdr_opt)(struct bpf_socket_ops *skops, const void *from, __u32 len, __u64 flags) =
(void *) 143;

/*
* bpf_reserve_hdr_opt
*
* Reserve *len* bytes for the bpf header option. The
* space will be used by **bpf_store_hdr_opt**\ () later in
* **BPF_SOCKET_OPS_WRITE_HDR_OPT_CB**.
*
* If **bpf_reserve_hdr_opt**\ () is called multiple times,
* the total number of bytes will be reserved.
*
* This helper can only be called during
* **BPF_SOCKET_OPS_HDR_OPT_LEN_CB**.
*
*
* Returns
* 0 on success, or negative error in case of failure:
*

```

```

* **EINVAL** if a parameter is invalid.
*
* **-ENOSPC** if there is not enough space in the header.
*
* **-EPERM** if the helper cannot be used under the current
* *skops*\ **->op**.
*/
static long (* const bpf_reserve_hdr_opt)(struct bpf_sock_ops *skops,
__u32 len, __u64 flags) = (void *) 144;

/*
* bpf_inode_storage_get
*
* Get a bpf_local_storage from an *inode*.
*
* Logically, it could be thought of as getting the value from
* a *map* with *inode* as the **key**. From this
* perspective, the usage is not much different from
* **bpf_map_lookup_elem**(*map*, **&*\ *inode*) except this
* helper enforces the key must be an inode and the map must also
* be a **BPF_MAP_TYPE_INODE_STORAGE**.
*
* Underneath, the value is stored locally at *inode* instead of
* the *map*. The *map* is used as the bpf-local-storage
* "type". The bpf-local-storage "type" (i.e. the *map*) is
* searched against all bpf_local_storage residing at *inode*.
*
* An optional *flags* (**BPF_LOCAL_STORAGE_GET_F_CREATE**) can be
* used such that a new bpf_local_storage will be
* created if one does not exist. *value* can be used
* together with **BPF_LOCAL_STORAGE_GET_F_CREATE** to specify
* the initial value of a bpf_local_storage.
* If *value* is
* **NULL**, the new bpf_local_storage will be zero initialized.
*
* Returns
* A bpf_local_storage pointer is returned on success.
*
* **NULL** if not found or there was an error in adding
* a new bpf_local_storage.
*/
static void (* const bpf_inode_storage_get)(void *map, void *inode, void *value, __u64 flags) = (void *) 145;

/*
* bpf_inode_storage_delete
*
* Delete a bpf_local_storage from an *inode*.
*

```

```

* Returns
* 0 on success.
*
* ** -ENOENT** if the bpf_local_storage cannot be found.
*/
static int (* const bpf_inode_storage_delete)(void *map, void *inode) = (void *) 146;

/*
* bpf_d_path
*
* Return full path for given **struct path** object, which
* needs to be the kernel BTF *path* object. The path is
* returned in the provided buffer *buf* of size *sz* and
* is zero terminated.
*
*
* Returns
* On success, the strictly positive length of the string,
* including the trailing NUL character. On error, a negative
* value.
*/
static long (* const bpf_d_path)(struct path *path, char *buf, __u32 sz) = (void *) 147;

/*
* bpf_copy_from_user
*
* Read *size* bytes from user space address *user_ptr* and store
* the data in *dst*. This is a wrapper of **copy_from_user**\ ().
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_copy_from_user)(void *dst, __u32 size, const void *user_ptr) = (void *) 148;

/*
* bpf_snprintf_btf
*
* Use BTF to store a string representation of *ptr*->ptr in *str*,
* using *ptr*->type_id. This value should specify the type
* that *ptr*->ptr points to. LLVM __builtin_btf_type_id(type, 1)
* can be used to look up vmlinux BTF type ids. Traversing the
* data structure using BTF, the type information and values are
* stored in the first *str_size* - 1 bytes of *str*. Safe copy of
* the pointer data is carried out to avoid kernel crashes during
* operation. Smaller types can use string space on the stack;
* larger
programs can use map data to store the string
* representation.

```

```

*
* The string can be subsequently shared with userspace via
* bpf_perf_event_output() or ring buffer interfaces.
* bpf_trace_printk() is to be avoided as it places too small
* a limit on string size to be useful.
*
* *flags* is a combination of
*
* **BTF_F_COMPACT**
* no formatting around type information
* **BTF_F_NONAME**
* no struct/union member names/types
* **BTF_F_PTR_RAW**
* show raw (unobfuscated) pointer values;
* equivalent to printk specifier %px.
* **BTF_F_ZERO**
* show zero-valued struct/union members; they
* are not displayed by default
*
*
* Returns
* The number of bytes that were written (or would have been
* written if output had to be truncated due to string size),
* or a negative error in cases of failure.
*/
static long (* const bpf_snprintf_btf)(char *str, __u32 str_size, struct btf_ptr *ptr, __u32 btf_ptr_size, __u64 flags) =
(void *) 149;

/*
* bpf_seq_printf_btf
*
* Use BTF to write to seq_write a string representation of
* *ptr*->ptr, using *ptr*->type_id as per bpf_snprintf_btf().
* *flags* are identical to those used for bpf_snprintf_btf.
*
* Returns
* 0 on success or a negative error in case of failure.
*/
static long (* const bpf_seq_printf_btf)(struct seq_file *m, struct btf_ptr *ptr, __u32 ptr_size, __u64 flags) = (void
*) 150;

/*
* bpf_skb_cgroup_classid
*
* See **bpf_get_cgroup_classid**\ () for the main description.
* This helper differs from **bpf_get_cgroup_classid**\ () in that
* the cgroup v1 net_cls class is retrieved only from the *skb*'s
* associated socket instead of the current process.

```

```

*
* Returns
* The id is returned or 0 in case the id could not be retrieved.
*/
static __u64 (* const bpf_skb_cgroup_classid)(struct __sk_buff *skb) = (void *) 151;

/*
* bpf_redirect_neigh
*
* Redirect the packet to another net device of index *ifindex*
* and fill in L2 addresses from neighboring
subsystem. This helper
* is somewhat similar to **bpf_redirect**\ (), except that it
* populates L2 addresses as well, meaning, internally, the helper
* relies on the neighbor lookup for the L2 address of the nexthop.
*
* The helper will perform a FIB lookup based on the skb's
* networking header to get the address of the next hop, unless
* this is supplied by the caller in the *params* argument. The
* *plen* argument indicates the len of *params* and should be set
* to 0 if *params* is NULL.
*
* The *flags* argument is reserved and must be 0. The helper is
* currently only supported for tc BPF program types, and enabled
* for IPv4 and IPv6 protocols.
*
* Returns
* The helper returns **TC_ACT_REDIRECT** on success or
* **TC_ACT_SHOT** on error.
*/
static long (* const bpf_redirect_neigh)(__u32 ifindex, struct bpf_redir_neigh *params, int plen, __u64 flags) =
(void *) 152;

/*
* bpf_per_cpu_ptr
*
* Take a pointer to a percpu ksym, *percpu_ptr*,
and return a
* pointer to the percpu kernel variable on *cpu*. A ksym is an
* extern variable decorated with '__ksym'. For ksym, there is a
* global var (either static or global) defined of the same name
* in the kernel. The ksym is percpu if the global var is percpu.
* The returned pointer points to the global percpu var on *cpu*.
*
* bpf_per_cpu_ptr() has the same semantic as per_cpu_ptr() in the
* kernel, except that bpf_per_cpu_ptr() may return NULL. This
* happens if *cpu* is larger than nr_cpu_ids. The caller of
* bpf_per_cpu_ptr() must check the returned value.

```

```

*
* Returns
* A pointer pointing to the kernel percpu variable on *cpu*, or
* NULL, if *cpu* is invalid.
*/
static void *(* const bpf_per_cpu_ptr)(const void *percpu_ptr, __u32 cpu) = (void *) 153;

/*
* bpf_this_cpu_ptr
*
* Take a pointer to a percpu ksym, *percpu_ptr*, and return a
* pointer to the percpu kernel variable on this cpu. See the
* description of 'ksym' in **bpf_per_cpu_ptr**\
().
*
* bpf_this_cpu_ptr() has the same semantic as this_cpu_ptr() in
* the kernel. Different from **bpf_per_cpu_ptr**\ (), it would
* never return NULL.
*
* Returns
* A pointer pointing to the kernel percpu variable on this cpu.
*/
static void *(* const bpf_this_cpu_ptr)(const void *percpu_ptr) = (void *) 154;

/*
* bpf_redirect_peer
*
* Redirect the packet to another net device of index *ifindex*.
* This helper is somewhat similar to **bpf_redirect**\ (), except
* that the redirection happens to the *ifindex* peer device and
* the netns switch takes place from ingress to ingress without
* going through the CPU's backlog queue.
*
* The *flags* argument is reserved and must be 0. The helper is
* currently only supported for tc BPF program types at the
* ingress hook and for veth and netkit target device types. The
* peer device must reside in a different network namespace.
*
* Returns
* The helper returns **TC_ACT_REDIRECT** on success or
*
* **TC_ACT_SHOT** on error.
*/
static long (* const bpf_redirect_peer)(__u32 ifindex, __u64 flags) = (void *) 155;

/*
* bpf_task_storage_get
*

```



```

* Get a bpf_local_storage from the *task*.
*
* Logically, it could be thought of as getting the value from
* a *map* with *task* as the **key**. From this
* perspective, the usage is not much different from
* **bpf_map_lookup_elem**(*map*, **&*task*) except this
* helper enforces the key must be a task_struct and the map must also
* be a **BPF_MAP_TYPE_TASK_STORAGE**.
*
* Underneath, the value is stored locally at *task* instead of
* the *map*. The *map* is used as the bpf-local-storage
* "type". The bpf-local-storage "type" (i.e. the *map*) is
* searched against all bpf_local_storage residing at *task*.
*
* An optional *flags* (**BPF_LOCAL_STORAGE_GET_F_CREATE**) can be
* used such that a new bpf_local_storage will be
* created if one does not exist. *value* can be used
* together with **BPF_LOCAL_STORAGE_GET_F_CREATE**
* to specify
* the initial value of a bpf_local_storage. If *value* is
* **NULL**, the new bpf_local_storage will be zero initialized.
*
* Returns
* A bpf_local_storage pointer is returned on success.
*
* **NULL** if not found or there was an error in adding
* a new bpf_local_storage.
*/
static void (* const bpf_task_storage_get)(void *map, struct task_struct *task, void *value, __u64 flags) = (void *)
156;

/*
* bpf_task_storage_delete
*
* Delete a bpf_local_storage from a *task*.
*
* Returns
* 0 on success.
*
* **ENOENT** if the bpf_local_storage cannot be found.
*/
static long (* const bpf_task_storage_delete)(void *map, struct task_struct *task) = (void *) 157;

/*
* bpf_get_current_task_btf
*
* Return a BTF pointer to the "current" task.
* This pointer can also be used in helpers that accept an

```

```

* *ARG_PTR_TO_BTf_ID* of type *task_struct*.
*
* Returns
* Pointer to the current task.
*/
static struct task_struct *(* const
bpf_get_current_task_btf)(void) = (void *) 158;

/*
* bpf_bprm_opts_set
*
* Set or clear certain options on *bprm*:
*
* **BPF_F_BPRM_SECUREEXEC** Set the secureexec bit
* which sets the **AT_SECURE** auxv for glibc. The bit
* is cleared if the flag is not specified.
*
* Returns
* **-EINVAL** if invalid *flags* are passed, zero otherwise.
*/
static long (* const bpf_bprm_opts_set)(struct linux_binprm *bprm, __u64 flags) = (void *) 159;

/*
* bpf_ktime_get_coarse_ns
*
* Return a coarse-grained version of the time elapsed since
* system boot, in nanoseconds. Does not include time the system
* was suspended.
*
* See: **clock_gettime**\ (**CLOCK_MONOTONIC_COARSE**)
*
* Returns
* Current *ktime*.
*/
static __u64 (* const bpf_ktime_get_coarse_ns)(void) = (void *) 160;

/*
* bpf_ima_inode_hash
*
* Returns the stored IMA hash of the *inode* (if it's available).
* If the hash is larger than *size*, then only *size*
* bytes will be copied to *dst*
*
* Returns
* The **hash_algo** is returned on success,
* **-EOPNOTSUPP** if IMA is disabled or **-EINVAL** if
* invalid arguments are passed.
*/

```

```
static long (* const bpf_ima_inode_hash)(struct inode *inode, void *dst, __u32 size) = (void *) 161;
```

```
/*
```

```
* bpf_sock_from_file
```

```
*
```

```
* If the given file represents a socket, returns the associated
```

```
* socket.
```

```
*
```

```
* Returns
```

```
* A pointer to a struct socket on success or NULL if the file is
```

```
* not a socket.
```

```
*/
```

```
static struct socket *(* const bpf_sock_from_file)(struct file *file) = (void *) 162;
```

```
/*
```

```
* bpf_check_mtu
```

```
*
```

```
* Check packet size against exceeding MTU of net device (based
```

```
* on *ifindex*). This helper will likely be used in combination
```

```
* with helpers that adjust/change the packet size.
```

```
*
```

```
* The argument *len_diff* can be used for querying with a planned
```

```
* size change. This allows to check MTU prior to changing packet
```

```
* ctx. Providing a *len_diff* adjustment that is larger than the
```

```
* actual packet size (resulting in negative
```

```
packet size) will in
```

```
* principle not exceed the MTU, which is why it is not considered
```

```
* a failure. Other BPF helpers are needed for performing the
```

```
* planned size change; therefore the responsibility for catching
```

```
* a negative packet size belongs in those helpers.
```

```
*
```

```
* Specifying *ifindex* zero means the MTU check is performed
```

```
* against the current net device. This is practical if this isn't
```

```
* used prior to redirect.
```

```
*
```

```
* On input *mtu_len* must be a valid pointer, else verifier will
```

```
* reject BPF program. If the value *mtu_len* is initialized to
```

```
* zero then the ctx packet size is use. When value *mtu_len* is
```

```
* provided as input this specify the L3 length that the MTU check
```

```
* is done against. Remember XDP and TC length operate at L2, but
```

```
* this value is L3 as this correlate to MTU and IP-header tot_len
```

```
* values which are L3 (similar behavior as bpf_fib_lookup).
```

```
*
```

```
* The Linux kernel route table can configure MTUs on a more
```

```
* specific per route level,
```

```
which is not provided by this helper.
```

```
* For route level MTU checks use the bpf_fib_lookup()
```

```
* helper.
```

```

*
* *ctx* is either **struct xdp_md** for XDP programs or
* **struct sk_buff** for tc cls_act programs.
*
* The *flags* argument can be a combination of one or more of the
* following values:
*
* **BPF_MTU_CHK_SEGS**
* This flag will only works for *ctx* **struct sk_buff**.
* If packet context contains extra packet segment buffers
* (often knows as GSO skb), then MTU check is harder to
* check at this point, because in transmit path it is
* possible for the skb packet to get re-segmented
* (depending on net device features). This could still be
* a MTU violation, so this flag enables performing MTU
* check against segments, with a different violation
* return code to tell it apart. Check cannot use len_diff.
*
* On return *mtu_len* pointer contains the MTU value of the net
* device. Remember the net device configured MTU is the
L3 size,
* which is returned here and XDP and TC length operate at L2.
* Helper take this into account for you, but remember when using
* MTU value in your BPF-code.
*
*
* Returns
* * 0 on success, and populate MTU value in *mtu_len* pointer.
*
* * < 0 if any input argument is invalid (*mtu_len* not updated)
*
* MTU violations return positive values, but also populate MTU
* value in *mtu_len* pointer, as this can be needed for
* implementing PMTU handing:
*
* **BPF_MTU_CHK_RET_FRAG_NEEDED**
* **BPF_MTU_CHK_RET_SEGS_TOOBIG**
*/
static long (* const bpf_check_mtu)(void *ctx, __u32 ifindex, __u32 *mtu_len, __s32 len_diff, __u64 flags) = (void
*) 163;

/*
* bpf_for_each_map_elem
*
* For each element in **map**, call **callback_fn** function with
* **map**, **callback_ctx** and other map-specific parameters.
* The **callback_fn** should be a static function and
* the **callback_ctx** should be a pointer to the stack.

```

```

* The flags is used to control
certain aspects of the helper.
* Currently, the flags must be 0.
*
* The following are a list of supported map types and their
* respective expected callback signatures:
*
* BPF_MAP_TYPE_HASH, BPF_MAP_TYPE_PERCPU_HASH,
* BPF_MAP_TYPE_LRU_HASH, BPF_MAP_TYPE_LRU_PERCPU_HASH,
* BPF_MAP_TYPE_ARRAY, BPF_MAP_TYPE_PERCPU_ARRAY
*
* long (*callback_fn)(struct bpf_map *map, const void *key, void *value, void *ctx);
*
* For per_cpu maps, the map_value is the value on the cpu where the
* bpf_prog is running.
*
* If callback_fn return 0, the helper will continue to the next
* element. If return value is 1, the helper will skip the rest of
* elements and return. Other return values are not used now.
*
*
* Returns
* The number of traversed map elements for success, -EINVAL for
* invalid flags.
*/
static long (* const bpf_for_each_map_elem)(void *map, void *callback_fn, void *callback_ctx, __u64 flags) =
(void *) 164;

/*
* bpf_snprintf
*
* Outputs a string into the str buffer of size str_size
* based on a format string stored in a read-only map pointed by
* fmt.
*
* Each format specifier in fmt corresponds to one u64 element
* in the data array. For strings and pointers where pointees
* are accessed, only the pointer values are stored in the data
* array. The data_len is the size of data in bytes - must be
* a multiple of 8.
*
* Formats %s and %p{i,I}{4,6} require to read kernel
* memory. Reading kernel memory may fail due to either invalid
* address or valid address but requiring a major memory fault. If
* reading kernel memory fails, the string for %s will be an
* empty string, and the ip address for %p{i,I}{4,6} will be 0.
* Not returning error to bpf program is consistent with what
* bpf_trace_printk() does for now.

```

```

*
*
* Returns
* The strictly positive length of the formatted string, including
* the trailing zero character. If
the return value is greater than
* **str_size**, **str** contains a truncated string, guaranteed to
* be zero-terminated except when **str_size** is 0.
*
* Or **EBUSY** if the per-CPU memory copy buffer is busy.
*/
static long (* const bpf_snprintf)(char *str, __u32 str_size, const char *fmt, __u64 *data, __u32 data_len) = (void *)
165;

/*
* bpf_sys_bpf
*
* Execute bpf syscall with given arguments.
*
* Returns
* A syscall result.
*/
static long (* const bpf_sys_bpf)(__u32 cmd, void *attr, __u32 attr_size) = (void *) 166;

/*
* bpf_btf_find_by_name_kind
*
* Find BTF type with given name and kind in vmlinux BTF or in module's BTFs.
*
* Returns
* Returns btf_id and btf_obj_fd in lower and upper 32 bits.
*/
static long (* const bpf_btf_find_by_name_kind)(char *name, int name_sz, __u32 kind, int flags) = (void *) 167;

/*
* bpf_sys_close
*
* Execute close syscall for given FD.
*
* Returns
* A syscall result.
*/
static long (* const bpf_sys_close)(__u32
fd) = (void *) 168;

/*
* bpf_timer_init
*

```

- * Initialize the timer.
- * First 4 bits of **flags** specify clockid.
- * Only CLOCK_MONOTONIC, CLOCK_REALTIME, CLOCK_BOOTTIME are allowed.
- * All other bits of **flags** are reserved.
- * The verifier will reject the program if **timer** is not from
- * the same **map**.
- *
- * Returns
- * 0 on success.
- * ****EBUSY**** if **timer** is already initialized.
- * ****EINVAL**** if invalid **flags** are passed.
- * ****EPERM**** if **timer** is in a map that doesn't have any user references.
- * The user space should either hold a file descriptor to a map with timers
- * or pin such map in bpffs. When map is unpinned or file descriptor is
- * closed all timers in the map will be cancelled and freed.
- */

```
static long (* const bpf_timer_init)(struct bpf_timer *timer, void *map, __u64 flags) = (void *) 169;
```

/*

- * bpf_timer_set_callback
- *
- * Configure the timer to call **callback_fn** static function.
- *
- * Returns
- * 0 on success.
- * ****EINVAL**** if **timer** was not
- initialized with *bpf_timer_init()* earlier.
- * ****EPERM**** if **timer** is in a map that doesn't have any user references.
- * The user space should either hold a file descriptor to a map with timers
- * or pin such map in bpffs. When map is unpinned or file descriptor is
- * closed all timers in the map will be cancelled and freed.
- */

```
static long (* const bpf_timer_set_callback)(struct bpf_timer *timer, void *callback_fn) = (void *) 170;
```

/*

- * bpf_timer_start
- *
- * Set timer expiration N nanoseconds from the current time. The
- * configured callback will be invoked in soft irq context on some cpu
- * and will not repeat unless another *bpf_timer_start()* is made.
- * In such case the next invocation can migrate to a different cpu.
- * Since struct *bpf_timer* is a field inside map element the map
- * owns the timer. The *bpf_timer_set_callback()* will increment refcnt
- * of BPF program to make sure that *callback_fn* code stays valid.
- * When user space reference to a map reaches zero all
- timers
- * in a map are cancelled and corresponding program's refcnts are
- * decremented. This is done to make sure that Ctrl-C of a user

- * process doesn't leave any timers running. If map is pinned in
- * bpf the callback_fn can re-arm itself indefinitely.
- * bpf_map_update/delete_elem() helpers and user space sys_bpf commands
- * cancel and free the timer in the given map element.
- * The map can contain timers that invoke callback_fn-s from different
- * programs. The same callback_fn can serve different timers from
- * different maps if key/value layout matches across maps.
- * Every bpf_timer_set_callback() can have different callback_fn.
- *
- * *flags* can be one of:
- *
- * **BPF_F_TIMER_ABS**
- * Start the timer in absolute expire value instead of the
- * default relative one.
- * **BPF_F_TIMER_CPU_PIN**
- * Timer will be pinned to the CPU of the caller.
- *
- *
- * Returns
- * 0 on success.
- * **-EINVAL** if *timer* was not initialized with bpf_timer_init() earlier
- * or
- invalid *flags* are passed.
- */

```
static long (* const bpf_timer_start)(struct bpf_timer *timer, __u64 nsecs, __u64 flags) = (void *) 171;
```

```
/*
```

- * bpf_timer_cancel
- *
- * Cancel the timer and wait for callback_fn to finish if it was running.
- *
- * Returns
- * 0 if the timer was not active.
- * 1 if the timer was active.
- * **-EINVAL** if *timer* was not initialized with bpf_timer_init() earlier.
- * **-EDEADLK** if callback_fn tried to call bpf_timer_cancel() on its
- * own timer which would have led to a deadlock otherwise.
- */

```
static long (* const bpf_timer_cancel)(struct bpf_timer *timer) = (void *) 172;
```

```
/*
```

- * bpf_get_func_ip
- *
- * Get address of the traced function (for tracing and kprobe programs).
- *
- * When called for kprobe program attached as uprobe it returns
- * probe address for both entry and return uprobe.
- *


```

*
* Returns
* Address of the traced function for kprobe.
* 0 for kprobes placed within the function (not at the entry).
* Address of the probe for uprobe
and return uprobe.
*/
static __u64 (* const bpf_get_func_ip)(void *ctx) = (void *) 173;

/*
* bpf_get_attach_cookie
*
* Get bpf_cookie value provided (optionally) during the program
attachment. It might be different for each individual
attachment, even if BPF program itself is the same.
* Expects BPF program context *ctx* as a first argument.
*
* Supported for the following program types:
* - kprobe/uprobe;
* - tracepoint;
* - perf_event.
*
* Returns
* Value specified by user at BPF link creation/attachment time
* or 0, if it was not specified.
*/
static __u64 (* const bpf_get_attach_cookie)(void *ctx) = (void *) 174;

/*
* bpf_task_pt_regs
*
* Get the struct pt_regs associated with **task**.
*
* Returns
* A pointer to struct pt_regs.
*/
static long (* const bpf_task_pt_regs)(struct task_struct *task) = (void *) 175;

/*
* bpf_get_branch_snapshot
*
* Get branch trace from hardware engines like Intel LBR. The
hardware engine is stopped
shortly after the helper is
called. Therefore, the user need to filter branch entries
based on the actual use case. To capture branch trace
before the trigger point of the BPF program, the helper
should be called at the beginning of the BPF program.

```

```

*
* The data is stored as struct perf_branch_entry into output
* buffer *entries*. *size* is the size of *entries* in bytes.
* *flags* is reserved for now and must be zero.
*
*
* Returns
* On success, number of bytes written to *buf*. On error, a
* negative value.
*
* ** -EINVAL ** if *flags* is not zero.
*
* ** -ENOENT ** if architecture does not support branch records.
*/
static long (* const bpf_get_branch_snapshot)(void *entries, __u32 size, __u64 flags) = (void *) 176;

/*
* bpf_trace_vprintk
*
* Behaves like **bpf_trace_printk**\ () helper, but takes an array of u64
* to format and can handle more format args as a result.
*
* Arguments are to be used as in **bpf_seq_printf**\ () helper.
*
*
Returns
* The number of bytes written to the buffer, or a negative error
* in case of failure.
*/
static long (* const bpf_trace_vprintk)(const char *fmt, __u32 fmt_size, const void *data, __u32 data_len) = (void *) 177;

/*
* bpf_skc_to_unix_sock
*
* Dynamically cast a *sk* pointer to a *unix_sock* pointer.
*
* Returns
* *sk* if casting is valid, or **NULL** otherwise.
*/
static struct unix_sock *(* const bpf_skc_to_unix_sock)(void *sk) = (void *) 178;

/*
* bpf_kallsyms_lookup_name
*
* Get the address of a kernel symbol, returned in *res*. *res* is
* set to 0 if the symbol is not found.
*

```

```

* Returns
* On success, zero. On error, a negative value.
*
* ** -EINVAL ** if *flags* is not zero.
*
* ** -EINVAL ** if string *name* is not the same size as *name_sz*.
*
* ** -ENOENT ** if symbol is not found.
*
* ** -EPERM ** if caller does not have permission to obtain kernel address.
*/
static long (* const bpf_kallsyms_lookup_name)(const char *name, int name_sz, int
flags, __u64 *res) = (void *) 179;

/*
* bpf_find_vma
*
* Find vma of *task* that contains *addr*, call *callback_fn*
* function with *task*, *vma*, and *callback_ctx*.
* The *callback_fn* should be a static function and
* the *callback_ctx* should be a pointer to the stack.
* The *flags* is used to control certain aspects of the helper.
* Currently, the *flags* must be 0.
*
* The expected callback signature is
*
* long (*callback_fn)(struct task_struct *task, struct vm_area_struct *vma, void *callback_ctx);
*
*
* Returns
* 0 on success.
* ** -ENOENT ** if *task->mm* is NULL, or no vma contains *addr*.
* ** -EBUSY ** if failed to try lock mmap_lock.
* ** -EINVAL ** for invalid **flags**.
*/
static long (* const bpf_find_vma)(struct task_struct *task, __u64 addr, void *callback_fn, void *callback_ctx,
__u64 flags) = (void *) 180;

/*
* bpf_loop
*
* For **nr_loops**, call **callback_fn** function
* with **callback_ctx** as the context parameter.
* The
**callback_fn** should be a static function and
* the **callback_ctx** should be a pointer to the stack.
* The **flags** is used to control certain aspects of the helper.
* Currently, the **flags** must be 0. Currently, nr_loops is

```

```

* limited to 1 << 23 (~8 million) loops.
*
* long (*callback_fn)(u32 index, void *ctx);
*
* where **index** is the current index in the loop. The index
* is zero-indexed.
*
* If **callback_fn** returns 0, the helper will continue to the next
* loop. If return value is 1, the helper will skip the rest of
* the loops and return. Other return values are not used now,
* and will be rejected by the verifier.
*
*
* Returns
* The number of loops performed, **-EINVAL** for invalid **flags**,
* **-E2BIG** if **nr_loops** exceeds the maximum number of loops.
*/
static long (* const bpf_loop)(__u32 nr_loops, void *callback_fn, void *callback_ctx, __u64 flags) = (void *) 181;

/*
* bpf_strncmp
*
* Do strncmp() between **s1** and
**s2**. **s1** doesn't need
* to be null-terminated and **s1_sz** is the maximum storage
* size of **s1**. **s2** must be a read-only string.
*
* Returns
* An integer less than, equal to, or greater than zero
* if the first **s1_sz** bytes of **s1** is found to be
* less than, to match, or be greater than **s2**.
*/
static long (* const bpf_strncmp)(const char *s1, __u32 s1_sz, const char *s2) = (void *) 182;

/*
* bpf_get_func_arg
*
* Get **n**-th argument register (zero based) of the traced function (for tracing programs)
* returned in **value**.
*
*
* Returns
* 0 on success.
* **-EINVAL** if n >= argument register count of traced function.
*/
static long (* const bpf_get_func_arg)(void *ctx, __u32 n, __u64 *value) = (void *) 183;

/*

```

```

* bpf_get_func_ret
*
* Get return value of the traced function (for tracing programs)
* in **value**.
*
* Returns
* 0 on success.
* **EOPNOTSUPP** for tracing programs other than BPF_TRACE_FEXIT or BPF_MODIFY_RETURN.
*/
static long (* const bpf_get_func_ret)(void *ctx, __u64 *value) = (void *) 184;

/*
* bpf_get_func_arg_cnt
*
* Get number of registers of the traced function (for tracing programs) where
* function arguments are stored in these registers.
*
* Returns
* The number of argument registers of the traced function.
*/
static long (* const bpf_get_func_arg_cnt)(void *ctx) = (void *) 185;

/*
* bpf_get_retval
*
* Get the BPF program's return value that will be returned to the upper layers.
*
* This helper is currently supported by cgroup programs and only by the hooks
* where BPF program's return value is returned to the userspace via errno.
*
* Returns
* The BPF program's return value.
*/
static int (* const bpf_get_retval)(void) = (void *) 186;

/*
* bpf_set_retval
*
* Set the BPF program's return value that will be returned to the upper layers.
*
* This helper is currently supported by cgroup programs and only by the hooks
* where BPF program's
return value is returned to the userspace via errno.
*
* Note that there is the following corner case where the program exports an error
* via bpf_set_retval but signals success via 'return 1':

```

```

*
* bpf_set_retval(-EPERM);
* return 1;
*
* In this case, the BPF program's return value will use helper's -EPERM. This
* still holds true for cgroup/bind{4,6} which supports extra 'return 3' success case.
*
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static int (* const bpf_set_retval)(int retval) = (void *) 187;

/*
* bpf_xdp_get_buff_len
*
* Get the total size of a given xdp buff (linear and paged area)
*
* Returns
* The total size of a given xdp buffer.
*/
static __u64 (* const bpf_xdp_get_buff_len)(struct xdp_md *xdp_md) = (void *) 188;

/*
* bpf_xdp_load_bytes
*
* This helper is provided as an easy way to load data from a
* xdp buffer. It can be used to load *len* bytes from *offset* from
* the frame associated to *xdp_md*,
* into the buffer pointed by
* *buf*.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_xdp_load_bytes)(struct xdp_md *xdp_md, __u32 offset, void *buf, __u32 len) = (void *)
189;

/*
* bpf_xdp_store_bytes
*
* Store *len* bytes from buffer *buf* into the frame
* associated to *xdp_md*, at *offset*.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_xdp_store_bytes)(struct xdp_md *xdp_md, __u32 offset, void *buf, __u32 len) = (void *)

```

190;

```
/*
 * bpf_copy_from_user_task
 *
 * Read *size* bytes from user space address *user_ptr* in *tsk*'s
 * address space, and stores the data in *dst*. *flags* is not
 * used yet and is provided for future extensibility. This helper
 * can only be used by sleepable programs.
 *
 * Returns
 * 0 on success, or a negative error in case of failure. On error
 * *dst* buffer is zeroed out.
 */
static long (* const bpf_copy_from_user_task)(void *dst,
__u32 size, const void *user_ptr, struct task_struct *tsk, __u64 flags) = (void *) 191;

/*
 * bpf_skb_set_timestamp
 *
 * Change the __sk_buff->timestamp_type to *timestamp_type*
 * and set *timestamp* to the __sk_buff->timestamp together.
 *
 * If there is no need to change the __sk_buff->timestamp_type,
 * the timestamp value can be directly written to __sk_buff->timestamp
 * instead.
 *
 * BPF_SKB_TIMESTAMP_DELIVERY_MONO is the only timestamp that
 * will be kept during bpf_redirect_*. A non zero
 * *timestamp* must be used with the BPF_SKB_TIMESTAMP_DELIVERY_MONO
 * *timestamp_type*.
 *
 * A BPF_SKB_TIMESTAMP_UNSPEC *timestamp_type* can only be used
 * with a zero *timestamp*.
 *
 * Only IPv4 and IPv6 skb->protocol are supported.
 *
 * This function is most useful when it needs to set a
 * mono delivery time to __sk_buff->timestamp and then
 * bpf_redirect_*( ) to the egress of an iface. For example,
 * changing the (rcv) timestamp in __sk_buff->timestamp at
 * ingress to a mono delivery time and then bpf_redirect_*( )
 * to sch_fq@phy-dev.
 *
 * Returns
 * 0 on success.
 * **EINVAL** for invalid input
 * **EOPNOTSUPP** for unsupported protocol

```

```

*/
static long (* const bpf_skb_set_timestamp)(struct __sk_buff *skb, __u64 timestamp, __u32 timestamp_type) = (void *) 192;

/*
 * bpf_ima_file_hash
 *
 * Returns a calculated IMA hash of the *file*.
 * If the hash is larger than *size*, then only *size*
 * bytes will be copied to *dst*
 *
 * Returns
 * The **hash_algo** is returned on success,
 * **-EOPNOTSUPP** if the hash calculation failed or **-EINVAL** if
 * invalid arguments are passed.
 */
static long (* const bpf_ima_file_hash)(struct file *file, void *dst, __u32 size) = (void *) 193;

/*
 * bpf_kptr_xchg
 *
 * Exchange kptr at pointer *map_value* with *ptr*, and return the
 * old value. *ptr* can be NULL, otherwise it must be a referenced
 * pointer which will be released when this helper is called.
 *
 * Returns
 * The old value of kptr (which can be NULL). The returned pointer
 * if
 * not NULL, is a reference which must be released using its
 * corresponding release function, or moved into a BPF map before
 * program exit.
 */
static void (* const bpf_kptr_xchg)(void *map_value, void *ptr) = (void *) 194;

/*
 * bpf_map_lookup_percpu_elem
 *
 * Perform a lookup in *percpu map* for an entry associated to
 * *key* on *cpu*.
 *
 * Returns
 * Map value associated to *key* on *cpu*, or **NULL** if no entry
 * was found or *cpu* is invalid.
 */
static void (* const bpf_map_lookup_percpu_elem)(void *map, const void *key, __u32 cpu) = (void *) 195;

/*
 * bpf_skc_to_mptcp_sock
 *

```



```

* Dynamically cast a *sk* pointer to a *mptcp_sock* pointer.
*
* Returns
* *sk* if casting is valid, or **NULL** otherwise.
*/
static struct mptcp_sock *(* const bpf_skc_to_mptcp_sock)(void *sk) = (void *) 196;

/*
* bpf_dynptr_from_mem
*
* Get a dynptr to local memory *data*.
*
* *data* must be a ptr to a map value.
* The maximum *size* supported is DYNPTR_MAX_SIZE.
* *flags*
is currently unused.
*
* Returns
* 0 on success, -E2BIG if the size exceeds DYNPTR_MAX_SIZE,
* -EINVAL if flags is not 0.
*/
static long (* const bpf_dynptr_from_mem)(void *data, __u32 size, __u64 flags, struct bpf_dynptr *ptr) = (void *)
197;

/*
* bpf_ringbuf_reserve_dynptr
*
* Reserve *size* bytes of payload in a ring buffer *ringbuf*
* through the dynptr interface. *flags* must be 0.
*
* Please note that a corresponding bpf_ringbuf_submit_dynptr or
* bpf_ringbuf_discard_dynptr must be called on *ptr*, even if the
* reservation fails. This is enforced by the verifier.
*
* Returns
* 0 on success, or a negative error in case of failure.
*/
static long (* const bpf_ringbuf_reserve_dynptr)(void *ringbuf, __u32 size, __u64 flags, struct bpf_dynptr *ptr) =
(void *) 198;

/*
* bpf_ringbuf_submit_dynptr
*
* Submit reserved ring buffer sample, pointed to by *data*,
* through the dynptr interface. This is a no-op if the dynptr is
* invalid/null.
*
*
*/

```

```

For more information on *flags*, please see
* 'bpf_ringbuf_submit'.
*
* Returns
* Nothing. Always succeeds.
*/
static void (* const bpf_ringbuf_submit_dynptr)(struct bpf_dynptr *ptr, __u64 flags) = (void *) 199;

/*
* bpf_ringbuf_discard_dynptr
*
* Discard reserved ring buffer sample through the dynptr
* interface. This is a no-op if the dynptr is invalid/null.
*
* For more information on *flags*, please see
* 'bpf_ringbuf_discard'.
*
* Returns
* Nothing. Always succeeds.
*/
static void (* const bpf_ringbuf_discard_dynptr)(struct bpf_dynptr *ptr, __u64 flags) = (void *) 200;

/*
* bpf_dynptr_read
*
* Read *len* bytes from *src* into *dst*, starting from *offset*
* into *src*.
* *flags* is currently unused.
*
* Returns
* 0 on success, -E2BIG if *offset* + *len* exceeds the length
* of *src*'s data, -EINVAL if *src* is an invalid dynptr or if
* *flags* is not 0.
*/
static long (* const bpf_dynptr_read)(void *dst, __u32 len, const struct bpf_dynptr
*src, __u32 offset, __u64 flags) = (void *) 201;

/*
* bpf_dynptr_write
*
* Write *len* bytes from *src* into *dst*, starting from *offset*
* into *dst*.
*
* *flags* must be 0 except for skb-type dynptrs.
*
* For skb-type dynptrs:
* * All data slices of the dynptr are automatically
* invalidated after **bpf_dynptr_write**\ (). This is

```

```

*     because writing may pull the skb and change the
*     underlying packet buffer.
*
*     * For *flags*, please see the flags accepted by
*     **bpf_skb_store_bytes**\ ().
*
* Returns
* 0 on success, -E2BIG if *offset* + *len* exceeds the length
* of *dst*'s data, -EINVAL if *dst* is an invalid dynptr or if *dst*
* is a read-only dynptr or if *flags* is not correct. For skb-type dynptrs,
* other errors correspond to errors returned by **bpf_skb_store_bytes**\ ().
*/
static long (* const bpf_dynptr_write)(const struct bpf_dynptr *dst, __u32 offset, void *src, __u32 len, __u64 flags)
= (void *)
202;

/*
* bpf_dynptr_data
*
* Get a pointer to the underlying dynptr data.
*
* *len* must be a statically known value. The returned data slice
* is invalidated whenever the dynptr is invalidated.
*
* skb and xdp type dynptrs may not use bpf_dynptr_data. They should
* instead use bpf_dynptr_slice and bpf_dynptr_slice_rdwr.
*
* Returns
* Pointer to the underlying dynptr data, NULL if the dynptr is
* read-only, if the dynptr is invalid, or if the offset and length
* is out of bounds.
*/
static void *(* const bpf_dynptr_data)(const struct bpf_dynptr *ptr, __u32 offset, __u32 len) = (void *) 203;

/*
* bpf_tcp_raw_gen_syncookie_ipv4
*
* Try to issue a SYN cookie for the packet with corresponding
* IPv4/TCP headers, *iph* and *th*, without depending on a
* listening socket.
*
* *iph* points to the IPv4 header.
*
* *th* points to the start of the TCP header, while *th_len*
* contains the length of the TCP header (at least
* **sizeof**\ (**struct tcphdr**)).
*
* Returns

```

```

* On success, lower 32 bits hold the generated SYN cookie in
* followed by 16 bits which hold the MSS value for that cookie,
* and the top 16 bits are unused.
*
* On failure, the returned value is one of the following:
*
* **EINVAL** if *th_len* is invalid.
*/
static __s64 (* const bpf_tcp_raw_gen_syncookie_ipv4)(struct iphdr *iph, struct tcphdr *th, __u32 th_len) = (void *) 204;

/*
* bpf_tcp_raw_gen_syncookie_ipv6
*
* Try to issue a SYN cookie for the packet with corresponding
* IPv6/TCP headers, *iph* and *th*, without depending on a
* listening socket.
*
* *iph* points to the IPv6 header.
*
* *th* points to the start of the TCP header, while *th_len*
* contains the length of the TCP header (at least
* **sizeof**\ (**struct tcphdr**)).
*
* Returns
* On success, lower 32 bits hold the generated SYN cookie in
* followed by 16 bits which hold the MSS value for that cookie,
* and the top 16 bits are unused.
*
* On failure,
the returned value is one of the following:
*
* **EINVAL** if *th_len* is invalid.
*
* **EPROTONOSUPPORT** if CONFIG_IPV6 is not builtin.
*/
static __s64 (* const bpf_tcp_raw_gen_syncookie_ipv6)(struct ipv6hdr *iph, struct tcphdr *th, __u32 th_len) =
(void *) 205;

/*
* bpf_tcp_raw_check_syncookie_ipv4
*
* Check whether *iph* and *th* contain a valid SYN cookie ACK
* without depending on a listening socket.
*
* *iph* points to the IPv4 header.
*
* *th* points to the TCP header.

```

```

*
* Returns
* 0 if *iph* and *th* are a valid SYN cookie ACK.
*
* On failure, the returned value is one of the following:
*
* **EACCES** if the SYN cookie is not valid.
*/
static long (* const bpf_tcp_raw_check_syncookie_ipv4)(struct iphdr *iph, struct tcphdr *th) = (void *) 206;

/*
* bpf_tcp_raw_check_syncookie_ipv6
*
* Check whether *iph* and *th* contain a valid SYN cookie ACK
* without depending on a listening socket.
*
* *iph* points to the IPv6 header.
*
* *th*
points to the TCP header.
*
* Returns
* 0 if *iph* and *th* are a valid SYN cookie ACK.
*
* On failure, the returned value is one of the following:
*
* **EACCES** if the SYN cookie is not valid.
*
* **EPROTONOSUPPORT** if CONFIG_IPV6 is not builtin.
*/
static long (* const bpf_tcp_raw_check_syncookie_ipv6)(struct ipv6hdr *iph, struct tcphdr *th) = (void *) 207;

/*
* bpf_ktime_get_tai_ns
*
* A nonsettable system-wide clock derived from wall-clock time but
* ignoring leap seconds. This clock does not experience
* discontinuities and backwards jumps caused by NTP inserting leap
* seconds as CLOCK_REALTIME does.
*
* See: **clock_gettime**\ (**CLOCK_TAI**)
*
* Returns
* Current *ktime*.
*/
static __u64 (* const bpf_ktime_get_tai_ns)(void) = (void *) 208;

/*

```

```

* bpf_user_ringbuf_drain
*
* Drain samples from the specified user ring buffer, and invoke
* the provided callback for each such sample:
*
* long (*callback_fn)(const struct bpf_dynptr *dynptr,
void *ctx);
*
* If **callback_fn** returns 0, the helper will continue to try
* and drain the next sample, up to a maximum of
* BPF_MAX_USER_RINGBUF_SAMPLES samples. If the return value is 1,
* the helper will skip the rest of the samples and return. Other
* return values are not used now, and will be rejected by the
* verifier.
*
* Returns
* The number of drained samples if no error was encountered while
* draining samples, or 0 if no samples were present in the ring
* buffer. If a user-space producer was epoll-waiting on this map,
* and at least one sample was drained, they will receive an event
* notification notifying them of available space in the ring
* buffer. If the BPF_RB_NO_WAKEUP flag is passed to this
* function, no wakeup notification will be sent. If the
* BPF_RB_FORCE_WAKEUP flag is passed, a wakeup notification will
* be sent even if no sample was drained.
*
* On failure, the returned value is one of the following:
*
* **-EBUSY**
if the ring buffer is contended, and another calling
* context was concurrently draining the ring buffer.
*
* **-EINVAL** if user-space is not properly tracking the ring
* buffer due to the producer position not being aligned to 8
* bytes, a sample not being aligned to 8 bytes, or the producer
* position not matching the advertised length of a sample.
*
* **-E2BIG** if user-space has tried to publish a sample which is
* larger than the size of the ring buffer, or which cannot fit
* within a struct bpf_dynptr.
*/
static long (* const bpf_user_ringbuf_drain)(void *map, void *callback_fn, void *ctx, __u64 flags) = (void *) 209;

/*
* bpf_cgrp_storage_get
*
* Get a bpf_local_storage from the *cgroup*.
*

```

```

* Logically, it could be thought of as getting the value from
* a *map* with *cgroup* as the **key**. From this
* perspective, the usage is not much different from
* **bpf_map_lookup_elem**(*map*, **&*** *cgroup*) except this
* helper enforces the
key must be a cgroup struct and the map must also
* be a **BPF_MAP_TYPE_CGRP_STORAGE**.
*
* In reality, the local-storage value is embedded directly inside of the
* *cgroup* object itself, rather than being located in the
* **BPF_MAP_TYPE_CGRP_STORAGE** map. When the local-storage value is
* queried for some *map* on a *cgroup* object, the kernel will perform an
* O(n) iteration over all of the live local-storage values for that
* *cgroup* object until the local-storage value for the *map* is found.
*
* An optional *flags* (**BPF_LOCAL_STORAGE_GET_F_CREATE**) can be
* used such that a new bpf_local_storage will be
* created if one does not exist. *value* can be used
* together with **BPF_LOCAL_STORAGE_GET_F_CREATE** to specify
* the initial value of a bpf_local_storage. If *value* is
* **NULL**, the new bpf_local_storage will be zero initialized.
*
* Returns
* A bpf_local_storage pointer is returned on success.
*
* **NULL** if not found or there was
an error in adding
* a new bpf_local_storage.
*/
static void (* const bpf_cgrp_storage_get)(void *map, struct cgroup *cgroup, void *value, __u64 flags) = (void *)
210;

/*
* bpf_cgrp_storage_delete
*
* Delete a bpf_local_storage from a *cgroup*.
*
* Returns
* 0 on success.
*
* **-ENOENT** if the bpf_local_storage cannot be found.
*/
static long (* const bpf_cgrp_storage_delete)(void *map, struct cgroup *cgroup) = (void *) 211;
ISC License

```

Copyright (c) 2012-2016 Dave Collins <dave@davec.name>

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Copyright (c) 2014, Evan Phoenix

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Evan Phoenix nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
/* SPDX-License-Identifier: (LGPL-2.1 OR BSD-2-Clause) */
```

```
#ifndef __BPF_TRACING_H__
```

```
#define __BPF_TRACING_H__
```

```
#include "bpf_helpers.h"
```

```
/* Scan the ARCH passed in from ARCH env variable (see Makefile) */
```

```
#if defined(__TARGET_ARCH_x86)
```

```
#define bpf_target_x86
```

```
#define bpf_target_defined
```

```
#elif defined(__TARGET_ARCH_s390)
```

```
#define bpf_target_s390
```



```

#define bpf_target_defined
#elif defined(__TARGET_ARCH_arm)
#define bpf_target_arm
#define bpf_target_defined
#elif defined(__TARGET_ARCH_arm64)
#define bpf_target_arm64
#define bpf_target_defined
#elif defined(__TARGET_ARCH_mips)
#define bpf_target_mips
#define bpf_target_defined
#elif defined(__TARGET_ARCH_powerpc)
#define bpf_target_powerpc
#define bpf_target_defined
#elif defined(__TARGET_ARCH_sparc)
#define bpf_target_sparc
#define bpf_target_defined
#elif defined(__TARGET_ARCH_riscv)
#define bpf_target_riscv
#define bpf_target_defined
#elif defined(__TARGET_ARCH_arc)
#define bpf_target_arc
#define bpf_target_defined
#elif defined(__TARGET_ARCH_loongarch)
#define
bpf_target_loongarch
#define bpf_target_defined
#else

/* Fall back to what the compiler says */
#if defined(__x86_64__)
#define bpf_target_x86
#define bpf_target_defined
#elif defined(__s390__)
#define bpf_target_s390
#define bpf_target_defined
#elif defined(__arm__)
#define bpf_target_arm
#define bpf_target_defined
#elif defined(__aarch64__)
#define bpf_target_arm64
#define bpf_target_defined
#elif defined(__mips__)
#define bpf_target_mips
#define bpf_target_defined
#elif defined(__powerpc__)
#define bpf_target_powerpc
#define bpf_target_defined
#elif defined(__sparc__)

```

```

#define bpf_target_sparc
#define bpf_target_defined
#elif defined(__riscv) && __riscv_xlen == 64
#define bpf_target_riscv
#define bpf_target_defined
#elif defined(__arc__)
#define bpf_target_arc
#define bpf_target_defined
#elif defined(__loongarch__)
#define bpf_target_loongarch
#define bpf_target_defined
#endif /* no compiler target */

#endif

#ifndef __BPF_TARGET_MISSING
#define
__BPF_TARGET_MISSING "GCC error \"Must specify a BPF target arch via __TARGET_ARCH_xxx\""
#endif

#if defined(bpf_target_x86)

/*
 * https://en.wikipedia.org/wiki/X86\_calling\_conventions#System\_V\_AMD64\_ABI
 */

#if defined(__KERNEL__) || defined(__VMLINUX_H__)

#define __PT_PARM1_REG di
#define __PT_PARM2_REG si
#define __PT_PARM3_REG dx
#define __PT_PARM4_REG cx
#define __PT_PARM5_REG r8
#define __PT_PARM6_REG r9
/*
 * Syscall uses r10 for PARM4. See arch/x86/entry/entry_64.S:entry_SYSCALL_64
 * comments in Linux sources. And refer to syscall(2) manpage.
 */
#define __PT_PARM1_SYSCALL_REG __PT_PARM1_REG
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG
#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG r10
#define __PT_PARM5_SYSCALL_REG __PT_PARM5_REG
#define __PT_PARM6_SYSCALL_REG __PT_PARM6_REG

#define __PT_RET_REG sp
#define __PT_FP_REG bp
#define __PT_RC_REG ax

```

```

#define __PT_SP_REG sp
#define __PT_IP_REG ip

#else

#ifdef __i386__

/*
i386 kernel is built with -mregparm=3 */
#define __PT_PARM1_REG eax
#define __PT_PARM2_REG edx
#define __PT_PARM3_REG ecx
/* i386 syscall ABI is very different, refer to syscall(2) manpage */
#define __PT_PARM1_SYSCALL_REG ebx
#define __PT_PARM2_SYSCALL_REG ecx
#define __PT_PARM3_SYSCALL_REG edx
#define __PT_PARM4_SYSCALL_REG esi
#define __PT_PARM5_SYSCALL_REG edi
#define __PT_PARM6_SYSCALL_REG ebp

#define __PT_RET_REG esp
#define __PT_FP_REG ebp
#define __PT_RC_REG eax
#define __PT_SP_REG esp
#define __PT_IP_REG eip

#else /* __i386__ */

#define __PT_PARM1_REG rdi
#define __PT_PARM2_REG rsi
#define __PT_PARM3_REG rdx
#define __PT_PARM4_REG rcx
#define __PT_PARM5_REG r8
#define __PT_PARM6_REG r9

#define __PT_PARM1_SYSCALL_REG __PT_PARM1_REG
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG
#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG r10
#define __PT_PARM5_SYSCALL_REG __PT_PARM5_REG
#define __PT_PARM6_SYSCALL_REG __PT_PARM6_REG

#define __PT_RET_REG rsp
#define
__PT_FP_REG rbp
#define __PT_RC_REG rax
#define __PT_SP_REG rsp
#define __PT_IP_REG rip

```

```

#endif /* __i386__ */

#endif /* __KERNEL__ || __VMLINUX_H__ */

#elif defined(bpf_target_s390)

/*
 * https://github.com/IBM/s390x-abi/releases/download/v1.6/lzsabi_s390x.pdf
 */

struct pt_regs__s390 {
    unsigned long orig_gpr2;
};

/* s390 provides user_pt_regs instead of struct pt_regs to userspace */
#define __PT_REGS_CAST(x) ((const user_pt_regs*)(x))
#define __PT_PARM1_REG gprs[2]
#define __PT_PARM2_REG gprs[3]
#define __PT_PARM3_REG gprs[4]
#define __PT_PARM4_REG gprs[5]
#define __PT_PARM5_REG gprs[6]

#define __PT_PARM1_SYSCALL_REG orig_gpr2
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG
#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG __PT_PARM4_REG
#define __PT_PARM5_SYSCALL_REG __PT_PARM5_REG
#define __PT_PARM6_SYSCALL_REG gprs[7]
#define PT_REGS_PARM1_SYSCALL(x) PT_REGS_PARM1_CORE_SYSCALL(x)
#define PT_REGS_PARM1_CORE_SYSCALL(x) \
    BPF_CORE_READ((const \
    struct pt_regs__s390*)(x), __PT_PARM1_SYSCALL_REG)

#define __PT_RET_REG gprs[14]
#define __PT_FP_REG gprs[11] /* Works only with CONFIG_FRAME_POINTER */
#define __PT_RC_REG gprs[2]
#define __PT_SP_REG gprs[15]
#define __PT_IP_REG psw.addr

#elif defined(bpf_target_arm)

/*
 * https://github.com/ARM-software/abi-aa/blob/main/aapcs32/aapcs32.rst#machine-registers
 */

#define __PT_PARM1_REG uregs[0]
#define __PT_PARM2_REG uregs[1]

```

```

#define __PT_PARM3_REG uregs[2]
#define __PT_PARM4_REG uregs[3]

#define __PT_PARM1_SYSCALL_REG __PT_PARM1_REG
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG
#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG __PT_PARM4_REG
#define __PT_PARM5_SYSCALL_REG uregs[4]
#define __PT_PARM6_SYSCALL_REG uregs[5]
#define __PT_PARM7_SYSCALL_REG uregs[6]

#define __PT_RET_REG uregs[14]
#define __PT_FP_REG uregs[11] /* Works only with CONFIG_FRAME_POINTER */
#define __PT_RC_REG uregs[0]
#define __PT_SP_REG uregs[13]
#define __PT_IP_REG uregs[12]

#elif
defined(bpf_target_arm64)

/*
 * https://github.com/ARM-software/abi-aa/blob/main/aapcs64/aapcs64.rst#machine-registers
 */

struct pt_regs__arm64 {
    unsigned long orig_x0;
};

/* arm64 provides struct user_pt_regs instead of struct pt_regs to userspace */
#define __PT_REGS_CAST(x) ((const struct user_pt_regs *) (x))
#define __PT_PARM1_REG regs[0]
#define __PT_PARM2_REG regs[1]
#define __PT_PARM3_REG regs[2]
#define __PT_PARM4_REG regs[3]
#define __PT_PARM5_REG regs[4]
#define __PT_PARM6_REG regs[5]
#define __PT_PARM7_REG regs[6]
#define __PT_PARM8_REG regs[7]

#define __PT_PARM1_SYSCALL_REG orig_x0
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG
#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG __PT_PARM4_REG
#define __PT_PARM5_SYSCALL_REG __PT_PARM5_REG
#define __PT_PARM6_SYSCALL_REG __PT_PARM6_REG
#define PT_REGS_PARM1_SYSCALL(x) PT_REGS_PARM1_CORE_SYSCALL(x)
#define PT_REGS_PARM1_CORE_SYSCALL(x) \
    BPF_CORE_READ((const struct pt_regs__arm64 *) (x),

```

```

__PT_PARM1_SYSCALL_REG)

#define __PT_RET_REG regs[30]
#define __PT_FP_REG regs[29] /* Works only with CONFIG_FRAME_POINTER */
#define __PT_RC_REG regs[0]
#define __PT_SP_REG sp
#define __PT_IP_REG pc

#elif defined(bpf_target_mips)

/*
 * N64 ABI is assumed right now.
 * https://en.wikipedia.org/wiki/MIPS_architecture#Calling_conventions
 */

#define __PT_PARM1_REG regs[4]
#define __PT_PARM2_REG regs[5]
#define __PT_PARM3_REG regs[6]
#define __PT_PARM4_REG regs[7]
#define __PT_PARM5_REG regs[8]
#define __PT_PARM6_REG regs[9]
#define __PT_PARM7_REG regs[10]
#define __PT_PARM8_REG regs[11]

#define __PT_PARM1_SYSCALL_REG __PT_PARM1_REG
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG
#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG __PT_PARM4_REG
#define __PT_PARM5_SYSCALL_REG __PT_PARM5_REG /* only N32/N64 */
#define __PT_PARM6_SYSCALL_REG __PT_PARM6_REG /* only N32/N64 */

#define __PT_RET_REG regs[31]
#define __PT_FP_REG regs[30] /* Works only with CONFIG_FRAME_POINTER
 */
#define __PT_RC_REG regs[2]
#define __PT_SP_REG regs[29]
#define __PT_IP_REG cp0_epc

#elif defined(bpf_target_powerpc)

/*
 * http://refspecs.linux-foundation.org/elf/elfspec_ppc.pdf (page 3-14,
 * section "Function Calling Sequence")
 */

#define __PT_PARM1_REG gpr[3]
#define __PT_PARM2_REG gpr[4]
#define __PT_PARM3_REG gpr[5]

```

```

#define __PT_PARM4_REG gpr[6]
#define __PT_PARM5_REG gpr[7]
#define __PT_PARM6_REG gpr[8]
#define __PT_PARM7_REG gpr[9]
#define __PT_PARM8_REG gpr[10]

/* powerpc does not select ARCH_HAS_SYSCALL_WRAPPER. */
#define PT_REGS_SYSCALL_REGS(ctx) ctx
#define __PT_PARM1_SYSCALL_REG orig_gpr3
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG
#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG __PT_PARM4_REG
#define __PT_PARM5_SYSCALL_REG __PT_PARM5_REG
#define __PT_PARM6_SYSCALL_REG __PT_PARM6_REG
#if !defined(__arch64__)
#define __PT_PARM7_SYSCALL_REG __PT_PARM7_REG /* only powerpc (not powerpc64) */
#endif

#define __PT_RET_REG regs[31]
#define
__PT_FP_REG __unsupported__
#define __PT_RC_REG gpr[3]
#define __PT_SP_REG sp
#define __PT_IP_REG nip

#elif defined(bpf_target_sparc)

/*
 * https://en.wikipedia.org/wiki/Calling_convention#SPARC
 */

#define __PT_PARM1_REG u_regs[UREG_I0]
#define __PT_PARM2_REG u_regs[UREG_I1]
#define __PT_PARM3_REG u_regs[UREG_I2]
#define __PT_PARM4_REG u_regs[UREG_I3]
#define __PT_PARM5_REG u_regs[UREG_I4]
#define __PT_PARM6_REG u_regs[UREG_I5]

#define __PT_PARM1_SYSCALL_REG __PT_PARM1_REG
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG
#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG __PT_PARM4_REG
#define __PT_PARM5_SYSCALL_REG __PT_PARM5_REG
#define __PT_PARM6_SYSCALL_REG __PT_PARM6_REG

#define __PT_RET_REG u_regs[UREG_I7]
#define __PT_FP_REG __unsupported__
#define __PT_RC_REG u_regs[UREG_I0]

```

```

#define __PT_SP_REG u_regs[UREG_FP]
/* Should this also be a bpf_target check for the sparc case? */
#if defined(__arch64__)
#define __PT_IP_REG tpc
#else
#define
__PT_IP_REG pc
#endif

#elif defined(bpf_target_riscv)

/*
* https://github.com/riscv-non-isa/riscv-elf-psabi-doc/blob/master/riscv-cc.adoc#risc-v-calling-conventions
*/

/* riscv provides struct user_regs_struct instead of struct pt_regs to userspace */
#define __PT_REGS_CAST(x) ((const struct user_regs_struct*)(x))
#define __PT_PARM1_REG a0
#define __PT_PARM2_REG a1
#define __PT_PARM3_REG a2
#define __PT_PARM4_REG a3
#define __PT_PARM5_REG a4
#define __PT_PARM6_REG a5
#define __PT_PARM7_REG a6
#define __PT_PARM8_REG a7

#define __PT_PARM1_SYSCALL_REG __PT_PARM1_REG
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG
#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG __PT_PARM4_REG
#define __PT_PARM5_SYSCALL_REG __PT_PARM5_REG
#define __PT_PARM6_SYSCALL_REG __PT_PARM6_REG

#define __PT_RET_REG ra
#define __PT_FP_REG s0
#define __PT_RC_REG a0
#define __PT_SP_REG sp
#define __PT_IP_REG pc

#elif defined(bpf_target_arc)

/*
* Section "Function Calling Sequence" (page
24):
* https://raw.githubusercontent.com/wiki/foss-for-synopsys-dwc-arc-processors/toolchain/files/ARCV2_ABI.pdf
*/

/* arc provides struct user_regs_struct instead of struct pt_regs to userspace */

```



```

#define __PT_REGS_CAST(x) ((const struct user_regs_struct *) (x))
#define __PT_PARM1_REG scratch.r0
#define __PT_PARM2_REG scratch.r1
#define __PT_PARM3_REG scratch.r2
#define __PT_PARM4_REG scratch.r3
#define __PT_PARM5_REG scratch.r4
#define __PT_PARM6_REG scratch.r5
#define __PT_PARM7_REG scratch.r6
#define __PT_PARM8_REG scratch.r7

/* arc does not select ARCH_HAS_SYSCALL_WRAPPER. */
#define PT_REGS_SYSCALL_REGS(ctx) ctx
#define __PT_PARM1_SYSCALL_REG __PT_PARM1_REG
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG
#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG __PT_PARM4_REG
#define __PT_PARM5_SYSCALL_REG __PT_PARM5_REG
#define __PT_PARM6_SYSCALL_REG __PT_PARM6_REG

#define __PT_RET_REG scratch.blink
#define __PT_FP_REG scratch.fp
#define __PT_RC_REG scratch.r0
#define
    __PT_SP_REG scratch.sp
#define __PT_IP_REG scratch.ret

#elif defined(bpf_target_loongarch)

/*
 * https://docs.kernel.org/loongarch/introduction.html
 * https://loongson.github.io/LoongArch-Documentation/LoongArch-ELF-ABI-EN.html
 */

/* loongarch provides struct user_pt_regs instead of struct pt_regs to userspace */
#define __PT_REGS_CAST(x) ((const struct user_pt_regs *) (x))
#define __PT_PARM1_REG regs[4]
#define __PT_PARM2_REG regs[5]
#define __PT_PARM3_REG regs[6]
#define __PT_PARM4_REG regs[7]
#define __PT_PARM5_REG regs[8]
#define __PT_PARM6_REG regs[9]
#define __PT_PARM7_REG regs[10]
#define __PT_PARM8_REG regs[11]

/* loongarch does not select ARCH_HAS_SYSCALL_WRAPPER. */
#define PT_REGS_SYSCALL_REGS(ctx) ctx
#define __PT_PARM1_SYSCALL_REG __PT_PARM1_REG
#define __PT_PARM2_SYSCALL_REG __PT_PARM2_REG

```

```

#define __PT_PARM3_SYSCALL_REG __PT_PARM3_REG
#define __PT_PARM4_SYSCALL_REG __PT_PARM4_REG
#define __PT_PARM5_SYSCALL_REG __PT_PARM5_REG
#define __PT_PARM6_SYSCALL_REG
__PT_PARM6_REG

#define __PT_RET_REG regs[1]
#define __PT_FP_REG regs[22]
#define __PT_RC_REG regs[4]
#define __PT_SP_REG regs[3]
#define __PT_IP_REG csr_era

#endif

#if defined(bpf_target_defined)

struct pt_regs;

/* allow some architectures to override `struct pt_regs` */
#ifndef __PT_REGS_CAST
#define __PT_REGS_CAST(x) (x)
#endif

/*
 * Different architectures support different number of arguments passed
 * through registers. i386 supports just 3, some arches support up to 8.
 */
#ifndef __PT_PARM4_REG
#define __PT_PARM4_REG __unsupported__
#endif
#ifndef __PT_PARM5_REG
#define __PT_PARM5_REG __unsupported__
#endif
#ifndef __PT_PARM6_REG
#define __PT_PARM6_REG __unsupported__
#endif
#ifndef __PT_PARM7_REG
#define __PT_PARM7_REG __unsupported__
#endif
#ifndef __PT_PARM8_REG
#define __PT_PARM8_REG __unsupported__
#endif
/*
 * Similarly, syscall-specific conventions might differ between function call
 * conventions within each architecture. All supported architectures pass
 * either
 * 6 or 7 syscall arguments in registers.
 */

```

* See syscall(2) manpage for succinct table with information on each arch.

*/

```
#ifndef __PT_PARM7_SYSCALL_REG
```

```
#define __PT_PARM7_SYSCALL_REG __unsupported__
```

```
#endif
```

```
#define PT_REGS_PARM1(x) (__PT_REGS_CAST(x)->__PT_PARM1_REG)
```

```
#define PT_REGS_PARM2(x) (__PT_REGS_CAST(x)->__PT_PARM2_REG)
```

```
#define PT_REGS_PARM3(x) (__PT_REGS_CAST(x)->__PT_PARM3_REG)
```

```
#define PT_REGS_PARM4(x) (__PT_REGS_CAST(x)->__PT_PARM4_REG)
```

```
#define PT_REGS_PARM5(x) (__PT_REGS_CAST(x)->__PT_PARM5_REG)
```

```
#define PT_REGS_PARM6(x) (__PT_REGS_CAST(x)->__PT_PARM6_REG)
```

```
#define PT_REGS_PARM7(x) (__PT_REGS_CAST(x)->__PT_PARM7_REG)
```

```
#define PT_REGS_PARM8(x) (__PT_REGS_CAST(x)->__PT_PARM8_REG)
```

```
#define PT_REGS_RET(x) (__PT_REGS_CAST(x)->__PT_RET_REG)
```

```
#define PT_REGS_FP(x) (__PT_REGS_CAST(x)->__PT_FP_REG)
```

```
#define PT_REGS_RC(x) (__PT_REGS_CAST(x)->__PT_RC_REG)
```

```
#define PT_REGS_SP(x) (__PT_REGS_CAST(x)->__PT_SP_REG)
```

```
#define PT_REGS_IP(x) (__PT_REGS_CAST(x)->__PT_IP_REG)
```

```
#define PT_REGS_PARM1_CORE(x)
```

```
    BPF_CORE_READ(__PT_REGS_CAST(x), __PT_PARM1_REG)
```

```
#define PT_REGS_PARM2_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_PARM2_REG)
```

```
#define PT_REGS_PARM3_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_PARM3_REG)
```

```
#define PT_REGS_PARM4_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_PARM4_REG)
```

```
#define PT_REGS_PARM5_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_PARM5_REG)
```

```
#define PT_REGS_PARM6_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_PARM6_REG)
```

```
#define PT_REGS_PARM7_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_PARM7_REG)
```

```
#define PT_REGS_PARM8_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_PARM8_REG)
```

```
#define PT_REGS_RET_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_RET_REG)
```

```
#define PT_REGS_FP_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_FP_REG)
```

```
#define PT_REGS_RC_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_RC_REG)
```

```
#define PT_REGS_SP_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_SP_REG)
```

```
#define PT_REGS_IP_CORE(x) BPF_CORE_READ(__PT_REGS_CAST(x), __PT_IP_REG)
```

```
#if defined(bpf_target_powerpc)
```

```
#define
```

```
    BPF_KPROBE_READ_RET_IP(ip, ctx) ({ (ip) = (ctx)->link; })
```

```
#define BPF_KRETPROBE_READ_RET_IP BPF_KPROBE_READ_RET_IP
```

```
#elif defined(bpf_target_sparc)
```

```
#define BPF_KPROBE_READ_RET_IP(ip, ctx) ({ (ip) = PT_REGS_RET(ctx); })
```

```
#define BPF_KRETPROBE_READ_RET_IP BPF_KPROBE_READ_RET_IP
```

```
#else
```

```

#define BPF_KPROBE_READ_RET_IP(ip, ctx)    \
({ bpf_probe_read_kernel(&(ip), sizeof(ip), (void *)PT_REGS_RET(ctx)); })
#define BPF_KRETPROBE_READ_RET_IP(ip, ctx)    \
({ bpf_probe_read_kernel(&(ip), sizeof(ip), (void *) (PT_REGS_FP(ctx) + sizeof(ip))); })

#endif

#ifndef PT_REGS_PARM1_SYSCALL
#define PT_REGS_PARM1_SYSCALL(x) (__PT_REGS_CAST(x)->__PT_PARM1_SYSCALL_REG)
#define PT_REGS_PARM1_CORE_SYSCALL(x) BPF_CORE_READ(__PT_REGS_CAST(x),
__PT_PARM1_SYSCALL_REG)
#endif
#ifndef PT_REGS_PARM2_SYSCALL
#define PT_REGS_PARM2_SYSCALL(x) (__PT_REGS_CAST(x)->__PT_PARM2_SYSCALL_REG)
#define PT_REGS_PARM2_CORE_SYSCALL(x) BPF_CORE_READ(__PT_REGS_CAST(x),
__PT_PARM2_SYSCALL_REG)
#endif
#ifndef PT_REGS_PARM3_SYSCALL
#define PT_REGS_PARM3_SYSCALL(x) (__PT_REGS_CAST(x)->__PT_PARM3_SYSCALL_REG)
#define PT_REGS_PARM3_CORE_SYSCALL(x) BPF_CORE_READ(__PT_REGS_CAST(x),
__PT_PARM3_SYSCALL_REG)
#endif
#ifndef PT_REGS_PARM4_SYSCALL
#define PT_REGS_PARM4_SYSCALL(x) (__PT_REGS_CAST(x)->__PT_PARM4_SYSCALL_REG)
#define PT_REGS_PARM4_CORE_SYSCALL(x) BPF_CORE_READ(__PT_REGS_CAST(x),
__PT_PARM4_SYSCALL_REG)
#endif
#ifndef PT_REGS_PARM5_SYSCALL
#define PT_REGS_PARM5_SYSCALL(x) (__PT_REGS_CAST(x)->__PT_PARM5_SYSCALL_REG)
#define PT_REGS_PARM5_CORE_SYSCALL(x) BPF_CORE_READ(__PT_REGS_CAST(x),
__PT_PARM5_SYSCALL_REG)
#endif
#ifndef PT_REGS_PARM6_SYSCALL
#define PT_REGS_PARM6_SYSCALL(x) (__PT_REGS_CAST(x)->__PT_PARM6_SYSCALL_REG)
#define PT_REGS_PARM6_CORE_SYSCALL(x) BPF_CORE_READ(__PT_REGS_CAST(x),
__PT_PARM6_SYSCALL_REG)
#endif
#ifndef PT_REGS_PARM7_SYSCALL
#define PT_REGS_PARM7_SYSCALL(x) (__PT_REGS_CAST(x)->__PT_PARM7_SYSCALL_REG)
#define PT_REGS_PARM7_CORE_SYSCALL(x) BPF_CORE_READ(__PT_REGS_CAST(x),
__PT_PARM7_SYSCALL_REG)
#endif

#else /* defined(bpf_target_defined) */

#define PT_REGS_PARM1(x) ({ _Pragma(__BPF_TARGET_MISSING); 0; })
#define PT_REGS_PARM2(x) ({ _Pragma(__BPF_TARGET_MISSING); 0; })

```

```

#define PT_REGS_PARM3(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM4(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM5(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM6(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM7(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM8(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_RET(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_FP(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_RC(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_SP(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_IP(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })

#define PT_REGS_PARM1_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l;
})
#define PT_REGS_PARM2_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM3_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM4_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM5_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM6_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM7_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM8_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_RET_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_FP_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_RC_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_SP_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_IP_CORE(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })

#define BPF_KPROBE_READ_RET_IP(ip, ctx) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define BPF_KRETPROBE_READ_RET_IP(ip, ctx) ({ _Pragma(__BPF_TARGET_MISSING);
0l; })

#define PT_REGS_PARM1_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM2_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM3_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM4_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM5_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM6_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM7_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })

#define PT_REGS_PARM1_CORE_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM2_CORE_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM3_CORE_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM4_CORE_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM5_CORE_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define PT_REGS_PARM6_CORE_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })
#define
PT_REGS_PARM7_CORE_SYSCALL(x) ({ _Pragma(__BPF_TARGET_MISSING); 0l; })

```

```

#endif /* defined(bpf_target_defined) */

/*
 * When invoked from a syscall handler kprobe, returns a pointer to a
 * struct pt_regs containing syscall arguments and suitable for passing to
 * PT_REGS_PARMn_SYSCALL() and PT_REGS_PARMn_CORE_SYSCALL().
 */

#ifndef PT_REGS_SYSCALL_REGS
/* By default, assume that the arch selects ARCH_HAS_SYSCALL_WRAPPER. */
#define PT_REGS_SYSCALL_REGS(ctx) ((struct pt_regs *)PT_REGS_PARM1(ctx))
#endif

#ifndef __bpf_concat
#define __bpf_concat(a, b) a ## b
#endif

#ifndef __bpf_apply
#define __bpf_apply(fn, n) __bpf_concat(fn, n)
#endif

#ifndef __bpf_nth
#define __bpf_nth(, _1, _2, _3, _4, _5, _6, _7, _8, _9, _a, _b, _c, N, ...) N
#endif

#ifndef __bpf_narg
#define __bpf_narg(...) __bpf_nth(, ##__VA_ARGS__, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0)
#endif

#define __bpf_ctx_cast0()      ctx
#define __bpf_ctx_cast1(x)    __bpf_ctx_cast0(), (void *)ctx[0]
#define
__bpf_ctx_cast2(x, args...) __bpf_ctx_cast1(args), (void *)ctx[1]
#define __bpf_ctx_cast3(x, args...) __bpf_ctx_cast2(args), (void *)ctx[2]
#define __bpf_ctx_cast4(x, args...) __bpf_ctx_cast3(args), (void *)ctx[3]
#define __bpf_ctx_cast5(x, args...) __bpf_ctx_cast4(args), (void *)ctx[4]
#define __bpf_ctx_cast6(x, args...) __bpf_ctx_cast5(args), (void *)ctx[5]
#define __bpf_ctx_cast7(x, args...) __bpf_ctx_cast6(args), (void *)ctx[6]
#define __bpf_ctx_cast8(x, args...) __bpf_ctx_cast7(args), (void *)ctx[7]
#define __bpf_ctx_cast9(x, args...) __bpf_ctx_cast8(args), (void *)ctx[8]
#define __bpf_ctx_cast10(x, args...) __bpf_ctx_cast9(args), (void *)ctx[9]
#define __bpf_ctx_cast11(x, args...) __bpf_ctx_cast10(args), (void *)ctx[10]
#define __bpf_ctx_cast12(x, args...) __bpf_ctx_cast11(args), (void *)ctx[11]
#define __bpf_ctx_cast(args...) __bpf_apply(__bpf_ctx_cast, __bpf_narg(args))(args)

/*
 * BPF_PROG is a convenience wrapper for generic
 * tp_btf/fentry/fexit and
 * similar kinds of BPF programs, that accept input arguments as a single
 * pointer to untyped u64 array, where each u64 can actually be a typed
 * pointer or integer of different size. Instead of requiring user to write
 * manual casts and work with array elements by index, BPF_PROG macro

```

- * allows user to declare a list of named and typed input arguments in the
- * same syntax as for normal C function. All the casting is hidden and
- * performed transparently, while user code can just assume working with
- * function arguments of specified type and name.

*

- * Original raw context argument is preserved as well as 'ctx' argument.

- * This is useful when using BPF helpers that expect original context

- * as one of the parameters (e.g., for bpf_perf_event_output()).

*/

```
#define BPF_PROG(name, args...)      \
name(unsigned long long *ctx);      \
static __always_inline typeof(name(0))      \
__##name(unsigned long long *ctx, ##args);    \
typeof(name(0))                      \
name(unsigned long long *ctx)      \
{      \
    _Pragma("GCC diagnostic push")      \
    _Pragma("GCC diagnostic ignored \"-Wint-conversion\"")      \
    return __##name(__bpf_ctx_cast(args));      \
    _Pragma("GCC diagnostic pop")      \
}      \
static __always_inline typeof(name(0))      \
__##name(unsigned long long *ctx, ##args)
```

```
#ifndef __bpf_nth2
```

```
#define __bpf_nth2(, _1, _2, _3, _4, _5, _6, _7, _8, _9, _10, _11, _12, _13, \
    _14, _15, _16, _17, _18, _19, _20, _21, _22, _23, _24, N, ...) N
```

```
#endif
```

```
#ifndef __bpf_narg2
```

```
#define __bpf_narg2(...) \
    __bpf_nth2(, ##__VA_ARGS__, 12, 12, 11, 11, 10, 10, 9, 9, 8, 8, 7, 7, \
        6, 6, 5, 5, 4, 4, 3, 3, 2, 2, 1, 1, 0)
```

```
#endif
```

```
#define __bpf_treg_cnt(t) \
    __builtin_choose_expr(sizeof(t) == 1, 1, \
    __builtin_choose_expr(sizeof(t) == 2, 1, \
    __builtin_choose_expr(sizeof(t) == 4, 1, \
    __builtin_choose_expr(sizeof(t) == 8, 1, \
    __builtin_choose_expr(sizeof(t) == 16, 2, \
    (void)0))))
```

```
#define
```

```
    __bpf_reg_cnt0() (0)
```

```
#define __bpf_reg_cnt1(t, x) (__bpf_reg_cnt0() + __bpf_treg_cnt(t))
```

```
#define __bpf_reg_cnt2(t, x, args...) (__bpf_reg_cnt1(args) + __bpf_treg_cnt(t))
```

```
#define __bpf_reg_cnt3(t, x, args...) (__bpf_reg_cnt2(args) + __bpf_treg_cnt(t))
```

```
#define __bpf_reg_cnt4(t, x, args...) (__bpf_reg_cnt3(args) + __bpf_treg_cnt(t))
```

```

#define __bpf_reg_cnt5(t, x, args...) (__bpf_reg_cnt4(args) + __bpf_treg_cnt(t))
#define __bpf_reg_cnt6(t, x, args...) (__bpf_reg_cnt5(args) + __bpf_treg_cnt(t))
#define __bpf_reg_cnt7(t, x, args...) (__bpf_reg_cnt6(args) + __bpf_treg_cnt(t))
#define __bpf_reg_cnt8(t, x, args...) (__bpf_reg_cnt7(args) + __bpf_treg_cnt(t))
#define __bpf_reg_cnt9(t, x, args...) (__bpf_reg_cnt8(args) + __bpf_treg_cnt(t))
#define __bpf_reg_cnt10(t, x, args...) (__bpf_reg_cnt9(args) + __bpf_treg_cnt(t))
#define __bpf_reg_cnt11(t, x, args...) (__bpf_reg_cnt10(args) + __bpf_treg_cnt(t))
#define __bpf_reg_cnt12(t, x, args...) (__bpf_reg_cnt11(args)
+ __bpf_treg_cnt(t))
#define __bpf_reg_cnt(args...) __bpf_apply(__bpf_reg_cnt, __bpf_narg2(args))(args)

#define __bpf_union_arg(t, x, n) \
__builtin_choose_expr(sizeof(t) == 1, ({ union { __u8 z[1]; t x; } __t = { .z = {ctx[n]} }; __t.x; }), \
__builtin_choose_expr(sizeof(t) == 2, ({ union { __u16 z[1]; t x; } __t = { .z = {ctx[n]} }; __t.x; }), \
__builtin_choose_expr(sizeof(t) == 4, ({ union { __u32 z[1]; t x; } __t = { .z = {ctx[n]} }; __t.x; }), \
__builtin_choose_expr(sizeof(t) == 8, ({ union { __u64 z[1]; t x; } __t = { .z = {ctx[n]} }; __t.x; }), \
__builtin_choose_expr(sizeof(t) == 16, ({ union { __u64 z[2]; t x; } __t = { .z = {ctx[n], ctx[n + 1]} }; __t.x; }), \
(void0))))

#define __bpf_ctx_arg0(n, args...)
#define __bpf_ctx_arg1(n, t, x) , __bpf_union_arg(t, x, n - __bpf_reg_cnt1(t, x))
#define __bpf_ctx_arg2(n, t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt2(t, x, args)) __bpf_ctx_arg1(n,
args)
#define __bpf_ctx_arg3(n,
t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt3(t, x, args)) __bpf_ctx_arg2(n, args)
#define __bpf_ctx_arg4(n, t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt4(t, x, args)) __bpf_ctx_arg3(n,
args)
#define __bpf_ctx_arg5(n, t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt5(t, x, args)) __bpf_ctx_arg4(n,
args)
#define __bpf_ctx_arg6(n, t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt6(t, x, args)) __bpf_ctx_arg5(n,
args)
#define __bpf_ctx_arg7(n, t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt7(t, x, args)) __bpf_ctx_arg6(n,
args)
#define __bpf_ctx_arg8(n, t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt8(t, x, args)) __bpf_ctx_arg7(n,
args)
#define __bpf_ctx_arg9(n, t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt9(t, x, args)) __bpf_ctx_arg8(n,
args)
#define __bpf_ctx_arg10(n, t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt10(t, x, args))
__bpf_ctx_arg9(n, args)
#define __bpf_ctx_arg11(n,
t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt11(t, x, args)) __bpf_ctx_arg10(n, args)
#define __bpf_ctx_arg12(n, t, x, args...) , __bpf_union_arg(t, x, n - __bpf_reg_cnt12(t, x, args))
__bpf_ctx_arg11(n, args)
#define __bpf_ctx_arg(args...) __bpf_apply(__bpf_ctx_arg, __bpf_narg2(args))(__bpf_reg_cnt(args), args)

#define __bpf_ctx_decl0()
#define __bpf_ctx_decl1(t, x) , t x
#define __bpf_ctx_decl2(t, x, args...) , t x __bpf_ctx_decl1(args)

```



```

#define __bpf_ctx_decl3(t, x, args...) , t x __bpf_ctx_decl2(args)
#define __bpf_ctx_decl4(t, x, args...) , t x __bpf_ctx_decl3(args)
#define __bpf_ctx_decl5(t, x, args...) , t x __bpf_ctx_decl4(args)
#define __bpf_ctx_decl6(t, x, args...) , t x __bpf_ctx_decl5(args)
#define __bpf_ctx_decl7(t, x, args...) , t x __bpf_ctx_decl6(args)
#define __bpf_ctx_decl8(t, x, args...) , t x __bpf_ctx_decl7(args)
#define __bpf_ctx_decl9(t, x, args...) , t x __bpf_ctx_decl8(args)
#define __bpf_ctx_decl10(t,
x, args...) , t x __bpf_ctx_decl9(args)
#define __bpf_ctx_decl11(t, x, args...) , t x __bpf_ctx_decl10(args)
#define __bpf_ctx_decl12(t, x, args...) , t x __bpf_ctx_decl11(args)
#define __bpf_ctx_decl(args...) __bpf_apply(__bpf_ctx_decl, __bpf_narg2(args))(args)

```

/*

* BPF_PROG2 is an enhanced version of BPF_PROG in order to handle struct
* arguments. Since each struct argument might take one or two u64 values
* in the trampoline stack, argument type size is needed to place proper number
* of u64 values for each argument. Therefore, BPF_PROG2 has different
* syntax from BPF_PROG. For example, for the following BPF_PROG syntax:

*

```
* int BPF_PROG(test2, int a, int b) { ... }
```

*

* the corresponding BPF_PROG2 syntax is:

*

```
* int BPF_PROG2(test2, int, a, int, b) { ... }
```

*

* where type and the corresponding argument name are separated by comma.

*

* Use BPF_PROG2 macro if one of the arguments might be a struct/union larger

* than 8 bytes:

*

```
* int BPF_PROG2(test_struct_arg,
struct bpf_testmod_struct_arg_1, a, int, b,
* int, c, int, d, struct bpf_testmod_struct_arg_2, e, int, ret)
* {
```

```
* {
```

```
* // access a, b, c, d, e, and ret directly
```

```
* ...
```

```
* }
```

```
*/
```

```

#define BPF_PROG2(name, args...) \
name(unsigned long long *ctx); \
static __always_inline typeof(name(0)) \
__##name(unsigned long long *ctx __bpf_ctx_decl(args)); \
typeof(name(0)) name(unsigned long long *ctx) \
{ \
return __##name(ctx __bpf_ctx_arg(args)); \
} \
static __always_inline typeof(name(0)) \

```

```

____##name(unsigned long long *ctx ____bpf_ctx_decl(args))

struct pt_regs;

#define ____bpf_kprobe_args0()      ctx
#define ____bpf_kprobe_args1(x)    ____bpf_kprobe_args0(), (void *)PT_REGS_PARM1(ctx)
#define ____bpf_kprobe_args2(x, args...) ____bpf_kprobe_args1(args), (void *)PT_REGS_PARM2(ctx)
#define ____bpf_kprobe_args3(x, args...) ____bpf_kprobe_args2(args), (void *)PT_REGS_PARM3(ctx)
#define ____bpf_kprobe_args4(x,
args...) ____bpf_kprobe_args3(args), (void *)PT_REGS_PARM4(ctx)
#define ____bpf_kprobe_args5(x, args...) ____bpf_kprobe_args4(args), (void *)PT_REGS_PARM5(ctx)
#define ____bpf_kprobe_args6(x, args...) ____bpf_kprobe_args5(args), (void *)PT_REGS_PARM6(ctx)
#define ____bpf_kprobe_args7(x, args...) ____bpf_kprobe_args6(args), (void *)PT_REGS_PARM7(ctx)
#define ____bpf_kprobe_args8(x, args...) ____bpf_kprobe_args7(args), (void *)PT_REGS_PARM8(ctx)
#define ____bpf_kprobe_args(args...) ____bpf_apply(____bpf_kprobe_args, ____bpf_narg(args))(args)

/*
 * BPF_KPROBE serves the same purpose for kprobes as BPF_PROG for
 * tp_btf/fentry/fexit BPF programs. It hides the underlying platform-specific
 * low-level way of getting kprobe input arguments from struct pt_regs, and
 * provides a familiar typed and named function arguments syntax and
 * semantics of accessing kprobe input paremeters.
 *
 * Original struct pt_regs* context is preserved as 'ctx' argument. This might
 * be necessary when using BPF helpers
 * like bpf_perf_event_output().
 */
#define BPF_KPROBE(name, args...) \
name(struct pt_regs *ctx); \
static ____always_inline typeof(name(0)) \
____##name(struct pt_regs *ctx, ##args); \
typeof(name(0)) name(struct pt_regs *ctx) \
{ \
    _Pragma("GCC diagnostic push") \
    _Pragma("GCC diagnostic ignored \"-Wint-conversion\"") \
    return ____##name(____bpf_kprobe_args(args)); \
    _Pragma("GCC diagnostic pop") \
} \
static ____always_inline typeof(name(0)) \
____##name(struct pt_regs *ctx, ##args)

#define ____bpf_kretprobe_args0()    ctx
#define ____bpf_kretprobe_args1(x)  ____bpf_kretprobe_args0(), (void *)PT_REGS_RC(ctx)
#define ____bpf_kretprobe_args(args...) ____bpf_apply(____bpf_kretprobe_args, ____bpf_narg(args))(args)

/*
 * BPF_KRETPROBE is similar to BPF_KPROBE, except, it only provides optional
 * return value (in addition to `struct pt_regs *ctx`), but no input

```

```

* arguments, because they
will be clobbered by the time probed function
* returns.
*/
#define BPF_KRETPROBE(name, args...) \
name(struct pt_regs *ctx); \
static __always_inline typeof(name(0)) \
__##name(struct pt_regs *ctx, ##args); \
typeof(name(0)) name(struct pt_regs *ctx) \
{ \
    _Pragma("GCC diagnostic push") \
    _Pragma("GCC diagnostic ignored \"-Wint-conversion\"") \
    return __##name(__bpf_kretprobe_args(args)); \
    _Pragma("GCC diagnostic pop") \
} \
static __always_inline typeof(name(0)) __##name(struct pt_regs *ctx, ##args)

/* If kernel has CONFIG_ARCH_HAS_SYSCALL_WRAPPER, read pt_regs directly */
#define __bpf_syscall_args0() ctx
#define __bpf_syscall_args1(x) __bpf_syscall_args0(), (void *)PT_REGS_PARM1_SYSCALL(regs)
#define __bpf_syscall_args2(x, args...) __bpf_syscall_args1(args), (void *)PT_REGS_PARM2_SYSCALL(regs)
#define __bpf_syscall_args3(x, args...) __bpf_syscall_args2(args), \
(void *)PT_REGS_PARM3_SYSCALL(regs)
#define __bpf_syscall_args4(x, args...) __bpf_syscall_args3(args), (void *)PT_REGS_PARM4_SYSCALL(regs)
#define __bpf_syscall_args5(x, args...) __bpf_syscall_args4(args), (void *)PT_REGS_PARM5_SYSCALL(regs)
#define __bpf_syscall_args6(x, args...) __bpf_syscall_args5(args), (void *)PT_REGS_PARM6_SYSCALL(regs)
#define __bpf_syscall_args7(x, args...) __bpf_syscall_args6(args), (void *)PT_REGS_PARM7_SYSCALL(regs)
#define __bpf_syscall_args(args...) __bpf_apply(__bpf_syscall_args, __bpf_narg(args))(args)

/* If kernel doesn't have CONFIG_ARCH_HAS_SYSCALL_WRAPPER, we have to BPF_CORE_READ from
pt_regs */
#define __bpf_syswrap_args0() ctx
#define __bpf_syswrap_args1(x) __bpf_syswrap_args0(), (void *)PT_REGS_PARM1_CORE_SYSCALL(regs)
#define __bpf_syswrap_args2(x, args...) __bpf_syswrap_args1(args), (void *)PT_REGS_PARM2_CORE_SYSCALL(regs)
#define __bpf_syswrap_args3(x, args...) __bpf_syswrap_args2(args), (void *)PT_REGS_PARM3_CORE_SYSCALL(regs)
#define __bpf_syswrap_args4(x, args...) __bpf_syswrap_args3(args), (void *)PT_REGS_PARM4_CORE_SYSCALL(regs)
#define __bpf_syswrap_args5(x, args...) __bpf_syswrap_args4(args), (void *)PT_REGS_PARM5_CORE_SYSCALL(regs)
#define __bpf_syswrap_args6(x, args...) __bpf_syswrap_args5(args), (void *)PT_REGS_PARM6_CORE_SYSCALL(regs)
#define __bpf_syswrap_args7(x, args...) __bpf_syswrap_args6(args), (void *)PT_REGS_PARM7_CORE_SYSCALL(regs)
#define __bpf_syswrap_args(args...) __bpf_apply(__bpf_syswrap_args, __bpf_narg(args))(args)

```

```

/*
 * BPF_KSYSCALL is a variant of BPF_KPROBE, which is intended for
 * tracing syscall functions, like __x64_sys_close. It hides the underlying
 * platform-specific low-level way of getting syscall input arguments from
 * struct pt_regs, and provides a familiar typed and named function arguments
 * syntax and semantics of accessing syscall input parameters.
 *
 * Original struct pt_regs * context is preserved as 'ctx' argument.
 * This might
 * be necessary when using BPF helpers like bpf_perf_event_output().
 *
 * At the moment BPF_KSYSCALL does not transparently handle all the calling
 * convention quirks for the following syscalls:
 *
 * - mmap(): __ARCH_WANT_SYS_OLD_MMAP.
 * - clone(): CONFIG_CLONE_BACKWARDS, CONFIG_CLONE_BACKWARDS2 and
 *   CONFIG_CLONE_BACKWARDS3.
 * - socket-related syscalls: __ARCH_WANT_SYS_SOCKETCALL.
 * - compat syscalls.
 *
 * This may or may not change in the future. User needs to take extra measures
 * to handle such quirks explicitly, if necessary.
 *
 * This macro relies on BPF CO-RE support and virtual __kconfig externs.
 */
#define BPF_KSYSCALL(name, args...) \
    name(struct pt_regs *ctx); \
    extern _Bool LINUX_HAS_SYSCALL_WRAPPER __kconfig; \
    static __always_inline typeof(name(0)) \
    ____##name(struct pt_regs *ctx, ##args); \
    typeof(name(0)) name(struct pt_regs *ctx) \
    { \
        struct pt_regs *regs = LINUX_HAS_SYSCALL_WRAPPER \
            ? (struct pt_regs *)PT_REGS_PARM1(ctx) \
            : ctx; \
        _Pragma("GCC diagnostic push") \
        _Pragma("GCC diagnostic ignored \"-Wint-conversion\"") \
        if (LINUX_HAS_SYSCALL_WRAPPER) \
            return ____##name(__bpf_syswrap_args(args)); \
        else \
            return ____##name(__bpf_syscall_args(args)); \
        _Pragma("GCC diagnostic pop") \
    } \
    static __always_inline typeof(name(0)) \
    ____##name(struct pt_regs *ctx, ##args)

#define BPF_KPROBE_SYSCALL BPF_KSYSCALL

```

```
/* BPF_UPROBE and BPF_URETPROBE are identical to BPF_KPROBE and BPF_KRETPROBE,  
 * but are named way less confusingly for SEC("uprobe") and SEC("uretprobe")  
 * use cases.  
 */
```

```
#define BPF_UPROBE(name, args...) BPF_KPROBE(name, ##args)  
#define BPF_URETPROBE(name, args...) BPF_KRETPROBE(name, ##args)
```

```
#endif
```

Valid-License-Identifier: BSD-2-Clause

SPDX-URL: <https://spdx.org/licenses/BSD-2-Clause.html>

Usage-Guide:

To use the BSD 2-clause "Simplified" License put the following SPDX tag/value pair into a comment according to the placement guidelines in the licensing rules documentation:

SPDX-License-Identifier: BSD-2-Clause

License-Text:

Copyright (c) 2015 The Libbpf Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2013 Blake Mizerany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Copyright (c) 2013 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2018 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2016 Mail.Ru Group

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE

SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2012 Pter Surnyi. Portions Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files other than internal/golang/* licensed under:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices

contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional

or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You
may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

internal/golang/* files licensed under:

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (c) 2019 Josh Bleacher Snyder

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2015, Gengo, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Gengo, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

When donating the randfill project to the CNCF, we could not reach all the gofuzz contributors to sign the CNCF CLA. As such, according to the CNCF rules to donate a repository, we must add a NOTICE referencing section 7 of the CLA with a list of developers who could not be reached.

`7. Should You wish to submit work that is not Your original creation, You may submit it to the Foundation separately from any Contribution, identifying the complete details of its source and of any license or other restriction (including, but not limited to, related patents, trademarks, and license agreements) of which you are personally aware, and conspicuously marking the work as "Submitted on behalf of a third-party: [named here]".`

Submitted on behalf of a third-party: @dnephin (Daniel Nephin)
Submitted on behalf of a third-party: @Aleksi (Alexey Palazhchenko)
Submitted on behalf of a third-party: @bbigras (Bruno Bigras)
Submitted on behalf of a third-party: @samirkut (Samir)
Submitted on behalf of a
third-party: @posener (Eyal Posener)
Submitted on behalf of a third-party: @Ashikpaul (Ashik Paul)
Submitted on behalf of a third-party: @kwongtailau (Kwongtai)
Submitted on behalf of a third-party: @ericcornelissen (Eric Cornelissen)
Submitted on behalf of a third-party: @eclipseo (Robert-Andr Mauchin)
Submitted on behalf of a third-party: @yanzhoupan (Andrew Pan)
Submitted on behalf of a third-party: @STRRL (Zhiqiang ZHOU)
Submitted on behalf of a third-party: @disconnect3d (Disconnect3d)
Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT License

Copyright (c) 2020 Bruno Scheufler

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

AWS SDK for Go

Copyright 2015 Amazon.com, Inc. or its affiliates. All Rights Reserved.

Copyright 2014-2015 Stripe, Inc.
Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2017 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright 2015 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright 2010 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the

distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2014 The gofuzz Authors
Copyright 2025 The Kubernetes Authors

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of
the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Prometheus instrumentation library for Go applications
Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (<http://soundcloud.com/>).

The following components are included in this product:

perks - a fork of <https://github.com/bmizerany/perks>
<https://github.com/beorn7/perks>
Copyright 2013-2015 Blake Mizerany, Bjrn Rabenstein

See <https://github.com/beorn7/perks/blob/master/README.md> for license details.

Go support for Protocol Buffers - Google's data interchange format

<http://github.com/golang/protobuf/>

Copyright 2010 The Go Authors

See source code for license details.

Copyright (c) 2012,2013 Ernest Micklei

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
/* SPDX-License-Identifier: (LGPL-2.1 OR BSD-2-Clause) */
#ifndef __BPF_HELPERS__
#define __BPF_HELPERS__

/*
 * Note that bpf programs need to include either
 * vmlinux.h (auto-generated from BTF) or linux/types.h
 * in advance since bpf_helper_defs.h uses such types
 * as __u64.
 */
#include "bpf_helper_defs.h"

#define __uint(name, val) int (*name)[val]
#define __type(name, val) typeof(val) *name
#define __array(name, val) typeof(val) *name[]
#define __ulong(name, val) enum { __bpf_concat(__unique_value, __COUNTER__) = val } name

/*
 * Helper macro to place programs, maps, license in
 * different sections in elf_bpf file. Section names
 * are interpreted by libbpf depending on the context (BPF programs, BPF maps,
```

```

* extern variables, etc).
* To allow use of SEC() with externs (e.g., for extern .maps declarations),
* make sure __attribute__((unused)) doesn't trigger compilation warning.
*/
#if __GNUC__ && !__clang__

/*
* Pragma macros are broken on GCC
* https://gcc.gnu.org/bugzilla/show\_bug.cgi?id=55578
* https://gcc.gnu.org/bugzilla/show\_bug.cgi?id=90400
*/
#define SEC(name) __attribute__((section(name), used))

#else

#define SEC(name) \
    _Pragma("GCC diagnostic push") \
    _Pragma("GCC diagnostic ignored \"-Wignored-attributes\"") \
    __attribute__((section(name), used)) \
    _Pragma("GCC diagnostic pop") \

#endif

/* Avoid 'linux/stddef.h' definition of '__always_inline'. */
#undef __always_inline
#define __always_inline inline __attribute__((always_inline))

#ifndef __noinline
#define __noinline __attribute__((noinline))
#endif
#ifndef __weak
#define __weak __attribute__((weak))
#endif

/*
* Use __hidden attribute to mark a non-static BPF subprogram effectively
* static for BPF verifier's verification algorithm purposes, allowing more
* extensive and permissive BPF verification process, taking into account
* subprogram's caller context.
*/
#define __hidden __attribute__((visibility("hidden")))

/* When utilizing vmlinux.h
with BPF CO-RE, user BPF programs can't include
* any system-level headers (such as stddef.h, linux/version.h, etc), and
* commonly-used macros like NULL and KERNEL_VERSION aren't available through
* vmlinux.h. This just adds unnecessary hurdles and forces users to re-define
* them on their own. So as a convenience, provide such definitions here.

```

```

*/
#ifndef NULL
#define NULL ((void *)0)
#endif

#ifndef KERNEL_VERSION
#define KERNEL_VERSION(a, b, c) (((a) << 16) + ((b) << 8) + ((c) > 255 ? 255 : (c)))
#endif

/*
 * Helper macros to manipulate data structures
 */

/* offsetof() definition that uses __builtin_offset() might not preserve field
 * offset CO-RE relocation properly, so force-redefine offsetof() using
 * old-school approach which works with CO-RE correctly
 */
#undef offsetof
#define offsetof(type, member) ((unsigned long)&((type *)0)->member)

/* redefined container_of() to ensure we use the above offsetof() macro */
#undef container_of
#define container_of(ptr, type, member) \
({ \
    void \
    *__mptr = (void *)(ptr); \
    ((type *)(__mptr - offsetof(type, member))); \
})

/*
 * Compiler (optimization) barrier.
 */
#ifndef barrier
#define barrier() asm volatile("" ::: "memory")
#endif

/* Variable-specific compiler (optimization) barrier. It's a no-op which makes
 * compiler believe that there is some black box modification of a given
 * variable and thus prevents compiler from making extra assumption about its
 * value and potential simplifications and optimizations on this variable.
 *
 * E.g., compiler might often delay or even omit 32-bit to 64-bit casting of
 * a variable, making some code patterns unverifiable. Putting barrier_var()
 * in place will ensure that cast is performed before the barrier_var()
 * invocation, because compiler has to pessimistically assume that embedded
 * asm section might perform some extra operations on that variable.
 *
 * This is a variable-specific variant of more global barrier().

```

```

*/
#ifndef barrier_var
#define
    barrier_var(var) asm volatile("" : "+r"(var))
#endif

/*
 * Helper macro to throw a compilation error if __bpf_unreachable() gets
 * built into the resulting code. This works given BPF back end does not
 * implement __builtin_trap(). This is useful to assert that certain paths
 * of the program code are never used and hence eliminated by the compiler.
 *
 * For example, consider a switch statement that covers known cases used by
 * the program. __bpf_unreachable() can then reside in the default case. If
 * the program gets extended such that a case is not covered in the switch
 * statement, then it will throw a build error due to the default case not
 * being compiled out.
 */
#ifndef __bpf_unreachable
#define __bpf_unreachable() __builtin_trap()
#endif

/*
 * Helper function to perform a tail call with a constant/immediate map slot.
 */
#if __clang_major__ >= 8 && defined(__bpf__)
static __always_inline void
bpf_tail_call_static(void *ctx, const void *map, const __u32 slot)
{
    if
    (!__builtin_constant_p(slot))
        __bpf_unreachable();
}

/*
 * Provide a hard guarantee that LLVM won't optimize setting r2 (map
 * pointer) and r3 (constant map index) from _different paths_ ending
 * up at the _same_ call insn as otherwise we won't be able to use the
 * jmpq/nopl retpoline-free patching by the x86-64 JIT in the kernel
 * given they mismatch. See also d2e4c1e6c294 ("bpf: Constant map key
 * tracking for prog array pokes") for details on verifier tracking.
 *
 * Note on clobber list: we need to stay in-line with BPF calling
 * convention, so even if we don't end up using r0, r4, r5, we need
 * to mark them as clobber so that LLVM doesn't end up using them
 * before / after the call.
 */
asm volatile("r1 = %[ctx]\n\t"
            "r2 = %[map]\n\t"

```



```

    "r3 = %[slot]\n\t"
    "call 12"
    :: [ctx]"r"(ctx), [map]"r"(map), [slot]"i"(slot)
    : "r0", "r1", "r2", "r3", "r4", "r5");
}
#endif

enum libbpf_pin_type {
    LIBBPF_PIN_NONE,
    /* PIN_BY_NAME: pin
    maps by name (in /sys/fs/bpf by default) */
    LIBBPF_PIN_BY_NAME,
};

enum libbpf_tristate {
    TRI_NO = 0,
    TRI_YES = 1,
    TRI_MODULE = 2,
};

#define __kconfig __attribute__((section(".kconfig")))
#define __ksym __attribute__((section(".ksyms")))
#define __kptr_untrusted __attribute__((btf_type_tag("kptr_untrusted")))
#define __kptr __attribute__((btf_type_tag("kptr")))
#define __percpu_kptr __attribute__((btf_type_tag("percpu_kptr")))

#define bpf_ksym_exists(sym) ({ \
    _Static_assert(!__builtin_constant_p(!sym), #sym " should be marked as __weak"); \
    !!sym; \
})

#define __arg_ctx __attribute__((btf_decl_tag("arg:ctx")))
#define __arg_nonnull __attribute__((btf_decl_tag("arg:nonnull")))
#define __arg_nullable __attribute__((btf_decl_tag("arg:nullable")))
#define __arg_trusted __attribute__((btf_decl_tag("arg:trusted")))
#define __arg_arena __attribute__((btf_decl_tag("arg:arena")))

#ifndef __bpf_concat
#define __bpf_concat(a, b) a ## b
#endif

#ifndef __bpf_apply
#define
    __bpf_apply(fn, n) __bpf_concat(fn, n)
#endif

#ifndef __bpf_nth
#define __bpf_nth(_, _1, _2, _3, _4, _5, _6, _7, _8, _9, _a, _b, _c, N, ...) N
#endif

#ifndef __bpf_narg

```

```

#define __bpf_narg(...) \
    __bpf_nth(, ##__VA_ARGS__, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0)
#endif

#define __bpf_fill0(arr, p, x) do {} while (0)
#define __bpf_fill1(arr, p, x) arr[p] = x
#define __bpf_fill2(arr, p, x, args...) arr[p] = x; __bpf_fill1(arr, p + 1, args)
#define __bpf_fill3(arr, p, x, args...) arr[p] = x; __bpf_fill2(arr, p + 1, args)
#define __bpf_fill4(arr, p, x, args...) arr[p] = x; __bpf_fill3(arr, p + 1, args)
#define __bpf_fill5(arr, p, x, args...) arr[p] = x; __bpf_fill4(arr, p + 1, args)
#define __bpf_fill6(arr, p, x, args...) arr[p] = x; __bpf_fill5(arr, p + 1, args)
#define __bpf_fill7(arr, p, x, args...) arr[p] = x; __bpf_fill6(arr, p + 1, args)
#define __bpf_fill8(arr, p, x, args...) arr[p] = x; __bpf_fill7(arr, p + 1, args)
#define __bpf_fill9(arr, p, x, args...) \
    arr[p] = x; __bpf_fill8(arr, p + 1, args)
#define __bpf_fill10(arr, p, x, args...) arr[p] = x; __bpf_fill9(arr, p + 1, args)
#define __bpf_fill11(arr, p, x, args...) arr[p] = x; __bpf_fill10(arr, p + 1, args)
#define __bpf_fill12(arr, p, x, args...) arr[p] = x; __bpf_fill11(arr, p + 1, args)
#define __bpf_fill(arr, args...) \
    __bpf_apply(__bpf_fill, __bpf_narg(args))(arr, 0, args)

/*
 * BPF_SEQ_PRINTF to wrap bpf_seq_printf to-be-printed values
 * in a structure.
 */
#define BPF_SEQ_PRINTF(seq, fmt, args...) \
({ \
    static const char __fmt[] = fmt; \
    unsigned long long __param[__bpf_narg(args)]; \
    \
    _Pragma("GCC diagnostic push") \
    _Pragma("GCC diagnostic ignored \"-Wint-conversion\"") \
    __bpf_fill(__param, args); \
    _Pragma("GCC diagnostic pop") \
    \
    bpf_seq_printf(seq, __fmt, sizeof(__fmt), \
        __param, sizeof(__param)); \
})

/*
 * BPF_SNPRINTF wraps the bpf_snprintf helper with variadic arguments instead of
 * an array of u64.
 */
#define BPF_SNPRINTF(out, out_size, fmt, args...) \
({ \
    static const char __fmt[] = fmt; \
    unsigned long long __param[__bpf_narg(args)]; \
    \

```

```

_Pragma("GCC diagnostic push") \
_Pragma("GCC diagnostic ignored \\"-Wint-conversion\\") \
__bpf_fill(__param, args); \
_Pragma("GCC diagnostic pop") \
\
bpf_snprintf(out, out_size, __fmt, \
    __param, sizeof(__param)); \
})

#ifdef BPF_NO_GLOBAL_DATA
#define BPF_PRINTK_FMT_MOD
#else
#define BPF_PRINTK_FMT_MOD static const
#endif

#define __bpf_printk(fmt, ...) \
({ \
    BPF_PRINTK_FMT_MOD char ____fmt[] = fmt; \
    bpf_trace_printk(____fmt, sizeof(____fmt), \
        ##__VA_ARGS__); \
})

/*
 * __bpf_vprintf wraps the bpf_trace_vprintf helper with variadic arguments
 * instead of an array of u64.
 */
#define __bpf_vprintf(fmt, args...) \
({ \
    static const char ____fmt[] = fmt; \
    unsigned long long __param[__bpf_narg(args)]; \
    \
    _Pragma("GCC \
diagnostic push") \
    _Pragma("GCC diagnostic ignored \\"-Wint-conversion\\") \
    __bpf_fill(__param, args); \
    _Pragma("GCC diagnostic pop") \
    \
    bpf_trace_vprintf(____fmt, sizeof(____fmt), \
        __param, sizeof(__param)); \
})

/* Use __bpf_printk when bpf_printk call has 3 or fewer fmt args
 * Otherwise use __bpf_vprintf
 */
#define __bpf_pick_printk(...) \
    __bpf_nth(, ##__VA_ARGS__, __bpf_vprintf, __bpf_vprintf, __bpf_vprintf, \
        __bpf_vprintf, __bpf_vprintf, __bpf_vprintf, __bpf_vprintf, \
        __bpf_vprintf, __bpf_vprintf, __bpf_printk /*3*/, __bpf_printk /*2*/, \

```

```

__bpf_printk /*1*/, __bpf_printk /*0*/)

/* Helper macro to print out debug messages */
#define bpf_printk(fmt, args...) __bpf_pick_printk(args)(fmt, ##args)

struct bpf_iter_num;

extern int bpf_iter_num_new(struct bpf_iter_num *it, int start, int end) __weak __ksym;
extern int *bpf_iter_num_next(struct bpf_iter_num *it) __weak __ksym;
extern void bpf_iter_num_destroy(struct bpf_iter_num
    *it) __weak __ksym;

#ifndef bpf_for_each
/* bpf_for_each(iter_type, cur_elem, args...) provides generic construct for
 * using BPF open-coded iterators without having to write mundane explicit
 * low-level loop logic. Instead, it provides for()-like generic construct
 * that can be used pretty naturally. E.g., for some hypothetical cgroup
 * iterator, you'd write:
 *
 * struct cgroup *cg, *parent_cg = <...>;
 *
 * bpf_for_each(cgroup, cg, parent_cg, CG_ITER_CHILDREN) {
 *     bpf_printk("Child cgroup id = %d", cg->cgroup_id);
 *     if (cg->cgroup_id == 123)
 *         break;
 * }
 *
 * I.e., it looks almost like high-level for each loop in other languages,
 * supports continue/break, and is verifiable by BPF verifier.
 *
 * For iterating integers, the difference between bpf_for_each(num, i, N, M)
 * and bpf_for(i, N, M) is in that bpf_for() provides additional proof to
 * verifier that i is in [N, M) range, and in bpf_for_each() case i is `int
 * *`, not just `int`. So for integers
 * bpf_for() is more convenient.
 *
 * Note: this macro relies on C99 feature of allowing to declare variables
 * inside for() loop, bound to for() loop lifetime. It also utilizes GCC
 * extension: __attribute__((cleanup(<func>))), supported by both GCC and
 * Clang.
 */
#define bpf_for_each(type, cur, args...) for (    \
    /* initialize and define destructor */    \
    struct bpf_iter_##type __it __attribute__((aligned(8), /* enforce, just in case */, \
        cleanup(bpf_iter_##type##_destroy))), \
    /* __p pointer is just to call bpf_iter_##type##_new() *once* to init __it */ \
    *__p __attribute__((unused)) = (    \
        bpf_iter_##type##_new(&__it, ##args), \

```

```

/* this is a workaround for Clang bug: it currently doesn't emit BTF */ \
/* for bpf_iter_###type##_destroy() when used from cleanup() attribute */ \
(void)bpf_iter_###type##_destroy, (void *)0); \
/* iteration and termination check */ \
(((cur) = bpf_iter_###type##_next(&__it))); \
)
#endif

/* bpf_for_each */

#ifndef bpf_for
/* bpf_for(i, start, end) implements a for()-like looping construct that sets
 * provided integer variable *i* to values starting from *start* through,
 * but not including, *end*. It also proves to BPF verifier that *i* belongs
 * to range [start, end), so this can be used for accessing arrays without
 * extra checks.
 *
 * Note: *start* and *end* are assumed to be expressions with no side effects
 * and whose values do not change throughout bpf_for() loop execution. They do
 * not have to be statically known or constant, though.
 *
 * Note: similarly to bpf_for_each(), it relies on C99 feature of declaring for()
 * loop bound variables and cleanup attribute, supported by GCC and Clang.
 */
#define bpf_for(i, start, end) for ( \
/* initialize and define destructor */ \
struct bpf_iter_num __it __attribute__((aligned(8), /* enforce, just in case */ \
cleanup(bpf_iter_num_destroy))), \
/* __p pointer is necessary to
call bpf_iter_num_new() *once* to init __it */ \
__p __attribute__((unused)) = ( \
bpf_iter_num_new(&__it, (start), (end)), \
/* this is a workaround for Clang bug: it currently doesn't emit BTF */ \
/* for bpf_iter_num_destroy() when used from cleanup() attribute */ \
(void)bpf_iter_num_destroy, (void *)0); \
({ \
/* iteration step */ \
int *__t = bpf_iter_num_next(&__it); \
/* termination and bounds check */ \
(__t && ((i) = *__t, (i) >= (start) && (i) < (end)))); \
}); \
)
#endif /* bpf_for */

#ifndef bpf_repeat
/* bpf_repeat(N) performs N iterations without exposing iteration number
 *
 * Note: similarly to bpf_for_each(), it relies on C99 feature of declaring for()
 * loop bound variables and cleanup attribute, supported by GCC and Clang.
 */

```

```

*/
#define bpf_repeat(N) for (    \
/* initialize and define destructor */    \
struct bpf_iter_num __it __attribute__((aligned(8), /* enforce,
just in case */ \
cleanup(bpf_iter_num_destroy))), \
/* __p pointer is necessary to call bpf_iter_num_new() *once* to init __it */ \
*__p __attribute__((unused)) = (    \
bpf_iter_num_new(&__it, 0, (N)),    \
/* this is a workaround for Clang bug: it currently doesn't emit BTF */ \
/* for bpf_iter_num_destroy() when used from cleanup() attribute */ \
(void)bpf_iter_num_destroy, (void *)0);    \
bpf_iter_num_next(&__it);    \
/* nothing here */    \
)
#endif /* bpf_repeat */

```

#endif

Copyright (c) 2013, The GoGo Authors. All rights reserved.

Protocol Buffers for Go with Gadgets

Go support for Protocol Buffers - Google's data interchange format

Copyright 2010 The Go Authors. All rights reserved.

<https://github.com/golang/protobuf>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
The MIT License (MIT)

Copyright (c) 2014 Sam Ghods

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2012 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS

FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The forked go-yaml.v3 library under this project is covered by two different licenses (MIT and Apache):

MIT License

The following files were ported to Go from C files of libyaml, and thus are still covered by their original MIT license, with the additional copyright starting in 2011 when the project was ported over:

apic.go emitterc.go parserc.go readerc.go scannerc.go
writerc.go yamlh.go yamlprivateh.go

Copyright (c)

2006-2010 Kirill Simonov

Copyright (c) 2006-2011 Kirill Simonov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

All the remaining project files are covered by the Apache license:

Copyright (c) 2011-2019 Canonical Ltd

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The forked go-yaml.v2 library under the project is covered by an
Apache license:

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall
mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative

Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section)

patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS"
BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and
limitations under the License.

Copyright (c) 2009,2014 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

LGPL-2.1 OR BSD-2-Clause

1.94 gojsonpointer 0.0.0-20180127040702-4e3ac2762d5f

1.94.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2015 xeipuuv

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.95 truststore 0.10.0

1.95.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.96 golang-genproto 0.0.0-20240228224816-df926f6c8641

1.96.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

1.97 etcd 3.5.16

1.97.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.98 otel-sdk 1.38.0

1.98.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.99 dlintw-goconf 0.0.0-20120228082610-dcc070983490

1.99.1 Available under license :

Copyright (c) 2010, Stephen Weinberg
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of goconf nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.100 alpine-keys 2.6-r0

1.100.1 Available under license :

No license file was found, but licenses were detected in source scan.

#!/bin/sh

Found in path(s):

* /aports-v2-6-zip/aports-v2.6/abuild-keygen.in

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/2709648019_1765119923.7026696/0/aports-v2-6-zip/aports-v2.6/abuild-sign.in#!/bin/sh

/opt/cola/permits/2709648019_1765119923.7026696/0/aports-v2-6-zip/aports-v2.6/abuild-tar.c/* abuild-tar.c - A TAR mangling utility for .APK packages

/opt/cola/permits/2709648019_1765119923.7026696/0/aports-v2-6-zip/aports-v2.6/abuild.in#!/bin/sh

/opt/cola/permits/2709648019_1765119923.7026696/0/aports-v2-6-zip/aports-v2.6/newapkbuild.in#!/bin/sh

Found in path(s):

*

1.101 jinja 3.1.4

1.101.1 Available under license :

Copyright 2007 Pallets

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.102 bash 5.3.3-r1

1.102.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

<<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the

software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want

to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The

"Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c)

If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License.

(Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part

of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable

source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains,

plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new

problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does.

Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or

modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program;
if not, see
<<https://www.gnu.org/licenses/>>.
Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details
type `show w'. This is free software, and you are welcome
to redistribute it under certain conditions; type `show c'
for details.
The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright
interest
in the program `Gnomovision'
(which makes passes at compilers) written
by James Hacker.

signature of Moe Ghoul, 1 April 1989

Moe Ghoul, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
```



```

arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdfnt rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cd4a70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706f8e0ca6a8d236189e88870720c license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource

```

```

pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked

```

```

}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
    need dbus
}

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
    # some GNU autoconf options are ignored, but it works
    ./configure \

```

```

--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--sourcedir=/usr/share/$pkgname
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

```

```

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
  bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"

```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
    --build=$CBUILD \  
    --host=$CHOST \  
    --prefix=/usr  
    make  
}
```

```

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"
# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

```

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement

being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

```

*
* @(#)queue.h 8.5 (Berkeley) 8/20/94
*/

#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_

/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 * pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large
 * datasets and few or no removals or for implementing a LIFO queue.
 *
 * A list is headed by a single forward pointer (or an array of forward
 * pointers for a hash table header). The elements are doubly linked
 * so that an arbitrary element can be removed without a need to
 * traverse the list. New elements can be added to the list before
 * or after an existing element or at the head of the list. A list
 * may only be traversed in the forward direction.
 *
 * A simple queue is headed by a pair of pointers, one the head of the
 * list and the
 * other to the tail of the list. The elements are singly
 * linked to save space, so elements can only be removed from the
 * head of the list. New elements can be added to the list after
 * an existing element, at the head of the list, or at the end of the
 * list. A simple queue may only be traversed in the forward direction.
 *
 * A tail queue is headed by a pair of pointers, one to the head of the
 * list and the other to the tail of the list. The elements are doubly
 * linked so that an arbitrary element can be removed without a need to
 * traverse the list. New elements can be added to the list before or
 * after an existing element, at the head of the list, or at the end of
 * the list. A tail queue may be traversed in either direction.
 *
 * A circle queue is headed by a pair of pointers, one to the head of the
 * list and the other to the tail of the list. The elements are doubly
 * linked so that an arbitrary element can be removed without a need to
 * traverse the list. New elements

```



```

can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.
*/

```

```

/*
* Include the definition of NULL only on NetBSD because sys/null.h
* is not available elsewhere. This conditional makes the header
* portable and it can simply be dropped verbatim into any system.
* The caveat is that on other systems some other header
* must provide NULL before the macros can be used.
*/
#ifdef __NetBSD__
#include <sys/null.h>
#endif

```

```

#if defined(QEUEDEBUG)
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

```

```

/*
* Singly-linked List definitions.
*/
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
* Singly-linked List access methods.
*/

```

```

#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \

```

```

struct type *curelm = (head)->slh_first; \
while(curelm->field.sle_next != (elm)) \
    curelm = curelm->field.sle_next; \
curelm->field.sle_next = \
    curelm->field.sle_next->field.sle_next; \
} \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
     (var) != LIST_END(head); \
     (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
     (var) != LIST_END(head) && \
     ((tvar) = LIST_NEXT((var), field), 1); \
     (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1)))

```

```

{    \
(head2)->lh_first = (head1)->lh_first; \
LIST_INIT((head1)); \
}    \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
    (head)->lh_first->field.le_prev != &(head)->lh_first) \
    QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
(elm)->field.le_next = (void *)1L; \
(elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

```

```

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
    = (head)->lh_first) != LIST_END(head)) \
    (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
    (elm)->field.le_next->field.le_prev = \
    (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
    (elm2)->field.le_next->field.le_prev = \
    &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

```

```

#define SIMPLEQ_ENTRY(type)  \
struct {  \
    struct type *sqe_next; /* next element */  \
}

/*
 * Simple queue access methods.
 */

#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field)  \
for ((var) = ((head)->sqh_first);  \
     (var) != SIMPLEQ_END(head);  \
     (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next)  \
for ((var) = ((head)->sqh_first);  \
     (var) != SIMPLEQ_END(head) &&  \
     ((next = ((var)->field.sqe_next)), 1);  \
     (var) = (next))

/*
 * Simple queue functions.
 */

#define SIMPLEQ_INIT(head) do {  \
    (head)->sqh_first = NULL;  \
    (head)->sqh_last  \
    = &(head)->sqh_first;  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do {  \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next;  \
    (head)->sqh_first = (elm);  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do {  \
    (elm)->field.sqe_next = NULL;  \
    *(head)->sqh_last = (elm);  \
    (head)->sqh_last = &(elm)->field.sqe_next;  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do {  \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next;  \
} while (/*CONSTCOND*/0)

```

```

(listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
(head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
if \
(((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
== NULL) \
(head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
if ((head)->sqh_first == (elm)) { \
SIMPLEQ_REMOVE_HEAD((head), field); \
} else { \
struct type *curelm = (head)->sqh_first; \
while (curelm->field.sqe_next != (elm)) \
curelm = curelm->field.sqe_next; \
if ((curelm->field.sqe_next = \
curelm->field.sqe_next->field.sqe_next) == NULL) \
(head)->sqh_last = &(curelm)->field.sqe_next; \
} \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
if (!SIMPLEQ_EMPTY((head2))) { \
*(head1)->sqh_last = (head2)->sqh_first; \
(head1)->sqh_last = (head2)->sqh_last; \
SIMPLEQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
(SIMPLEQ_EMPTY((head)) ? \
NULL : \
((struct type \
*)(void *) \
((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */

#define _TAILQ_HEAD(name, type, qual) \
struct name { \

```

```

qual type *tqh_first; /* first element */ \
qual type *qual *tqh_last; /* addr of last next element */ \
}
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
{ TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->tqh_first); \
    (var) != TAILQ_END(head); \
    (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->tqh_first); \
    (var) != TAILQ_END(head) && \
    ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
for ((var) = TAILQ_LAST((head), headname); \
    (var) != TAILQ_END(head); \
    (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
for ((var) = TAILQ_LAST((head), headname); \
    (var) != TAILQ_END(head) && \
    ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

```



```

/*
* Tail queue functions.
*/

#if defined(QEUEDEBBUG)
#define QEUEDEBBUG_TAILQ_INSERT_HEAD(head,
elm, field) \
if ((head)->tqh_first && \
    (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
    QEUEDEBBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QEUEDEBBUG_TAILQ_INSERT_TAIL(head, elm, field) \
if (*(head)->tqh_last != NULL) \
    QEUEDEBBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QEUEDEBBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
    (elm)->field.tqe_next->field.tqe_prev != \
    &(elm)->field.tqe_next) \
    QEUEDEBBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QEUEDEBBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QEUEDEBBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QEUEDEBBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QEUEDEBBUG_TAILQ_POSTREMOVE(elm, field) \
(elm)->field.tqe_next = (void *)1L; \
(elm)->field.tqe_prev = (void *)1L;
#else
#define QEUEDEBBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QEUEDEBBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QEUEDEBBUG_TAILQ_OP(elm, field)
#define QEUEDEBBUG_TAILQ_PREREMOVE(head, elm, field)
#define QEUEDEBBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QEUEDEBBUG_TAILQ_INSERT_HEAD((head), (elm), field) \

```

```

if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head))\
    (head)->tqh_first->field.tqe_prev = \
        &(elm)->field.tqe_next; \
else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

```

```

#define TAILQ_INSERT_TAIL(head,
elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

```

```

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
        (listelm)->field.tqe_next = (elm); \
        (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

```

```

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
        = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

```

```

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

```

```

QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
        field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)

```

```

#define STAILQ_EMPTY(head) (STAILQ_FIRST(head)
== STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

```

```

#define STAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->stqh_first); \
     (var); \
     (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = STAILQ_FIRST((head)); \
     (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
     (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
if (!STAILQ_EMPTY((head2))) { \
    *(head1)->stqh_last \
    = (head2)->stqh_first; \
    (head1)->stqh_last = (head2)->stqh_last; \
    STAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */

```

```

static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QEUEDEBBUG)
#define QEUEDEBBUG_CIRCLEQ_HEAD(head, field) \
    if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
        (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
        QEUEDEBBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
            __FILE__, __LINE__); \
    if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
        (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
        QEUEDEBBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QEUEDEBBUG_CIRCLEQ_ELM(head, elm, field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_last != (elm)) \
            QEUEDEBBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
            QEUEDEBBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QEUEDEBBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
            QEUEDEBBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    }
#define QEUEDEBBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QEUEDEBBUG_CIRCLEQ_HEAD(head, field)
#define QEUEDEBBUG_CIRCLEQ_ELM(head, elm, field)
#define QEUEDEBBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \

```

```

struct name {
    struct type *cqh_first; /*
    first element */
    struct type *cqh_last; /* last element */
}

#define CIRCLEQ_HEAD_INITIALIZER(head)
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type)
struct {
    struct type *cqe_next; /* next element */
    struct type *cqe_prev; /* previous element */
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do {
    (head)->cqh_first = CIRCLEQ_END(head);
    (head)->cqh_last = CIRCLEQ_END(head);
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do {
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field)
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field)
    (elm)->field.cqe_next = (listelm)->field.cqe_next;
    (elm)->field.cqe_prev = (listelm);
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head))
        (head)->cqh_last = (elm);
    else
        (listelm)->field.cqe_next->field.cqe_prev = (elm);
    (listelm)->field.cqe_next = (elm);
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head,
listelm, elm, field) do {
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field)
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field)
    (elm)->field.cqe_next = (listelm);
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev;
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head))
        (head)->cqh_first = (elm);
    else
        (listelm)->field.cqe_prev->field.cqe_next = (elm);
    (listelm)->field.cqe_prev = (elm);
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

```

```

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \

```



```

(var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */
#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_last) \
     : \
     (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS

```

```

#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__ ((__nothrow__))
# define __NTH(fct) __attribute__ ((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
flake8-copyright-0.2.4.tar.gz
"

```

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE

AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

```

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
* This file defines data structures for different types of trees:
* splay trees and red-black trees.
*
* A splay tree is a self-organizing
data structure. Every operation
* on the tree causes a splay to happen. The splay moves the requested
* node to the root of the tree and partly rebalances it.
*
* This has the benefit that request locality causes faster lookups as
* the requested nodes move to the top of the tree. On the other hand,
* every lookup causes memory writes.
*
* The Balance Theorem bounds the total access time for m operations
* and n inserts on an initially empty tree as  $O((m + n) \lg n)$ . The
* amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
*
* A red-black tree is a binary search tree with the node color as an
* extra attribute. It fulfills a set of conditions:
* - every search path from the root to a leaf consists of the
*   same number of black nodes,
* - each red node (except for the root) has a black parent,
* - each leaf node is black.
*
* Every operation on a red-black tree is bounded as  $O(\lg n)$ .
* The maximum height of a red-black tree is  $2 \lg (n+1)$ .

```

```

*/

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \

```

```

(head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
    \
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
    \
static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \

```

```

{
    \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{
    \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if(__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field);\
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{
    \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
        }

```

```

    SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
} \
return (elm); \
} \
return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
\
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
\
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) > 0){ \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
    SPLAY_ASSEMBLE(head,
    &__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \

```



```

{
    \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) {
        \
        if (__comp < 0) {
            \
            __tmp = SPLAY_LEFT((head)->sph_root, field);\
            if (__tmp == NULL)
                break; \
            if (__comp < 0){
                \
                SPLAY_ROTATE_RIGHT(head, __tmp, field);\
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) {
            \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\
            if (__tmp == NULL)
                break; \
            if (__comp > 0) {
                \
                SPLAY_ROTATE_LEFT(head, __tmp, field);\
                if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
    SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

```

```

#define SPLAY_NEGINF -1

```

```

#define SPLAY_INF 1

```

```

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)

```

```

#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)

```

```

#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)

```

```

#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)

```

```

#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \

```

```

    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))

```

```

#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \

```

```

    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

```

```

#define SPLAY_FOREACH(x, name, head) \

```

```

    for ((x) = SPLAY_MIN(name, head); \

```

```

        (x) != NULL; \

```

```

(x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
struct name { \
    struct type *rbh_root; /* root of the tree */ \
}

#define RB_INITIALIZER(root) \
{ \
    NULL \
}

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif
#endif

```

```

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \

```

```

attr void name##_RB_INSERT_COLOR(struct name *, struct
type *); \
attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *);\
attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
attr struct type *name##_RB_INSERT(struct name *, struct type *); \
attr struct type *name##_RB_FIND(struct name *, struct type *); \
attr struct type *name##_RB_NFIND(struct name *, struct type *); \
attr struct type *name##_RB_NEXT(struct type *); \
attr struct type *name##_RB_PREV(struct type *); \
attr struct type *name##_RB_MINMAX(struct name *, int); \
\

/* Main rb operation.
* Moves node close to the key of elm to top
*/
#define RB_GENERATE(name, type, field, cmp) \
RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
attr void \
name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
{ \
struct type \
*parent, *gparent, *tmp; \
while ((parent = RB_PARENT(elm, field)) != NULL && \
RB_COLOR(parent, field) == RB_RED) { \
gparent = RB_PARENT(parent, field); \
if (parent == RB_LEFT(gparent, field)) { \
tmp = RB_RIGHT(gparent, field); \
if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
RB_COLOR(tmp, field) = RB_BLACK; \
RB_SET_BLACKRED(parent, gparent, field);\
elm = gparent; \
continue; \
} \
if (RB_RIGHT(parent, field) == elm) { \
RB_ROTATE_LEFT(head, parent, tmp, field);\
tmp = parent; \
parent = elm; \
elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_RIGHT(head, gparent, tmp, field); \
} else { \
tmp = RB_LEFT(gparent, field); \
if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
RB_COLOR(tmp, field) = RB_BLACK; \

```

```

RB_SET_BLACKRED(parent, gparent, field);\
elm = gparent; \
continue; \
} \
if (RB_LEFT(parent, field) == elm)
{ \
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_LEFT(head, gparent, tmp, field);\
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK;\
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field);\

```

```

    tmp = RB_RIGHT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \
if (RB_RIGHT(tmp, field)) \
    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
RB_ROTATE_LEFT(head, parent, tmp, field);\
elm = RB_ROOT(head); \
break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\
            tmp = RB_LEFT(parent, field); \
        } \
        RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
        RB_COLOR(parent, field) = RB_BLACK; \
        if (RB_LEFT(tmp, field)) \
            RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        elm = RB_ROOT(head); \
        break; \
    } \
} \
} \
if

```

```

(elm)    \
    RB_COLOR(elm, field) = RB_BLACK; \
}      \
    \
attr struct type *    \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{      \
    struct type *child, *parent, *old = elm; \
    int color;    \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else {      \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \
                RB_RIGHT(parent, field) = child; \
            RB_AUGMENT(parent); \
        } else \
            RB_ROOT(head)
= child; \
    if (RB_PARENT(elm, field) == old) \
        parent = elm; \
    (elm)->field = (old)->field; \
    if (RB_PARENT(old, field)) { \
        if (RB_LEFT(RB_PARENT(old, field), field) == old)\
            RB_LEFT(RB_PARENT(old, field), field) = elm;\
        else \
            RB_RIGHT(RB_PARENT(old, field), field) = elm;\
        RB_AUGMENT(RB_PARENT(old, field)); \
    } else \
        RB_ROOT(head) = elm; \
    RB_PARENT(RB_LEFT(old, field), field) = elm; \
    if (RB_RIGHT(old, field)) \
        RB_PARENT(RB_RIGHT(old, field), field) = elm; \
    if (parent) { \
        left = parent; \

```

```

do {
    RB_AUGMENT(left);
} while ((left = RB_PARENT(left, field)) != NULL);
}
goto color;
}
parent = RB_PARENT(elm, field);
color = RB_COLOR(elm, field);
if (child)
    RB_PARENT(child, field) = parent;
if (parent) {
    if (RB_LEFT(parent, field) == elm)
        RB_LEFT(parent, field) = child;
    else
        RB_RIGHT(parent,
field) = child;
    RB_AUGMENT(parent);
} else
    RB_ROOT(head) = child;
color:
if (color == RB_BLACK)
    name##_RB_REMOVE_COLOR(head, parent, child);
return (old);
}

/* Inserts a node into the RB tree */
attr struct type *
name##_RB_INSERT(struct name *head, struct type *elm)
{
    struct type *tmp;
    struct type *parent = NULL;
    int comp = 0;
    tmp = RB_ROOT(head);
    while (tmp) {
        parent = tmp;
        comp = (cmp)(elm, parent);
        if (comp < 0)
            tmp = RB_LEFT(tmp, field);
        else if (comp > 0)
            tmp = RB_RIGHT(tmp, field);
        else
            return (tmp);
    }
    RB_SET(elm, parent, field);
    if (parent != NULL) {
        if (comp < 0)
            RB_LEFT(parent, field) = elm;
        else

```



```

    RB_RIGHT(parent, field) = elm; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = elm; \
name##_RB_INSERT_COLOR(head,
elm); \
return (NULL); \
} \
\
/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \

```

```

    \
/* ARGSUSED */    \
attr struct type *    \
name##_RB_NEXT(struct type *elm)    \
{    \
    if (RB_RIGHT(elm, field)) {    \
        elm = RB_RIGHT(elm, field);    \
        while (RB_LEFT(elm, field))    \
            elm = RB_LEFT(elm, field);    \
    } else {    \
        if (RB_PARENT(elm, field) &&    \
            (elm == RB_LEFT(RB_PARENT(elm, field), field)))    \
            elm = RB_PARENT(elm, field);    \
        else {    \
            while (RB_PARENT(elm, field) &&    \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field)))    \
                elm = RB_PARENT(elm, field);    \
            elm = RB_PARENT(elm, field);    \
        }    \
    }    \
    return (elm);    \
}    \
    \
/* ARGSUSED */    \
attr struct type *    \
name##_RB_PREV(struct type *elm)    \
{    \
    if (RB_LEFT(elm, field)) {    \
        elm = RB_LEFT(elm, field);    \
        while (RB_RIGHT(elm, field))    \
            elm = RB_RIGHT(elm, field);    \
    }    \
    else {    \
        if (RB_PARENT(elm, field) &&    \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field)))    \
            elm = RB_PARENT(elm, field);    \
        else {    \
            while (RB_PARENT(elm, field) &&    \
                (elm == RB_LEFT(RB_PARENT(elm, field), field)))    \
                elm = RB_PARENT(elm, field);    \
            elm = RB_PARENT(elm, field);    \
        }    \
    }    \
    return (elm);    \
}    \
    \
attr struct type *    \
name##_RB_MINMAX(struct name *head, int val)    \

```

```

{
    \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) {
        \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
    for ((x) = RB_MIN(name, head); \
        (x) != NULL; \
        (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
    for ((x) = (y); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
    for ((x) = RB_MIN(name, head); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
    for ((x) = RB_MAX(name, head); \
        (x) != NULL; \
        (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
    for ((x) = (y); \

```

```

((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y) \
for ((x) = RB_MAX(name, head); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
buildid="$srcdir/$_pkgreal-$pkgver"

build() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
INSTALLDIRS=vendor \
NO_PACKLIST=1 \
NO_PERLLOCAL=1
make
}

check() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
make test
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4

```

Software-License-0.104007.tar.gz

"

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnll.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-\$pkgver.tar.gz"

builddir="\$srcdir/_pkgname-\$pkgver"

build() {

gpep517 build-wheel \

--wheel-dir .dist \

--output-fd 3 3>&1 >&2

}

```

check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}

package() {
    python3 -m installer -d "$pkgdir" \
    .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
    license_expression-30.4.4.tar.gz
"

```

1.103 rich 14.0.0

1.103.1 Available under license :

MIT

Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.104 go-xerial-snappy 0.0.0-20230731223053-c322873962e3

1.104.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Evan Huus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.105 autocommand 2.2.2

1.105.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object

code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:

- 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

- 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version

of the Library that is interface-compatible
with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser

General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

Copyright 2014-2015 Nathan West

#

This file is part of autocommand.

#

autocommand is free software: you can redistribute it and/or modify

it under the terms of the GNU Lesser General Public License as published by

the Free Software Foundation, either version 3 of the License, or

(at your option) any later version.

#

autocommand is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU Lesser General Public License for more details.

#

You should have received a copy of the GNU Lesser General Public License

along with autocommand. If not, see <<http://www.gnu.org/licenses/>>.

1.106 jaraco.text 3.12.1

1.106.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.107 python-certifi 2024.08.30

1.107.1 Available under license :

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree: <https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt> It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication. Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$

1.108 utmps-lib 0.1.3.1-r0

1.108.1 Available under license :

Copyright (c) 2018-2025 Laurent Bercot <ska-skaware@skarnet.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.109 prometheus-client-model 0.6.1

1.109.1 Available under license :

Data model artifacts for Prometheus.

Copyright 2012-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (<http://soundcloud.com/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.110 tomli 2.0.1

1.110.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018 TOML authors

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SPDX-License-Identifier: MIT

SPDX-FileCopyrightText: 2021 Taneli Hukkinen

Licensed to PSF under a Contributor Agreement.

The MIT License

Copyright (c) 2021 Pradyun Gedam and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Portions of the Software include code copyright (c) Rebecca Turner.
MIT License

Copyright (c) 2020 Bob Fang (bob.fang.london@gmail.com)
Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.111 grpc-gateway 2.27.3

1.111.1 Available under license :

Copyright (c) 2015, Gengo, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Gengo, Inc. nor the names of its contributors may be used to endorse or promote products derived from this

software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: 03e4897d97c50595372db8edf19853f8

Copyright 2010, 2019 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.112 python-setuptools 80.9.0

1.112.1 Available under license :

The code contained in this directory was automatically generated using the following command:

```
python -m validate_pyproject.pre_compile --output-dir=setuptools/config/_validate_pyproject --enable-plugins
setuptools.distutils --very-verbose -t setuptools=setuptools/config/setuptools.schema.json -t
distutils=setuptools/config/distutils.schema.json
```

Please avoid changing it manually.

You can report issues or suggest changes directly to `validate-pyproject`
(or to the relevant plugin repository)

- <https://github.com/abravalheri/validate-pyproject/issues>

The following files include code from opensource projects
(either as direct copies or modified versions):

- `fastjsonschema\_exceptions.py`:
 - project: `fastjsonschema` - licensed under BSD-3-Clause
(<https://github.com/horejsek/python-fastjsonschema>)
- `extra\_validations.py` and `format.py`, `error\_reporting.py`:
 - project: `validate-pyproject` - licensed under MPL-2.0
(<https://github.com/abravalheri/validate-pyproject>)

Additionally

the following files are automatically generated by tools provided
by the same projects:

- `\_\_init\_\_.py`
- `fastjsonschema\_validations.py`

The relevant copyright notes and licenses are included below.

```
`fastjsonschema`
=====
```

Copyright (c) 2018, Michal Horejsek
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the {organization} nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS

SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

`validate-pyproject`

=====

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2.

"Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means

a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1.

Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this

License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other

equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed

by the terms of this

License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary

License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are

reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2.

Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of

the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

MIT License

Copyright (c) 2012 Daniel Holth <dholth@fastmail.fm> and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library is deemed
a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying Modified

Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts

and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF				yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6,

examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of

the changes made
to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 525adedaf9a94edbb3e245cdd7b0f448

UNRECOGNIZED LICENSE; MD5 sum: 8f2937ac54e1c71b8f33618e9e805225

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2012 Erik Rose

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

The following files include code from opensource projects
(either as direct copies or modified versions):

- `setuptools.schema.json`, `distutils.schema.json`:
- project: `validate-pyproject` - licensed under MPL-2.0
(<https://github.com/abravalheri/validate-pyproject>):

This Source Code Form is subject to the terms of the Mozilla Public
License, v. 2.0. If a copy of the MPL was not distributed with this file,
You can obtain one at <https://mozilla.org/MPL/2.0/>.
This is the MIT license: <http://www.opensource.org/licenses/mit-license.php>

Copyright (c) Alex Grnholm

Permission is hereby granted, free of charge, to any person obtaining a copy of this
software and associated documentation files (the "Software"), to deal in the Software
without restriction, including without limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons
to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or
substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR
PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER
DEALINGS IN THE SOFTWARE.

1.113 otel-exporters-otlp-otlptrace-otlptracegrpc 1.24.0

1.113.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial
revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.114 tomli 2.2.1

1.114.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018 TOML authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

SPDX-License-Identifier: MIT

SPDX-FileCopyrightText: 2021 Taneli Hukkinen

Licensed to PSF under a Contributor Agreement.

The MIT License

Copyright (c) 2021 Pradyun Gedam and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Portions of the Software include code copyright (c) Rebecca Turner.
MIT License

Copyright (c) 2020 Bob Fang (bob.fang.london@gmail.com)
Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.115 multierr 1.11.0

1.115.1 Available under license :

Copyright (c) 2017-2021 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.116 libcrypto3 3.5.4-r0

1.116.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under
the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free
Software Foundation; either version 1, or (at your option) any
later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users
at the mercy of those companies. By contrast, our General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. The
General Public License applies to the Free Software Foundation's
software and to any other program whose authors commit to using it.
You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not

price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any

other recipients of the

Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph 1 above, provided that you also do the following:

a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and

b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use

in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.

d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,

b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge

for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,

c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that

accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of

the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the

"copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 1, or (at your option)
any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free
Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter
the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

- a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
- b) use the modified Package only within your corporation or organization.
- c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

- a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not

advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.117 procfs 0.15.1

1.117.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

procfs provides functions to retrieve system, kernel and process metrics from the pseudo-filesystem proc.

Copyright 2014-2015 The Prometheus Authors

This product includes software developed at
SoundCloud Ltd. (<http://soundcloud.com/>).

1.118 python 3.12.12-r0

1.118.1 Available under license :

Additional Conditions for this Windows binary build

This program is linked with and uses Microsoft Distributable Code, copyrighted by Microsoft Corporation. The Microsoft Distributable Code is embedded in each .exe, .dll and .pyd file as a result of running the code through a linker.

If you further distribute programs that include the Microsoft Distributable Code, you must comply with the restrictions on distribution specified by Microsoft. In particular, you must require distributors and external end users to agree to terms that protect the Microsoft Distributable Code at least as much as Microsoft's own requirements for the Distributable Code. See Microsoft's documentation (included in its developer tools and on its website at microsoft.com) for specific details.

Redistribution of the Windows binary build of the Python interpreter complies with this agreement, provided that you do not:

- alter any copyright, trademark or patent notice in Microsoft's Distributable Code;
- use Microsoft's trademarks in your programs' names or in a way that suggests your programs come from or are endorsed by Microsoft;
- distribute Microsoft's Distributable Code to run on a platform other than Microsoft operating systems, run-time technologies or application platforms; or
- include Microsoft Distributable Code in malicious, deceptive or unlawful programs.

These restrictions apply only to the Microsoft Distributable Code as defined above, not to Python itself or any programs running on the Python interpreter. The redistribution of the Python interpreter and libraries is governed by the Python Software License included with this file, or by other licenses as marked.

Copyright (c) 1998-2000 Thai Open Source Software Center Ltd and Clark Cooper
Copyright (c) 2001-2022 Expat maintainers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes

1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF				yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and

otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee

agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,

OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE

FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This license applies to the bootstrapper application that is embedded within the installer. It has no impact on the licensing for the rest of the installer or Python itself, as no code covered by this license exists in any other part of the product.

Microsoft Reciprocal License (MS-RL)

This license governs use of the accompanying software. If you use the software, you accept this license. If you do not accept the license, do not use the software.

1. Definitions

The terms "reproduce," "reproduction," "derivative works," and "distribution" have the same meaning here as under U.S. copyright law.

A "contribution" is the original software, or any additions or changes to the software.

A "contributor" is any person that distributes its contribution under this license.

"Licensed patents" are a contributor's patent claims that read directly on its contribution.

2. Grant of Rights

(A) Copyright Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free copyright license to reproduce its contribution, prepare derivative works of its contribution, and distribute its contribution or any derivative works that you create.

(B) Patent Grant- Subject to the terms of this license, including the license conditions and limitations in section 3, each contributor grants you a non-exclusive, worldwide, royalty-free license under its licensed patents to make, have made, use, sell, offer for sale, import, and/or otherwise dispose of its contribution in the software or derivative works of the contribution in the software.

3. Conditions and Limitations

(A) Reciprocal Grants- For any file you distribute that contains code from the software (in source code or binary format), you must provide recipients the source code to that file along with a copy of this license, which license will govern that file. You may license other files that are entirely your own work and do not contain code from the software under any terms you choose.

(B) No Trademark License- This license does not grant you rights to use any contributors' name, logo, or trademarks.

(C) If you bring a patent claim against any contributor over patents that you claim are infringed by the software, your patent license from such contributor to the software ends automatically.

(D) If you distribute any portion of the software, you must retain all copyright, patent, trademark, and attribution notices that are present in the software.

(E) If you distribute any portion of the software in source code form, you may do so only under this license by including a complete copy of this license with your distribution. If you distribute any portion of the software in compiled or object code form, you may only do so under a license that complies with this license.

(F) The software is licensed "as-is." You bear the risk of using it. The contributors give no express warranties, guarantees or conditions.

You may have additional consumer rights under your local laws which this license cannot change. To the extent permitted under your local laws, the contributors exclude the implied warranties of merchantability, fitness for a particular purpose and non-infringement.

1.119 gokrb5 8.4.4

1.119.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the
Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

gokrb5

Copyright 2016, Jonathan Turner <jt@jtnet.co.uk>

1.120 futures 3.4.0

1.120.1 Available under license :

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

-
1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
 2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
 3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
 4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
 5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
 6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
 7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.
Python/Jython

1.121 driver-postgres 1.6.0

1.121.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-NOW Jinzhu <wosmvp@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.122 gorilla-mux 1.8.1

1.122.1 Available under license :

Copyright (c) 2023 The Gorilla Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.123 libbsd 0.12.2-r0

1.123.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files:

*

Copyright:

Copyright 2004-2024 Guillem Jover <guillem@hadrons.org>

License: BSD-3-clause

Files:

include/bsd/err.h

include/bsd/stdlib.h

include/bsd/sys/param.h

include/bsd/unistd.h

src/bsd_getopt.c

src/err.c

src/fgetln.c

src/progname.c

Copyright:

Copyright 2005, 2008-2012, 2019 Guillem Jover <guillem@hadrons.org>

Copyright 2005 Hector Garcia Alvarez

Copyright 2005 Aurelien Jarno

Copyright 2006 Robert Millan

Copyright 2018 Facebook, Inc.

License: BSD-3-clause

Files:

include/bsd/netinet/ip_icmp.h

include/bsd/sys/bitstring.h
include/bsd/sys/queue.h
include/bsd/sys/time.h
include/bsd/timeconv.h
include/bsd/vis.h
man/bitstring.3bsd
man/errc.3bsd
man/explicit_bzero.3bsd
man/fgetln.3bsd
man/fgetwln.3bsd
man/fpurge.3bsd
man/funopen.3bsd
man/getbsize.3bsd
man/heapsort.3bsd
man/nlist.3bsd
man/pwcache.3bsd
man/queue.3bsd
man/radixsort.3bsd
man/reallocarray.3bsd
man/reallocf.3bsd
man/setmode.3bsd
man/strmode.3bsd
man/strnstr.3bsd
man/strtoi.3bsd
man/strtou.3bsd
man/unvis.3bsd
man/vis.3bsd
man/wcsncpy.3bsd
src/getbsize.c
src/heapsort.c
src/merge.c
src/nlist.c
src/pwcache.c
src/radixsort.c
src/setmode.c
src/strmode.c
src/strnstr.c
src/strtoi.c
src/strtou.c
src/unvis.c

Copyright:

Copyright 1980, 1982, 1986, 1989-1994

The Regents of the University of California. All rights reserved.

Copyright 1992 Keith Muller.

Copyright 2001 Mike Barcroft <mike@FreeBSD.org>

.

Some code is derived from software contributed to Berkeley by
the American National Standards Committee X3, on Information

Processing Systems.

.

Some code is derived from software contributed to Berkeley by Peter McIlroy.

.

Some code is derived from software contributed to Berkeley by Ronnie Kon at Mindcraft Inc., Kevin Lew and Elmer Yglesias.

.

Some code is derived from software contributed to Berkeley by Dave Borman at Cray Research, Inc.

.

Some code is derived from software contributed to Berkeley by Paul Vixie.

.

Some code is derived from software contributed to Berkeley by Chris Torek.

.

Copyright UNIX System Laboratories, Inc.

All or some portions of this file are derived from material licensed to the University of California by American Telephone and Telegraph Co. or Unix System Laboratories, Inc. and are reproduced herein with the permission of UNIX System Laboratories, Inc.

License: BSD-3-clause-Regents

Files:

src/vis.c

Copyright:

Copyright 1989, 1993

The Regents of the University of California. All rights reserved.

.

Copyright 1999, 2005 The NetBSD Foundation, Inc.

All rights reserved.

License: BSD-3-clause-Regents and BSD-2-clause-NetBSD

Files:

include/bsd/libutil.h

Copyright:

Copyright 1996 Peter Wemm <peter@FreeBSD.org>.

All rights reserved.

Copyright 2002 Networks Associates Technology, Inc.

All rights reserved.

License: BSD-3-clause-author

Files:

man/timeradd.3bsd

Copyright:

Copyright

2009 Jukka Ruohonen <jruohonen@iki.fi>

Copyright 1999 Kelly Yancey <kbyanc@posi.net>

All rights reserved.

License: BSD-3-clause-John-Birrell

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the author nor the names of any co-contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY JOHN BIRRELL AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

man/setproctitle.3bsd

Copyright:

Copyright 1995 Peter Wemm <peter@FreeBSD.org>

All rights reserved.

License: BSD-5-clause-Peter-Wemm

Redistribution and use in source and binary forms, with or without modification, is permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice immediately at the beginning of the file, without modification, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. This work was done expressly for inclusion into FreeBSD. Other use is permitted provided this notation is included.
4. Absolutely no warranty of function or purpose is made by the author

Peter Wemm.

5. Modifications may be freely made to this file providing the above conditions are met.

Files:

include/bsd/stringlist.h
man/arc4random.3bsd
man/fmtcheck.3bsd
man/humanize_number.3bsd
man/stringlist.3bsd
man/timeval.3bsd
src/fmtcheck.c
src/humanize_number.c
src/stringlist.c
src/strtonum.c

Copyright:

Copyright 1994, 1997-2000, 2002, 2008, 2010, 2014

The NetBSD Foundation, Inc.

Copyright 2013 John-Mark Gurney <jmg@FreeBSD.org>

All rights reserved.

.

Copyright 2014

The NetBSD Foundation, Inc.

All rights reserved.

.

Some code was derived from software contributed to The NetBSD Foundation by Taylor R. Campbell.

.

Some code was contributed to The NetBSD Foundation by Allen Briggs.

.

Some code was contributed to The NetBSD Foundation by Luke Mewburn.

.

Some code is derived from software contributed to The NetBSD Foundation by Jason R. Thorpe of the Numerical Aerospace Simulation Facility, NASA Ames Research Center, by Luke Mewburn and by Tomas Svensson.

.

Some code is derived from software contributed to The NetBSD Foundation by Julio M. Merino Vidal, developed as part of Google's Summer of Code 2005 program.

.

Some code is derived from software contributed to The NetBSD Foundation by Christos Zoulas.

.

Some code is derived from software contributed to The NetBSD Foundation by Jukka Ruohonen.

License: BSD-2-clause-NetBSD

Files:

include/bsd/sys/endian.h
man/byteorder.3bsd
man/closefrom.3bsd
man/expand_number.3bsd
man/flopen.3bsd
man/getpeereid.3bsd
man/pidfile.3bsd
src/expand_number.c
src/pidfile.c
src/reallocf.c
src/timeconv.c

Copyright:

Copyright 1998, M. Warner Losh <imp@freebsd.org>
All rights reserved.

.

Copyright 2001 Dima Dorfman.
All rights reserved.

.

Copyright 2001 FreeBSD Inc.
All rights reserved.

.

Copyright 2002 Thomas Moestl <tmml@FreeBSD.org>
All rights reserved.

.

Copyright 2002 Mike Barcroft <mike@FreeBSD.org>
All rights reserved.

.

Copyright 2005 Pawel Jakub Dawidek <pjd@FreeBSD.org>
All rights reserved.

.

Copyright 2005 Colin Percival
All rights reserved.

.

Copyright 2007 Eric Anderson <anderson@FreeBSD.org>
Copyright 2007 Pawel Jakub Dawidek <pjd@FreeBSD.org>
All rights reserved.

.

Copyright 2007 Dag-Erling Codan Smrgrav
All rights reserved.

.

Copyright 2009 Advanced Computing Technologies LLC
All rights reserved.

.

Copyright 2011 Guillem Jover <guillem@hadrons.org>
License: BSD-2-clause

Files:

src/flopen.c

Copyright:

Copyright 2007-2009

Dag-Erling Codan Smrgrav

All rights reserved.

License: BSD-2-clause-verbatim

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer in this position and unchanged.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files:

include/bsd/sys/tree.h

man/fparseln.3bsd

man/tree.3bsd

src/fparseln.c

Copyright:

Copyright 1997 Christos Zoulas.

All rights reserved.

.

Copyright 2002 Niels Provos <provos@citi.umich.edu>

All rights reserved.

License: BSD-2-clause-author

Files:

include/bsd/readpassphrase.h

man/readpassphrase.3bsd

man/strncpy.3bsd

man/strtonum.3bsd

src/arc4random.c

src/arc4random_linux.h

src/arc4random_uniform.c
src/arc4random_unix.h
src/arc4random_win.h
src/closefrom.c
src/freezero.c
src/getentropy_aix.c
src/getentropy_bsd.c
src/getentropy_hpux.c
src/getentropy_hurd.c
src/getentropy_linux.c
src/getentropy_osx.c
src/getentropy_solaris.c
src/getentropy_win.c
src/readpassphrase.c
src/reallocarray.c
src/recallocarray.c
src/strlcat.c
src/strncpy.c
test/explicit_bzero.c
test/strtonum.c

Copyright:

Copyright 2004 Ted Unangst and Todd Miller

All rights reserved.

.

Copyright 1996 David Mazieres <dm@uun.org>

Copyright 1998, 2000-2002, 2004-2005, 2007, 2010, 2012-2015

Todd C. Miller <Todd.Miller@courtesan.com>

Copyright 2004 Ted Unangst

Copyright 2004 Otto Moerbeek <otto@drijf.net>

Copyright 2008 Damien Miller <djm@openbsd.org>

Copyright 2008, 2010-2011, 2016-2017 Otto Moerbeek <otto@drijf.net>

Copyright 2013 Markus Friedl <markus@openbsd.org>

Copyright 2014 Bob Beck <beck@obtuse.com>

Copyright 2014 Brent Cook <bcook@openbsd.org>

Copyright 2014 Pawel Jakub Dawidek <pjd@FreeBSD.org>

Copyright 2014 Theo de Raadt <deraadt@openbsd.org>

Copyright 2014 Google Inc.

Copyright 2015 Michael Felt <aixtools@gmail.com>

Copyright 2015, 2022 Guillem Jover <guillem@hadrons.org>

License:

ISC

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR

ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:

src/inet_net_pton.c

Copyright:

Copyright 1996 by Internet Software Consortium.

License: ISC-Original

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

.

THE SOFTWARE IS PROVIDED "AS IS" AND INTERNET SOFTWARE CONSORTIUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL INTERNET SOFTWARE CONSORTIUM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Files:

src/setproctitle.c

Copyright:

Copyright 2010 William Ahern

Copyright 2012 Guillem Jover <guillem@hadrons.org>

License: Expat

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE

USE OR OTHER DEALINGS IN THE SOFTWARE.

Files:

src/explicit_bzero.c

src/chacha_private.h

Copyright:

None

License: public-domain

Public domain.

Files:

man/mdX.3bsd

Copyright:

None

License: Beerware

"THE BEER-WARE LICENSE" (Revision 42):

<phk@login.dkuug.dk> wrote this

file. As long as you retain this notice you

can do whatever you want with this stuff. If we meet some day, and you think

this stuff is worth it, you can buy me a beer in return. Poul-Henning Kamp

License: BSD-3-clause-Regents

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions

are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-clause-author

Redistribution and use in source and binary forms, with or without

modification, is permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause-NetBSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause-author

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-2-clause

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.124 puddle 2.2.2

1.124.1 Available under license :

Copyright (c) 2018 Jack Christensen

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

1.125 dnutils 2.0.0

1.125.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"

(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems
that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants
to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work

or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.126 gojsonreference 0.0.0-20180127040603-bd5ef7bd5415

1.126.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2015 xeipuuv

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

1.127 py3-parsing-pyc 3.2.3-r0

1.127.1 Available under license :

MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.128 golang-snappy 1.0.0

1.128.1 Available under license :

```
# This is the official list of people who can contribute
# (and typically have contributed) code to the Go repository.
# The AUTHORS file lists the copyright holders; this file
# lists people. For example, Google employees are listed here
# but not in AUTHORS, because Google holds the copyright.
#
# Names should be added to this file only after verifying that
# the individual or the individual's organization has agreed to
# the appropriate Contributor License Agreement, found here:
#
#   http://code.google.com/legal/individual-cla-v1.0.html
#   http://code.google.com/legal/corporate-cla-v1.0.html
#
# The agreement for individuals can be filled out on the web.

# Names should be added to this file like so:
```

Individual's name <submission email address>
Individual's name <submission email address> <email2> <emailN>

An entry with multiple email addresses specifies that the
first address should be used in the submit logs and
that the other addresses should be recognized
as the
same person when interacting with Gerrit.

Please keep the list sorted.

Aamir Khan <syst3m.w0rm@gmail.com>
Aaron Cannon <cannona@fireantproductions.com>
Aaron France <aaron.l.france@gmail.com>
Aaron Jacobs <jacobsa@google.com>
Aaron Kemp <kemp.aaron@gmail.com>
Aaron Stein <aaronstein12@gmail.com>
Aaron Torres <tcboox@gmail.com>
Aaron Zinman <aaron@azinman.com>
Aarti Parikh <aarti.parikh@gmail.com>
Abdullah Al Maruf <mymail.maruf@gmail.com>
Abe Haskins <abeisgreat@abeisgreat.com>
Abhinav Gupta <abhinav.g90@gmail.com>
Adam Azarchs <adam.azarchs@10xgenomics.com>
Adam Bender <abender@google.com>
Adam Eijdenberg <adam@continusec.com>
Adam Harvey <aharvey@php.net>
Adam Kisala <adam.kisala@gmail.com>
Adam Langley <agl@golang.org>
Adam Medzinski <adam.medzinski@gmail.com>
Adam Shannon <adamkshannon@gmail.com>
Adam Sindelar <adamsh@google.com>
Adam Thomason <athomason@gmail.com>
Adam Woodbeck <adam@woodbeck.net>
Aditya Mukerjee <dev@chimeracoder.net>
Adrian Hesketh <adrianhesketh@hushmail.com>
Adrian
Nos <nos.adrian@gmail.com>
Adrian O'Grady <elpollouk@gmail.com>
Adrien Bustany <adrien-xx-google@bustany.org>
Adrien Petel <peteladrien@gmail.com>
Acio Jnior <aeciodantasjunior@gmail.com>
Aeneas Rekkas (arekkas) <aeneas@ory.am>
Afanasev Stanislav <phpprogger@gmail.com>
Agis Anastasopoulos <agis.anast@gmail.com>
Agniva De Sarker <agnivade@yahoo.co.in>
Ahmed Wahed <oneofone@gmail.com>
Ahmet Alp Balkan <ahmethb@google.com>

Ahmet Soormally <ahmet@mangomm.co.uk>
Ahmy Yulrizka <yulrizka@gmail.com>
Aiden Scandella <ai@uber.com>
Ainar Garipov <gugl.zadolbal@gmail.com>
Aishraj Dahal <aishraj@users.noreply.github.com>
Akhil Indurti <contact@akhilindurti.com>
Akihiro Suda <suda.kyoto@gmail.com>
Akshat Kumar <seed@mail.nanosouffle.net>
Alan Braithwaite <alan@ipaddr.org>
Alan Donovan <adonovan@google.com>
Alan Shreve <alan@inconshreveable.com>
Albert Nigmatzianov <albertnigma@gmail.com>
Albert Strasheim <fullung@gmail.com>
Albert Yu <yukinying@gmail.com>
Alberto Bertogli <albertito@blitiri.com.ar>
Alberto
Donizetti <alb.donizetti@gmail.com>
Alberto Garca Hierro <alberto@garciahierro.com> <alberto.garcia.hierro@gmail.com>
Aleksa Sarai <cyphar@cyphar.com>
Aleksandar Dezelin <dezelin@gmail.com>
Aleksandr Lukinykh <a.lukinykh@xsolla.com>
Aleksandr Razumov <ar@cydev.ru>
Alekseev Artem <a.artem060@gmail.com>
Alessandro Arzilli <alessandro.arzilli@gmail.com>
Alessandro Baffa <alessandro.baffa@gmail.com>
Alex A Skinner <alex@lx.lc>
Alex Brainman <alex.brainman@gmail.com>
Alex Bramley <abramley@google.com>
Alex Browne <stephenalexbrowne@gmail.com>
Alex Carol <alex.carol.c@gmail.com>
Alex Jin <toalexjin@gmail.com>
Alex Kohler <alexjohnkohler@gmail.com>
Alex Myasoedov <msoedov@gmail.com>
Alex Plugaru <alex@plugaru.org> <alexandru.plugaru@gmail.com>
Alex Schroeder <alex@gnu.org>
Alex Sergeyev <abc@alexsergeyev.com>
Alex Vaghin <crhyme@google.com>
Alexander Demakin <alexander.demakin@gmail.com>
Alexander Dring <email@alex.d.ch>
Alexander F Rdseth <alexander.rodseth@appeartv.com>
Alexander
Guz <kalimatas@gmail.com>
Alexander Kauer <alexander@affine.space>
Alexander Kucherenko <alxkchr@gmail.com>
Alexander Larsson <alexander.larsson@gmail.com>
Alexander Menzhinsky <amenzhinsky@gmail.com>
Alexander Morozov <lk4d4math@gmail.com>
Alexander Neumann <alexander@bumpem.de>

Alexander Orlov <alexander.orlov@loxal.net>
Alexander Pantyukhin <apantykhin@gmail.com>
Alexander Polcyn <apolcyn@google.com>
Alexander Reece <awreece@gmail.com>
Alexander Surma <surma@surmair.de>
Alexander Zhavnerchik <alex.vizor@gmail.com>
Alexander Zillion <alex@alexzillion.com>
Alexander Zolotov <goldifit@gmail.com>
Alexandre Cesaro <alexandre.cesaro@gmail.com>
Alexandre Fiori <fiorix@gmail.com>
Alexandre Maari <draeron@gmail.com>
Alexandre Normand <alexandre.normand@gmail.com>
Alexandre Parentea <aubonbeurre@gmail.com>
Alexandre Viau <alexandre@alexandreviau.net>
Alexandru Mooi <brtznr@gmail.com>
Alexei Sholik <alcosholik@gmail.com>
Alexey Alexandrov <aalexand@google.com>
Alexey Borzenkov
<snaury@gmail.com>
Alexey Naidonov <alexey.naidyonov@gmail.com>
Alexey Neganov <neganovalexey@gmail.com>
Alexey Palazhchenko <alexey.palazhchenko@gmail.com>
Alexis Hildebrandt <surryhill@gmail.com>
Alexis Hunt <lexer@google.com>
Alexis Imperial-Legrand <ail@google.com>
Ali Rizvi-Santiago <arizvisa@gmail.com>
Aliaksandr Valialkin <valyala@gmail.com>
Alif Rachmawadi <subosito@gmail.com>
Allan Simon <allan.simon@supinfo.com>
Alok Menghrajani <alok.menghrajani@gmail.com>
Aman Gupta <aman@tmm1.net>
Amir Mohammad Saied <amir@gluegadget.com>
Amr Mohammed <merodiro@gmail.com>
Amrut Joshi <amrut.joshi@gmail.com>
Anand K. Mistry <anand@mistry.ninja>
Anders Pearson <anders@columbia.edu>
Andr Carvalho <asantostc@gmail.com>
Andre Nathan <andrenth@gmail.com>
Andrea Nodari <andrea.nodari91@gmail.com>
Andrea Spadaccini <spadaccio@google.com>
Andreas Auernhammer <aead@mail.de>
Andreas Jellinghaus <andreas@ionisiert.de> <anj@google.com>
Andreas Litt <andreas.litt@gmail.com>
Andrei Gherzan <andrei@resin.io>
Andrei
Korzhevskii <a.korzhevskiy@gmail.com>
Andrei Tudor Clin <mail@acln.ro>
Andrei Vieru <euvieru@gmail.com>

Andres Erbsen <andreser@google.com>
Andres Lowrie <andres.lowrie@gmail.com>
Andrew Austin <andrewacht@gmail.com>
Andrew Balholm <andybalholm@gmail.com>
Andrew Benton <andrewmbenton@gmail.com>
Andrew Bonventre <andybons@chromium.org>
Andrew Braunstein <awbraunstein@gmail.com>
Andrew Bursavich <abursavich@gmail.com>
Andrew Ekstedt <andrew.ekstedt@gmail.com>
Andrew Etter <andrew.etter@gmail.com>
Andrew Gerrand <adg@golang.org>
Andrew Harding <andrew@spacemonkey.com>
Andrew Jackura <ajackura@google.com>
Andrew Lutomirski <andy@luto.us>
Andrew Pilloud <andrewpilloud@igneoussystems.com>
Andrew Pogrebnoy <absourd.noise@gmail.com>
Andrew Poydence <apoydence@pivotal.io>
Andrew Pritchard <awpritchard@gmail.com>
Andrew Radev <andrey.radev@gmail.com>
Andrew Skiba <skibaa@gmail.com>
Andrew Stribblehill <ads@wompom.org>
Andrew Szeto <andrew@jabagawee.com>
Andrew Werner <andrew@upthere.com>
<awerner32@gmail.com>
Andrew Wilkins <axwalk@gmail.com>
Andrew Williams <williams.andrew@gmail.com>
Andrey Mirtchovski <mirtchovski@gmail.com>
Andrey Petrov <andrey.petrov@shazow.net>
Andrii Soldatenko <andrii.soldatenko@gmail.com>
Andrii Soluk <isoluchok@gmail.com>
Andriy Lytvynov <lytvynov.a.v@gmail.com>
Andrzej eel <andrii.zhezhel@gmail.com>
Andy Balholm <andy@balholm.com>
Andy Davis <andy@bigandian.com>
Andy Finkensadt <afinkensadt@zynga.com>
Andy Lindeman <andy@lindeman.io>
Andy Maloney <asmaloney@gmail.com>
Andy Walker <walkeraj@gmail.com>
Andzej Maciusovic <andzej.maciusovic@gmail.com>
Anfernee Yongkun Gui <anfernee.gui@gmail.com>
Angelo Bulfone <mbulfone@gmail.com>
Anh Hai Trinh <anh.hai.trinh@gmail.com>
Anit Gandhi <anitgandhi@gmail.com>
Ankit Goyal <ankit3goyal@gmail.com>
Anmol Sethi <anmol@aubble.com>
Anschel Schaffer-Cohen <anschelsc@gmail.com>
Anthony Alves <cvballa3g0@gmail.com>
Anthony Canino <anthony.canino1@gmail.com>

Anthony Eufemio <anthony.eufemio@gmail.com>
Anthony
Fok <foka@debian.org>
Anthony Martin <ality@pbrane.org>
Anthony Sottile <asottile@umich.edu>
Anthony Starks <ajstarks@gmail.com>
Anthony Voutas <voutasaurus@gmail.com>
Anthony Woods <awoods@raintank.io>
Antoine GIRARD <sapk@sapk.fr>
Antoine Martin <antoine97.martin@gmail.com>
Anton Gyllenberg <anton@iki.fi>
Antonin Amand <antonin.amand@gmail.com>
Antonio Antelo <aantelov87@gmail.com>
Antonio Bibiano <antbbn@gmail.com>
Antonio Murdaca <runcom@redhat.com>
Antonio Troina <thoeni@gmail.com>
Apisak Darakananda <pongad@gmail.com>
Aram Hvrneanu <aram@mgk.ro>
Areski Belaid <areski@gmail.com>
Ariel Mashraki <ariel@mashraki.co.il>
Arkadi Pyuro <arkadi@google.com>
Arlo Breault <arlolra@gmail.com>
Arnaud Ysmal <arnaud.ysmal@gmail.com>
Arne Hormann <arnehormann@gmail.com>
Arnout Engelen <arnout@bzzt.net>
Aron Nopanen <aron.nopanen@gmail.com>
Arthur Fabre <arthur@arthurfabre.com>
Arthur Khashaev <arthur@khashaev.ru>
Artyom Pervukhin <artyom.pervukhin@gmail.com>
Arvinth Rajesh Tamilmanni <art@a-30.net>
Ashish
Gandhi <ag@ashishgandhi.org>
Asim Shankar <asimshankar@gmail.com>
Atin Malaviya <amalaviy@akamai.com>
Ato Araki <ato.araki@gmail.com>
Audrey Lim <audreylh@gmail.com>
Audrius Butkevicius <audrius.butkevicius@gmail.com>
Augusto Roman <aroman@gmail.com>
Aulus Egnatius Varialus <varialus@gmail.com>
Aurlien Rainone <aurelien.rainone@gmail.com>
Austin Clements <austin@google.com> <aclements@csail.mit.edu>
Avi Flax <avi@timehop.com>
awaw fumin <awawfumin@gmail.com>
Awn Umar <awn@cryptolosophy.io>
Axel Wagner <axel.wagner.hh@googlemail.com>
Ayanamist Yang <ayanamist@gmail.com>
Aymerick Jhanne <aymerick@jehanne.org>
Azat Kaumov <kaumov.a.r@gmail.com>

Baiju Muthukadan <baiju.m.mail@gmail.com>
Balaram Makam <bmakam.qdt@qualcommdatacenter.com>
Balazs Lecz <leczb@google.com>
Baokun Lee <nototon@gmail.com>
Bartosz Grzybowski <melkorm@gmail.com>
Bartosz Oler <brtsz@google.com>
Bastian Ike <bastian.ike@gmail.com>
Ben Burkert <ben@benburkert.com>
Ben Eitzen <eitzenb@golang.org>
Ben
Fried <ben.fried@gmail.com>
Ben Haines <bhainesva@gmail.com>
Ben Hoyt <benhoyt@gmail.com>
Ben Laurie <ben@links.org> <benl@google.com>
Ben Lubar <ben.lubar@gmail.com>
Ben Lynn <benlynn@gmail.com>
Ben Olive <sionide21@gmail.com>
Ben Schwartz <bemasc@google.com>
Ben Shi <powerman1st@163.com>
Benjamin Black <b@b3k.us>
Benjamin Cable <cable.benjamin@gmail.com>
Benjamin Hsieh <tanookiben@users.noreply.github.com>
Benjamin Prosnitz <bprosnitz@google.com>
Benjamin Wester <bweste@squareup.com>
Benny Siegert <bsiegert@gmail.com>
Benoit Sigoure <tsunanet@gmail.com>
Berengar Lehr <Berengar.Lehr@gmx.de>
Bill Neubauer <wcn@golang.org> <wcn@google.com> <bill.neubauer@gmail.com>
Bill O'Farrell <billo@ca.ibm.com>
Bill Prin <waprin@google.com>
Bill Thiede <couchmoney@gmail.com>
Bill Zissimopoulos <billziss@navimatics.com>
Billie Harold Cleek <bhcleek@gmail.com>
Billy Lynch <wlynch@google.com>
Bjorn Tillenius <bjorn@tillenius.me>
Bjorn Tipling <bjorn.tipling@gmail.com>
Blain Smith <rebelgeek@blainsmith.com>
Blake
Gentry <blakesgentry@gmail.com>
Blake Mesdag <blakemesdag@gmail.com>
Blake Mizerany <blake.mizerany@gmail.com>
Blixt <me@blixt.nyc>
Bob Briski <rbriski@gmail.com>
Bob Potter <bobby.potter@gmail.com>
Bobby DeSimone <bobbydesimone@gmail.com>
Bobby Powers <bobbypowers@gmail.com>
Boris Nagaev <nagaev@google.com>
Borja Clemente <borja.clemente@gmail.com>

Brad Burch <brad.burch@gmail.com>
Brad Fitzpatrick <bradfitz@golang.org> <bradfitz@gmail.com>
Brad Garcia <bgarcia@golang.org>
Brad Jones <rbjones@google.com>
Brad Morgan <brad@morgabra.com>
Brad Whitaker <bwhitaker@fastly.com>
Braden Bassingthwaite <bbassingthwaite@vendasta.com>
Bradley Falzon <brad@teambrad.net>
Brady Catherman <brady@gmail.com>
Brady Sullivan <brady@bsull.com>
Brandon Bennett <bbennett@fb.com>
Brandon Gilmore <varz@google.com>
Brendan Daniel Tracey <tracey.brendan@gmail.com>
Brendan O'Dea <bod@golang.org>
Brett Cannon <bcannon@gmail.com>
Brett Merrill <brett.j.merrill94@gmail.com>
Brian Dellisanti <briandellisanti@gmail.com>
Brian
Downs <brian.downs@gmail.com>
Brian G. Merrell <bgmerrell@gmail.com>
Brian Gitonga Marete <marete@toshnix.com> <bgmarete@gmail.com> <bgm@google.com>
Brian Kennedy <btkennedy@gmail.com>
Brian Kessler <brian.m.kessler@gmail.com>
Brian Ketelsen <bketelsen@gmail.com>
Brian Slesinsky <skybrian@google.com>
Brian Smith <ohohvi@gmail.com>
Brian Starke <brian.starke@gmail.com>
Bryan Alexander <Kozical@msn.com>
Bryan C. Mills <bcmills@google.com>
Bryan Chan <bryan.chan@ca.ibm.com>
Bryan Ford <brynosaurus@gmail.com>
Bulat Gaifullin <gaifullinbf@gmail.com>
Burak Guven <bguven@gmail.com>
Caine Tighe <arctanofyourface@gmail.com>
Caio Marcelo de Oliveira Filho <caio.oliveira@intel.com>
Caleb Martinez <accounts@calebmartinez.com>
Caleb Spare <cespare@gmail.com>
Carl Chatfield <carlchatfield@gmail.com>
Carl Henrik Lunde <chlunde@ifi.uio.no>
Carl Jackson <carl@stripe.com>
Carl Johnson <me@carlmjohnson.net>
Carl Mastrangelo <notcarl@google.com>
Carl Shapiro <cshapiro@google.com> <cshapiro@golang.org>
Carlisia
Campos <carlisia@grokkingtech.io>
Carlo Alberto Ferraris <cafxx@strayorange.com>
Carlos Castillo <cookieo9@gmail.com>
Carlos Cirello <uldericofilho@gmail.com>

Carlos Eduardo Seo <cseo@linux.vnet.ibm.com>
Carlos Souza <carloshrsouza@gmail.com>
Carolyn Van Slyck <me@carolynvanslyck.com>
Cary Hull <chull@google.com>
Case Nelson <case.nelson@gmail.com>
Casey Callendrello <squeed@gmail.com>
Casey Marshall <casey.marshall@gmail.com>
Catalin Nicutar <cnicutar@google.com>
Catalin Patulea <catalinp@google.com>
Cedric Staub <cs@squareup.com>
Cezar S Espinola <cezarsa@gmail.com>
Chad Rosier <mrosier.qdt@qualcommdatacenter.com>
ChaiShushan <chaishushan@gmail.com>
Channing Kimble-Brown <channing@golang.org>
Charles Fenwick Elliott <Charles@FenwickElliott.io>
Charles Kenney <charlesc.kenney@gmail.com>
Charles L. Dorian <cldorian@gmail.com>
Charles Lee <zombie.fml@gmail.com>
Charles Weill <weill@google.com>
Cherry Zhang <cherryyz@google.com>
Chew Choon Keat <choonkeat@gmail.com>
Cholerae
Hu <choleraehyq@gmail.com>
Chotepud Teo <AlexRouSg@users.noreply.github.com>
Chris Ball <chris@printf.net>
Chris Biscardi <chris@christopherbiscardi.com>
Chris Broadfoot <cbro@golang.org>
Chris Dollin <ehog.hedge@gmail.com>
Chris Farmiloe <chrisfarms@gmail.com>
Chris Hines <chris.cs.guy@gmail.com>
Chris Howey <howeyc@gmail.com>
Chris Hundt <hundt@google.com>
Chris Jones <chris@cjones.org> <chris.jones.yar@gmail.com>
Chris Kastorff <encryptio@gmail.com>
Chris Lennert <calennert@gmail.com>
Chris Liles <caveryliles@gmail.com>
Chris Manghane <cmang@golang.org>
Chris McGee <sirnewton_01@yahoo.ca> <newton688@gmail.com>
Chris Raynor <raynor@google.com>
Chris Roche <rodaine@gmail.com>
Chris Smith <chrsmith@users.noreply.github.com>
Chris Stockton <chrisstocktonaz@gmail.com>
Chris Zou <chriszou@ca.ibm.com>
Christian Alexander <christian@linux.com>
Christian Couder <chriscool@tuxfamily.org>
Christian Himpel <chressie@googlemail.com> <chressie@gmail.com>
Christian Pellegrin <chri@evolware.org>
Christian

R. Petrin <christianpetrin@gmail.com>
Christine Hansmann <chhansmann@gmail.com>
Christoffer Buchholz <christoffer.buchholz@gmail.com>
Christoph Blecker <admin@toph.ca>
Christoph Hack <christoph@tux21b.org>
Christopher Cahoon <chris.cahoon@gmail.com>
Christopher Guiney <chris@guiney.net>
Christopher Henderson <chris@chenderson.org>
Christopher Koch <chrisko@google.com>
Christopher Nelson <nadiasvertex@gmail.com>
Christopher Nielsen <m4dh4tt3r@gmail.com>
Christopher Redden <christopher.redden@gmail.com>
Christopher Swenson <cswenson@google.com>
Christopher Wedgwood <cw@f00f.org>
Christos Zoulas <christos@zoulas.com> <zoulasc@gmail.com>
Christy Perez <christy@linux.vnet.ibm.com>
CL Sung <clsung@gmail.com> <cl_sung@htc.com>
Clment Chigot <clement.chigot@atos.net>
Clement Skau <clementskau@gmail.com>
Cody Oss <the.cody.oss@gmail.com>
Colby Ranger <cranger@google.com>
Colin Cross <ccross@android.com>
Colin Edwards <colin@recursivepenguin.com>
Colin Kennedy <moshen.colin@gmail.com>
Colin
Nelson <colnnelson@google.com>
Colin Rice <clr@google.com>
Conrad Irwin <conrad.irwin@gmail.com>
Conrad Meyer <cemeyer@cs.washington.edu>
Conrado Gouvea <conradopl@gmail.com>
Constantin Konstantinidis <constantinkonstantinidis@gmail.com>
Corey Thomasson <cthom.lists@gmail.com>
Cosmos Nicolaou <cnicolaou@google.com>
Costin Chirvasuta <ctin@google.com>
Craig Citro <craigcitro@google.com>
Cristian Staretu <unclejacksons@gmail.com>
Cuihtlauac ALVARADO <cuihtlauac.alvarado@orange.com>
Cyrill Schumacher <cyrill@schumacher.fm>
Daisuke Fujita <dtanshi45@gmail.com>
Daker Fernandes Pinheiro <daker.fernandes.pinheiro@intel.com>
Damian Gryski <dgryski@gmail.com>
Damien Lespiau <damien.lespiau@gmail.com> <damien.lespiau@intel.com>
Damien Mathieu <42@dmathieu.com>
Damien Neil <dneil@google.com>
Damien Tournoud <damien@platform.sh>
Dan Ballard <dan@mindstab.net>
Dan Caddigan <goldcaddy77@gmail.com>
Dan Callahan <dan.callahan@gmail.com>

Dan Harrington <harringtond@google.com>
Dan
Jacques <dnj@google.com>
Dan Johnson <computerdruidd@google.com>
Dan Peterson <dpiddy@gmail.com>
Dan Pupius <dan@medium.com>
Dan Sinclair <dan.sinclair@gmail.com>
Danil de Kok <me@danieldk.eu>
Daniel Fleischman <danielfleischman@gmail.com>
Daniel Ingram <ingramds@appstate.edu>
Daniel Johansson <dajo2002@gmail.com>
Daniel Kerwin <d.kerwin@gini.net>
Daniel Krech <eikeon@eikeon.com>
Daniel Lidn <daniel.liden.87@gmail.com>
Daniel Mart <mvdan@mvdan.cc>
Daniel Morsing <daniel.morsing@gmail.com>
Daniel Nadasi <dnadasi@google.com>
Daniel Nephin <dnephin@gmail.com>
Daniel Ortiz Pereira da Silva <daniel.particular@gmail.com>
Daniel Skinner <daniel@dasa.cc>
Daniel Speichert <daniel@speichert.pl>
Daniel Theophanes <kardianos@gmail.com>
Daniel Upton <daniel@floppy.co>
Daniela Petruzalek <daniela.petruzalek@gmail.com>
Danny Rosseau <daniel.rosseau@gmail.com>
Daria Kolistratova <daria.kolistratova@intel.com>
Darien Raymond <admin@v2ray.com>
Darren Elwood <darren@textnode.com>
Darshan Parajuli <parajulidarshan@gmail.com>
Datong
Sun <dndx@idndx.com>
Dave Borowitz <dborowitz@google.com>
Dave Bort <dbort@golang.org>
Dave Cheney <dave@cheney.net>
Dave Day <djd@golang.org>
Dave Grijalva <dgrijalva@ngmoco.com>
Dave MacFarlane <driusan@gmail.com>
Dave Russell <forfuncsake@gmail.com>
David Anderson <danderson@google.com>
David Barnett <dbarnett@google.com>
David Benjamin <davidben@google.com>
David Brophy <dave@brophy.uk>
David Brgin <676c7473@gmail.com>
David Calavera <david.calavera@gmail.com>
David Carlier <devnexen@gmail.com>
David Chase <drchase@google.com>
David Covert <davidhcovert@gmail.com>
David Crawshaw <david.crawshaw@zentus.com> <crawshaw@google.com> <crawshaw@golang.org>

David du Colombier <0intro@gmail.com>
David Forsythe <dforsythe@gmail.com>
David G. Andersen <dave.andersen@gmail.com>
David Glasser <glasser@meteor.com>
David Heuschmann <heuschmann.d@gmail.com>
David Howden <dhowden@gmail.com>
David Hubbard <dsp@google.com>
David Jakob Fritz <david.jakob.fritz@gmail.com>
David
Jones <dxjones@gmail.com>
David Lazar <lazard@golang.org>
David Leon Gil <coruus@gmail.com>
David McLeish <davemc@google.com>
David Ndungu <dnjuguna@gmail.com>
David NewHamlet <david@newhamlet.com>
David Presotto <presotto@gmail.com>
David R. Jenni <david.r.jenni@gmail.com>
David Sansome <me@davidsansome.com>
David Stainton <dstainton415@gmail.com>
David Symonds <dsymonds@golang.org>
David Thomas <davidthomas426@gmail.com>
David Timm <dtimm@pivotal.io>
David Titarenco <david.titarenco@gmail.com>
David Tolpin <david.tolpin@gmail.com>
David Url <david@url.io>
David Volquartz Lebech <david@lebech.info>
David Wimmer <davidlwimmer@gmail.com>
Davies Liu <davies.liu@gmail.com>
Davor Kapsa <davor.kapsa@gmail.com>
Dean Prichard <dean.prichard@gmail.com>
Deepak Jois <deepak.jois@gmail.com>
Denis Bernard <db047h@gmail.com>
Denis Brandolini <denis.brandolini@gmail.com>
Denis Nagorny <denis.nagorny@intel.com>
Dennis Kuhnert <mail.kuhnert@gmail.com>
Denys Honsiorovskiy <honsiorovskiy@gmail.com>
Denys
Smirnov <denis.smirnov.91@gmail.com>
Derek Buitenhuis <derek.buitenhuis@gmail.com>
Derek Che <drc@yahoo-inc.com>
Derek McGowan <derek@mcgstyle.net>
Derek Parker <parkerderek86@gmail.com>
Derek Shockey <derek.shockey@gmail.com>
Dev Ojha <dojha12@gmail.com>
Dev Zhoujun <dev.zhoujun@gmail.com>
Devon H. O'Dell <devon.odell@gmail.com>
Dhaivat Pandit <dhaivatpandit@gmail.com>
Dhananjay Nakrani <dhananjayn@google.com>

Dhiru Kholia <dhiru.kholia@gmail.com>
Dhruvdutt Jadhav <dhruvdutt.jadhav@gmail.com>
Di Xiao <dixiao@google.com>
Didier Spezia <didier.06@gmail.com>
Diego Siqueira <diego9889@gmail.com>
Dieter Plaetinck <dieter@raintank.io>
Dimitri Sokolyuk <sokolyuk@gmail.com>
Dimitri Tcaciuc <dtcaciuc@gmail.com>
Dina Garmash <dgrmsh@gmail.com>
Diogo Pinela <diogoid7400@gmail.com>
Dirk Gadsden <dirk@esherido.com>
Diwaker Gupta <diwakergupta@gmail.com>
Dmitri Popov <operator@cv.dp-net.com>
Dmitri Shuralyov <dmitshur@golang.org> <dmitri@shuralyov.com>
Dmitriy Cherchenko <dcherchenko@gmail.com>
Dmitriy
Dudkin <dudkin.dmitriy@gmail.com>
Dmitriy Shelenin <deemok@googlemail.com> <deemok@gmail.com>
Dmitriy Vyukov <dvyukov@google.com>
Dmitry Chestnykh <dchest@gmail.com>
Dmitry Doroginin <doroginin@gmail.com>
Dmitry Neverov <dmitry.neverov@gmail.com>
Dmitry Savintsev <dsavints@gmail.com>
Dmitry Yakunin <nonamezeil@gmail.com>
Domen Ipavec <domen@ipavec.net>
Dominic Green <dominicgreen1@gmail.com>
Dominik Honnef <dominik.honnef@gmail.com>
Dominik Vogt <vogt@linux.vnet.ibm.com>
Don Byington <don@dbyington.com>
Donald Huang <don.hcd@gmail.com>
Dong-hee Na <donghee.na92@gmail.com>
Donovan Hide <donovanhide@gmail.com>
Doug Anderson <douga@google.com>
Doug Fawley <dfawley@google.com>
Douglas Danger Manley <doug.manley@gmail.com>
Drew Flower <drewvanstone@gmail.com>
Drew Hintz <adhintz@google.com>
Duncan Holm <mail@frou.org>
Dustin Carlino <dcarlino@google.com>
Dustin Herbison <djherbis@gmail.com>
Dustin Long <dustmop@gmail.com>
Dustin Sallings <dsallings@gmail.com>
Dustin Shields-Cloues
<dcloues@gmail.com>
Dvir Volk <dvir@everything.me> <dvirsky@gmail.com>
Dylan Waits <dylan@waits.io>
Edan Bedrik <3d4nb3@gmail.com>
Eden Li <eden.li@gmail.com>

Eduard Urbach <e.urbach@gmail.com>
Eduardo Ramalho <eduardo.ramalho@gmail.com>
Edward Muller <edwardam@interlix.com>
Egon Elbre <egonelbre@gmail.com>
Ehren Kret <ehren.kret@gmail.com>
Eitan Adler <lists@eitanadler.com>
Eivind Uggedal <eivind@uggedal.com>
Elbert Fliek <efliek@gmail.com>
Eldar Rakhimberdin <ibeono@gmail.com>
Elena Grahovac <elena@grahovac.me>
Elias Naur <mail@eliasnaur.com> <elias.naur@gmail.com>
Elliot Morrison-Reed <elliottmr@gmail.com>
Emerson Lin <linyintor@gmail.com>
Emil Hessman <emil@hessman.se>
Emil Mursalimov <mursalimovemeel@gmail.com>
Emilien Kenler <hello@emilienkenler.com>
Emmanuel Odeke <emm.odeke@gmail.com> <odeke@ualberta.ca>
Eno Compton <enocom@google.com>
Eoghan Sherry <ejsherry@gmail.com>
Eric Chiang <eric.chiang.m@gmail.com>
Eric Clark <zerohp@gmail.com>
Eric Daniels <eric@erdaniels.com>
Eric
Engestrom <eric@engestrom.ch>
Eric Garrido <ekg@google.com>
Eric Koleda <ekoleda+devrel@google.com>
Eric Lagergren <ericscottlagergren@gmail.com>
Eric Milliken <emilliken@gmail.com>
Eric Pauley <eric@pauley.me>
Eric Ponce <tricokun@gmail.com>
Eric Rescorla <ekr@rtfm.com>
Eric Roshan-Eisner <eric.d.eisner@gmail.com>
Eric Rykwalder <e.rykwalder@gmail.com>
Erik Aigner <aigner.erik@gmail.com>
Erik Dubbelboer <erik@dubbelboer.com>
Erik St. Martin <alakriti@gmail.com>
Erik Staab <estaab@google.com>
Erik Westrup <erik.westrup@gmail.com>
Erin Masatsugu <erin.masatsugu@gmail.com>
Ernest Chiang <ernest_chiang@htc.com>
Erwin Oegema <blablaechthema@hotmail.com>
Esko Luontola <esko.luontola@gmail.com>
Ethan Burns <eaburns@google.com>
Ethan Miller <eamiller@us.ibm.com>
Euan Kemp <euank@euank.com>
Eugene Kalinin <e.v.kalinin@gmail.com>
Evan Broder <evan@stripe.com>
Evan Brown <evanbrown@google.com>

Evan Hicks <evan.hicks2@gmail.com>
Evan Jones <ej@evanjones.ca>
Evan Klitzke <evan@eklitzke.org>
Evan Kroske
<evankroske@google.com>
Evan Martin <evan.martin@gmail.com>
Evan Phoenix <evan@phx.io>
Evan Shaw <chickencha@gmail.com>
Evgeniy Polyakov <zbr@ioremap.net>
Ewan Chou <coocood@gmail.com>
Ewan Valentine <ewan.valentine89@gmail.com>
Eyal Posener <posener@gmail.com>
Fabian Wickborn <fabian@wickborn.net>
Fabian Zaremba <fabian@youremail.eu>
Fabrizio Milo <mistobaan@gmail.com>
Faiyaz Ahmed <ahmedf@vmware.com>
Fan Hongjian <fan.howard@gmail.com>
Fangming Fang <fangming.fang@arm.com>
Fannie Zhang <fannie.zhang@arm.com>
Fatih Arslan <fatih@arslan.io>
Fazal Majid <majid@apsalar.com>
Fazlul Shahriar <fshahriar@gmail.com>
Federico Bond <federicobond@gmail.com>
Federico Simoncelli <fsimonce@redhat.com>
Fedor Indutny <fedor@indutny.com>
Felipe Oliveira <felipeweb.programador@gmail.com>
Felix Geisendrfer <haimuiba@gmail.com>
Felix Kollmann <fk@konsorten.de>
Filip Gruszczyski <gruszczyski@gmail.com>
Filip Haglund <drathier@users.noreply.github.com>
Filip Stanis <fstanis@google.com>
Filippo Valsorda
<filippo@golang.org> <filippo@cloudflare.com> <hi@filippo.io>
Firmansyah Adiputra <frm.adiputra@gmail.com>
Florian Forster <octo@google.com>
Florian Uekermann <florian@uekermann-online.de> <f1@uekermann-online.de>
Florian Weimer <fw@deneb.enyo.de>
Florin Patan <florinpatan@gmail.com>
Folke Behrens <folke@google.com>
Ford Hurley <ford.hurley@gmail.com>
Francesc Campoy <campoy@golang.org>
Francisco Claude <fclaud@recoded.cl>
Francisco Rojas <francisco.rojas.gallegos@gmail.com>
Francisco Souza <franciscossouza@gmail.com>
Frank Schroeder <frank.schroeder@gmail.com>
Frank Somers <fsomers@arista.com>
Frederic Guillot <frederic.guillot@gmail.com>
Frederick Kelly Mayle III <frederickmayle@gmail.com>

Frederik Ring <frederik.ring@gmail.com>
Fredrik Enestad <fredrik.enestad@soundtrackyourbrand.com>
Fredrik Forsmo <fredrik.forsmo@gmail.com>
Fredrik Wallgren <fredrik.wallgren@gmail.com>
Frew Schmidt <github@frew.co>
Frithjof Schulze <schulze@math.uni-hannover.de> <sfrithjof@gmail.com>
Frits van Bommel
<fvbommel@gmail.com>
Fumitoshi Ukai <ukai@google.com>
G. Hussain Chinoy <ghchinoy@gmail.com>
Gaal Yahas <gaal@google.com>
Gabrel Arthr Ptursson <gabriel@system.is>
Gabriel Aszalos <gabriel.aszalos@gmail.com>
Gabriel Nicolas Avellaneda <avellaneda.gabriel@gmail.com>
Gabriel Russell <gabriel.russell@gmail.com>
Gareth Paul Jones <gpj@foursquare.com>
Garret Kelly <gdk@google.com>
Garrick Evans <garrick@google.com>
Gary Burd <gary@beagledreams.com> <gary.burd@gmail.com>
Gary Elliott <garyelliott@google.com>
Gaurish Sharma <contact@aurishsharma.com>
Gautham Thambidorai <gautham.dorai@gmail.com>
Gauthier Jolly <gauthier.jolly@gmail.com>
Geert-Johan Riemer <gjr19912@gmail.com>
Genevieve Luyt <genevieve.luyt@gmail.com>
Gengliang Wang <ltnwgl@gmail.com>
Geoff Berry <gberry.qdt@qualcommdatacenter.com>
Geoffroy Lorieux <lorieux.g@gmail.com>
Geon Kim <geon0250@gmail.com>
Georg Reinke <guelfey@gmail.com>
George Gkirtsou <ggirtsou@gmail.com>
George Shammass <george@shamm.as> <georgyo@gmail.com>
Gerasimos
(Makis) Maropoulos <kataras2006@hotmail.com>
Gerasimos Dimitriadis <gedimitr@gmail.com>
Gergely Brautigam <skarlso777@gmail.com>
Getulio Snchez <valentin2507@gmail.com>
Gianguido Sora` <g.sora4@gmail.com>
Gideon Jan-Wessel Redelinghuys <gjredelinghuys@gmail.com>
Giles Lean <giles.lean@pobox.com>
Giovanni Bajo <rasky@develer.com>
GitHub User @ajnrp (1688456) <ajnrp@users.noreply.github.com>
GitHub User @andrius4669 (4699695) <andrius4669@gmail.com>
GitHub User @as (8127015) <as.utf8@gmail.com>
GitHub User @bgadrian (830001) <aditza8@gmail.com>
GitHub User @bontequero (2674999) <bontequero@gmail.com>
GitHub User @cch123 (384546) <buaa.cch@gmail.com>
GitHub User @chanxuehong (3416908) <chanxuehong@gmail.com>

GitHub User @dupoxy (1143957) <dupoxy@users.noreply.github.com>
GitHub User @erifan (31343225) <eric.fang@arm.com>
GitHub User @esell (9735165) <eujon.sellers@gmail.com>
GitHub User @itchyny (375258) <itchyny@hatena.ne.jp>
GitHub User @kc1212 (1093806) <kc1212@users.noreply.github.com>
GitHub
User @Kropekk (13366453) <kamilkropiewnicki@gmail.com>
GitHub User @LotusFenn (13775899) <fenn.lotus@gmail.com>
GitHub User @madiganz (18340029) <zacharywmadigan@gmail.com>
GitHub User @mkishere (224617) <224617+mkishere@users.noreply.github.com>
GitHub User @OlgaVIPetrova (44112727) <OVPPetrova@gmail.com>
GitHub User @pityonline (438222) <pityonline@gmail.com>
GitHub User @pytimer (17105586) <lixin20101023@gmail.com>
GitHub User @saitarunreddy (21041941) <saitarunreddypalla@gmail.com>
GitHub User @shogo-ma (9860598) <Choroma194@gmail.com>
GitHub User @tell-k (26263) <ffk2005@gmail.com>
GitHub User @uhei (2116845) <uhei@users.noreply.github.com>
GitHub User @uropek (39370426) <uropek@gmail.com>
Giulio Iotti <dullgiulio@gmail.com>
Giulio Micheloni <giulio.micheloni@gmail.com>
Giuseppe Valente <gvalente@arista.com>
Gleb Stepanov <glebstepanov1992@gmail.com>
Glenn Brown <glennb@google.com>
Glenn Lewis <gmlewis@google.com>
Gordon Klaus <gordon.klaus@gmail.com>
Graham King
<graham4king@gmail.com>
Graham Miller <graham.miller@gmail.com>
Grant Griffiths <ggp493@gmail.com>
Greg Poirier <greg.istehbest@gmail.com>
Greg Steuck <gneздо+github@google.com>
Greg Ward <greg@gerg.ca>
Grgoire Delattre <gregoire.delattre@gmail.com>
Gregory Man <man.gregory@gmail.com>
Guilherme Caruso <gui.martinscaruso@gmail.com>
Guilherme Garnier <guilherme.garnier@gmail.com>
Guilherme Goncalves <guilhermeaugustosg@gmail.com>
Guilherme Rezende <guilhermebr@gmail.com>
Guillaume J. Charmes <guillaume@charmes.net>
Guobiao Mei <meiguobiao@gmail.com>
Guoliang Wang <iamwgliang@gmail.com>
Gustav Paul <gustav.paul@gmail.com>
Gustav Westling <gustav@westling.xyz>
Gustavo Franco <gustavorfranco@gmail.com>
Gustavo Niemeyer <gustavo@niemeyer.net> <n13m3y3r@gmail.com>
Gwenael Treguier <gwenn.kahz@gmail.com>
Gyu-Ho Lee <gyuhox@gmail.com>
H. brahim Gngr <igungor@gmail.com>

Hajime Hoshi <hajimehoshi@gmail.com>
Hallgrimur Gunnarsson <halg@google.com>
HAMANO Tsukasa <hamano@osstech.co.jp>
Han-Wen
Nienhuys <hanwen@google.com>
Hang Qian <hangqian90@gmail.com>
Hanjun Kim <hallazzang@gmail.com>
Harald Nordgren <haraldnordgren@gmail.com>
Hari haran <hariharan.uno@gmail.com>
Hariharan Srinath <srinathh@gmail.com>
Harley Laue <losinggeneration@gmail.com>
Harry Moreno <morenoh149@gmail.com>
Harshavardhana <hrshvardhana@gmail.com>
Hauke Lffler <hloeffler@users.noreply.github.com>
Hvard Haugen <havard.haugen@gmail.com>
He Liu <liulonnie@gmail.com>
Hector Chu <hectorchu@gmail.com>
Hector Martin Cantero <hector@marcansoft.com>
Henning Schmiedehausen <henning@schmiedehausen.org>
Henrik Edwards <henrik.edwards@gmail.com>
Henrik Hodne <henrik@hodne.io>
Henry Adi Sumarto <henry.adisumarto@gmail.com>
Henry Bubert <google@mindeco.de>
Henry Chang <mr.changyuheng@gmail.com>
Henry Clifford <h.a.clifford@gmail.com>
Herbert Georg Fischer <herbert.fischer@gmail.com>
Herbie Ong <herbie@google.com>
Heschi Kreinick <heschi@google.com>
Hidetatsu Yaginuma <ygnmhdt@gmail.com>
Hilko Bengen <bengen@hilluzination.de>
Hiroaki
Nakamura <hnakamur@gmail.com>
Hironao OTSUBO <motemen@gmail.com>
Hiroshi Ioka <hirochachacha@gmail.com>
Hitoshi Mitake <mitake.hitoshi@gmail.com>
Holden Huang <ttyh061@gmail.com>
Hong Ruiqi <hongruiqi@gmail.com>
Hongfei Tan <feilengcui008@gmail.com>
Hossein Sheikh Attar <hattar@google.com>
Hsin Tsao <tsao@google.com>
Hsin-Ho Yeh <yhh92u@gmail.com>
Hu Keping <hukeping@huawei.com>
Hugues Bruant <hugues.bruant@gmail.com>
Huy Le <huy.dinh.le.89@gmail.com>
Hyang-Ah Hana Kim <hakim@google.com> <hyangah@gmail.com>
Ian Cottrell <iancottrell@google.com>
Ian Davis <nospam@iandavis.com>
Ian Gudger <ian@loosescr.ws>

Ian Haken <ihaken@netflix.com>
Ian Kent <iankent85@gmail.com>
Ian Lance Taylor <iant@golang.org>
Ian Leue <ian@appboy.com>
Ian Zapolsky <ianzapolsky@gmail.com>
Ibrahim AshShohail <ibra.sho@gmail.com>
Icarus Sparry <golang@icarus.freeuk.com>
Iccha Sethi <icchasethi@gmail.com>
Idora Shinatose <idora.shinatose@gmail.com>
Igor Bernstein <igorbernstein@google.com>
Igor Dolzhikov
<bluesriverz@gmail.com>
Igor Vashyst <ivashyst@gmail.com>
Igor Zhilianin <igor.zhilianin@gmail.com>
Ilya Tocar <ilya.tocar@intel.com>
INADA Naoki <songofacandy@gmail.com>
Inanc Gumus <m@inanc.io>
Ingo Gottwald <in.gottwald@gmail.com>
Ingo Krabbe <ikrabbe.ask@gmail.com>
Ingo Oeser <nightlyone@googlemail.com> <nightlyone@gmail.com>
Ioannis Georgoulas <geototti21@hotmail.com>
Irfan Sharif <irfanmahmoudsharif@gmail.com>
Irieda Noboru <irieda@gmail.com>
Isaac Ardis <isaac.ardis@gmail.com>
Isaac Wagner <ibw@isaacwagner.me>
Iskander Sharipov <iskander.sharipov@intel.com> <quasilyte@gmail.com>
Issac Trotts <issactrotts@google.com>
Ivan Babrou <ivan@cloudflare.com>
Ivan Bertona <ivan.bertona@gmail.com>
Ivan Krasin <krasin@golang.org>
Ivan Kutuzov <arbrix@gmail.com>
Ivan Markin <sw@nogoegst.net>
Ivan Moscoso <moscoso@gmail.com>
Ivan Sharavuev <shpiwan@gmail.com>
Ivan Ukhov <ivan.ukhov@gmail.com>
Ivy Evans <ivy@ivyevans.net>
Jaana Burcu Dogan <jbd@google.com> <jbd@golang.org> <burcujdogan@gmail.com>
Jack
Britton <jackxbritton@gmail.com>
Jack Lindamood <jlindamo@justin.tv>
Jacob Baskin <jbaskin@google.com>
Jacob H. Haven <jacob@cloudflare.com>
Jacob Hoffman-Andrews <github@hoffman-andrews.com>
Jae Kwon <jae@tendermint.com>
Jake B <doogie1012@gmail.com>
Jakob Borg <jakob@nym.se>
Jakob Weisblat <jakobw@mit.edu>
Jakub ajka <jcajka@redhat.com>

Jakub Ryszard Czarnowicz <j.czarnowicz@gmail.com>
James Aguilar <jaguilar@google.com>
James Bardin <j.bardin@gmail.com>
James Chacon <jchacon@google.com>
James Clarke <jrtc27@jrtc27.com>
James Cowgill <James.Cowgill@imgtec.com>
James Craig Burley <james-github@burleyarch.com>
James David Chalfant <james.chalfant@gmail.com>
James Fysh <james.fysh@gmail.com>
James Gray <james@james4k.com>
James Hartig <fastest963@gmail.com>
James Lawrence <jlratone@gmail.com>
James Meneghello <rawrz0r@gmail.com>
James Myers <jfmyers9@gmail.com>
James Neve <jamesoneve@gmail.com>
James P. Cooper <jamespcooper@gmail.com>
James Robinson <jamesr@google.com> <jamesr.gatech@gmail.com>
James
Schofield <james@shoeboxapp.com>
James Smith <jrs1995@icloud.com>
James Sweet <james.sweet88@googlemail.com>
James Toy <nil@opensesame.st>
James Treanor <jtreanor3@gmail.com>
James Tucker <raggi@google.com>
James Whitehead <jnwhiteh@gmail.com>
Jamie Beverly <jamie.r.beverly@gmail.com>
Jamie Gennis <jgennis@google.com> <jgennis@gmail.com>
Jamie Kerr <jkerr113@googlemail.com>
Jamie Liu <jameliu@google.com>
Jamie Stackhouse <contin673@gmail.com>
Jamie Turner <jamwt@dropbox.com>
Jamie Wilkinson <jaq@spacepants.org>
Jamil Djadala <djadala@gmail.com>
Jan Berktold <jan@berktold.co>
Jan H. Hosang <jan.hosang@gmail.com>
Jan Kratochvil <jan.kratochvil@redhat.com>
Jan Lehnardt <jan@apache.org>
Jan Mercl <0xjnml@gmail.com> <befelemepeseveze@gmail.com>
Jan Newmarch <jan.newmarch@gmail.com>
Jan Pilzer <jan.pilzer@gmx.de>
Jan Ziak <0xe2.0x9a.0x9b@gmail.com>
Jani Monoses <jani.monoses@ubuntu.com> <jani.monoses@gmail.com>
Jared Culp <jculp14@gmail.com>
Jaroslav Poepko
<jp@webmaster.ms>
Jason A. Donenfeld <Jason@zx2c4.com>
Jason Barnett <jason.w.barnett@gmail.com>
Jason Buberel <jbuberel@google.com>

Jason Chu <jasonchujc@gmail.com>
Jason Del Ponte <delpontej@gmail.com>
Jason Hall <jasonhall@google.com>
Jason Keene <jasonkeene@gmail.com>
Jason LeBrun <jblebrun@gmail.com>
Jason Smale <jsmale@zendesk.com>
Jason Travis <infomaniac7@gmail.com>
Jason Wangsadinata <jwangsadinata@gmail.com>
Javier Kohen <jkohen@google.com>
Javier Segura <javism@gmail.com>
Jay Conrod <jayconrod@google.com>
Jay Taylor <outtatime@gmail.com>
Jay Weisskopf <jay@jayschwa.net>
Jean de Klerk <deklerk@google.com>
Jean-Andr Santoni <jean.andre.santoni@gmail.com>
Jean-Francois Cantin <jfcantin@gmail.com>
Jean-Marc Eurin <jmeurin@google.com>
Jean-Nicolas Moal <jn.moal@gmail.com>
Jed Denlea <jed@fastly.com>
Jeet Parekh <jeetparekh96@gmail.com>
Jeevanandam M <jeeva@myjeeva.com>
Jeff (Zhefu) Jiang <jeffjiang@google.com>
Jeff Craig <jeffcraig@google.com>
Jeff Dupont <jeff.dupont@gmail.com>
Jeff
Hodges <jeff@somethingsimilar.com>
Jeff Johnson <jrjohnson@google.com>
Jeff R. Allen <jra@nella.org> <jeff.allen@gmail.com>
Jeff Sickel <jas@corpus-callosum.com>
Jeff Wendling <jeff@spacemonkey.com>
Jeffrey H <jeffreyh192@gmail.com>
Jelte Fennema <github-tech@jeltef.nl>
Jens Frederich <jfrederich@gmail.com>
Jeremiah Harmsen <jeremiah@google.com>
Jeremy Banks <_@jeremy.ca>
Jeremy Canady <jcanady@gmail.com>
Jeremy Jackins <jeremyjackins@gmail.com>
Jeremy Schlatter <jeremy.schlatter@gmail.com>
Jeroen Bobbeldijk <jerbob92@gmail.com>
Jerrin Shaji George <jerrinsg@gmail.com>
Jess Frazelle <me@jessfraz.com>
Jesse Szwedko <jesse.szwedko@gmail.com>
Jess Espino <jespinog@gmail.com>
Jianing Yu <jnyu@google.com>
Jianqiao Li <jianqiaoli@google.com>
Jihyun Yu <yjh0502@gmail.com>
Jim Cote <jfcote87@gmail.com>
Jim Kingdon <jim@bolt.me>

Jim McGrath <jimmc2@gmail.com>
Jim Minter <jminter@redhat.com>
Jimmy Frasche <soapboxcicero@gmail.com>
Jimmy Zelinskie <jimmyzelinskie@gmail.com>
Jin-wook Jeong <jeweljar@hanmail.net>
Jingcheng
Zhang <diogin@gmail.com>
Jingguo Yao <yaojingguo@gmail.com>
Jiong Du <londevil@gmail.com>
Jirka Dank <dnk@mail.muni.cz>
Jiulong Wang <jiulongw@gmail.com>
Joakim Sernbrant <serbaut@gmail.com>
Joe Bowbeer <joe.bowbeer@gmail.com>
Joe Cortopassi <joe@joecortopassi.com>
Joe Farrell <joe2farrell@gmail.com>
Joe Harrison <joehazzers@gmail.com>
Joe Henke <joed.henke@gmail.com>
Joe Kyo <xunianzu@gmail.com>
Joe Poirier <jdpoirier@gmail.com>
Joe Richey <joerichey@google.com>
Joe Shaw <joe@joeshaw.org>
Joe Sylve <joe.sylve@gmail.com>
Joe Tsai <joetsai@digital-static.net>
Joel Sing <joel@sing.id.au> <jsing@google.com>
Jol Stemmer <jstemmer@google.com>
Joel Stemmer <stemmertech@gmail.com>
Joey Geiger <jgeiger@users.noreply.github.com>
Johan Brandhorst <johan.brandhorst@gmail.com>
Johan Euphrosine <propy@google.com>
Johan Sageryd <j@1616.se>
John Asmuth <jasmuth@gmail.com>
John Beisley <huin@google.com>
John C Barstow <jbowtie@amathaine.com>
John DeNero <denero@google.com>
John
Dethridge <jcd@golang.org>
John Gibb <johngibb@gmail.com>
John Gilik <john@jgilik.com>
John Graham-Cumming <jgc@jgc.org> <jgrahamc@gmail.com>
John Howard Palevich <jack.palevich@gmail.com>
John Jeffery <jjeffery@sp.com.au>
John Jenkins <twodopeshaggy@gmail.com>
John Leidegren <john.leidegren@gmail.com>
John Newlin <jnewlin@google.com>
John Potocny <johnp@vividcortex.com>
John R. Lenton <jlenton@gmail.com>
John Schnake <schnake.john@gmail.com>
John Shahid <jvshahid@gmail.com>

John Tuley <john@tuley.org>
Johnny Luo <johnnyluo1980@gmail.com>
Jon Chen <jchen@justin.tv>
Jonas Bernoulli <jonas@bernoul.li>
Jonathan Allie <jonallie@google.com>
Jonathan Amsterdam <jba@google.com>
Jonathan Boulle <jonathanboulle@gmail.com>
Jonathan Chen <dijonkitchen@users.noreply.github.com>
Jonathan Feinberg <feinberg@google.com>
Jonathan Gold <jgold.bg@gmail.com>
Jonathan Hseu <jhseu@google.com>
Jonathan Mark <jhmark@xenops.com> <jhmark000@gmail.com>
Jonathan Nieder <jrn@google.com>
Jonathan Pentecost
<pentecostjonathan@gmail.com>
Jonathan Pittman <jmpittman@google.com> <jonathan.mark.pittman@gmail.com>
Jonathan Rudenberg <jonathan@titanous.com>
Jonathan Stacks <jonstacks13@gmail.com>
Jonathan Wills <runningwild@gmail.com>
Jongmin Kim <atomaths@gmail.com>
Joonas Kuorilehto <joneskoo@derbian.fi>
Joop Kiefte <ikojba@gmail.com> <joop@kiefte.net>
Jordan Krage <jmank88@gmail.com>
Jordan Lewis <jordanthelewis@gmail.com>
Jordan Rhee <jordanrh@microsoft.com>
Jos Visser <josv@google.com>
Jose Luis Vazquez Gonzalez <josvazg@gmail.com>
Joseph Bonneau <jcb@google.com>
Joseph Holsten <joseph@josephholsten.com>
Josh Bleecher Snyder <josharian@gmail.com>
Josh Chorlton <jchorlton@gmail.com>
Josh Deprez <josh.deprez@gmail.com>
Josh Goebel <dreamer3@gmail.com>
Josh Hoak <jhoak@google.com>
Josh Holland <jrh@joshh.co.uk>
Josh Roppo <joshroppo@gmail.com>
Josh Varga <josh.varga@gmail.com>
Joshua Boelter <joshua.boelter@intel.com>
Joshua Chase <jcjosuachase@gmail.com>
Joshua Rubin <joshua@rubixconsulting.com>
Josselin
Costanzi <josselin@costanzi.fr>
Jostein Stuhau <js@solidssystem.no>
JP Sugarbroad <jpsugar@google.com>
JT Olds <jtolds@xnet5.com>
Juan Carlos <juanjcsr@gmail.com>
Juan Pablo Civile <elementohb@gmail.com>
Jude Pereira <judebpereira@gmail.com>

Jukka-Pekka Kekkonen <karatepekka@gmail.com>
Julia Hansbrough <flowerhack@google.com>
Julian Kornberger <jk+github@digineo.de>
Julian Pastarmov <pastarmovj@google.com>
Julian Phillips <julian@quantumfyre.co.uk>
Julie Qiu <julie@golang.org>
Julien Kauffmann <julien.kauffmann@freelan.org>
Julien Salleyron <julien.salleyron@gmail.com>
Julien Schmidt <google@julienschmidt.com>
Julio Montes <julio.montes@intel.com>
Junda Liu <junda@celer.network>
Jungho Ahn <jhahn@google.com>
Junya Hayashi <ledmonster@gmail.com>
Jure Ham <jure.ham@zemanta.com>
Justin Gracenin <jgracenin@gmail.com>
Justin Nu <nuss.justin@gmail.com>
Justyn Temme <justyntemme@gmail.com>
Kai Backman <kaib@golang.org>
Kai Trukenmller <ktye78@gmail.com>
Kale Blankenship <kale@lemnisis.com>
Kaleb
Elwert <kelwert@atlassian.com>
Kamal Aboul-Hosn <aboulhosn@google.com>
Kamil Chmielewski <kamil.chm@gmail.com>
Kamil Kisiel <kamil@kamilkisiel.net> <kamil.kisiel@gmail.com>
Kamil Rytarowski <krytarowski@users.noreply.github.com>
Kang Hu <hukangustc@gmail.com>
Karan Dhiman <karandhi@ca.ibm.com>
Karel Pazdera <pazderak@gmail.com>
Karoly Negyesi <chx1975@gmail.com>
Karsten Khler <karsten.koehler95@gmail.com>
Kashav Madan <kshvmdn@gmail.com>
Kate Manson <kate.manson@izettle.com>
Katie Hockman <katie@golang.org>
Kato Kazuyoshi <kato.kazuyoshi@gmail.com>
Katrina Owen <katrina.owen@gmail.com>
Kaviraj Kanagaraj <kavirajkanagaraj@gmail.com>
Kay Zhu <kayzhu@google.com>
Kazuhiro Sera <seratch@gmail.com>
KB Sriram <kbsriram@google.com>
Keegan Carruthers-Smith <keegan.csmith@gmail.com>
Kei Son <hey.calmdown@gmail.com>
Keiji Yoshida <keijiyoshida.mail@gmail.com>
Keith Ball <inflatablewoman@gmail.com>
Keith Randall <khr@golang.org>
Keith Rarick <kr@xph.us>
Kelsey Hightower <kelsey.hightower@gmail.com>
Kelvin

Foo Chuan Lyi <vmirage@gmail.com>
Ken Friedenbach <kenliz@cruzio.com>
Ken Rockot <ken@oz.gs> <ken.rockot@gmail.com>
Ken Sedgwick <ken@bonsai.com>
Ken Thompson <ken@golang.org>
Kenji Kaneda <kenji.kaneda@gmail.com>
Kenji Yano <kenji.yano@gmail.com>
Kenneth Shaw <kenshaw@gmail.com>
Kenny Grant <kennygrant@gmail.com>
Kevin Ballard <kevin@sb.org>
Kevin Burke <kev@inburke.com>
Kevin Kirsche <kev.kirsche@gmail.com>
Kevin Klues <klueska@gmail.com> <klueska@google.com>
Kevin Malachowski <chowski@google.com>
Kevin Ruffin <kruffin@gmail.com>
Kevin Vu <kevin.m.vu@gmail.com>
Kevin Zita <bleedgreenandgold@gmail.com>
Kieran Colford <kieran@kcolford.com>
Kim Shrier <kshrier@racktopsystems.com>
Kim Yongbin <kybinz@gmail.com>
Kir Kolyshkin <kolyshkin@gmail.com>
Kirill Smelkov <kirr@nexedi.com>
Kirk Han <kirk91.han@gmail.com>
Kirklin McDonald <kirklin.mcdonald@gmail.com>
Klaus Post <klauspost@gmail.com>
Kodie Goodwin <kodiegoodwin@gmail.com>
Koichi Shiraishi <zchee.io@gmail.com>
Koki
Ide <niconegoto@yahoo.co.jp>
Komu Wairagu <komuw05@gmail.com>
Konstantin <konstantin8105@gmail.com>
Konstantin Shaposhnikov <k.shaposhnikov@gmail.com>
Kris Kwiatkowski <kris@cloudflare.com>
Kris Nova <kris@nivenly.com>
Kris Rousey <krousey@google.com>
Kristopher Watts <traetox@gmail.com>
Kun Li <likunarmstrong@gmail.com>
Kunpei Sakai <namusyaka@gmail.com>
Kuntal Majumder <hellozee@disroot.org>
Kyle Consalus <consalus@gmail.com>
Kyle Isom <kyle@gokyle.net>
Kyle Jones <kyle@kyledj.com>
Kyle Lemons <kyle@kylelemons.net> <kevlar@google.com>
Kyle Shannon <kyle@pobox.com>
Kyle Spiers <eiais@google.com>
Kyle Wood <kyle@kylewood.cc>
Kyohei Kadota <lufia@lufia.org>
Kyrylo Silin <silin@kyrylo.org>

L Campbell <unpantso@gmail.com>
Lai Jiangshan <eag0628@gmail.com>
Lajos Papp <lalyos@yahoo.com>
Lakshay Garg <lakshay.garg.1996@gmail.com>
Lann Martin <lannm@google.com>
Lanre Adelowo <yo@lanre.wtf>
Larry Clapp <larry@theclapp.org>
Larry Hosken <lahosken@golang.org>
Lars Jeppesen <jeppesen.lars@gmail.com>
Lars
Lehtonen <lars.lehtonen@gmail.com>
Lars Wiegman <lars@namsral.com>
Larz Conwell <larzconwell@gmail.com>
Laurent Voisin <lpvoisin@gmail.com>
Laurie Clark-Michalek <laurie@qubit.com>
LE Manh Cuong <cuong.manhle.vn@gmail.com>
Lee Hinman <hinman@gmail.com>
Lee Packham <lpackham@gmail.com>
Lehner Florian <dev@der-flo.net>
Leigh McCulloch <leighmcc@gmail.com>
Leo Antunes <leo@costela.net>
Leo Rudberg <ljr@google.com>
Leon Klingele <git@leonklingele.de>
Leonel Quinteros <leonel.quinteros@gmail.com>
Lev Shamardin <shamardin@gmail.com>
Lewin Bormann <lewin.bormann@gmail.com>
Lion Yang <lion@aosc.xyz>
Lloyd Dewolf <foolswisdom@gmail.com>
Lorenz Bauer <lmb@cloudflare.com>
Lorenzo Masini <rugginoso@develer.com>
Lorenzo Stoakes <lstoakes@gmail.com>
Louis Kruger <louisk@google.com>
Luan Santos <cfcluan@gmail.com>
Lubomir I. Ivanov <neolit123@gmail.com>
Luca Bruno <luca.bruno@coreos.com>
Luca Greco <luca.greco@alcacoop.it>
Lucas Bremgartner <lucas.bremgartner@gmail.com>
Lucas Clemente
<lclemente@google.com>
Lucien Stuker <lucien.stuker@gmail.com>
Lucio De Re <lucio.dere@gmail.com>
Ludi Rehak <ludi317@gmail.com>
Luigi Riefolo <luigi.riefolo@gmail.com>
Luit van Drongelen <luitvd@gmail.com>
Luka Zakrajek <tr00.g33k@gmail.com>
Lukasz Milewski <lmmilewski@gmail.com>
Luke Curley <qpingu@gmail.com>
Luke Granger-Brown <git@lukegb.com>

Luna Duclos <luna.duclos@palmstonegames.com>
Luuk van Dijk <lvd@golang.org> <lvd@google.com>
Lyle Franklin <lylejfranklin@gmail.com>
Lynn Boger <laboger@linux.vnet.ibm.com>
Ma Peiqi <mapeiqi2017@gmail.com>
Maarten Bezemer <maarten.bezemer@gmail.com>
Maciej Dbski <maciejd@google.com>
Magnus Hiie <magnus.hiie@gmail.com>
Maicon Costa <maiconscosta@gmail.com>
Mak Kolybabi <mak@kolybabi.com>
Maksym Trykur <maksym.trykur@gmail.com>
Mal Curtis <mal@mal.co.nz>
Manfred Touron <m@42.am>
Manigandan Dharmalingam <manigandan.jeff@gmail.com>
Manish Goregaokar <manishsmail@gmail.com>
Manoj Dayaram <platform-dev@moovweb.com> <manoj.dayaram@moovweb.com>
Mansour
Rahimi <rahimi.mnr@gmail.com>
Manu Garg <manugarg@google.com>
Manu S Ajith <neo@codingarena.in>
Manuel Mendez <mmendez534@gmail.com>
Marc Weistroff <marc@weistroff.net>
Marc-Antoine Ruel <maruel@chromium.org>
Marcel Edmund Franke <marcel.edmund.franke@gmail.com>
Marcel van Lohuizen <mpvl@golang.org>
Marcelo Cantos <marcelo.cantos@gmail.com>
Marcelo E. Magallon <marcelo.magallon@gmail.com>
Marco Hennings <marco.hennings@freiheit.com>
Marcus Willock <crazcalm@gmail.com>
Marga Manterola <marga@google.com>
Marin Bai <marin.basic02@gmail.com>
Mario Arranz <marioarranzr@gmail.com>
Marius Nuennerich <mnu@google.com>
Mark Adams <mark@markadams.me>
Mark Bucciarelli <mkbucc@gmail.com>
Mark Harrison <marhar@google.com>
Mark Percival <m@mdp.im>
Mark Pulford <mark@kyne.com.au>
Mark Rushakoff <mark.rushakoff@gmail.com>
Mark Ryan <mark.d.ryan@intel.com>
Mark Severson <miquella@gmail.com>
Mark Theunissen <mark.theunissen@gmail.com>
Mark Wolfe <mark@wolfe.id.au>
Mark Zavislak <zavislak@google.com>
Marko
Juhani Silokunnas <marko.silokunnas@gmail.com>
Marko Kevac <marko@kevac.org>
Marko Mikulicic <mkm@google.com>

Marko Mudrinic <mudrinic.mare@gmail.com>
Marko Tiikkaja <marko@joh.to>
Markus Duft <markus.duft@salomon.at>
Markus Sonderegger <marraison@gmail.com>
Markus Zimmermann <zimmski@gmail.com>
Marten Seemann <martenseemann@gmail.com>
Martin Bertschler <mbertschler@gmail.com>
Martin Garton <garton@gmail.com>
Martin Habbecke <marhab@google.com>
Martin Hamrle <martin.hamrle@gmail.com>
Martin Hoebling <martin.hoebling@gmx.de>
Martin Kreichgauer <martinkr@google.com>
Martin Kunc <martinkunc@users.noreply.github.com>
Martin Lindhe <martin.j.lindhe@gmail.com>
Martin Mohrmann <moehrmann@google.com> <martisch@uos.de>
Martin Neubauer <m.ne@gmx.net>
Martin Olsen <github.com@martinolsen.net>
Martin Olsson <martin@minimum.se>
Martin Probst <martin@probst.io>
Martin Sucha <anty.sk+git@gmail.com>
Martin Tournioj <martin@arp242.net>
Martins Sipenko <martins.sipenko@gmail.com>
Martynas Budrinas
<mabu@google.com>
Marvin Stenger <marvin.stenger94@gmail.com>
Marwan Sulaiman <marwan.sulaiman@work.co>
Maryan Hratson <gmarik@gmail.com>
Masahiro Furudate <masahiro.furudate@gmail.com>
Masahiro Wakame <vvakame@gmail.com>
Masaki Yoshida <yoshida.masaki@gmail.com>
Mat Byczkowski <mbyczkowski@gmail.com>
Mat Ryer <thatmatryer@gmail.com>
Mt Gulys <mgulyas86@gmail.com>
Matej Bao <matejbaco@gmail.com>
Mateus Amin <mateus.amin@gmail.com>
Mateusz Czapliski <czapkofan@gmail.com>
Mathias Beke <git@denbeke.be>
Mathias Hall-Andersen <mathias@hall-andersen.dk>
Mathias Leppich <mleppich@muhqu.de>
Mathieu Lonjaret <mathieu.lonjaret@gmail.com>
Mats Lidell <mats.lidell@cag.se> <mats.lidell@gmail.com>
Matt Aimonetti <mattaimonetti@gmail.com>
Matt Blair <me@matthewblair.net>
Matt Bostock <matt@mattbostock.com>
Matt Brown <mdbrown@google.com>
Matt Dee <mdee@hioscar.com>
Matt Drollette <matt@drollette.com>
Matt Harden <matt.harden@gmail.com>

Matt Jibson <matt.jibson@gmail.com>
Matt Joiner <anacrolix@gmail.com>
Matt
Jones <mrjones@google.com>
Matt Juran <thepciet@gmail.com>
Matt Layher <mdlayher@gmail.com>
Matt Reiferson <mreiferson@gmail.com>
Matt Robenolt <matt@ydekproductions.com>
Matt Strong <mstrong1341@gmail.com>
Matt T. Proud <matt.proud@gmail.com>
Matt Williams <gh@mattyw.net> <mattyjwilliams@gmail.com>
Matthew Brennan <matty.brennan@gmail.com>
Matthew Broberg <matthewbbroberg@gmail.com>
Matthew Cottingham <mattcottingham@gmail.com>
Matthew Dempsky <mdempsky@google.com>
Matthew Denton <mdenton@skyportsystems.com>
Matthew Holt <Matthew.Holt+git@gmail.com>
Matthew Horsnell <matthew.horsnell@gmail.com>
Matthew Waters <mwwaters@gmail.com>
Matthieu Hauglustaine <matt.hauglustaine@gmail.com>
Matthieu Olivier <olivier.matthieu@gmail.com>
Matthijs Kooijman <matthijs@stdn.nl>
Max Riveiro <kavu13@gmail.com>
Max Schmitt <max@schmitt.mx>
Max Ushakov <ushmax@gmail.com>
Maxim Khitrov <max@mxcrypt.com>
Maxim Pimenov <mpimenov@google.com>
Maxim Ushakov <ushakov@google.com>
Maxime de Roucy <maxime.deroucy@gmail.com>
Mximo
Cuadros Ortiz <mcuadros@gmail.com>
Maxwell Krohn <themax@gmail.com>
Maya Rashish <maya@NetBSD.org>
Mayank Kumar <krmayankk@gmail.com>
Meir Fischer <meirfischer@gmail.com>
Meng Zhuo <mengzhuo1203@gmail.com>
Mhd Sulhan <m.shulhan@gmail.com>
Micah Stetson <micah.stetson@gmail.com>
Michael Anthony Knyszek <mknyszek@google.com>
Michael Brandenburg <mbrandenburg@bolste.com>
Michael Chaten <mchaten@gmail.com>
Michael Darakananda <pongad@google.com>
Michael Dorner <mail@michaeldorner.de>
Michael Edwards <medwards@walledcity.ca>
Michael Elkins <michael.elkins@gmail.com>
Michael Ellis <micellis@justin.tv>
Michael Fraenkel <michael.fraenkel@gmail.com>
Michael Fromberger <michael.j.fromberger@gmail.com>

Michael Gehring <mg@ebfe.org> <gnirheg.leahcim@gmail.com>
Michael Henderson <mdhender@users.noreply.github.com>
Michael Hendricks <michael@ndrix.org>
Michael Hoisie <hoisie@gmail.com>
Michael Hudson-Doyle <michael.hudson@linaro.org>
Michael Kasch <michael.kasch@gmail.com>
Michael
Kufli <golang@c.michael-kaeufl.de>
Michael Kelly <mjk@google.com>
Michael Lewis <mikelikespie@gmail.com>
Michael MacInnis <Michael.P.MacInnis@gmail.com>
Michael Marineau <michael.marineau@coreos.com>
Michael Matloob <matloob@google.com>
Michael McConville <momconville@gmail.com>
Michael McGreevy <mcgreevy@golang.org>
Michael McLoughlin <mmcloughlin@gmail.com>
Michael Munday <mike.munday@ibm.com>
Michael Pearson <mipearson@gmail.com>
Michael Piatek <piatek@google.com>
Michael Pratt <mpratt@google.com>
Michael Schaller <michael@5challer.de>
Michael Schurter <michael.schurter@gmail.com>
Michael Shields <mshields@google.com>
Michael Stapelberg <michael@stapelberg.de> <mstplbrg@googlemail.com>
Michael Steinert <mike.steinert@gmail.com>
Michael T. Jones <mtj@google.com> <michael.jones@gmail.com>
Michael Teichgraber <mteichgraeber@gmx.de> <mt4swm@googlemail.com>
Michael Traver <mtraver@google.com>
Michael Vetter <g.bluehut@gmail.com>
Michal Bohuslvek <mbohuslvek@gmail.com>
Michal
Cierniak <cierniak@google.com>
Micha Derkacz <ziutek@lnet.pl>
Michal Franc <lam.michal.franc@gmail.com>
Michal Pristas <michal.pristas@gmail.com>
Michal Rostecki <mrostecki@suse.de>
Michalis Kargakis <michaliskargakis@gmail.com>
Michel Lespinasse <walken@google.com>
Miek Gieben <miek@miek.nl> <remigius.gieben@gmail.com>
Miguel Mendez <stxmendez@gmail.com>
Miguel Molina <hi@mvader.me>
Mihai Borobocea <MihaiBorobocea@gmail.com>
Mihai Todor <todormihai@gmail.com>
Mihail Minaev <minaev.mike@gmail.com>
Mikael Tillenius <mikti42@gmail.com>
Mike Andrews <mra@xoba.com>
Mike Appleby <mike@app.leby.org>
Mike Danese <mikedanese@google.com>

Mike Houston <mike@kothar.net>
Mike Kabischev <kabischev@gmail.com>
Mike Rosset <mike.rosset@gmail.com>
Mike Samuel <mikesamuel@gmail.com>
Mike Solomon <msolo@gmail.com>
Mike Strosaker <strosake@us.ibm.com>
Mike Tsao <mike@sowbug.com>
Mike Wiacek <mjwiacek@google.com>
Mikhail Gusarov <dottedmag@dottedmag.net>
Mikhail Panchenko <m@mihasya.com>
Miki Tebeka <miki.tebeka@gmail.com>
Mikio
Hara <mikioh.mikioh@gmail.com>
Mikkel Krautz <mikkel@krautz.dk> <krautz@gmail.com>
Mikoaj Baranowski <mikolajb@gmail.com>
Milan Knezevic <milan.knezevic@mips.com>
Milutin Jovanovic <jovanovic.milutin@gmail.com>
MinJae Kwon <mingrammer@gmail.com>
Miquel Sabat Sol <mikisabate@gmail.com>
Miroslav Genov <mgenov@gmail.com>
Misty De Meo <mistydemeo@gmail.com>
Mohit Agarwal <mohit@sdf.org>
Mohit kumar Bajoria <mohitbajo36@gmail.com>
Momchil Velikov <momchil.velikov@gmail.com>
Monis Khan <mkhan@redhat.com>
Monty Taylor <mordred@inaugust.com>
Moriyoshi Koizumi <mozo@mozo.jp>
Morten Siebuhr <sbhr@sbhr.dk>
Mshe van der Sterre <moshevds@gmail.com>
Mostyn Bramley-Moore <mostyn@antipode.se>
Mrunal Patel <mrunalp@gmail.com>
Muhammad Falak R Wani <falakreyaz@gmail.com>
Muhammed Uluyol <uluyol0@gmail.com>
Mura Li <mura_li@castech.com.tw>
Nan Deng <monnand@gmail.com>
Naoki Kanatani <k12naoki@gmail.com>
Nate Wilkinson <nathanwilk7@gmail.com>
Nathan Cantelmo <n.cantelmo@gmail.com>
Nathan
Caza <mastercactus@gmail.com>
Nathan Humphreys <nkhumphreys@gmail.com>
Nathan John Youngman <nj@nathany.com>
Nathan Otterness <otterness@cs.unc.edu>
Nathan P Finch <nate.finch@gmail.com>
Nathan VanBenschoten <nvanbenschoten@gmail.com>
Nathan Youngman <git@nathany.com>
Nathan(yinian) Hu <nathanhu@google.com>
Nathaniel Cook <nvcook42@gmail.com>

Naveen Kumar Sangi <naveenkumarsangi@protonmail.com>
Neelesh Chandola <neelesh.c98@gmail.com>
Neil Lyons <nwjlyons@googlemail.com>
Neuman Vong <neuman.vong@gmail.com>
Neven Sajko <nsajko@gmail.com>
Nevins Bartolomeo <nevins.bartolomeo@gmail.com>
Niall Sheridan <nsheridan@gmail.com>
Nic Day <nic.day@me.com>
Nicholas Katsaros <nick@nickkatsaros.com>
Nicholas Maniscalco <nicholas@maniscalco.com>
Nicholas Ng <nickng@nickng.io>
Nicholas Presta <nick@nickpresta.ca> <nick1presta@gmail.com>
Nicholas Sullivan <nicholas.sullivan@gmail.com>
Nicholas Waples <nwaples@gmail.com>
Nick Cooper <nmvc@google.com>
Nick Craig-Wood <nick@craig-wood.com> <nickcw@gmail.com>
Nick
Harper <nharper@google.com>
Nick Kubala <nkubala@google.com>
Nick Leli <nicholasleli@gmail.com>
Nick Miyake <nmiyake@users.noreply.github.com>
Nick Patavalis <nick.patavalis@gmail.com>
Nick Petroni <npetroni@cs.umd.edu>
Nick Robinson <nrobinson13@gmail.com>
Nick Smolin <nick27surgut@gmail.com>
Nicolas BRULEZ <n.brulez@gmail.com>
Nicolas Kaiser <nikai@nikai.net>
Nicolas Owens <mischief@offblast.org>
Nicolas S. Dade <nic.dade@gmail.com>
Niek Sanders <niek.sanders@gmail.com>
Niels Widger <niels.widger@gmail.com>
Nigel Kerr <nigel.kerr@gmail.com>
Nigel Tao <nigeltao@golang.org>
Nik Nyby <nnyby@columbia.edu>
Nikhil Benesch <nikhil.benesch@gmail.com>
Niklas Schnelle <niklas.schnelle@gmail.com>
Niko Dziemba <niko@dziemba.com>
Nikolay Turpitko <nikolay@turpitko.com>
Nils Larsgrd <nilsmagnus@gmail.com>
Niranjan Godbole <niranjan8192@gmail.com>
Nishanth Shanmugham <nishanth.gerrard@gmail.com>
Noah Campbell <noahcampbell@gmail.com>
Noble Johnson <noblepoly@gmail.com>
Nodir Turakulov
<nodir@google.com>
Noel Georgi <git@frezbo.com>
Norberto Lopes <nlopes.ml@gmail.com>
Odin Ugedal <odin@ugedal.com>

Oleg Bulatov <dmage@yandex-team.ru>
Oleg Vakheta <helginet@gmail.com>
Oleku Konko <oleku.konko@gmail.com>
Oling Cat <olingcat@gmail.com>
Oliver Hookins <ohookins@gmail.com>
Oliver Stenbom <ostenbom@pivotal.io>
Oliver Tonnhofer <olt@bogosoftware.com>
Olivier Antoine <olivier.antoine@gmail.com>
Olivier Duperray <duperray.olivier@gmail.com>
Olivier Poitrey <rs@daily-motion.com>
Olivier Saingre <osaingre@gmail.com>
Omar Jarjur <ojarjur@google.com>
Oryan Moshe <iamoryanmoshe@gmail.com>
Osamu TONOMORI <osamingo@gmail.com>
zgr Kesim <oec-go@kesim.org>
Pablo Lalloni <plalloni@gmail.com>
Pablo Rozas Larraondo <pablo.larraondo@anu.edu.au>
Pablo Santiago Blum de Aguiar <scorpus@gmail.com>
Padraig Kitterick <padraigkitterick@gmail.com>
Pallat Anchaleechamaikorn <yod.pallat@gmail.com>
Paolo Giarrusso <p.giarrusso@gmail.com>
Paolo Martini <mrtnpaolo@gmail.com>
Parker Moore <parkrmoore@gmail.com>
Parminder
Singh <parmsingh101@gmail.com>
Pascal S. de Kloe <pascal@quies.net>
Pat Moroney <pat@pat.email>
Patrick Crosby <patrick@stathat.com>
Patrick Gavlin <pgavlin@gmail.com>
Patrick Higgins <patrick.allen.higgins@gmail.com>
Patrick Lee <pattyshack101@gmail.com>
Patrick Mzard <patrick@mezard.eu>
Patrick Mylund Nielsen <patrick@patrickmn.com>
Patrick Pelletier <pp.pelletier@gmail.com>
Patrick Riley <pfr@google.com>
Patrick Smith <pat42smith@gmail.com>
Paul A Querna <paul.querna@gmail.com>
Paul Borman <borman@google.com>
Paul Boyd <boyd.paul2@gmail.com>
Paul Chang <paulchang@google.com>
Paul Hammond <paul@paulhammond.org>
Paul Hankin <paulhankin@google.com>
Paul Jolly <paul@myitcv.org.uk>
Paul Lalonde <paul.a.lalonde@gmail.com>
Paul M Furley <paul@paulfurley.com>
Paul Marks <pmarks@google.com>
Paul Meyer <paul.meyer@microsoft.com>
Paul Nasrat <pnasrat@google.com>

Paul PISCUC <paul.piscuc@gmail.com>
Paul Querna <pquerna@apache.org>
Paul Rosania <paul.rosania@gmail.com>
Paul Ruest
<pruest@gmail.com>
Paul Sbarra <Sbarra.Paul@gmail.com>
Paul Smith <paulsmith@pobox.com> <paulsmith@gmail.com>
Paul Tyng <paul@paultyng.net>
Paul van Brouwershaven <paul@vanbrouwershaven.com>
Paul Wankadia <junyer@google.com>
Paulo Casaretto <pcasaretto@gmail.com>
Paulo Flabiano Smorigo <pfsmorigo@linux.vnet.ibm.com>
Pavel Paulau <pavel.paulau@gmail.com>
Pavel Zinovkin <pavel.zinovkin@gmail.com>
Pavlo Sumkin <ymkins@gmail.com>
Pawel Knap <pawelknap88@gmail.com>
Pawel Szczur <filemon@google.com>
Percy Wegmann <ox.to.a.cart@gmail.com>
Perry Abbott <perry.j.abbott@gmail.com>
Petar Maymoukov <petarm@gmail.com>
Peter Armitage <peter.armitage@gmail.com>
Peter Bourgon <peter@bourgon.org>
Peter Collingbourne <pcc@google.com>
Peter Conerly <pconerly@gmail.com>
Peter Dotchev <dotchev@gmail.com>
Peter Froehlich <peter.hans.froehlich@gmail.com>
Peter Gonda <pgonda@google.com>
Peter Hoyes <pahoyes@gmail.com>
Peter Kleiweg <pkleiweg@xs4all.nl>
Peter McKenzie <petermck@google.com>
Peter Moody <pmoody@uber.com>
Peter
Morjan <pmorjan@gmail.com>
Peter Mundy <go.peter.90@gmail.com>
Peter Nguyen <peter@mictis.com>
Pter Surnyi <speter.go1@gmail.com>
Pter Szab <pts@google.com>
Pter Szilgyi <peterke@gmail.com>
Peter Teichman <pteichman@fastly.com>
Peter Tseng <ptseng@squareup.com>
Peter Waldschmidt <peter@waldschmidt.com>
Peter Waller <peter.waller@gmail.com>
Peter Weinberger <pjw@golang.org>
Peter Williams <pwil3058@gmail.com>
Peter Wu <pwu@cloudflare.com>
Peter Zhang <i@ddatsh.com>
Petrica Voicu <pvoicu@paypal.com>
Phil Pearl <philip.j.r.pearl@gmail.com>

Phil Pennock <pdp@golang.org>
Philip Brgesen <philip.brgesen@gmail.com>
Philip Brown <phil@bolthole.com>
Philip Hofer <phofer@umich.edu>
Philip K. Warren <pkwarren@gmail.com>
Philip Nelson <me@pnelson.ca>
Philipp Stephani <phst@google.com>
Pierre Durand <pierredurand@gmail.com>
Pierre Prinetti <pierreprinetti@gmail.com>
Pierre Roullon <pierre.roullon@gmail.com>
Piers <google@hellopiers.pro>
Pieter Droogendijk <pieter@binky.org.uk>
Pietro
Gagliardi <pietro10@mac.com>
Piyush Mishra <piyush@codeitout.com>
Plekhanov Maxim <kishtatix@gmail.com>
Pontus Leitzler <leitzler@gmail.com>
Prasanna Swaminathan <prasanna@mediamath.com>
Prashant Varanasi <prashant@prashantv.com>
Pravendra Singh <hackpravj@gmail.com>
Preetam Jinka <pj@preet.am>
Qais Patankar <qaisjp@gmail.com>
Qiuxuan Zhu <ilsh1022@gmail.com>
Quan Tran <qeed.quan@gmail.com>
Quan Yong Zhai <qyzhai@gmail.com>
Quentin Perez <qperez@ocs.online.net>
Quentin Renard <contact@asticode.com>
Quentin Smith <quentin@golang.org>
Quinn Slack <sqs@sourcegraph.com>
Quinten Yearsley <qyearsley@chromium.org>
Quoc-Viet Nguyen <afelion@gmail.com>
Radek Sohlich <sohlich@gmail.com>
Radu Berinde <radu@cockroachlabs.com>
Rafal Jeczalik <rjeczalik@gmail.com>
Raghavendra Nagaraj <jamdagni86@gmail.com>
Rahul Chaudhry <rahulchaudhry@chromium.org>
Raif S. Naffah <go@naffah-raif.name>
Rajat Goel <rajat.goel2010@gmail.com>
Rajath Agasthya <rajathagasthya@gmail.com>
Rajender Reddy Kompally <rajenderreddykompally@gmail.com>
Ralph
Corderoy <ralph@inputplus.co.uk>
Ramazan AYYILDIZ <rayyildiz@gmail.com>
Ramesh Dharan <dharan@google.com>
Raph Levien <raph@google.com>
Raphael Geronimi <raphael.geronimi@gmail.com>
Raul Silvera <rsilvera@google.com>
Ravil Bikbulatov <weeellz12@gmail.com>

RaviTeja Pothana <ravi.tezu@gmail.com>
Ray Tung <rtung@thoughtworks.com>
Raymond Kazlauskas <raima220@gmail.com>
Rebecca Stambler <rstambler@golang.org>
Reilly Watson <reillywatson@gmail.com>
Reinaldo de Souza Jr <juniorz@gmail.com>
Remi Gillig <remigillig@gmail.com>
Rmy Oudompheng <oudomphe@phare.normalesup.org> <remyoudompheng@gmail.com>
Rens Rikkerink <Ikkerens@users.noreply.github.com>
Rhys Hiltner <rhys@justin.tv>
Ricardo Padilha <ricardospadilha@gmail.com>
Richard Barnes <rlb@ipv.sx>
Richard Crowley <r@rcrowley.org>
Richard Dingwall <rdingwall@gmail.com>
Richard Eric Gavaletz <gavaletz@gmail.com>
Richard Gibson <richard.gibson@gmail.com>
Richard Miller <miller.research@gmail.com>
Richard Musiol
<mail@richard-musiol.de> <neelance@gmail.com>
Rick Arnold <rickarnoldjr@gmail.com>
Rick Hudson <rlh@golang.org>
Rick Sayre <whorfin@gmail.com>
Rijnard van Tonder <rvantonder@gmail.com>
Riku Voipio <riku.voipio@linaro.org>
Risto Jaakko Saarelm <rsaarelm@gmail.com>
Rob Earhart <earhart@google.com>
Rob Norman <rob.norman@infinitycloud.com>
Rob Phoenix <rob@robphoenix.com>
Rob Pike <r@golang.org>
Robert Daniel Kortschak <dan.kortschak@adelaide.edu.au> <dan@kortschak.io>
Robert Dinu <r@varp.se>
Robert Figueiredo <robfig@gmail.com>
Robert Griesemer <gri@golang.org>
Robert Hencke <robert.hencke@gmail.com>
Robert Iannucci <iannucci@google.com>
Robert Obryk <robryk@gmail.com>
Robert Sesek <rsesek@google.com>
Robert Snedegar <roberts@google.com>
Robert Stepanek <robert.stepanek@gmail.com>
Robert-Andr Mauchin <zebob.m@gmail.com>
Roberto Clapis <robclap8@gmail.com>
Roberto Selbach <roberto@selbach.ca>
Robin Eklind <r.eklind.87@gmail.com>
Rodolfo Carvalho <rhcarvalho@gmail.com>
Rodolfo Rodriguez
<rodolfobgibson@gmail.com>
Rodrigo Moraes de Oliveira <rodrigo.moraes@gmail.com>
Rodrigo Rafael Monti Kochenburger <divoxx@gmail.com>

Roger Pau Monn <royger@gmail.com>
Roger Peppe <rogpeppe@gmail.com>
Roland Illig <roland.illig@gmx.de>
Roland Shoemaker <rolandshoemaker@gmail.com>
Roman Budnikov <romanyx90@yandex.ru>
Roman Shchekin <mrqtros@gmail.com>
Ron Hashimoto <mail@h2so5.net>
Ron Minnich <rminnich@gmail.com>
Ross Chater <rdchater@gmail.com>
Ross Light <light@google.com> <rlight2@gmail.com>
Ross Smith II <ross@smithii.com>
Rowan Marshall <rowanajmarshall@gmail.com>
Rowan Worth <sqweek@gmail.com>
Rudi Kramer <rudi.kramer@gmail.com>
Rui Ueyama <rui@uoyou.com>
Ruslan Nigmatullin <elessar@dropbox.com>
Russ Cox <rsc@golang.org>
Russell Haering <russellhaering@gmail.com>
Ryan Bagwell <ryanbagwell@outlook.com>
Ryan Barrett <ryanb@google.com>
Ryan Boehning <ryan.boehning@apcera.com>
Ryan Brown <ribddb@google.com>
Ryan Canty <jrcanty@gmail.com>
Ryan Dahl <ry@tinyclouds.org>
Ryan Hitchman
<hitchmanr@gmail.com>
Ryan Lower <rpjlower@gmail.com>
Ryan Roden-Corrent <ryan@rcorre.net>
Ryan Seys <ryan@ryanseys.com>
Ryan Slade <ryanslade@gmail.com>
Ryan Zhang <ryan.zhang@docker.com>
Ryoichi KATO <ryo1kato@gmail.com>
Ryuji Iwata <qt.luigi@gmail.com>
Ryuma Yoshida <ryuma.y1117@gmail.com>
Ryuzo Yamamoto <ryuzo.yamamoto@gmail.com>
S.alar Onur <caglar@10ur.org>
Sabin Mihai Rapan <sabin.rapan@gmail.com>
Sai Cheemalapati <saicheems@google.com>
Sakeven Jiang <jc5930@sina.cn>
Salmn Aljammz <s@0x65.net>
Sam Boyer <tech@samboyer.org>
Sam Ding <samding@ca.ibm.com>
Sam Hug <samuel.b.hug@gmail.com>
Sam Thorogood <thorogood@google.com> <sam.thorogood@gmail.com>
Sam Whited <sam@samwhited.com>
Sameer Ajmani <sameer@golang.org> <ajmani@gmail.com>
Sami Commerot <samic@google.com>
Sami Pnknén <sami.ponkanen@gmail.com>

Samuel Kelemen <SCKelemen@users.noreply.github.com>
Samuel Tan <samueltan@google.com>
Samuele Pedroni <pedronis@lucediurna.net>
Sanjay Menakuru <balasanjay@gmail.com>
Santhosh Kumar
Tekuri <santhosh.tekuri@gmail.com>
Sarah Adams <shadams@google.com>
Sascha Brawer <sascha@brawer.ch>
Sasha Lionheart <lionhearts@google.com>
Sasha Sobol <sasha@scaledinference.com>
Scott Barron <scott.barron@github.com>
Scott Bell <scott@sctsm.com>
Scott Crunkleton <crunk1@gmail.com>
Scott Ferguson <scottwferg@gmail.com>
Scott Lawrence <bytbody@gmail.com>
Scott Mansfield <smansfield@netflix.com>
Scott Schwartz <scotts@golang.org>
Scott Van Woudenberg <scottvw@google.com>
Sean Burford <sburford@google.com>
Sean Chen <oohcode@gmail.com>
Sean Chittenden <seanc@joyent.com>
Sean Christopherson <sean.j.christopherson@intel.com>
Sean Dolphin <Sean.Dolphin@kpcompass.com>
Sean Harger <sharger@google.com>
Sean Rees <sean@erifax.org>
Sebastiaan van Stijn <github@gone.nl>
Sebastian Schmidt <yath@google.com>
Sebastien Binet <seb.binet@gmail.com>
Sbastien Paolacci <sebastien.paolacci@gmail.com>
Sebastien Williams-Wynn <sebastien@cytora.com>
Seiji Takahashi <timaki.st@gmail.com>
Sergei Skorobogatov
<skorobo@rambler.ru>
Sergey 'Snake' Gromov <snake.scaly@gmail.com>
Sergey Arseev <sergey.arseev@intel.com>
Sergey Frolov <sfrolov@google.com>
Sergey Lukjanov <me@slukjanov.name>
Sergey Mishin <sergeymishine@gmail.com>
Sergey Mudrik <sergey.mudrik@gmail.com>
Sergey Semin <gray12511@gmail.com>
Sergio Luis O. B. Correia <sergio@correia.cc>
Sergiusz Bazanski <bazanski@gmail.com>
Serhii Aheienko <serhii.aheienko@gmail.com>
Seth Hoenig <seth.a.hoenig@gmail.com>
Seth Vargo <sethvargo@gmail.com>
Shahar Kohanim <skohanim@gmail.com>
Shamil Garatuev <garatuev@gmail.com>
Shane Hansen <shanemhansen@gmail.com>

Shaozhen Ding <dsz0111@gmail.com>
Shaun Dunning <shaun.dunning@uservoice.com>
Shawn Ledbetter <sledbetter@google.com>
Shawn Smith <shawn.p.smith@gmail.com>
Shawn Walker-Salas <shawn.walker@oracle.com>
Shenghou Ma <minux@golang.org> <minux.ma@gmail.com>
Shengyu Zhang <shengyu.zhang@chaitin.com>
Shi Han Ng <shihanng@gmail.com>
Shijie Hao <haormj@gmail.com>
Shinji Tanaka <shinji.tanaka@gmail.com>
Shintaro
Kaneko <kaneshin0120@gmail.com>
Shivakumar GN <shivakumar.gn@gmail.com>
Shivansh Rai <shivansh@freebsd.org>
Shun Fan <sfan@google.com>
Silvan Jegen <s.jegen@gmail.com>
Simon Jefford <simon.jefford@gmail.com>
Simon Rawet <simon@rawet.se>
Simon Thulbourn <simon+github@thulbourn.com>
Simon Whitehead <chemnova@gmail.com>
Sina Siadat <siadat@gmail.com>
Sokolov Yura <funny.falcon@gmail.com>
Song Gao <song@gao.io>
Spencer Nelson <s@spenczar.com>
Spencer Tung <spencertung@google.com>
Spring Mc <heresy.mc@gmail.com>
Srdjan Petrovic <spetrovic@google.com>
Sridhar Venkatakrishnan <sridhar@laddoo.net>
StalkR <stalkr@stalkr.net>
Stan Schwertly <stan@schwertly.com>
Stanislav Afanasev <php.progger@gmail.com>
Steeve Morin <steeve.morin@gmail.com>
Stefan Nilsson <snilsson@nada.kth.se> <trolleriprofessorn@gmail.com>
Stepan Shabalin <neverliberty@gmail.com>
Stephan Renatus <srenatus@chef.io>
Stphane Travostino <stephane.travostino@gmail.com>
Stephen Lewis <stephen@sock.org.uk>
Stephen Lu <steuhs@users.noreply.github.com>
Stephen
Ma <stephenm@golang.org>
Stephen McQuay <stephen@mcquay.me>
Stephen Searles <stephens2424@gmail.com>
Stephen Weinberg <stephen@q5comm.com>
Steve Francia <spf@golang.org>
Steve Gilbert <stevegilbert23@gmail.com>
Steve LoFurno <slofurno@gmail.com>
Steve McCoy <mccoyst@gmail.com>
Steve Newman <snewman@google.com>

Steve Phillips <elimistev@gmail.com>
Steve Streeting <steve@stevestreeting.com>
Steven Buss <sbuss@google.com>
Steven Elliot Harris <seharris@gmail.com>
Steven Erenst <stevenerenst@gmail.com>
Steven Hartland <steven.hartland@multiplay.co.uk>
Steven Littlebrant <imgroxx@gmail.com>
Steven Wilkin <stevenwilkin@gmail.com>
Stuart Jansen <sjansen@buscaluz.org>
Sue Spence <virtuallysue@gmail.com>
Sugu Sougoumarane <ssougou@gmail.com>
Suharsh Sivakumar <suharshs@google.com>
Sukrit Handa <sukrit.handa@utoronto.ca>
Sunny <me@darkowlzz.space>
Suriyaa Sundararuban <suriyaasundararuban@gmail.com>
Suyash <dextrous93@gmail.com>
Suzy Mueller <suzmue@golang.org>
Sven
Almgren <sven@tras.se>
Sven Blumenstein <svbl@google.com>
Sylvain Zimmer <sylvain@sylvainzimmer.com>
Syohei YOSHIDA <syohehex@gmail.com>
Szabolcs Nagy <nsz@port70.net>
Taavi Kivisik <taavi.kivisik@gmail.com>
Tad Fisher <tadfisher@gmail.com>
Tad Glines <tad.glines@gmail.com>
Tadas Valiukas <tadovas@gmail.com>
Taesu Pyo <pyotaesu@gmail.com>
Taj Khattri <taj.khattri@gmail.com>
Takashi Matsuo <tmatsuo@google.com>
Takayoshi Nishida <takayoshi.nishida@gmail.com>
Takeshi YAMANASHI <9.nashi@gmail.com>
Takuto Ikuta <tikuta@google.com>
Takuya Ueda <uedatakuya@gmail.com>
Tal Shprecher <tshprecher@gmail.com>
Tamir Duberstein <tamird@gmail.com>
Tao Shen <shentaoskyking@gmail.com>
Tao Wang <twang2218@gmail.com>
Tarmigan Casebolt <tarmigan@gmail.com>
Taro Aoki <aizu.s1230022@gmail.com>
Taru Karttunen <taruti@taruti.net>
Tatsuhiko Tsujikawa <tatsuhiko.t@gmail.com>
Tatsuya Kaneko <m.ddot.f@gmail.com>
Taufiq Rahman <taufiqrx8@gmail.com>
Teague Cole <tnc1443@gmail.com>
Ted Kornish <golang@tedkornish.com>
Tejasvi

Nareddy <tejunareddy@gmail.com>
Terin Stock <terinjokes@gmail.com>
Terrel Shumway <gopher@shumway.us>
Tetsuo Kiso <tetsuokiso9@gmail.com>
Than McIntosh <thanm@google.com>
Thanabodee Charoenpiriyakij <wingyminus@gmail.com>
Thanatat Tamtan <acoshift@gmail.com>
Thiago Avelino <t@avelino.xxx>
Thiago Fransosi Farina <thiago.farina@gmail.com> <tfarina@chromium.org>
Thomas Alan Copeland <talan.copeland@gmail.com>
Thomas Bonfort <thomas.bonfort@gmail.com>
Thomas Bouldin <inlined@google.com>
Thomas Bruyelle <thomas.bruyelle@gmail.com>
Thomas Bushnell, BSG <tbushnell@google.com>
Thomas de Zeeuw <thomasdezeeuw@gmail.com>
Thomas Desrosiers <thomasdesr@gmail.com>
Thomas Habets <habets@google.com>
Thomas Kappler <tkappler@gmail.com>
Thomas Meson <zllak@hycik.org>
Thomas Wanielista <tomwans@gmail.com>
Thorben Krueger <thorben.krueger@gmail.com>
Thordur Bjornsson <thorduri@secnorth.net>
Tiago Queiroz <contato@tiago.eti.br>
Tilman Dilo <tilman.dilo@gmail.com>
Tim Cooijmans <timcooijmans@gmail.com>
Tim
Cooper <tim.cooper@layeh.com>
Tim Ebringer <tim.ebringer@gmail.com>
Tim Heckman <t@heckman.io>
Tim Henderson <tim.tadh@gmail.com>
Tim Hockin <thockin@google.com>
Tim Swast <swast@google.com>
Tim Wright <tenortim@gmail.com>
Tim Xu <xiaoxubei@gmail.com>
Timo Savola <timo.savola@gmail.com>
Timo Truys <alkaloid.btx@gmail.com>
Timothy Studd <tim@timstudd.com>
Tipp Moseley <tipp@google.com>
Tobias Assarsson <tobias.assarsson@gmail.com>
Tobias Columbus <tobias.columbus@gmail.com> <tobias.columbus@googlemail.com>
Tobias Klauser <tklauser@distanz.ch>
Toby Burrell <kurin@google.com>
Todd Neal <todd@tneal.org>
Todd Wang <toddwang@gmail.com>
Tom Bergan <tombergan@google.com>
Tom Heng <zhm20070928@gmail.com>
Tom Lanyon <tomlanyon@google.com>
Tom Levy <tomlevy93@gmail.com>

Tom Limoncelli <tal@whatexit.org>
Tom Linfoord <tomlinfoord@gmail.com>
Tom Payne <twpayne@gmail.com>
Tom Szymanski <tgs@google.com>
Tom Thorogood <me+google@tomthorogood.co.uk>
Tom Wilkie <tom@weave.works>
Tommy Schaefer
<tommy.schaefer@teecom.com>
Tomoya Ishizaki <zaq1tomo@gmail.com>
Tonis Tiigi <tonistiigi@gmail.com>
Tony Reix <tony.reix@bull.net>
Tony Walker <walkert.uk@gmail.com>
Tor Andersson <tor.andersson@gmail.com>
Tormod Erevik Lea <tormodlea@gmail.com>
Toshiki Shima <hayabusa1419@gmail.com>
Totoro W <tw19881113@gmail.com>
Travis Bischel <travis.bischel@gmail.com>
Travis Cline <travis.cline@gmail.com>
Trevor Strohman <trevor.strohman@gmail.com>
Trey Lawrence <lawrence.trey@gmail.com>
Trey Roessig <trey.roessig@gmail.com>
Trey Tacon <ttacon@gmail.com>
Tristan Amini <tamini01@ca.ibm.com>
Tristan Colgate <tcolgate@gmail.com>
Tristan Ooohry <ooohry@gmail.com>
Tristan Rice <rice@fn.lc>
Troels Thomsen <troels@thomsen.io>
Trung Nguyen <trung.n.k@gmail.com>
Tudor Golubenco <tudor.g@gmail.com>
Tugdual Saunier <tugdual.saunier@gmail.com>
Tuo Shan <sturbo89@gmail.com> <shantuo@google.com>
Tyler Bui-Palsulich <tpalsulich@google.com>
Tyler Bunnell <tylerbunnell@gmail.com>
Tyler Treat <ttreat31@gmail.com>
Tzu-Jung
Lee <roylee17@currant.com>
Ugorji Nwoke <ugorji@gmail.com>
Ulf Holm Nielsen <doktor@dyregod.dk>
Ulrich Kunitz <uli.kunitz@gmail.com>
Umang Parmar <umangiparmar@gmail.com>
Uriel Mangado <uriel@berlinblue.org>
Urvil Patel <patelurvil38@gmail.com>
Uttam C Pawar <uttam.c.pawar@intel.com>
Vadim Grek <vadimprog@gmail.com>
Vadim Vygonets <unixdj@gmail.com>
Val Polouchkine <vpolouch@justin.tv>
Vega Garcia Luis Alfonso <vegacom@gmail.com>
Venil Noronha <veniln@vmware.com>

Veselkov Konstantin <kostozyb@gmail.com>
Viacheslav Poturaev <vearutop@gmail.com>
Victor Chudnovsky <vchudnov@google.com>
Victor Vrantchan <vrancean+github@gmail.com>
Vignesh Ramachandra <vickynamachandra@gmail.com>
Vikas Kedia <vikask@google.com>
Vincent Ambo <tazjin@googlemail.com>
Vincent Batts <vbatts@hashbangbash.com> <vbatts@gmail.com>
Vincent Vanackere <vincent.vanackere@gmail.com>
Vinu Rajashekhar <vinutheraaj@gmail.com>
Vish Subramanian <vish@google.com>
Vishvananda Ishaya <vishvananda@gmail.com>
Visweswara
R <r.visweswara@gmail.com>
Vitor De Mario <vitordemario@gmail.com>
Vlad Krasnov <vlad@cloudflare.com>
Vladimir Kovpak <cn007b@gmail.com>
Vladimir Kuzmin <vkuzmin@uber.com>
Vladimir Mihailenco <vladimir.webdev@gmail.com>
Vladimir Nikishenko <vova616@gmail.com>
Vladimir Stefanovic <vladimir.stefanovic@imgtec.com>
Vladimir Varankin <nek.narqo@gmail.com>
Volker Dobler <dr.volker.dobler@gmail.com>
Volodymyr Paprotski <vpaprots@ca.ibm.com>
W. Trevor King <wking@tremily.us>
Wade Simmons <wade@wades.im>
Walter Poupore <wpoupore@google.com>
Wander Lairson Costa <wcosta@mozilla.com>
Warren Fernandes <warren.f.fernandes@gmail.com>
Wayne Ashley Berry <wayneashleyberry@gmail.com>
Wedson Almeida Filho <wedsonaf@google.com>
Weerasak Chongnguluam <singpor@gmail.com>
Wi Cngru <crvv.mail@gmail.com>
Wei Fu <fhfuwei@163.com>
Wei Guangjing <vcc.163@gmail.com>
Wei Xiao <wei.xiao@arm.com>
Weichao Tang <tevic.tt@gmail.com>
Wembley G. Leach, Jr <wembley.gl@gmail.com>
Wil Selwood <wselwood@gmail.com>
Wilfried
Teiken <wteiken@google.com>
Will Beason <willbeason@gmail.com>
Will Chan <willchan@google.com>
Will Faught <will.faught@gmail.com>
Will Morrow <wmorrow.qdt@qualcommdatacenter.com>
Will Norris <willnorris@google.com>
Will Storey <will@summercat.com>
Willem van der Schyff <willemvds@gmail.com>

William Chan <willchan@chromium.org>
William Chang <mr.williamchang@gmail.com>
William Josephson <wjosephson@gmail.com>
William Orr <will@worrbase.com> <ay1244@gmail.com>
Wisdom Omuya <deafgoat@gmail.com>
Wu Yunzhou <yunzhouwu@gmail.com>
Xi Ruoyao <xry23333@gmail.com>
Xia Bin <snyh@snyh.org>
Xing Xing <mikespook@gmail.com>
Xu Fei <badgangkiller@gmail.com>
Xudong Zhang <felixmelon@gmail.com>
Xudong Zheng <7pkvm5aw@slicealias.com>
Xuyang Kang <xuyangkang@gmail.com>
Yamagishi Kazutoshi <ykzts@desire.sh>
Yan Zou <yzou@google.com>
Yann Hodique <yhodique@google.com>
Yann Kerherv <yann.kerherv@gmail.com>
Yann Salan <yannsalaun1@gmail.com>
Yao Zhang <lunaria21@gmail.com>
Yaron de Leeuw <jarondl@google.com>
Yasha
Bubnov <girokompass@gmail.com>
Yasuharu Goto <matope.ono@gmail.com>
Yasuhiro Matsumoto <mattn.jp@gmail.com>
Yasuyuki Oka <yasuyk@gmail.com>
Yazen Shunnar <yazen.shunnar@gmail.com>
Yestin Sun <ylh@pdx.edu>
Yesudeep Mangalapilly <yesudeep@google.com>
Yissakhar Z. Beck <yissakhar.beck@gmail.com>
Yo-An Lin <yoanlin93@gmail.com>
Yohei Takeda <yo.tak0812@gmail.com>
Yongjian Xu <i3dmaster@gmail.com>
Yorman Arias <cixtords@gmail.com>
Yoshiyuki Kanno <nekotaroh@gmail.com> <yoshiyuki.kanno@stoic.co.jp>
Yoshiyuki Mineo <yoshiyuki.mineo@gmail.com>
Yosuke Akatsuka <yosuke.akatsuka@gmail.com>
Yu Heng Zhang <annita.zhang@cn.ibm.com>
Yu Xuan Zhang <zyxsh@cn.ibm.com>
Yuji Yaginuma <yuuji.yaginuma@gmail.com>
Yuki OKUSHI <huyuumi.dev@gmail.com>
Yuki Yugui Sonoda <yugui@google.com>
Yukihiro Nishinaka <6elpinal@gmail.com>
Yury Smolsky <yury@smolsky.by>
Yusuke Kagiwada <block.rxckin.beats@gmail.com>
Yuusei Kuwana <kuwana@kumama.org>
Yuval Pavel Zholkover <paulzhol@gmail.com>
Yves Junqueira <yvesj@google.com>

<yves.junqueira@gmail.com>
Zac Bergquist <zbergquist99@gmail.com>
Zach Bintliff <zbintliff@gmail.com>
Zach Gershman <zachgersh@gmail.com>
Zachary Amsden <zach@thundertoken.com>
Zachary Gershman <zgershman@pivotal.io>
Zak <zrjknill@gmail.com>
Zakatell Kanda <hi@zkanda.io>
Zellyn Hunter <zellyn@squareup.com> <zellyn@gmail.com>
Zev Goldstein <zev.goldstein@gmail.com>
Zheng Dayu <davidzheng23@gmail.com>
Zheng Xu <zheng.xu@arm.com>
Zhengyu He <hzy@google.com>
Zhongpeng Lin <zplin@uber.com>
Zhongtao Chen <chenzhongtao@126.com>
Zhongwei Yao <zhongwei.yao@arm.com>
Zhou Peng <p@ctrile.cn>
Ziad Hatahet <hatahet@gmail.com>
Zorion Arrizabalaga <zorionk@gmail.com>
<max.faceless.frei@gmail.com>
<hagen1778@gmail.com>
<tbunyk@gmail.com>
<faxriddinjon@gmail.com>
<zs349596@gmail.com>
<bronze1man@gmail.com>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Go source code and supporting files in this directory are covered by the usual Go license (see ../../../../LICENSE).

The `goboringcrypto_linux_amd64.syso` object file is built from BoringSSL source code by `build/build.sh` and is covered by the BoringSSL license reproduced below and also at <https://boringssl.googlesource.com/boringssl/+fips-20170615/LICENSE>.

BoringSSL is a fork of OpenSSL. As such, large parts of it fall under OpenSSL licensing. Files that are completely new have a Google copyright and an ISC license. This license is reproduced at the bottom of this file.

Contributors to BoringSSL are required to follow the CLA rules for Chromium: <https://cla.developers.google.com/cla>

Some files from Intel are under yet another license, which is also included underneath.

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

The following are Google-internal bug numbers where explicit permission from

some authors is recorded for use of their work. (This is purely for our own record keeping.)

27287199
27287880
27287883

OpenSSL License

/* =====

* Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in

* the documentation and/or other materials provided

with the

* distribution.

*

* 3. All advertising materials mentioning features or use of this

* software must display the following acknowledgment:

* "This product includes software developed by the OpenSSL Project

* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

*

* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to

* endorse or promote products derived from this software without

* prior written permission. For written permission, please contact

* openssl-core@openssl.org.

*

* 5. Products derived from this software may not be called "OpenSSL"

* nor may "OpenSSL" appear in their names without prior written

* permission of the OpenSSL Project.

*

* 6. Redistributions of any form whatsoever must retain the following

* acknowledgment:

* "This product includes software developed by the OpenSSL Project

* for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"

*

* THIS SOFTWARE IS PROVIDED BY

THE OpenSSL PROJECT ``AS IS" AND ANY

* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
 * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
 * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
 * OF THE POSSIBILITY OF SUCH DAMAGE.

* =====

*

* This product includes cryptographic software written by Eric Young
 * (eay@cryptsoft.com). This product includes software written by Tim
 * Hudson (tjh@cryptsoft.com).

*

*/

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

* All rights reserved.

*

* This package is an SSL implementation written

* by Eric Young (eay@cryptsoft.com).

* The implementation was written so as to conform with Netscapes SSL.

*

* This library is free for commercial and non-commercial use as long as

* the following conditions are aheared to. The following conditions

* apply to all code found in this distribution, be it the RC4, RSA,

* lhash, DES, etc., code; not just the SSL code. The SSL documentation

* included with this distribution is covered by the same copyright terms

* except that the holder is Tim Hudson (tjh@cryptsoft.com).

*

* Copyright remains Eric Young's, and as such any Copyright notices in

* the code are not to be removed.

* If this package is used in a product, Eric Young should be given attribution

* as the author of the parts of the library used.

* This can be in the form of a textual

message at program startup or

* in documentation (online or textual) provided with the package.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. All advertising materials mentioning features or use of this software
- * must display the following acknowledgement:
- * "This product includes cryptographic software written by
- * Eric Young (eay@cryptsoft.com)"
- * The word 'cryptographic' can be left out if the routines from the library
- * being used are not cryptographic related :-).
- * 4. If you include any Windows
- specific code (or a derivative thereof) from
- * the apps directory (application code) you must include an acknowledgement:
- * "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
- *
- * THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
- * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- *
- * The licence and distribution
- terms for any publically available version or
- * derivative of this code cannot be changed. i.e. this code cannot simply be
- * copied and put under another distribution licence
- * [including the GNU Public Licence.]
- */

ISC license used for completely new code in BoringSSL:

```
/* Copyright (c) 2015, Google Inc.
*
* Permission to use, copy, modify, and/or distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.
*
* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
* SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION
* OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
* CONNECTION
```

WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. */

Some files from Intel carry the following license:

```
# Copyright (c) 2012, Intel Corporation
#
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification, are permitted provided that the following conditions are
# met:
#
# * Redistributions of source code must retain the above copyright
#   notice, this list of conditions and the following disclaimer.
#
# * Redistributions in binary form must reproduce the above copyright
#   notice, this list of conditions and the following disclaimer in the
#   documentation and/or other materials provided with the
#   distribution.
#
# * Neither the name of the Intel Corporation nor the names of its
#   contributors may be used to endorse or promote products derived from
#   this software without specific prior written permission.
#
# THIS SOFTWARE IS PROVIDED BY INTEL CORPORATION ""AS IS"" AND ANY
# EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
# BUT NOT LIMITED TO, THE
# IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
# PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL CORPORATION OR
# CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
# PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
# PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2010-2017 Mike Bostock
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2015 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2009-2017 Andrea Leofreddi <a.leofreddi@vleo.net>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed

or implied, of Andrea Leofreddi.

1.129 gettext 0.24.1-r1

1.129.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

<<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software

(and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want

to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The

"Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c)

If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part

of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the

conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does.

Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program;

if not, see

<<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details

type `show w'. This is free software, and you are welcome

to redistribute it under certain conditions; type `show c'

for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright
interest
in the program ``Gnomovision'`
(which makes passes at compilers) written
by James Hacker.

signature of Moe Ghoul, 1 April 1989

Moe Ghoul, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"
```

```
_types="html json rdfa rdft rdfturtle rdfxml template text"
```

```
for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done
```

```
package() {
    mkdir -p "$pkgdir"
}
```

```
_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
```

```

mkdir -p "$subpkgdir"/usr/share/spdx
cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')

```

```

make test
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
default_prepare

cargo fetch --target="$CTARGET" --locked
}

build() {
cargo auditable build --release --frozen
}

check() {
cargo test --frozen
}

package() {
install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"

```

```

supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
    need dbus
}
# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"
options="!check" # no tests

build() {
    # some GNU autoconf options are ignored, but it works
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr \
        --sysconfdir=/etc \
        --mandir=/usr/share/man \
        --sourcedir=/usr/share/$pkgname
    make
}

package() {
    make DESTDIR="$pkgdir" install
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
    bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"

```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```

# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-lgpl
pkgver=2.3.21
pkgrel=8
pkgdesc="A library for high-performance 2D graphics"
url="https://www.levien.com/libart/"
arch="all"
options="!check" # No test suite.
license="LGPL-2.0-or-later"
subpackages="$pkgname-dev"
source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-$pkgver.tar.bz2"
"

builddir="$srcdir"/libart-lgpl-$pkgver

prepare() {
    update_config_sub
    default_prepare
}

build() {
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr
    make
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart-lgpl-2.3.21.tar.bz2"
# Contributor: Patrycja Rosa <alpine@ptrcnnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"

```

```

builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

Original Copyright (c) 1985 by Supoj Sutanthavibul
 Parts Copyright (c) 1989-2012 by Brian V. Smith
 Parts Copyright (c) 1991 by Paul King
 Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
 The text rotation code in w_rottext.c was written by Alan Richardson.
 The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker
 The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick
 The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:
 "X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>
 /* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

```
#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_
```

```
/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 * pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large
 * datasets and few or no removals or for implementing a LIFO queue.

```

```

*
* A list is headed by a single forward pointer (or an array of forward
* pointers for a hash table header). The elements are doubly linked
* so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before
* or after an existing element or at the head of the list. A list
* may only be traversed in the forward direction.
*
* A simple queue is headed by a pair of pointers, one the head of the
* list and the
other to the tail of the list. The elements are singly
* linked to save space, so elements can only be removed from the
* head of the list. New elements can be added to the list after
* an existing element, at the head of the list, or at the end of the
* list. A simple queue may only be traversed in the forward direction.
*
* A tail queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before or
* after an existing element, at the head of the list, or at the end of
* the list. A tail queue may be traversed in either direction.
*
* A circle queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements
can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.
*/

/*
* Include the definition of NULL only on NetBSD because sys/null.h
* is not available elsewhere. This conditional makes the header
* portable and it can simply be dropped verbatim into any system.
* The caveat is that on other systems some other header
* must provide NULL before the macros can be used.
*/
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#if defined(QueueDEBUG)
# if defined(_KERNEL)

```

```

# define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
# include <err.h>
# define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \

```

```

} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */

#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \

```

```

struct {
    \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */

#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
    for ((var) = ((head)->lh_first); \
         (var) != LIST_END(head); \
         (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = LIST_FIRST((head)); \
         (var) != LIST_END(head) && \
         ((tvar) = LIST_NEXT((var), field), 1); \
         (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */

#ifdef QUEUEDEBDEBUG
#define QUEUEDEBDEBUG_LIST_INSERT_HEAD(head, elm, field) \
    if ((head)->lh_first && \
        (head)->lh_first->field.le_prev != &(head)->lh_first) \
        QUEUEDEBDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBDEBUG_LIST_OP(elm, field) \
    if ((elm)->field.le_next && \
        (elm)->field.le_next->field.le_prev != \
        &(elm)->field.le_next) \
        QUEUEDEBDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \

```

```

if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \

```

```

    (elm)->field.le_prev; \
*(elm)->field.le_prev = (elm)->field.le_next; \
QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
    (elm2)->field.le_next->field.le_prev = \
        &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head); \
    (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head) && \

```

```

    ((next = ((var)->field.sqe_next)), 1); \
    (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \

```



```

    curelm = curelm->field.sqe_next; \
    if ((curelm->field.sqe_next = \
        curelm->field.sqe_next->field.sqe_next) == NULL) \
        (head)->sqh_last = &(curelm->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
        NULL : \
        ((struct type \
            *) (void *) \
            ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
    struct { \
        qual type *tqe_next; /* next element */ \
        qual type *qual *tqe_prev; /* address of previous next element */ \
    }
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)

```

```

#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
         (var) != TAILQ_END(head); \
         (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
         (var) != TAILQ_END(head) && \
         ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
         (var) != TAILQ_END(head); \
         (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
         (var) != TAILQ_END(head) && \
         ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
    if ((elm)->field.tqe_next && \
        (elm)->field.tqe_next->field.tqe_prev != \
        &(elm)->field.tqe_next) \
        QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \

```

```

if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \

```

```

    TAILQ_END(head))    \
    (elm)->field.tqe_next->field.tqe_prev = \
        &(elm)->field.tqe_next;    \
    else    \
        (head)->tqh_last = &(elm)->field.tqe_next; \
        (listelm)->field.tqe_next = (elm);    \
        (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
        *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
        QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
    } while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
    field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
    }

```

```

TAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

```

```

} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL)\
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
    (STAILQ_EMPTY((head)) ? \

```

```

NULL :    \
        ((struct type *)(void *) \
        ((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifndef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
    if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
        (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
            __FILE__, __LINE__); \
    if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
        (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_last != (elm)) \

```

```

    QUEUEDEBUG_ABORT("CIRCLEQ
elm last %p %s:%d", \
    (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    }
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \

```



```

} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
    listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

```

```

} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__laundry_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm)->field.cqe_next)
#define CIRCLEQ_LOOP_PREV(head, elm, field) \

```

```

(((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
  ? ((head)->cqh_last) \
  :
  (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gp517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gp517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gp517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
flake8-copyright-0.2.4.tar.gz
"
(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining

```

a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE

AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

#ifndef _SYS_TREE_H_

```

#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
    struct name { \
        struct type *sph_root; /* root of the tree */ \
    }

```

```

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

```

```

    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

```

```

/* Generates prototypes and inline functions */

```

```

#define

```

```

    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \

```

```

/* Finds the node with the same key as elm */ \

```

```

static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
    \

```

```

static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
    \

```

```

static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
} \
    \

```

```

/* Main splay operation.

```

```

* Moves node close to the key of elm to top
*/
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if (__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field); \
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \

```



```

\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
struct type __node, *__left, *__right, *__tmp; \
int __comp; \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
__left = __right = &__node; \
\
while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
if (__comp < 0) { \
__tmp = SPLAY_LEFT((head)->sph_root, field);\
if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) < 0){ \
SPLAY_ROTATE_RIGHT(head, __tmp, field);\
if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
__tmp = SPLAY_RIGHT((head)->sph_root, field);\
if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) > 0){ \
SPLAY_ROTATE_LEFT(head, __tmp, field);\
if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
struct type __node, *__left, *__right, *__tmp; \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
__left = __right = &__node; \
\

```

```

while (1) {
    if (__comp < 0) {
        __tmp = SPLAY_LEFT((head)->sph_root, field);
        if (__tmp == NULL)
            break;
        if (__comp < 0){
            SPLAY_ROTATE_RIGHT(head, __tmp, field);
            if (SPLAY_LEFT((head)->sph_root, field) == NULL)
                break;
        }
        SPLAY_LINKLEFT(head, __right, field);
    } else if (__comp > 0) {
        __tmp = SPLAY_RIGHT((head)->sph_root, field);
        if (__tmp == NULL)
            break;
        if (__comp > 0) {
            SPLAY_ROTATE_LEFT(head, __tmp, field);
            if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)
                break;
        }
        SPLAY_LINKRIGHT(head, __left, field);
    }
}
SPLAY_ASSEMBLE(head, &__node, __left, __right, field);
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
struct name {
    struct type *rbh_root; /* root of the tree */

```

```

}

#define RB_INITIALIZER(root) \
{
    NULL }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
} \

```

```

RB_AUGMENT(elm); \
if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
    if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
        RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
    else \
        RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
    (head)->rbh_root = (tmp); \
RB_LEFT(tmp, field) = (elm); \
RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \

```

```

attr struct type *name##_RB_NFIND(struct name *, struct type *); \
attr struct type *name##_RB_NEXT(struct type *); \
attr struct type *name##_RB_PREV(struct type *); \
attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
attr void \
name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
{ \
    struct type \
    *parent, *gparent, *tmp; \
    while ((parent = RB_PARENT(elm, field)) != NULL && \
        RB_COLOR(parent, field) == RB_RED) { \
        gparent = RB_PARENT(parent, field); \
        if (parent == RB_LEFT(gparent, field)) { \
            tmp = RB_RIGHT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field);\
                elm = gparent; \
                continue; \
            } \
            if (RB_RIGHT(parent, field) == elm) { \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \
            RB_ROTATE_RIGHT(head, gparent, tmp, field); \
        } else { \
            tmp = RB_LEFT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field);\
                elm = gparent; \
                continue; \
            } \
            if (RB_LEFT(parent, field) == elm)

```

```

{ \
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field);\
RB_ROTATE_LEFT(head, gparent, tmp, field);\
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field);\
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, \
field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK;\
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field);\
                    tmp = RB_RIGHT(parent, field); \
                } \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
                RB_COLOR(parent, field) = RB_BLACK; \
                if (RB_RIGHT(tmp, field)) \

```

```

    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field);\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\
            tmp = RB_LEFT(parent, field); \
        } \
        RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
        RB_COLOR(parent, field) = RB_BLACK; \
        if (RB_LEFT(tmp, field)) \
            RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        elm = RB_ROOT(head); \
        break; \
    } \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \

```

```

{
    \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \
                RB_RIGHT(parent, field) = child; \
            RB_AUGMENT(parent); \
        } else \
            RB_ROOT(head)
    = child; \
    if (RB_PARENT(elm, field) == old) \
        parent = elm; \
    (elm)->field = (old)->field; \
    if (RB_PARENT(old, field)) { \
        if (RB_LEFT(RB_PARENT(old, field), field) == old)\
            RB_LEFT(RB_PARENT(old, field), field) = elm;\
        else \
            RB_RIGHT(RB_PARENT(old, field), field) = elm;\
        RB_AUGMENT(RB_PARENT(old, field)); \
    } else \
        RB_ROOT(head) = elm; \
    RB_PARENT(RB_LEFT(old, field), field) = elm; \
    if (RB_RIGHT(old, field)) \
        RB_PARENT(RB_RIGHT(old, field), field) = elm; \
    if (parent) { \
        left = parent; \
        do { \
            RB_AUGMENT(left); \
        } while ((left = RB_PARENT(left, field)) != NULL); \
    } \
    goto color; \
} \

```



```

parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    RB_SET(elm, parent, field); \
    if (parent != NULL) { \
        if (comp < 0) \
            RB_LEFT(parent, field) = elm; \
        else \
            RB_RIGHT(parent, field) = elm; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head) = elm; \
    name##_RB_INSERT_COLOR(head,

```

```

elm); \
return (NULL); \
} \
\
/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \

```

```

if (RB_RIGHT(elm, field)) { \
    elm = RB_RIGHT(elm, field); \
    while (RB_LEFT(elm, field)) \
        elm = RB_LEFT(elm, field); \
} else { \
    if (RB_PARENT(elm, field) && \
        (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
        elm = RB_PARENT(elm, field); \
    else { \
        while (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        elm = RB_PARENT(elm, field); \
    } \
} \
return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    } \
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \

```

```

if (val < 0)    \
    tmp = RB_LEFT(tmp, field); \
else          \
    tmp = RB_RIGHT(tmp, field); \
}             \
return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head)    \
for ((x) = RB_MIN(name, head);    \
     (x) != NULL;    \
     (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y)    \
for ((x) = (y);    \
     ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
     (x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y)    \
for ((x) = RB_MIN(name, head);    \
     ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
     (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head)    \
for ((x) = RB_MAX(name, head);    \
     (x) != NULL;    \
     (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y)    \
for ((x) = (y);    \
     ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
     (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,

```

```

head, y) \
for ((x) = RB_MAX(name, head); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
Software-License-0.104007.tar.gz
"
(The MIT License)

```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-\$pkgver.tar.gz"

builddir="\$srcdir/_pkgname-\$pkgver"

```
build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}
```

```
check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}
```

```

}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
    license_expression-30.4.4.tar.gz
"

```

1.130 protobuf 1.5.4

1.130.1 Available under license :

Copyright (c) Nils Adermann, Jordi Boggiano

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.131 jaraco.context 5.3.0

1.131.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.132 rcrowley-go-metrics 0.0.0-

20250401214520-65e299d6c5c9

1.132.1 Available under license :

Copyright 2012 Richard Crowley. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY RICHARD CROWLEY ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL RICHARD CROWLEY OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation

are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of Richard Crowley.

1.133 skalibs-libs 2.14.4.0-r0

1.133.1 Available under license :

Copyright (c) 2011-2025 Laurent Bercot <ska-skaware@skarnet.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.134 golang-lru 0.5.3

1.134.1 Available under license :

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions

thereof.

1.5. "Incompatible With Secondary Licenses"

means

a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import,

or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications

that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license

for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the

Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions,

counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing

in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section

10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible

With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the

terms of the Mozilla Public License, v.
2.0. If a copy of the MPL was not
distributed with this file, You can
obtain one at
<http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file,
then You may include the notice in a location (such as a LICENSE file in a
relevant directory) where a recipient would be likely to look for such a
notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible
With Secondary Licenses", as defined by
the Mozilla Public License, v. 2.0.

1.135 go-envconfig 1.0.0

1.135.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.136 distlib 0.3.9

1.136.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes

2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.
8. By copying, installing or otherwise

using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.
BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any

third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT

INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to

distribution of the software
without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

Distutils2 Contributors

=====

The Distutils2 project was started by Tarek Ziad and is currently
maintained by ric Araujo. Many people have contributed to the project.

distlib has started off using some of the code from distutil2.

If you're making a patch, please add your name below in alphabetical order,
and welcome into the Fellowship of the Packaging!

Thanks to:

- Rajiv Abraham
- Ali Afshar
- David Barnett
- Pior Bastida
- Anthony Baxter
- Erik Bray
- C. Titus Brown
- Francisco Martn Brugu
- Nicolas Cadou
- Godefroid Chapelle
- Julien Courteau
- Christophe Combelles
- Jason R. Coombs
- Pierre-Yves David
- Ned Deily
- Konrad DeLong
- Josip Djolonga
- John Edmonds
- Andr Espaze
- Boris Feld
- Andrew Francis
- Hallvard B Furuseth
- Patrice Gauthier

- Yannick Gingras
- Filip Gruszczyski
- Walker Hale IV
- Alexandre Hamelin
- Kelsey Hightower
- Thomas Holmes
- Preston Holmes
- Christian Hudon
- Julien Jehannet
- Jeremy Kloth
- Thomas Kluyver
-
- Amos Latteier
- Mathieu Leduc-Hamel
- Pierre Paul Lefebvre
- Tshepang Lekhonkhobe
- Alain Leufroy
- Janusz Lewandowski
- Martin von Lwis
- Hugo Lopes Tavares
- Guillermo Lpez-Anglada
- Justin Love
- Simon Mathieu
- Carl Meyer
- Alexis Mtaireau
- Julien Miotte
- Zubin Mithra
- Derek McTavish Mounce
- Paul Moore
- Michael Mulich
- Louis Munro
- Gal Pasgrimaud
- George Peristerakis
- Mathieu Perreault
- Guillaume Pratte
- Sean Reifschneider
- Antoine Reversat
- Arc Riley
- C. Anthony Risinger
- Elson Rodriguez
- Luis Rojas
- Erik Rose
- Brian Rosner
- Vinay Sajip
- Victor Stinner
- Alexandre Vassalotti
- Nadeem Vawda

Copyright (C) 2013 by Test User.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Vinay Sajip not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

VINAY SAJIP DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL VINAY SAJIP BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
BSD-licensed.

1.137 pprof 0.0.0-20250630185457-6e76a2b096b5

1.137.1 Available under license :

```
# People who have agreed to one of the CLAs and can contribute patches.
# The AUTHORS file lists the copyright holders; this file
# lists people. For example, Google employees are listed here
# but not in AUTHORS, because Google holds the copyright.
#
# https://developers.google.com/open-source/cla/individual
# https://developers.google.com/open-source/cla/corporate
#
# Names should be added to this file as:
#   Name <email address>
Raul Silvera <rsilvera@google.com>
Tipp Moseley <tipp@google.com>
Hyouun Kyu Cho <netforce@google.com>
Martin Spier <spiermar@gmail.com>
Taco de Wolff <tacodewolff@gmail.com>
Andrew Hunter <andrewhunter@gmail.com>
```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2009-2017 Andrea Leofreddi <a.leofreddi@vleo.net>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of Andrea Leofreddi.

1.138 inflect 7.3.1

1.138.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
MIT

1.139 supervisor 4.2.5

1.139.1 Available under license :

Supervisor is Copyright (c) 2006-2015 Agendaless Consulting and Contributors. (<http://www.agendaless.com>), All Rights Reserved

medusa was (is?) Copyright (c) Sam Rushing.

`http_client.py` code Copyright (c) by Daniel Krech, <http://eikeon.com/>. Medusa was once distributed under a 'free for non-commercial use' license, but in May of 2000 Sam Rushing changed the license to be identical to the standard Python license at the time. The standard Python license has always applied to the core components of Medusa, this change just frees up the rest of the system, including the http server, ftp server, utilities, etc. Medusa is therefore under the following license:

=====

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Sam Rushing not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

SAM RUSHING DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE,
INCLUDING ALL IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS, IN
NO EVENT SHALL SAM RUSHING BE LIABLE FOR ANY SPECIAL, INDIRECT OR
CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS
OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT,
NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION
WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

Sam would like to take this opportunity to thank all of the folks who
supported Medusa over the years by purchasing commercial licenses.
Supervisor is licensed under the following license:

A copyright notice accompanies this license document that identifies
the copyright holders.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions in source code must retain the accompanying
copyright notice, this list of conditions, and the following
disclaimer.
2. Redistributions in binary form must reproduce the accompanying
copyright notice, this list of conditions, and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
3. Names of the copyright holders must not be used to endorse or
promote products derived from this software without prior
written permission from the copyright holders.
4. If any files are modified, you must cause the modified files to
carry prominent notices stating that you changed the
files and
the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS" AND
ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED
TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

http_client.py code is based on code by Daniel Krech, which was released under this license:

LICENSE AGREEMENT FOR RDFLIB 0.9.0 THROUGH 2.3.1

Copyright (c) 2002-2005, Daniel Krech, <http://eikeon.com/>
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Daniel Krech nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Medusa, the asynchronous communications framework upon which supervisor's server and client code is based, was created by Sam Rushing:

Medusa was once distributed under a 'free for non-commercial use'

license, but in May of 2000 Sam Rushing changed the license to be identical to the standard Python license at the time. The standard Python license has always applied to the core components of Medusa, this change just frees up the rest of the system, including the http server, ftp server, utilities, etc. Medusa is therefore under the following license:

=====

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Sam Rushing not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

SAM RUSHING DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL SAM RUSHING BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

1.140 msgpack 1.1.0

1.140.1 Available under license :

MIT License

Copyright (c) 2018 Cees-Jan Kiewiet

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

1.141 attr 2.5.2-r2

1.141.1 Available under license :

Most components of the "attr" package are licensed under
Version 2.1 of the GNU Lesser General Public License (see below).
below.

Some components (as annotated in the source) are licensed
under Version 2 of the GNU General Public License (see COPYING).

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your
freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge

for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a

combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of

this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if

the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute

the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is

implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY

KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Most components of the "attr" package are licensed under Version 2.1 of the GNU Lesser General Public License (see COPYING.LGPL).

Some components (as annotated in the source) are licensed under Version 2 of the GNU General Public License (see below),

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you

have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another

language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a

special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent

license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free

programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.142 utmps 0.1.3.1-r0

1.142.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work

based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),

EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands

`show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

```
# Automatically generated by apkbuidl-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=10
#_pkgreal is used by apkbuidl-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
    INSTALLDIRS=vendor \
```

```

NO_PACKLIST=1 \
NO_PERLLOCAL=1
make
}

check() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
make test
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--sourcedir=/usr/share/$pkgname
make
}

```

```
package() {
    make DESTDIR="$pkgdir" install
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}
```

```
sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
    bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"
```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
    --build=$CBUILD \  
    --host=$CHOST \  
    --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

```
sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7  
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"  
mini_sendmail - accept email on behalf of real sendmail
```

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>

Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>

```

pkgname=spdx-licenses
pkgver=3.26.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdfnt rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
67e618d4642dfe4f366935d9514d6f7941d3711e77c49bc1b340ac572d36015981b8f10c72a9f80f1d83e132ae7e5093c
0155e0c0e786e4777ee16d1cb7b885a license-list-data-3.26.0.tar.gz
"

# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2

```

```

pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

```

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
 The text rotation code in w_rottext.c was written by Alan Richardson.
 The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker
 The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.1

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir/\${_pkgname}-\${pkgver}"

build() {

gpep517 build-wheel \

--wheel-dir .dist \

--output-fd 3 3>&1 >&2

}

check() {

python3 -m venv --clear --without-pip --system-site-packages .testenv

.testenv/bin/python3 -m installer .dist/*.whl

.testenv/bin/python3 -m pytest

}

package() {

python3 -m installer -d "\$pkgdir" \

.dist/*.whl

}

sha512sums="

114c630f098939757e49187e35b4e54883266a2ee9ca283724992420ef4c860f9606a8342da0ab74d93627c10805f312

fda3f699cbc7c4fbd47a71e220440fb0

license_expression-30.4.1.tar.gz

"

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */


```

/*
 * Copyright (c) 1991, 1993
 * The Regents of the University of California. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the University nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * @(#)queue.h 8.5 (Berkeley) 8/20/94
 */

```

```

#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_

```

```

/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 * pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large

```

- * datasets and few or no removals or for implementing a LIFO queue.
- *
- * A list is headed by a single forward pointer (or an array of forward
- * pointers for a hash table header). The elements are doubly linked
- * so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before
- * or after an existing element or at the head of the list. A list
- * may only be traversed in the forward direction.
- *
- * A simple queue is headed by a pair of pointers, one the head of the
- * list and the
- other to the tail of the list. The elements are singly
- * linked to save space, so elements can only be removed from the
- * head of the list. New elements can be added to the list after
- * an existing element, at the head of the list, or at the end of the
- * list. A simple queue may only be traversed in the forward direction.
- *
- * A tail queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before or
- * after an existing element, at the head of the list, or at the end of
- * the list. A tail queue may be traversed in either direction.
- *
- * A circle queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements
- can be added to the list before or after
- * an existing element, at the head of the list, or at the end of the list.
- * A circle queue may be traversed in either direction, but has a more
- * complex end of list detection.
- *
- * For details on the use of these macros, see the queue(3) manual page.
- */
- /*
- * Include the definition of NULL only on NetBSD because sys/null.h
- * is not available elsewhere. This conditional makes the header
- * portable and it can simply be dropped verbatim into any system.
- * The caveat is that on other systems some other header
- * must provide NULL before the macros can be used.
- */
- #ifdef __NetBSD__
- #include <sys/null.h>
- #endif
- #if defined(QueueDebug)

```

# if defined(_KERNEL)
# define QUEUEDEBBUG_ABORT(...) panic(__VA_ARGS__)
# else
# include <err.h>
# define QUEUEDEBBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \

```

```

(head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */

#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

```

```

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */

#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
     (var) != LIST_END(head); \
     (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
     (var) != LIST_END(head) && \
     ((tvar) = LIST_NEXT((var), field), 1); \
     (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */

#ifdef QUEUEDEBUG
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
    (head)->lh_first->field.le_prev != &(head)->lh_first) \
    QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \

```

```

    __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \

```

```

(elm)->field.le_next->field.le_prev = \
    (elm)->field.le_prev; \
*(elm)->field.le_prev = (elm)->field.le_next; \
QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
        (elm2)->field.le_prev = (elm)->field.le_prev; \
        *(elm2)->field.le_prev = (elm2); \
        QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
    } while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
        type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
    { NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->sqh_first); \
        (var) != SIMPLEQ_END(head); \
        (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->sqh_first); \

```

```

    (var) != SIMPLEQ_END(head) && \
    ((next = ((var)->field.sqe_next)), 1); \
    (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \

```



```

while (curelm->field.sqe_next != (elm)) \
    curelm = curelm->field.sqe_next; \
if ((curelm->field.sqe_next = \
    curelm->field.sqe_next->field.sqe_next) == NULL) \
    (head)->sqh_last = &(curelm->field.sqe_next; \
} \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
    NULL : \
    ((struct type \
    *)(void *) \
    ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
struct name { \
    qual type *tqh_first; /* first element */ \
    qual type *qual *tqh_last; /* addr of last next element */ \
}
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)

```

```

#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head); \
        (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head) && \
        ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head); \
        (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head) && \
        ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
    if ((elm)->field.tqe_next && \
        (elm)->field.tqe_next->field.tqe_prev != \
        &(elm)->field.tqe_next) \
        QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \

```

```

    __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \

```

```

if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
    TAILQ_END(head)) \
    (elm)->field.tqe_next->field.tqe_prev = \
        &(elm)->field.tqe_next; \
else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
    (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
    *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
    field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
    } \
} while (/*CONSTCOND*/0)

```

```

(head1)->tqh_last = (head2)->tqh_last; \
TAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
} while (/*CONSTCOND*/0)

```

```

(head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL)\
(head)->stqh_last = &(elm)->field.stqe_next; \
(listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
== NULL) \
(head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
if ((head)->stqh_first == (elm)) { \
STAILQ_REMOVE_HEAD((head), field); \
} else { \
struct type *curelm = (head)->stqh_first; \
while (curelm->field.stqe_next != (elm)) \
curelm = curelm->field.stqe_next; \
if ((curelm->field.stqe_next = \
curelm->field.stqe_next->field.stqe_next) == NULL) \
(head)->stqh_last = &(curelm)->field.stqe_next; \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->stqh_first); \
(var); \
(var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = STAILQ_FIRST((head)); \
(var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
(var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
if (!STAILQ_EMPTY((head2))) { \
*(head1)->stqh_last \
= (head2)->stqh_first; \
(head1)->stqh_last = (head2)->stqh_last; \
STAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \

```

```

(STAILQ_EMPTY((head)) ? \
NULL : \
((struct type *)(void *) \
((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifndef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#ifdef QUEUEDEBBUG
#define QUEUEDEBBUG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
(head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
QUEUEDEBBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
__FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
(head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
QUEUEDEBBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
__FILE__, __LINE__);
#define QUEUEDEBBUG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \

```

```

if ((head)->cqh_last != (elm)) \
    QUEUEDEBUG_ABORT("CIRCLEQ
elm last %p %s:%d", \
    (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
        } else { \
            if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
                QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                    (elm), __FILE__, __LINE__); \
        } \
    }
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \

```



```

(head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

```

```

(head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))

```

```

#define CIRCLEQ_LOOP_PREV(head, elm, field) \
(((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
 ? ((head)->cqh_last) \
 :
 (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=${pkgver}-r${pkgrel}" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
flake8-copyright-0.2.4.tar.gz
"

#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

```

```

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Maintainer: fossdd <fossdd@pwned.life>
pkgname=cargo-license
pkgver=0.6.1
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

```

```

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
36215145e79965be090ae2f5ce6f5eb208465eb67a94c26bed1fe70a131c46c6dc35695e30852759b7366883fbc3caf00
272d796ac634f0a5e1d49232b6b29d5  cargo-license-0.6.1.tar.gz
"

/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
/* Modified by Void Linux. */
/*
* Copyright 2002 Niels Provos <provos@citi.umich.edu>
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE
* AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))

```

```

#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \

```

```

} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

```

```

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
    \
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
    \
static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \

```



```

if (SPLAY_EMPTY(head)) { \
    SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
} else { \
    int __comp; \
    name##_SPLAY(head, elm); \
    __comp = (cmp)(elm, (head)->sph_root); \
    if(__comp < 0) { \
        SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
        SPLAY_RIGHT(elm, field) = (head)->sph_root; \
        SPLAY_LEFT((head)->sph_root, field) = NULL; \
    } else if (__comp > 0) { \
        SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field);\
        SPLAY_LEFT(elm, field) = (head)->sph_root; \
        SPLAY_RIGHT((head)->sph_root, field) = NULL; \
    } else \
        return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \

```

```

int __comp;    \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
__left = __right = &__node;    \
\
while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
    if (__comp < 0) { \
        __tmp = SPLAY_LEFT((head)->sph_root, field);\
        if (__tmp == NULL) \
            break; \
        if ((cmp)(elm, __tmp) < 0){ \
            SPLAY_ROTATE_RIGHT(head, __tmp, field);\
            if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                break; \
        } \
        SPLAY_LINKLEFT(head, __right, field); \
    } else if (__comp > 0) { \
        __tmp = SPLAY_RIGHT((head)->sph_root, field);\
        if (__tmp == NULL) \
            break; \
        if ((cmp)(elm, __tmp) > 0){ \
            SPLAY_ROTATE_LEFT(head, __tmp, field);\
            if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
                break; \
        } \
        SPLAY_LINKRIGHT(head, __left, field); \
    } \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node;    \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field);\
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \

```

```

    SPLAY_ROTATE_RIGHT(head, __tmp, field); \
    if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if (__comp > 0) { \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL \
    }

```

```

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } \
} while (/*CONSTCOND*/ 0)

```

```

} else \
    (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

```

```

/* Main rb operation.
* Moves node close to the key of elm to top
*/
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        \
        struct type \
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \
            RB_COLOR(parent, field) == RB_RED) { \
            gparent = RB_PARENT(parent, field); \
            if (parent == RB_LEFT(gparent, field)) { \
                tmp = RB_RIGHT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field);\
                    elm = gparent; \
                    continue; \
                } \
                if (RB_RIGHT(parent, field) == elm) { \
                    RB_ROTATE_LEFT(head, parent, tmp, field);\
                    tmp = parent; \
                    parent = elm; \
                    elm = tmp; \
                } \
                RB_SET_BLACKRED(parent, gparent, field); \
                RB_ROTATE_RIGHT(head, gparent, tmp, field); \
            } else { \
                tmp = RB_LEFT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field);\
                    elm = gparent; \
                    continue; \
                } \
                if (RB_LEFT(parent, field) == elm) \
            { \
                RB_ROTATE_RIGHT(head, parent, tmp, field);\
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \

```

```

    RB_ROTATE_LEFT(head, gparent, tmp, field); \
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) { \
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) { \
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK; \
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field); \
                    tmp = RB_RIGHT(parent, field); \
                } \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field); \
                RB_COLOR(parent, field) = RB_BLACK; \
                if (RB_RIGHT(tmp, field)) \
                    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK; \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                elm = RB_ROOT(head); \
                break; \
            } \
        } else { \
            tmp = RB_LEFT(parent, field); \

```

```

if (RB_COLOR(tmp, field) == RB_RED) { \
    RB_SET_BLACKRED(tmp, parent, field); \
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    tmp
= RB_LEFT(parent, field); \
} \
if ((RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
    (RB_RIGHT(tmp, field) == NULL || \
    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
    if (RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
        struct type *oright; \
        if ((oright = RB_RIGHT(tmp, field)) \
            != NULL) \
            RB_COLOR(oright, field) = RB_BLACK;\
        RB_COLOR(tmp, field) = RB_RED; \
        RB_ROTATE_LEFT(head, tmp, oright, field);\
        tmp = RB_LEFT(parent, field); \
    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK; \
    if (RB_LEFT(tmp, field)) \
        RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \

```



```

else {
    struct type *left;
    elm = RB_RIGHT(elm, field);
    while ((left = RB_LEFT(elm, field)) != NULL)
        elm = left;
    child = RB_RIGHT(elm, field);
    parent = RB_PARENT(elm, field);
    color = RB_COLOR(elm, field);
    if (child)
        RB_PARENT(child, field) = parent;
    if (parent) {
        if (RB_LEFT(parent, field) == elm)
            RB_LEFT(parent, field) = child;
        else
            RB_RIGHT(parent, field) = child;
        RB_AUGMENT(parent);
    } else
        RB_ROOT(head)
= child;
    if (RB_PARENT(elm, field) == old)
        parent = elm;
    (elm)->field = (old)->field;
    if (RB_PARENT(old, field)) {
        if (RB_LEFT(RB_PARENT(old, field), field) == old)
            RB_LEFT(RB_PARENT(old, field), field) = elm;
        else
            RB_RIGHT(RB_PARENT(old, field), field) = elm;
        RB_AUGMENT(RB_PARENT(old, field));
    } else
        RB_ROOT(head) = elm;
    RB_PARENT(RB_LEFT(old, field), field) = elm;
    if (RB_RIGHT(old, field))
        RB_PARENT(RB_RIGHT(old, field), field) = elm;
    if (parent) {
        left = parent;
        do {
            RB_AUGMENT(left);
        } while ((left = RB_PARENT(left, field)) != NULL);
    }
    goto color;
}

parent = RB_PARENT(elm, field);
color = RB_COLOR(elm, field);
if (child)
    RB_PARENT(child, field) = parent;
if (parent) {
    if (RB_LEFT(parent, field) == elm)
        RB_LEFT(parent, field) = child;

```

```

else    \
    RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else    \
    RB_ROOT(head) = child; \
color:    \
if (color == RB_BLACK)    \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old);    \
}    \
    \
/* Inserts a node into the RB tree */ \
attr struct type *    \
name##_RB_INSERT(struct name *head, struct type *elm) \
{    \
    struct type *tmp;    \
    struct type *parent = NULL; \
    int comp = 0;    \
    tmp = RB_ROOT(head);    \
    while (tmp) {    \
        parent = tmp;    \
        comp = (cmp)(elm, parent); \
        if (comp < 0)    \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0)    \
            tmp = RB_RIGHT(tmp, field); \
        else    \
            return (tmp); \
    }    \
    RB_SET(elm, parent, field); \
    if (parent != NULL) {    \
        if (comp < 0)    \
            RB_LEFT(parent, field) = elm; \
        else    \
            RB_RIGHT(parent, field) = elm; \
        RB_AUGMENT(parent); \
    } else    \
        RB_ROOT(head) = elm; \
    name##_RB_INSERT_COLOR(head,
elm); \
    return (NULL);    \
}    \
    \
/* Finds the node with the same key as elm */ \
attr struct type *    \
name##_RB_FIND(struct name *head, struct type *elm) \
{    \

```

```

struct type *tmp = RB_ROOT(head); \
int comp; \
while (tmp) { \
    comp = cmp(elm, tmp); \
    if (comp < 0) \
        tmp = RB_LEFT(tmp, field); \
    else if (comp > 0) \
        tmp = RB_RIGHT(tmp, field); \
    else \
        return (tmp); \
} \
return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */\
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
    } \
}

```

```

else {
    while (RB_PARENT(elm, field) &&
        (elm == RB_RIGHT(RB_PARENT(elm, field), field)))\
        elm = RB_PARENT(elm, field);
    elm = RB_PARENT(elm, field);
}
return (elm);
}

/* ARGSUSED */
attr struct type *
name##_RB_PREV(struct type *elm)
{
    if (RB_LEFT(elm, field)) {
        elm = RB_LEFT(elm, field);
        while (RB_RIGHT(elm, field))
            elm = RB_RIGHT(elm, field);
    }
    else {
        if (RB_PARENT(elm, field) &&
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field);
        else {
            while (RB_PARENT(elm, field) &&
                (elm == RB_LEFT(RB_PARENT(elm, field), field)))\
                elm = RB_PARENT(elm, field);
            elm = RB_PARENT(elm, field);
        }
    }
    return (elm);
}

attr struct type *
name##_RB_MINMAX(struct name *head, int val)
{
    struct type *tmp = RB_ROOT(head);
    struct type *parent = NULL;
    while (tmp) {
        parent = tmp;
        if (val < 0)
            tmp = RB_LEFT(tmp, field);
        else
            tmp = RB_RIGHT(tmp, field);
    }
    return (parent);
}

```

```

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
for ((x) = RB_MIN(name, head); \
(x) != NULL; \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
(x) != NULL; \
(x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y) \
for ((x) = RB_MAX(name, head); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#endif /* _SYS_TREE_H_ */
pkgname=linux-headers
pkgver=6.14.2 # Follow the latest Linux stable
_kernver=${pkgver%.*}

```

```
pkgrel=0
pkgdesc="Linux system headers"
url="https://kernel.org/"
arch="all" # Headers are architecture specific
license="GPL-2.0-only"
makedepends="perl"
options="!check !dbg !strip !tracedeps !archcheck"
source="https://kernel.org/pub/linux/kernel/v6.x/linux-${_kernver}.tar.xz
revert-broken-uapi.patch
0003-remove-inclusion-of-sysinfo.h-in-kernel.h.patch
```

1.143 mpdecimal 4.0.1-r0

1.143.1 Available under license :

Copyright (c) 2008-2025 Stefan Krah. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

SOURCE CODE LICENSE

=====

Copyright (c) 2008-2025 Stefan Krah. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

DOCUMENTATION LICENSE

=====

Copyright 2010-2025 Stefan Krah. All rights reserved.

Redistribution and use in source and 'compiled' forms (HTML, PDF, PostScript and so forth) with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer as the first lines of this file unmodified.
2. Modified documents must carry a notice that modification has occurred. This notice must also be present in any compiled form.
3. Redistributions in compiled form (converted to HTML, PDF, PostScript and other formats) must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS DOCUMENTATION IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS;

OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS DOCUMENTATION, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.144 typing-extensions 4.12.2

1.144.1 Available under license :

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes

2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version,

provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga

Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal

intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

1.145 packaging 24.2

1.145.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.146 truststore 0.10.1

1.146.1 Available under license :

MIT

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.147 go.uber.org/atomi 1.10.0

1.147.1 Available under license :

Copyright (c) 2016 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.148 go-yaml 2.4.0

1.148.1 Available under license :

Copyright 2011-2016 Canonical Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.149 stdr 1.2.2

1.149.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.150 zstd-libs 1.5.7-r2

1.150.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

<<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The

"Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c)

If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part

of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives

a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does.

Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program;

if not, see

<<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details
type `show w'. This is free software, and you are welcome
to redistribute it under certain conditions; type `show c'
for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright
interest
in the program `Gnomovision'
(which makes passes at compilers) written
by James Hacker.
```

```
signature of Moe Ghoul, 1 April 1989
```

```
Moe Ghoul, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"
```

```
_types="html json rdfa rdft rdfturtle rdfxml template text"
```

```
for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done
```

```
package() {
```

```

mkdir -p "$pkgdir"
}

_subpkg() {
local type=${subpkgname/$pkgname-/}
pkgdesc="$pkgdesc ($type)"
install_if="$pkgname=$pkgver-r$pkgrel"
mkdir -p "$subpkgdir"/usr/share/spdx
cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
pkgdesc="$pkgdesc (licence list)"
mkdir -p "$subpkgdir"/usr/share/spdx
local i; for i in "$builddir"/text/*.txt;
do
local license=${i##*/}
echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkbuidl-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkbuidl-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-$pkgver"

build() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
INSTALLDIRS=vendor \

```

```

NO_PACKLIST=1 \
NO_PERLLOCAL=1
make
}

check() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
make test
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
default_prepare

cargo fetch --target="$CTARGET" --locked
}

build() {
cargo auditable build --release --frozen
}

check() {
cargo test --frozen
}

package() {
install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

```

```

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
    need dbus
}
# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
    # some GNU autoconf options are ignored, but it works
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr \
        --sysconfdir=/etc \
        --mandir=/usr/share/man \
        --scoredir=/usr/share/$pkgname
    make
}

package() {
    make DESTDIR="$pkgdir" install
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

```

```
sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
  BSD-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"
```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart_lgpl/2.3/libart_lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart_lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
    --build=$CBUILD \  
    --host=$CHOST \  
    --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"

Contributor: Patrycja Rosa <alpine@ptrcnull.me>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=bsd-compat-headers

pkgver=0.7.2

pkgrel=6

pkgdesc="BSD compatibility headers (cdefs, queue, tree)"

url="https://gitlab.alpinelinux.org/alpine/aports"

```

arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

Original Copyright (c) 1985 by Supoj Sutanthavibul

Parts Copyright (c) 1989-2012 by Brian V. Smith

Parts Copyright (c) 1991 by Paul King

Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-

bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:
 "X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

```

/* $NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp $ */

/*
 * Copyright (c) 1991, 1993
 * The Regents of the University of California. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the University nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * @(#)queue.h 8.5 (Berkeley) 8/20/94
 */

#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_

/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and

```

pointer manipulation

- * overhead at the expense of $O(n)$ removal for arbitrary elements. New
- * elements can be added to the list after an existing element or at the
- * head of the list. Elements being removed from the head of the list
- * should use the explicit macro for this purpose for optimum
- * efficiency. A singly-linked list may only be traversed in the forward
- * direction. Singly-linked lists are ideal for applications with large
- * datasets and few or no removals or for implementing a LIFO queue.

*

- * A list is headed by a single forward pointer (or an array of forward
- * pointers for a hash table header). The elements are doubly linked
- * so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before
- * or after an existing element or at the head of the list. A list
- * may only be traversed in the forward direction.

*

- * A simple queue is headed by a pair of pointers, one the head of the
- * list and the
- other to the tail of the list. The elements are singly
- * linked to save space, so elements can only be removed from the
- * head of the list. New elements can be added to the list after
- * an existing element, at the head of the list, or at the end of the
- * list. A simple queue may only be traversed in the forward direction.

*

- * A tail queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before or
- * after an existing element, at the head of the list, or at the end of
- * the list. A tail queue may be traversed in either direction.

*

- * A circle queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements
- can be added to the list before or after
- * an existing element, at the head of the list, or at the end of the list.
- * A circle queue may be traversed in either direction, but has a more
- * complex end of list detection.

*

- * For details on the use of these macros, see the queue(3) manual page.

*/

/*

- * Include the definition of NULL only on NetBSD because sys/null.h
- * is not available elsewhere. This conditional makes the header
- * portable and it can simply be dropped verbatim into any system.
- * The caveat is that on other systems some other header

```

* must provide NULL before the macros can be used.
*/
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#if defined(QUEUEDEBUG)
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
* Singly-linked List definitions.
*/
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
* Singly-linked List access methods.
*/
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \

```

```

        ((tvar) = SLIST_NEXT((var), field), 1); \
        (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \

```

```

struct name {      \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
    { NULL }

#define LIST_ENTRY(type) \
struct {      \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
    for ((var) = ((head)->lh_first); \
         (var) != LIST_END(head); \
         (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = LIST_FIRST((head)); \
         (var) != LIST_END(head) && \
         ((tvar) = LIST_NEXT((var), field), 1); \
         (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */
#ifdef QUEUEDEBBUG
#define QUEUEDEBBUG_LIST_INSERT_HEAD(head, elm, field) \
    if ((head)->lh_first && \
        (head)->lh_first->field.le_prev != &(head)->lh_first) \

```

```

    QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
    if ((elm)->field.le_next && \
        (elm)->field.le_next->field.le_prev != \
        &(elm)->field.le_next) \
        QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \
    if (*(elm)->field.le_prev != (elm)) \
        QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
        &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

```

```

(head)->lh_first = (elm); \
(elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

```

```

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head); \
     (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head) && \
     ((next = ((var)->field.sqe_next)), 1); \
     (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
(head)->sqh_first = NULL; \
(head)->sqh_last \
= &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
(head)->sqh_last = &(elm)->field.sqe_next; \
(head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
(elm)->field.sqe_next = NULL; \
*(head)->sqh_last = (elm); \
(head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
(head)->sqh_last = &(elm)->field.sqe_next; \
(listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
(head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
if \
(((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
== NULL) \
(head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

```



```

} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \
            curelm->field.sqe_next->field.sqe_next) == NULL) \
            (head)->sqh_last = &(curelm->field.sqe_next); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
    NULL : \
    ((struct type \
    *) (void *) \
    ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */

#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }

#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
    struct { \
        qual type *tqe_next; /* next element */ \
        qual type *qual *tqe_prev; /* address of previous next element */ \
    }

```

```

#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */

#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
         (var) != TAILQ_END(head); \
         (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
         (var) != TAILQ_END(head) && \
         ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
         (var) != TAILQ_END(head); \
         (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
         (var) != TAILQ_END(head) && \
         ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \

```

```

QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
    __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
    (elm)->field.tqe_next->field.tqe_prev != \
    &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
(elm)->field.tqe_next = (void *)1L; \
(elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \

```

```

(elm)->field.tqe_prev = (head)->tqh_last; \
*(head)->tqh_last = (elm); \
(head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
        (listelm)->field.tqe_next = (elm); \
        (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
        *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
        QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
    } while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm),

```

```

    field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \

```

```

(head)->stqh_last = &(elm)->field.stqe_next; \
(head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL)\
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last

```

```

= (head2)->stqh_first; \
(head1)->stqh_last = (head2)->stqh_last; \
STAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
NULL : \
((struct type *)((void *) \
((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifndef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
(head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \

```

```

    __FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
    (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
    QUEUEDEBDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBDEBUG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_last != (elm)) \
        QUEUEDEBDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QUEUEDEBDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} \
if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_first != (elm)) \
        QUEUEDEBDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
        QUEUEDEBDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
            (elm), __FILE__, __LINE__); \
}
#define QUEUEDEBDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
(elm)->field.cqe_next = (void *)1L; \
(elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

```



```

}

/*
 * Circular queue functions.
 */

#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
    listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \

```

```

(elm)->field.cqe_next
= CIRCLEQ_END(head); \
(elm)->field.cqe_prev = (head)->cqh_last; \
if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
    (head)->cqh_first = (elm); \
else \
    (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)

```

```

#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_last) \
     : \
     (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>

```

```

pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE

AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

#ifndef _SYS_TREE_H_

#define _SYS_TREE_H_

#ifdef __GNUC__

#define __GNUC_PREREQ__(x, y) \

((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \

(__GNUC__ > (x)))

#else

#define __GNUC_PREREQ__(x, y) 0

#endif

```

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \

```

```

struct {
    \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \

```

```

void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
\
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
\
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
\
static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \

```



```

int __comp;    \
name##_SPLAY(head, elm);    \
__comp = (cmp)(elm, (head)->sph_root);    \
if(__comp < 0) {    \
    SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
    SPLAY_RIGHT(elm, field) = (head)->sph_root;    \
    SPLAY_LEFT((head)->sph_root, field) = NULL;    \
} else if (__comp > 0) {    \
    SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field);\
    SPLAY_LEFT(elm, field) = (head)->sph_root;    \
    SPLAY_RIGHT((head)->sph_root, field) = NULL;    \
} else    \
    return ((head)->sph_root);    \
}    \
(head)->sph_root = (elm);    \
return (NULL);    \
}    \
\
struct type *    \
name##_SPLAY_REMOVE(struct name *head, struct type *elm)    \
{    \
    struct type *__tmp;    \
    if (SPLAY_EMPTY(head))    \
        return (NULL);    \
    name##_SPLAY(head, elm);    \
    if ((cmp)(elm, (head)->sph_root) == 0) {    \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) {    \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else {    \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm);    \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp;    \
        }    \
        return (elm);    \
    }    \
    return (NULL);    \
}    \
\
void    \
name##_SPLAY(struct
name *head, struct type *elm)    \
{    \
    struct type __node, *__left, *__right, *__tmp;    \
    int __comp;    \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\

```

```

__left = __right = &__node; \
\
while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
    if (__comp < 0) { \
        __tmp = SPLAY_LEFT((head)->sph_root, field); \
        if (__tmp == NULL) \
            break; \
        if ((cmp)(elm, __tmp) < 0){ \
            SPLAY_ROTATE_RIGHT(head, __tmp, field); \
            if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                break; \
        } \
        SPLAY_LINKLEFT(head, __right, field); \
    } else if (__comp > 0) { \
        __tmp = SPLAY_RIGHT((head)->sph_root, field); \
        if (__tmp == NULL) \
            break; \
        if ((cmp)(elm, __tmp) > 0){ \
            SPLAY_ROTATE_LEFT(head, __tmp, field); \
            if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
                break; \
        } \
        SPLAY_LINKRIGHT(head, __left, field); \
    } \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            }

```

```

    } \
    SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if (__comp > 0) { \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL \
    }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

```

```

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
}

```

```

RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */

```

```

#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        struct type \
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \
            RB_COLOR(parent, field) == RB_RED) { \
            gparent = RB_PARENT(parent, field); \
            if (parent == RB_LEFT(gparent, field)) { \
                tmp = RB_RIGHT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field); \
                    elm = gparent; \
                    continue; \
                } \
                if (RB_RIGHT(parent, field) == elm) { \
                    RB_ROTATE_LEFT(head, parent, tmp, field); \
                    tmp = parent; \
                    parent = elm; \
                    elm = tmp; \
                } \
                RB_SET_BLACKRED(parent, gparent, field); \
                RB_ROTATE_RIGHT(head, gparent, tmp, field); \
            } else { \
                tmp = RB_LEFT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field); \
                    elm = gparent; \
                    continue; \
                } \
                if (RB_LEFT(parent, field) == elm) \
            { \
                RB_ROTATE_RIGHT(head, parent, tmp, field); \
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \
            RB_ROTATE_LEFT(head, gparent, tmp, field); \
        } \
    } \

```

```

RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, \
field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK; \
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field); \
                    tmp = RB_RIGHT(parent, field); \
                } \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field); \
                RB_COLOR(parent, field) = RB_BLACK; \
                if (RB_RIGHT(tmp, field)) \
                    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK; \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                elm = RB_ROOT(head); \
                break; \
            } \
        } else { \
            tmp = RB_LEFT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_RIGHT(head, parent, tmp, field); \

```

```

    tmp
= RB_LEFT(parent, field); \
} \
if ((RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
    (RB_RIGHT(tmp, field) == NULL || \
    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
    if (RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
        struct type *oright; \
        if ((oright = RB_RIGHT(tmp, field)) \
            != NULL) \
            RB_COLOR(oright, field) = RB_BLACK;\
        RB_COLOR(tmp, field) = RB_RED; \
        RB_ROTATE_LEFT(head, tmp, oright, field);\
        tmp = RB_LEFT(parent, field); \
    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK; \
    if (RB_LEFT(tmp, field)) \
        RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \

```



```

while ((left = RB_LEFT(elm, field)) != NULL) \
    elm = left; \
child = RB_RIGHT(elm, field); \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent, field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
    parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,

```

```

field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\

/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    RB_SET(elm, parent, field); \
    if (parent != NULL) { \
        if (comp < 0) \
            RB_LEFT(parent, field) = elm; \
        else \
            RB_RIGHT(parent, field) = elm; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head) = elm; \
    name##_RB_INSERT_COLOR(head, \
    elm); \
    return (NULL); \
} \
\

/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \

```

```

while (tmp) {
    comp = cmp(elm, tmp);
    if (comp < 0)
        tmp = RB_LEFT(tmp, field);
    else if (comp > 0)
        tmp = RB_RIGHT(tmp, field);
    else
        return (tmp);
}
return (NULL);
}

/* Finds the first node greater than or equal to the search key */
attr struct type *
name##_RB_NFIND(struct name *head, struct type *elm)
{
    struct type *tmp = RB_ROOT(head);
    struct type *res = NULL;
    int comp;
    while (tmp) {
        comp = cmp(elm, tmp);
        if (comp < 0) {
            res = tmp;
            tmp = RB_LEFT(tmp, field);
        }
        else if (comp > 0)
            tmp =
RB_RIGHT(tmp, field);
        else
            return (tmp);
    }
    return (res);
}

/* ARGSUSED */
attr struct type *
name##_RB_NEXT(struct type *elm)
{
    if (RB_RIGHT(elm, field)) {
        elm = RB_RIGHT(elm, field);
        while (RB_LEFT(elm, field))
            elm = RB_LEFT(elm, field);
    } else {
        if (RB_PARENT(elm, field) &&
            (elm == RB_LEFT(RB_PARENT(elm, field), field)))
            elm = RB_PARENT(elm, field);
        else {
            while (RB_PARENT(elm, field) &&

```

```

        (elm == RB_RIGHT(RB_PARENT(elm, field), field)))\
    elm = RB_PARENT(elm, field); \
    elm = RB_PARENT(elm, field); \
} \
} \
return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    }
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field)))\
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

```

```

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
for ((x) = RB_MIN(name, head); \
(x) != NULL; \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
(x) != NULL; \
(x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y) \
for ((x) = RB_MAX(name, head); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0

```

```

# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
Software-License-0.104007.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir/\${_pkgname}-\${pkgver}"

```
build() {  
    gpep517 build-wheel \  
        --wheel-dir .dist \  
        --output-fd 3 3>&1 >&2  
}
```

```
check() {  
    python3 -m venv --clear --without-pip --system-site-packages .testenv  
    .testenv/bin/python3 -m installer .dist/*.whl  
    .testenv/bin/python3 -m pytest  
}
```

```
package() {  
    python3 -m installer -d "$pkgdir" \  
        .dist/*.whl  
}
```

sha512sums="

f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066

license_expression-30.4.4.tar.gz

"

1.151 libintl 0.24.1-r1

1.151.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

<<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software

(and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want

to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The

"Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c)

If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part

of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited

to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT

NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does.

Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program;

if not, see

<<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details

type `show w'. This is free software, and you are welcome

to redistribute it under certain conditions; type ``show c'`
for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright
interest
in the program ``Gnomovision'`
(which makes passes at compilers) written
by James Hacker.

signature of Moe Ghoul, 1 April 1989
Moe Ghoul, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
buildid="srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"
```

```
_types="html json rdfa rdft rdfturtle rdfoxml template text"
```

```
for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done
```

```
package() {
    mkdir -p "$pkgdir"
}
```

```
_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
}
```

```

install_if="$pkgname=$pkgver-r$pkgrel"
mkdir -p "$subpkgdir"/usr/share/spdx
cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {

```

```

export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

```

```

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
    need dbus
}
# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"
options="!check" # no tests

build() {
    # some GNU autoconf options are ignored, but it works
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr \
        --sysconfdir=/etc \
        --mandir=/usr/share/man \
        --scoredir=/usr/share/$pkgname
    make
}

package() {
    make DESTDIR="$pkgdir" install
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
    bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch

```


"

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,

BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

```

SUCH DAMAGE.
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-lgpl
pkgver=2.3.21
pkgrel=8
pkgdesc="A library for high-performance 2D graphics"
url="https://www.levien.com/libart/"
arch="all"
options="!check" # No test suite.
license="LGPL-2.0-or-later"
subpackages="$pkgname-dev"
source="https://download.gnome.org/sources/libart_1gpl/2.3/libart_1gpl-$pkgver.tar.bz2"
"

builddir="$srcdir"/libart_1gpl-$pkgver

prepare() {
    update_config_sub
    default_prepare
}

build() {
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr
    make
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_1gpl-2.3.21.tar.bz2"
# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h

```

```

"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

Original Copyright (c) 1985 by Supoj Sutanthavibul
 Parts Copyright (c) 1989-2012 by Brian V. Smith
 Parts Copyright (c) 1991 by Paul King
 Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
 The text rotation code in w_rottext.c was written by Alan Richardson.
 The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker
 The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick
 The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:
 "X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>
 /* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

```

/*
 * Copyright (c) 1991, 1993
 * The Regents of the University of California. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the University nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * @(#)queue.h 8.5 (Berkeley) 8/20/94
 */

```

```

#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_

```

```

/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 * pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large

```

- * datasets and few or no removals or for implementing a LIFO queue.
- *
- * A list is headed by a single forward pointer (or an array of forward
- * pointers for a hash table header). The elements are doubly linked
- * so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before
- * or after an existing element or at the head of the list. A list
- * may only be traversed in the forward direction.
- *
- * A simple queue is headed by a pair of pointers, one the head of the
- * list and the
- other to the tail of the list. The elements are singly
- * linked to save space, so elements can only be removed from the
- * head of the list. New elements can be added to the list after
- * an existing element, at the head of the list, or at the end of the
- * list. A simple queue may only be traversed in the forward direction.
- *
- * A tail queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before or
- * after an existing element, at the head of the list, or at the end of
- * the list. A tail queue may be traversed in either direction.
- *
- * A circle queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements
- can be added to the list before or after
- * an existing element, at the head of the list, or at the end of the list.
- * A circle queue may be traversed in either direction, but has a more
- * complex end of list detection.
- *
- * For details on the use of these macros, see the queue(3) manual page.
- */
- /*
- * Include the definition of NULL only on NetBSD because sys/null.h
- * is not available elsewhere. This conditional makes the header
- * portable and it can simply be dropped verbatim into any system.
- * The caveat is that on other systems some other header
- * must provide NULL before the macros can be used.
- */
- #ifdef __NetBSD__
- #include <sys/null.h>
- #endif
- #if defined(QEUEDEBUG)

```

# if defined(_KERNEL)
# define QUEUEDEBBUG_ABORT(...) panic(__VA_ARGS__)
# else
# include <err.h>
# define QUEUEDEBBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \

```

```

(head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */

#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

```

```

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */

#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
     (var) != LIST_END(head); \
     (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
     (var) != LIST_END(head) && \
     ((tvar) = LIST_NEXT((var), field), 1); \
     (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */

#ifdef QUEUEDEBUG
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
    (head)->lh_first->field.le_prev != &(head)->lh_first) \
    QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \

```



```

    __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \

```

```

(elm)->field.le_next->field.le_prev = \
    (elm)->field.le_prev; \
*(elm)->field.le_prev = (elm)->field.le_next; \
QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
        (elm2)->field.le_prev = (elm)->field.le_prev; \
        *(elm2)->field.le_prev = (elm2); \
        QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
    } while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
        type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
    { NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->sqh_first); \
        (var) != SIMPLEQ_END(head); \
        (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->sqh_first); \

```

```

    (var) != SIMPLEQ_END(head) && \
    ((next = ((var)->field.sqe_next)), 1); \
    (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \

```

```

while (curelm->field.sqe_next != (elm)) \
    curelm = curelm->field.sqe_next; \
if ((curelm->field.sqe_next = \
    curelm->field.sqe_next->field.sqe_next) == NULL) \
    (head)->sqh_last = &(curelm->field.sqe_next; \
} \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
    NULL : \
    ((struct type \
    *)(void *) \
    ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
struct name { \
    qual type *tqh_first; /* first element */ \
    qual type *qual *tqh_last; /* addr of last next element */ \
}
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)

```

```

#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head); \
        (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head) && \
        ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head); \
        (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head) && \
        ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
    if ((elm)->field.tqe_next && \
        (elm)->field.tqe_next->field.tqe_prev != \
        &(elm)->field.tqe_next) \
        QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \

```

```

    __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \

```

```

if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
    TAILQ_END(head)) \
    (elm)->field.tqe_next->field.tqe_prev = \
        &(elm)->field.tqe_next; \
else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
    (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
    *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
    field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
    } \
} while (/*CONSTCOND*/0)

```

```

(head1)->tqh_last = (head2)->tqh_last; \
TAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
} while (/*CONSTCOND*/0)

```



```

(head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL)\
(head)->stqh_last = &(elm)->field.stqe_next; \
(listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
== NULL) \
(head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
if ((head)->stqh_first == (elm)) { \
STAILQ_REMOVE_HEAD((head), field); \
} else { \
struct type *curelm = (head)->stqh_first; \
while (curelm->field.stqe_next != (elm)) \
curelm = curelm->field.stqe_next; \
if ((curelm->field.stqe_next = \
curelm->field.stqe_next->field.stqe_next) == NULL) \
(head)->stqh_last = &(curelm)->field.stqe_next; \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->stqh_first); \
(var); \
(var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = STAILQ_FIRST((head)); \
(var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
(var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
if (!STAILQ_EMPTY((head2))) { \
*(head1)->stqh_last \
= (head2)->stqh_first; \
(head1)->stqh_last = (head2)->stqh_last; \
STAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \

```

```

(STAILQ_EMPTY((head)) ? \
NULL : \
((struct type *)(void *) \
((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#ifdef QUEUEDEBBUG
#define QUEUEDEBBUG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
(head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
QUEUEDEBBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
__FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
(head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
QUEUEDEBBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
__FILE__, __LINE__);
#define QUEUEDEBBUG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \

```

```

if ((head)->cqh_last != (elm)) \
    QUEUEDEBUG_ABORT("CIRCLEQ
elm last %p %s:%d", \
    (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
        } else { \
            if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
                QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                    (elm), __FILE__, __LINE__); \
        } \
    }
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \

```

```

(head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

```

```

(head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *) (head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))

```

```

#define CIRCLEQ_LOOP_PREV(head, elm, field) \
(((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
 ? ((head)->cqh_last) \
 :
 (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#ifdef __GNUC__ && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"

```

```

arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

```

IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
/* Modified by Void Linux. */
/*
 * Copyright 2002 Niels Provos <provos@citi.umich.edu>
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE
 * AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif
#endif

```



```

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

```

```

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

```

```

#define SPLAY_INITIALIZER(root) \
{ NULL }

```

```

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

```

```

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

```

```

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right

```

```

#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
\
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \

```

```

{
    \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
\
static __inline __sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{
    \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
\
static __sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{
    \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{
    \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if(__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \

```

```

    } else if (__comp > 0) { \
        SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field);\
        SPLAY_LEFT(elm, field) = (head)->sph_root; \
        SPLAY_RIGHT((head)->sph_root, field) = NULL; \
    } else \
        return ((head)->sph_root); \
} \
(head)->sph_root = (elm); \
return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \

```

```

if ((cmp)(elm, __tmp) < 0){ \
    SPLAY_ROTATE_RIGHT(head, __tmp, field); \
    if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if ((cmp)(elm, __tmp) > 0){ \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL; \
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp > 0) { \

```

```

    SPLAY_ROTATE_LEFT(head, __tmp, field); \
    if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
        break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
    } \
    } \
    SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
        : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
        : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
struct name { \
    struct type *rbh_root; /* root of the tree */ \
}

#define RB_INITIALIZER(root) \
{ \
    NULL \
}

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
}

```

```

struct type *rbe_parent; /* parent element */ \
int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \

```

```

(tmp) = RB_LEFT(elm, field); \
if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field))
!= NULL) { \
    RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
} \
RB_AUGMENT(elm); \
if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
    if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
        RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
    else \
        RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
    (head)->rbh_root = (tmp); \
RB_RIGHT(tmp, field) = (elm); \
RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct
    type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \

```



```

{
    \
    struct type
    *parent, *gparent, *tmp;
    \
    while ((parent = RB_PARENT(elm, field)) != NULL && \
        RB_COLOR(parent, field) == RB_RED) {
        \
        gparent = RB_PARENT(parent, field);
        \
        if (parent == RB_LEFT(gparent, field)) {
            \
            tmp = RB_RIGHT(gparent, field);
            \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) {
                \
                RB_COLOR(tmp, field) = RB_BLACK;
                \
                RB_SET_BLACKRED(parent, gparent, field);
                \
                elm = gparent;
                \
                continue;
            }
            \
            if (RB_RIGHT(parent, field) == elm) {
                \
                RB_ROTATE_LEFT(head, parent, tmp, field);
                \
                tmp = parent;
                \
                parent = elm;
                \
                elm = tmp;
            }
            \
            RB_SET_BLACKRED(parent, gparent, field);
            \
            RB_ROTATE_RIGHT(head, gparent, tmp, field);
        }
        \
        else {
            \
            tmp = RB_LEFT(gparent, field);
            \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) {
                \
                RB_COLOR(tmp, field) = RB_BLACK;
                \
                RB_SET_BLACKRED(parent, gparent, field);
                \
                elm = gparent;
                \
                continue;
            }
            \
            if (RB_LEFT(parent, field) == elm)
        {
            \
            RB_ROTATE_RIGHT(head, parent, tmp, field);
            \
            tmp = parent;
            \
            parent = elm;
            \
            elm = tmp;
        }
        \
        RB_SET_BLACKRED(parent, gparent, field);
        \
        RB_ROTATE_LEFT(head, gparent, tmp, field);
    }
    \
}
    \
    RB_COLOR(head->rbh_root, field) = RB_BLACK;
}
    \
    \
    attr void
    \
    name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm)
    \
    {
        \
        struct type *tmp;
        \

```

```

while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
    elm != RB_ROOT(head)) { \
    if (RB_LEFT(parent, field) == elm) { \
        tmp = RB_RIGHT(parent, field); \
        if (RB_COLOR(tmp, field) == RB_RED) { \
            RB_SET_BLACKRED(tmp, parent, field); \
            RB_ROTATE_LEFT(head, parent, tmp, field); \
            tmp = RB_RIGHT(parent, field); \
        } \
        if ((RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
            (RB_RIGHT(tmp, field) == NULL || \
            RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
            RB_COLOR(tmp, field) = RB_RED; \
            elm = parent; \
            parent = RB_PARENT(elm, field); \
        } else { \
            if (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                struct type *oleft; \
                if ((oleft = RB_LEFT(tmp, field)) \
                    != NULL) \
                    RB_COLOR(oleft, field) = RB_BLACK; \
                RB_COLOR(tmp, field) = RB_RED; \
                RB_ROTATE_RIGHT(head, tmp, oleft, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            RB_COLOR(tmp, field) = RB_COLOR(parent, field); \
            RB_COLOR(parent, field) = RB_BLACK; \
            if (RB_RIGHT(tmp, field)) \
                RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK; \
            RB_ROTATE_LEFT(head, parent, tmp, field); \
            elm = RB_ROOT(head); \
            break; \
        } \
    } else { \
        tmp = RB_LEFT(parent, field); \
        if (RB_COLOR(tmp, field) == RB_RED) { \
            RB_SET_BLACKRED(tmp, parent, field); \
            RB_ROTATE_RIGHT(head, parent, tmp, field); \
            tmp \
= RB_LEFT(parent, field); \
        } \
        if ((RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
            (RB_RIGHT(tmp, field) == NULL || \
            RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\

```

```

RB_COLOR(tmp, field) = RB_RED; \
elm = parent; \
parent = RB_PARENT(elm, field); \
} else { \
if (RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
    struct type *oright; \
    if ((oright = RB_RIGHT(tmp, field)) \
        != NULL) \
        RB_COLOR(oright, field) = RB_BLACK;\
    RB_COLOR(tmp, field) = RB_RED; \
    RB_ROTATE_LEFT(head, tmp, oright, field);\
    tmp = RB_LEFT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \
if (RB_LEFT(tmp, field)) \
    RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
RB_ROTATE_RIGHT(head, parent, tmp, field);\
elm = RB_ROOT(head); \
break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \

```

```

if (parent) { \
  if (RB_LEFT(parent, field) == elm) \
    RB_LEFT(parent, field) = child; \
  else \
    RB_RIGHT(parent, field) = child; \
  RB_AUGMENT(parent); \
} else \
  RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
  parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
  if (RB_LEFT(RB_PARENT(old, field), field) == old)\
    RB_LEFT(RB_PARENT(old, field), field) = elm;\
  else \
    RB_RIGHT(RB_PARENT(old, field), field) = elm;\
  RB_AUGMENT(RB_PARENT(old, field)); \
} else \
  RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
  RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
  left = parent; \
  do { \
    RB_AUGMENT(left); \
  } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
  RB_PARENT(child, field) = parent; \
if (parent) { \
  if (RB_LEFT(parent, field) == elm) \
    RB_LEFT(parent, field) = child; \
  else \
    RB_RIGHT(parent,
field) = child; \
  RB_AUGMENT(parent); \
} else \
  RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
  name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \

```

```

}    \
    \
/* Inserts a node into the RB tree */ \
attr struct type *    \
name##_RB_INSERT(struct name *head, struct type *elm) \
{    \
    struct type *tmp;    \
    struct type *parent = NULL;    \
    int comp = 0;    \
    tmp = RB_ROOT(head);    \
    while (tmp) {    \
        parent = tmp;    \
        comp = (cmp)(elm, parent);    \
        if (comp < 0)    \
            tmp = RB_LEFT(tmp, field);    \
        else if (comp > 0)    \
            tmp = RB_RIGHT(tmp, field);    \
        else    \
            return (tmp);    \
    }    \
    RB_SET(elm, parent, field);    \
    if (parent != NULL) {    \
        if (comp < 0)    \
            RB_LEFT(parent, field) = elm;    \
        else    \
            RB_RIGHT(parent, field) = elm;    \
        RB_AUGMENT(parent);    \
    } else    \
        RB_ROOT(head) = elm;    \
    name##_RB_INSERT_COLOR(head,    \
    elm);    \
    return (NULL);    \
}    \
    \
/* Finds the node with the same key as elm */ \
attr struct type *    \
name##_RB_FIND(struct name *head, struct type *elm) \
{    \
    struct type *tmp = RB_ROOT(head);    \
    int comp;    \
    while (tmp) {    \
        comp = cmp(elm, tmp);    \
        if (comp < 0)    \
            tmp = RB_LEFT(tmp, field);    \
        else if (comp > 0)    \
            tmp = RB_RIGHT(tmp, field);    \
        else    \
            return (tmp);    \
    }

```

```

    }    \
    return (NULL);    \
}    \
    \
/* Finds the first node greater than or equal to the search key */\
attr struct type *    \
name##_RB_NFIND(struct name *head, struct type *elm)    \
{    \
    struct type *tmp = RB_ROOT(head);    \
    struct type *res = NULL;    \
    int comp;    \
    while (tmp) {    \
        comp = cmp(elm, tmp);    \
        if (comp < 0) {    \
            res = tmp;    \
            tmp = RB_LEFT(tmp, field);    \
        }    \
        else if (comp > 0)    \
            tmp =
RB_RIGHT(tmp, field);    \
        else    \
            return (tmp);    \
    }    \
    return (res);    \
}    \
    \
/* ARGSUSED */    \
attr struct type *    \
name##_RB_NEXT(struct type *elm)    \
{    \
    if (RB_RIGHT(elm, field)) {    \
        elm = RB_RIGHT(elm, field);    \
        while (RB_LEFT(elm, field))    \
            elm = RB_LEFT(elm, field);    \
    } else {    \
        if (RB_PARENT(elm, field) &&    \
            (elm == RB_LEFT(RB_PARENT(elm, field), field)))    \
            elm = RB_PARENT(elm, field);    \
        else {    \
            while (RB_PARENT(elm, field) &&    \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field)))    \
                elm = RB_PARENT(elm, field);    \
            elm = RB_PARENT(elm, field);    \
        }    \
    }    \
    return (elm);    \
}    \
    \

```

```

/* ARGSUSED */      \
attr struct type *      \
name##_RB_PREV(struct type *elm)      \
{      \
    if (RB_LEFT(elm, field)) {      \
        elm = RB_LEFT(elm, field);      \
        while (RB_RIGHT(elm, field))      \
            elm = RB_RIGHT(elm, field);      \
    }      \
    else {      \
        if (RB_PARENT(elm, field) &&      \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field)))      \
            elm = RB_PARENT(elm, field);      \
        else {      \
            while (RB_PARENT(elm, field) &&      \
                (elm == RB_LEFT(RB_PARENT(elm, field), field)))      \
                elm = RB_PARENT(elm, field);      \
            elm = RB_PARENT(elm, field);      \
        }      \
    }      \
    return (elm);      \
}      \
\
attr struct type *      \
name##_RB_MINMAX(struct name *head, int val)      \
{      \
    struct type *tmp = RB_ROOT(head);      \
    struct type *parent = NULL;      \
    while (tmp) {      \
        parent = tmp;      \
        if (val < 0)      \
            tmp = RB_LEFT(tmp, field);      \
        else      \
            tmp = RB_RIGHT(tmp, field);      \
    }      \
    return (parent);      \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x, y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)

```

```

#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
    for ((x) = RB_MIN(name, head); \
        (x) != NULL; \
        (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
    for ((x) = (y); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
    for ((x) = RB_MIN(name, head); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
    for ((x) = RB_MAX(name, head); \
        (x) != NULL; \
        (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
    for ((x) = (y); \
        ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
    head, y) \
    for ((x) = RB_MAX(name, head); \
        ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
        (x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"

```



```

subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal-$pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
Software-License-0.104007.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

```

IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
# Contributor: Dhruvin Gandhi <contact@dhruvin>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=py3-license-expression
_pkgname=license_expression
pkgver=30.4.4
pkgrel=0
pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir/${_pkgname}-${pkgver}"

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
    license_expression-30.4.4.tar.gz
"

```

1.152 scanelf 1.3.8-r2

1.152.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

<<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want

to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The

"Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included

without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c)

If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part

of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable

form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY

COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does.

Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program;

if not, see

<<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details

type `show w'. This is free software, and you are welcome

to redistribute it under certain conditions; type `show c'

for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright
interest
in the program `Gnomovision'
(which makes passes at compilers) written
by James Hacker.

signature of Moe Ghoul, 1 April 1989

Moe Ghoul, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"
```

```
_types="html json rdfa rdft rdfturtle rdfxml template text"
```

```
for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done
```

```
package() {
    mkdir -p "$pkgdir"
}
```

```
_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}
```

```
list() {
```



```

pkgdesc="$pkgdesc (licence list)"
mkdir -p "$subpkgdir"/usr/share/spdx
local i; for i in "$builddir"/text/*.txt;
do
    local license=${i##*/}
    echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

```

```

}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
  default_prepare

  cargo fetch --target="$CTARGET" --locked
}

build() {
  cargo auditable build --release --frozen
}

check() {
  cargo test --frozen
}

package() {
  install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdb5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a  cargo-license-0.7.0.tar.gz
"

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"

```

```

license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--sourcedir=/usr/share/$pkgname
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"

MIT License

```

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```

prepare() {
    update_config_sub
    default_prepare
}

build() {
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr
    make
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"
# Contributor: Patrycja Rosa <alpine@ptrcnll.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnll.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h

```

"

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
The text rotation code in w_rottext.c was written by Alan Richardson.
The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker
The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick
The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:
"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>
/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993
* The Regents of the University of California. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the University nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

#ifndef _SYS_QUEUE_H_

#define _SYS_QUEUE_H_

/*

* This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.

*

* A singly-linked list is headed by a single forward pointer. The

* elements are singly linked for minimum space and
 * pointer manipulation

* overhead at the expense of O(n) removal for arbitrary elements. New

* elements can be added to the list after an existing element or at the

* head of the list. Elements being removed from the head of the list

* should use the explicit macro for this purpose for optimum

* efficiency. A singly-linked list may only be traversed in the forward

* direction. Singly-linked lists are ideal for applications with large

* datasets and few or no removals or for implementing a LIFO queue.

*

* A list is headed by a single forward pointer (or an array of forward

* pointers for a hash table header). The elements are doubly linked

* so that an arbitrary element can be removed without a need to

* traverse the list. New elements can be added to the list before

* or after an existing element or at the head of the list. A list

* may only be traversed in the forward direction.

*

* A simple queue is headed by a pair of pointers, one the head of the

* list and the

other to the tail of the list. The elements are singly

* linked to save space, so elements can only be removed from the

* head of the list. New elements can be added to the list after

* an existing element, at the head of the list, or at the end of the

* list. A simple queue may only be traversed in the forward direction.

```

*
* A tail queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before or
* after an existing element, at the head of the list, or at the end of
* the list. A tail queue may be traversed in either direction.
*
* A circle queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements
* can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.
*/

```

```

/*
* Include the definition of NULL only on NetBSD because sys/null.h
* is not available elsewhere. This conditional makes the header
* portable and it can simply be dropped verbatim into any system.
* The caveat is that on other systems some other header
* must provide NULL before the macros can be used.
*/

```

```

#ifdef __NetBSD__
#include <sys/null.h>
#endif

```

```

#if defined(QUEUEDEBUG)
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

```

```

/*
* Singly-linked List definitions.
*/
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

```



```

#define SLIST_HEAD_INITIALIZER(head)  \
{ NULL }

#define SLIST_ENTRY(type)  \
struct {  \
    struct type *sle_next; /* next element */  \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field)  \
for((var) = (head)->slh_first;  \
    (var) != SLIST_END(head);  \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar)  \
for ((var) = SLIST_FIRST((head));  \
    (var) != SLIST_END(head) &&  \
    ((tvar) = SLIST_NEXT((var), field), 1);  \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do {  \
    (head)->slh_first = SLIST_END(head);  \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do {  \
    (elm)->field.sle_next = (slistelm)->field.sle_next;  \
    (slistelm)->field.sle_next  \
    = (elm);  \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do {  \
    (elm)->field.sle_next = (head)->slh_first;  \
    (head)->slh_first = (elm);  \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do {  \
    (slistelm)->field.sle_next =  \

```

```

    SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
    for ((var) = ((head)->lh_first); \

```

```

    (var) != LIST_END(head); \
    (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
    (var) != LIST_END(head) && \
    ((tvar) = LIST_NEXT((var), field), 1); \
    (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
    (head)->lh_first->field.le_prev != &(head)->lh_first) \
    QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
(elm)->field.le_next = (void *)1L; \
(elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm, field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \

```

```

} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*

```

```

* Simple queue definitions.
*/
#define SIMPLEQ_HEAD(name, type)  \
struct name {  \
    struct  \
    type *sqh_first; /* first element */  \
    struct type **sqh_last; /* addr of last next element */  \
}

#define SIMPLEQ_HEAD_INITIALIZER(head)  \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type)  \
struct {  \
    struct type *sqe_next; /* next element */  \
}

/*
* Simple queue access methods.
*/
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field)  \
for ((var) = ((head)->sqh_first);  \
     (var) != SIMPLEQ_END(head);  \
     (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next)  \
for ((var) = ((head)->sqh_first);  \
     (var) != SIMPLEQ_END(head) &&  \
     ((next = ((var)->field.sqe_next)), 1);  \
     (var) = (next))

/*
* Simple queue functions.
*/
#define SIMPLEQ_INIT(head) do {  \
    (head)->sqh_first = NULL;  \
    (head)->sqh_last  \
    = &(head)->sqh_first;  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do {  \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL)  \
        (head)->sqh_last = &(elm)->field.sqe_next;  \
} while (0)

```

```

(head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \
            curelm->field.sqe_next->field.sqe_next) == NULL) \
            (head)->sqh_last = &(curelm)->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

```

```

#define SIMPLEQ_LAST(head, type, field) \
(SIMPLEQ_EMPTY((head)) ? \
NULL : \
((struct type \
*)(void *) \
((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
struct name { \
    qual type *tqh_first; /* first element */ \
    qual type *qual *tqh_last; /* addr of last next element */ \
}
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
{ TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
(*(((struct headname *) (void *)((head)->tqh_last))->tqh_last))
#define TAILQ_PREV(elm, headname, field) \
(*(((struct headname \
*)(void *)((elm)->field.tqe_prev))->tqh_last))
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->tqh_first); \
    (var) != TAILQ_END(head); \
    (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->tqh_first); \

```

```

    (var) != TAILQ_END(head) && \
    ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
for ((var) = TAILQ_LAST((head), headname); \
    (var) != TAILQ_END(head); \
    (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
for ((var) = TAILQ_LAST((head), headname); \
    (var) != TAILQ_END(head) && \
    ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
    if ((elm)->field.tqe_next && \
        (elm)->field.tqe_next->field.tqe_prev != \
        &(elm)->field.tqe_next) \
        QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \
    if (*(elm)->field.tqe_prev != (elm)) \
        QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
    if ((elm)->field.tqe_next == NULL && \
        (head)->tqh_last != &(elm)->field.tqe_next) \
        QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
            (head), (elm), __FILE__, \
            __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)

```



```

#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->qh_first = TAILQ_END(head); \
    (head)->qh_last = &(head)->qh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->qh_first) != TAILQ_END(head)) \
        (head)->qh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->qh_last = &(elm)->field.tqe_next; \
        (head)->qh_first = (elm); \
        (elm)->field.tqe_prev = &(head)->qh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->qh_last; \
    *(head)->qh_last = (elm); \
    (head)->qh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->qh_last = &(elm)->field.tqe_next; \
        (listelm)->field.tqe_next = (elm); \
        (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev

```

```

= &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
        *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
        field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

```

```

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \

```

```

if ((head)->stqh_first == (elm)) { \
    STAILQ_REMOVE_HEAD((head), field); \
} else { \
    struct type *curelm = (head)->stqh_first; \
    while (curelm->field.stqe_next != (elm)) \
        curelm = curelm->field.stqe_next; \
    if ((curelm->field.stqe_next = \
        curelm->field.stqe_next->field.stqe_next) == NULL) \
        (head)->stqh_last = &(curelm->field.stqe_next); \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
    (STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.

```

* We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */

```
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
    if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
        (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
            __FILE__, __LINE__); \
    if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
        (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_last != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    }
#endif
```

```

        (elm), __FILE__, __LINE__); \
    }
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
    { CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head,

```

```

listelm, elm, field) do { \
  QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
  QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
  (elm)->field.cqe_next = (listelm); \
  (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
  if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
    (head)->cqh_first = (elm); \
  else \
    (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
  QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
  (elm)->field.cqe_next = (head)->cqh_first; \
  (elm)->field.cqe_prev = CIRCLEQ_END(head); \
  if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
    (head)->cqh_last = (elm); \
  else \
    (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
  QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
  (elm)->field.cqe_next \
  = CIRCLEQ_END(head); \
  (elm)->field.cqe_prev = (head)->cqh_last; \
  if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
    (head)->cqh_first = (elm); \
  else \
    (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_REMOVE(head, elm, field) do { \
  QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
  QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
  if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
    (head)->cqh_last = (elm)->field.cqe_prev; \
  else \
    (elm)->field.cqe_next->field.cqe_prev = \
      (elm)->field.cqe_prev; \
  if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
    (head)->cqh_first = (elm)->field.cqe_next; \
  else \
    (elm)->field.cqe_prev->field.cqe_next = \
      (elm)->field.cqe_next; \
} while (/*CONSTCOND*/0)

```

```

QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->cqh_first); \
    (var) != CIRCLEQ_ENDC(head); \
    (var) \
    = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
for ((var) = ((head)->cqh_last); \
    (var) != CIRCLEQ_ENDC(head); \
    (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
    ? ((head)->cqh_first) \
    : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
    ? ((head)->cqh_last) \
    : \
    (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */

# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite

```



```

url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE

AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

#ifndef _SYS_TREE_H_

#define _SYS_TREE_H_

#ifdef __GNUC__

#define __GNUC_PREREQ__(x, y) \\\n ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \\\n (__GNUC__ > (x)))

#else

#define __GNUC_PREREQ__(x, y) 0

#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)

#define _sys_tree_h_unused __attribute__((__unused__))

#else

#define _sys_tree_h_unused /* delete */

#endif

```

/*
* This file defines data structures for different types of trees:
* splay trees and red-black trees.
*
* A splay tree is a self-organizing
data structure. Every operation
* on the tree causes a splay to happen. The splay moves the requested
* node to the root of the tree and partly rebalances it.
*
* This has the benefit that request locality causes faster lookups as
* the requested nodes move to the top of the tree. On the other hand,
* every lookup causes memory writes.
*
* The Balance Theorem bounds the total access time for m operations
* and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
* amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
*
* A red-black tree is a binary search tree with the node color as an
* extra attribute. It fulfills a set of conditions:
* - every search path from the root to a leaf consists of the
*   same number of black nodes,
* - each red node (except for the root) has a black parent,
* - each leaf node is black.
*
* Every operation on a red-black tree is bounded as  $O(\lg n)$ .
* The maximum height of a red-black tree is  $2\lg(n+1)$ .
*/

```

```

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

```

```

#define SPLAY_INITIALIZER(root) \
{ NULL }

```

```

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

```

```

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

```

```

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left

```

```

#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
    void name##_SPLAY(struct name *, struct type *); \
    void name##_SPLAY_MINMAX(struct name *, int); \
    struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
    struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \
/* Finds the node with the same key as elm */ \
static __inline struct type * \

```

```

name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
\
static __inline __sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
\
static __sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if (__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \

```

```

        SPLAY_LEFT((head)->sph_root, field) = NULL; \
    } else if (__comp > 0) { \
        SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field);\
        SPLAY_LEFT(elm, field) = (head)->sph_root; \
        SPLAY_RIGHT((head)->sph_root, field) = NULL; \
    } else \
        return ((head)->sph_root); \
} \
(head)->sph_root = (elm); \
return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field);\
            if (__tmp == NULL) \

```

```

    break; \
    if ((cmp)(elm, __tmp) < 0){ \
        SPLAY_ROTATE_RIGHT(head, __tmp, field); \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
            break; \
    } \
    SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if ((cmp)(elm, __tmp) > 0){ \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL; \
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \

```

```

    if (__comp > 0) { \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL \
    }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
    struct { \
        struct type *rbe_left; /* left element */ \

```



```

struct type *rbe_right; /* right element */ \
struct type *rbe_parent; /* parent element */ \
int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

```

```

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
    != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
    type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \

```

```

name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
{
    \
    struct type
    *parent, *gparent, *tmp; \
    while ((parent = RB_PARENT(elm, field)) != NULL && \
        RB_COLOR(parent, field) == RB_RED) { \
        gparent = RB_PARENT(parent, field); \
        if (parent == RB_LEFT(gparent, field)) { \
            tmp = RB_RIGHT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field);\
                elm = gparent; \
                continue; \
            } \
            if (RB_RIGHT(parent, field) == elm) { \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \
            RB_ROTATE_RIGHT(head, gparent, tmp, field); \
        } else { \
            tmp = RB_LEFT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field);\
                elm = gparent; \
                continue; \
            } \
            if (RB_LEFT(parent, field) == elm)
        { \
            RB_ROTATE_RIGHT(head, parent, tmp, field);\
            tmp = parent; \
            parent = elm; \
            elm = tmp; \
        } \
        RB_SET_BLACKRED(parent, gparent, field); \
        RB_ROTATE_LEFT(head, gparent, tmp, field); \
    } \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{
    \

```

```

struct type *tmp;    \
while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
    elm != RB_ROOT(head)) {    \
    if (RB_LEFT(parent, field) == elm) {    \
        tmp = RB_RIGHT(parent, field);    \
        if (RB_COLOR(tmp, field) == RB_RED) {    \
            RB_SET_BLACKRED(tmp, parent, field);    \
            RB_ROTATE_LEFT(head, parent, tmp, field);\
            tmp = RB_RIGHT(parent, field);    \
        }    \
        if ((RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
            (RB_RIGHT(tmp, field) == NULL || \
            RB_COLOR(RB_RIGHT(tmp,
field), field) == RB_BLACK)) {\
            RB_COLOR(tmp, field) = RB_RED;    \
            elm = parent;    \
            parent = RB_PARENT(elm, field);    \
        } else {    \
            if (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                struct type *oleft;    \
                if ((oleft = RB_LEFT(tmp, field)) \
                    != NULL)    \
                    RB_COLOR(oleft, field) = RB_BLACK;\
                RB_COLOR(tmp, field) = RB_RED;    \
                RB_ROTATE_RIGHT(head, tmp, oleft, field);\
                tmp = RB_RIGHT(parent, field);    \
            }    \
            RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
            RB_COLOR(parent, field) = RB_BLACK;    \
            if (RB_RIGHT(tmp, field))    \
                RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
            RB_ROTATE_LEFT(head, parent, tmp, field);\
            elm = RB_ROOT(head);    \
            break;    \
        }    \
    } else {    \
        tmp = RB_LEFT(parent, field);    \
        if (RB_COLOR(tmp, field) == RB_RED) {    \
            RB_SET_BLACKRED(tmp, parent, field);    \
            RB_ROTATE_RIGHT(head, parent, tmp, field);\
            tmp
= RB_LEFT(parent, field);    \
        }    \
        if ((RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
            (RB_RIGHT(tmp, field) == NULL || \

```

```

    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
    if (RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
        struct type *oright; \
        if ((oright = RB_RIGHT(tmp, field)) \
            != NULL) \
            RB_COLOR(oright, field) = RB_BLACK;\
        RB_COLOR(tmp, field) = RB_RED; \
        RB_ROTATE_LEFT(head, tmp, oright, field);\
        tmp = RB_LEFT(parent, field); \
    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK; \
    if (RB_LEFT(tmp, field)) \
        RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \

```

```

RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent, field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
    parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \

```

```

return (old);    \
}                \
                \
/* Inserts a node into the RB tree */ \
attr struct type *    \
name##_RB_INSERT(struct name *head, struct type *elm) \
{                \
    struct type *tmp;    \
    struct type *parent = NULL;    \
    int comp = 0;    \
    tmp = RB_ROOT(head);    \
    while (tmp) {    \
        parent = tmp;    \
        comp = (cmp)(elm, parent);    \
        if (comp < 0)    \
            tmp = RB_LEFT(tmp, field);    \
        else if (comp > 0)    \
            tmp = RB_RIGHT(tmp, field);    \
        else    \
            return (tmp);    \
    }    \
    RB_SET(elm, parent, field);    \
    if (parent != NULL) {    \
        if (comp < 0)    \
            RB_LEFT(parent, field) = elm;    \
        else    \
            RB_RIGHT(parent, field) = elm;    \
        RB_AUGMENT(parent);    \
    } else    \
        RB_ROOT(head) = elm;    \
    name##_RB_INSERT_COLOR(head,    \
    elm);    \
    return (NULL);    \
}                \
                \
/* Finds the node with the same key as elm */ \
attr struct type *    \
name##_RB_FIND(struct name *head, struct type *elm) \
{                \
    struct type *tmp = RB_ROOT(head);    \
    int comp;    \
    while (tmp) {    \
        comp = cmp(elm, tmp);    \
        if (comp < 0)    \
            tmp = RB_LEFT(tmp, field);    \
        else if (comp > 0)    \
            tmp = RB_RIGHT(tmp, field);    \
        else    \

```

```

    return (tmp); \
} \
return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */\
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \

```



```

    \
/* ARGSUSED */    \
attr struct type *    \
name##_RB_PREV(struct type *elm)    \
{    \
    if (RB_LEFT(elm, field)) {    \
        elm = RB_LEFT(elm, field);    \
        while (RB_RIGHT(elm, field))    \
            elm = RB_RIGHT(elm, field);    \
    }    \
    else {    \
        if (RB_PARENT(elm, field) &&    \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field)))    \
            elm = RB_PARENT(elm, field);    \
        else {    \
            while (RB_PARENT(elm, field) &&    \
                (elm == RB_LEFT(RB_PARENT(elm, field), field)))    \
                elm = RB_PARENT(elm, field);    \
            elm = RB_PARENT(elm, field);    \
        }    \
    }    \
    return (elm);    \
}    \
    \
attr struct type *    \
name##_RB_MINMAX(struct name *head, int val)    \
{    \
    struct type *tmp = RB_ROOT(head);    \
    struct type *parent = NULL;    \
    while (tmp) {    \
        parent = tmp;    \
        if (val < 0)    \
            tmp = RB_LEFT(tmp, field);    \
        else    \
            tmp = RB_RIGHT(tmp, field);    \
    }    \
    return (parent);    \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x, y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)

```

```

#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
    for ((x) = RB_MIN(name, head); \
        (x) != NULL; \
        (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
    for ((x) = (y); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
    for ((x) = RB_MIN(name, head); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
    for ((x) = RB_MAX(name, head); \
        (x) != NULL; \
        (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
    for ((x) = (y); \
        ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
    head, y) \
    for ((x) = RB_MAX(name, head); \
        ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
        (x) = (y))

#endif /* _SYS_TREE_H */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"

```

```

checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
    Software-License-0.104007.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
# Contributor: Sören Tempel <soeren+alpine@soeren-tempel.net>
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=alpine-baselayout
pkgver=3.6.8
pkgrel=1
pkgdesc="Alpine base dir structure and init scripts"
url="https://git.alpinelinux.org/cgit/aports/tree/main/alpine-baselayout"
arch="noarch"
license="GPL-2.0-only"
# Contributor: Dhruvin Gandhi <contact@dhruvin>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=py3-license-expression
_pkgname=license_expression
pkgver=30.4.4
pkgrel=0
pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-$pkgver.tar.gz"
builddir="$srcdir/$pkgname-$pkgver"
```

```
build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}
```

```
check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}
```

```
package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}
```

```
sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
```

ab36c676e56ec302178d7166588066

license_expression-30.4.4.tar.gz

"

1.153 musl-utils 1.2.5-r21

1.153.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

<<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software

(and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want

to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The

"Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c)

If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part

of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather,

the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM

"AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

one line to give the program's name and an idea of what it does.

Copyright (C) yyyy name of author

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program;

if not, see

<<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details

type ``show w'`. This is free software, and you are welcome to redistribute it under certain conditions; type ``show c'` for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright
interest
in the program ``Gnomovision'`
(which makes passes at compilers) written
by James Hacker.

signature of Moe Ghoul, 1 April 1989

Moe Ghoul, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
```

```
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
```

```
pkgname=spdx-licenses
```

```
pkgver=3.27.0
```

```
pkgrel=0
```

```
pkgdesc="Various data formats for the SPDX License List"
```

```
url="https://spdx.org/"
```

```
arch="noarch"
```

```
options="!check" # no test suite
```

```
license="CC-BY-3.0"
```

```
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
```

```
builddir="$srcdir/license-list-data-$pkgver"
```

```
subpackages="$pkgname-list"
```

```
_types="html json rdfa rdfnt rdfturtle rdfxml template text"
```

```
for type in $_types; do
```

```
    subpackages="$subpackages $pkgname-$type:_subpkg"
```

```
done
```

```
package() {
```

```
    mkdir -p "$pkgdir"
```

```
}
```

```
_subpkg() {
```

```
    local type=${subpkgname/$pkgname-/}
```

```

pkgdesc="$pkgdesc ($type)"
install_if="$pkgname=$pkgver-r$pkgrel"
mkdir -p "$subpkgdir"/usr/share/spdx
cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkbuidl-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkbuidl-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

```

```

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

```

```
#!/sbin/openrc-run
```

```
command="/usr/libexec/xdg-permission-store"  
supervisor=supervise-daemon  
command_args="--replace $command_args"  
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"
```

```
depend() {  
    need dbus  
}  
# Contributor: Maxim Karasev <begs@disroot.org>  
# Maintainer: mio <miyopan@e.email>  
pkgname=bsd-games  
pkgver=3.3  
pkgrel=2  
pkgdesc="traditional text mode games from BSD"  
url="https://bsd-games.sourceforge.io/"  
arch="all"  
license="BSD-3-Clause"  
install="$pkgname.post-install"  
makedepends="ncurses-dev coreutils" # configure causes busybox expr error  
subpackages="$pkgname-doc"  
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz  
0001-bsd-games-scores-dir.patch  
"  
options="!check" # no tests
```

```
build() {  
    # some GNU autoconf options are ignored, but it works  
    ./configure \  
        --build=$CBUILD \  
        --host=$CHOST \  
        --prefix=/usr \  
        --sysconfdir=/etc \  
        --mandir=/usr/share/man \  
        --sourcedir=/usr/share/$pkgname  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE  
}
```

```
sha512sums="  
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6  
8d3390143e0e62d5e3d210ccfb61294
```

bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,

BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
        --build=$CBUILD \  
        --host=$CHOST \  
        --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e76654309e001aee9bace727b5b4c8589405256a3c020 libart-lgpl-2.3.21.tar.bz2"

Contributor: Patrycja Rosa <alpine@ptrcnull.me>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=bsd-compat-headers

pkgver=0.7.2

pkgrel=6

pkgdesc="BSD compatibility headers (cdefs, queue, tree)"

url="https://gitlab.alpinelinux.org/alpine/aports"

arch="noarch"

license="BSD-2-Clause AND BSD-3-Clause"

source="

```

cdefs.h
queue.h
tree.h
"

builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

Original Copyright (c) 1985 by Supoj Sutanthavibul
 Parts Copyright (c) 1989-2012 by Brian V. Smith
 Parts Copyright (c) 1991 by Paul King
 Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
 The text rotation code in w_rottext.c was written by Alan Richardson.
 The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker
 The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick
 The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:
 "X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

#ifndef _SYS_QUEUE_H_

#define _SYS_QUEUE_H_

/*

* This file defines five types of data structures: singly-linked lists,

* lists, simple queues, tail queues, and circular queues.

*

* A singly-linked list is headed by a single forward pointer. The

* elements are singly linked for minimum space and

pointer manipulation

* overhead at the expense of O(n) removal for arbitrary elements. New

* elements can be added to the list after an existing element or at the

* head of the list. Elements being removed from the head of the list

```

* should use the explicit macro for this purpose for optimum
* efficiency. A singly-linked list may only be traversed in the forward
* direction. Singly-linked lists are ideal for applications with large
* datasets and few or no removals or for implementing a LIFO queue.
*
* A list is headed by a single forward pointer (or an array of forward
* pointers for a hash table header). The elements are doubly linked
* so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before
* or after an existing element or at the head of the list. A list
* may only be traversed in the forward direction.
*
* A simple queue is headed by a pair of pointers, one the head of the
* list and the
other to the tail of the list. The elements are singly
* linked to save space, so elements can only be removed from the
* head of the list. New elements can be added to the list after
* an existing element, at the head of the list, or at the end of the
* list. A simple queue may only be traversed in the forward direction.
*
* A tail queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before or
* after an existing element, at the head of the list, or at the end of
* the list. A tail queue may be traversed in either direction.
*
* A circle queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements
can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.
*/

/*
* Include the definition of NULL only on NetBSD because sys/null.h
* is not available elsewhere. This conditional makes the header
* portable and it can simply be dropped verbatim into any system.
* The caveat is that on other systems some other header
* must provide NULL before the macros can be used.
*/
#ifdef __NetBSD__
#include <sys/null.h>

```

```

#endif

#ifdef QUEUEDEBUG
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*

```

```

* Singly-linked List functions.
*/
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
* List definitions.
*/
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

```

```

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
     (var) != LIST_END(head); \
     (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
     (var) != LIST_END(head) && \
     ((tvar) = LIST_NEXT((var), field), 1); \
     (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */
#ifdef QUEUEDEBDEBUG
#define QUEUEDEBDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
    (head)->lh_first->field.le_prev != &(head)->lh_first) \
    QUEUEDEBDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \

```

```

    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
    __FILE__, __LINE__); \
    if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
    __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
    LIST_END(head)) \
    (listelm)->field.le_next->field.le_prev = \
    &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next
    = (head)->lh_first) != LIST_END(head))\
    (head)->lh_first->field.le_prev = &(elm)->field.le_next;\
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

```

```

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head); \
     (var) = ((var)->field.sqe_next))

```

```

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head) && \
    ((next = ((var)->field.sqe_next)), 1); \
    (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \

```



```

SIMPLEQ_REMOVE_HEAD((head), field); \
} else { \
    struct type *curelm = (head)->sqh_first; \
    while (curelm->field.sqe_next != (elm)) \
        curelm = curelm->field.sqe_next; \
    if ((curelm->field.sqe_next = \
        curelm->field.sqe_next->field.sqe_next) == NULL) \
        (head)->sqh_last = &(curelm->field.sqe_next); \
} \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
    NULL : \
    ((struct type \
    *) (void *) \
    ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
    struct { \
        qual type *tqe_next; /* next element */ \
        qual type *qual *tqe_prev; /* address of previous next element */ \
    }
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.

```

```

*/
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head); \
        (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head) && \
        ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head); \
        (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head) && \
        ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
    if ((elm)->field.tqe_next && \

```

```

        (elm)->field.tqe_next->field.tqe_prev != \
        &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
    if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
    if ((elm)->field.tqe_next == NULL && \
        (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
    (head)->tqh_first->field.tqe_prev = \
        &(elm)->field.tqe_next; \
    else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

```

```
#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
        (listelm)->field.tqe_next = (elm); \
        (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)
```

```
#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)
```

```
#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
        *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
    } while (/*CONSTCOND*/0)
```

```
#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
    field); \
    } while (/*CONSTCOND*/0)
```

```
#define TAILQ_CONCAT(head1, head2, field) do { \
```

```

if (!TAILQ_EMPTY(head2)) { \
    *(head1)->tqh_last = (head2)->tqh_first; \
    (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
    (head1)->tqh_last = (head2)->tqh_last; \
    TAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL)\
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
}

```

```

} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
NULL : \
((struct type *)((void *) \
((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifndef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#ifdef QUEUEDEBUG
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
(head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
__FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
(head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \

```

```

    __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_last != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ\n\
elm last %p %s:%d", \
            (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } \
}
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
(elm)->field.cqe_next = (void *)1L; \
(elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.

```



```

*/
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
    listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \

```

```

(head)->cqh_first = (elm); \
else \
(head)->cqh_last->field.cqe_next = (elm); \
(head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \

```

```

(((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
? ((head)->cqh_first) \
: (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
(((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
? ((head)->cqh_last) \
:
(elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3

```

```

pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/"${_pkgname}-${pkgver}"

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=${pkgver}-r${pkgrel}" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"

```

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE

AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

#ifndef _SYS_TREE_H_

#define _SYS_TREE_H_

#ifdef __GNUC__

#define __GNUC_PREREQ__(x, y) \\\n ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \\\n (__GNUC__ > (x)))

#else

#define __GNUC_PREREQ__(x, y) 0

#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)

#define _sys_tree_h_unused __attribute__((__unused__))

#else

```

#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

```

```

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \

```

```

/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
\
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
\
static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if(__comp < 0) { \

```



```

        SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
        SPLAY_RIGHT(elm, field) = (head)->sph_root; \
        SPLAY_LEFT((head)->sph_root, field) = NULL; \
    } else if (__comp > 0) { \
        SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field);\
        SPLAY_LEFT(elm, field) = (head)->sph_root; \
        SPLAY_RIGHT((head)->sph_root, field) = NULL; \
    } else \
        return ((head)->sph_root); \
} \
(head)->sph_root = (elm); \
return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \

```

```

__tmp = SPLAY_LEFT((head)->sph_root, field); \
if (__tmp == NULL) \
    break; \
if ((cmp)(elm, __tmp) < 0){ \
    SPLAY_ROTATE_RIGHT(head, __tmp, field); \
    if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if ((cmp)(elm, __tmp) > 0){ \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \

```

```

if (__tmp == NULL) \
    break; \
if (__comp > 0) { \
    SPLAY_ROTATE_LEFT(head, __tmp, field); \
    if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
        break; \
} \
SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL \
    }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \

```

```

struct {
    \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
}

```

```

} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)

```

```

#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
attr void      \
name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
{      \
    struct type \
    *parent, *gparent, *tmp; \
    while ((parent = RB_PARENT(elm, field)) != NULL && \
        RB_COLOR(parent, field) == RB_RED) { \
        gparent = RB_PARENT(parent, field); \
        if (parent == RB_LEFT(gparent, field)) { \
            tmp = RB_RIGHT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field); \
                elm = gparent; \
                continue; \
            } \
            if (RB_RIGHT(parent, field) == elm) { \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \
            RB_ROTATE_RIGHT(head, gparent, tmp, field); \
        } else { \
            tmp = RB_LEFT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field); \
                elm = gparent; \
                continue; \
            } \
            if (RB_LEFT(parent, field) == elm) \
        { \
            RB_ROTATE_RIGHT(head, parent, tmp, field); \
            tmp = parent; \
            parent = elm; \
            elm = tmp; \
        } \
        RB_SET_BLACKRED(parent, gparent, field); \
        RB_ROTATE_LEFT(head, gparent, tmp, field); \
    } \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
    \
attr void      \

```

```

name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{
    \
    struct type *tmp;
    \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) {
        \
        if (RB_LEFT(parent, field) == elm) {
            \
            tmp = RB_RIGHT(parent, field);
            \
            if (RB_COLOR(tmp, field) == RB_RED) {
                \
                RB_SET_BLACKRED(tmp, parent, field);
                \
                RB_ROTATE_LEFT(head, parent, tmp, field);
                \
                tmp = RB_RIGHT(parent, field);
            }
            \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, \
field), field) == RB_BLACK)) {
                \
                RB_COLOR(tmp, field) = RB_RED;
                \
                elm = parent;
                \
                parent = RB_PARENT(elm, field);
            } else {
                \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {
                    \
                    struct type *oleft;
                    \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL)
                        \
                        RB_COLOR(oleft, field) = RB_BLACK;
                    \
                    RB_COLOR(tmp, field) = RB_RED;
                    \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field);
                    \
                    tmp = RB_RIGHT(parent, field);
                }
                \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field);
                \
                RB_COLOR(parent, field) = RB_BLACK;
                \
                if (RB_RIGHT(tmp, field))
                    \
                    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;
                \
                RB_ROTATE_LEFT(head, parent, tmp, field);
                \
                elm = RB_ROOT(head);
                \
                break;
            }
            \
        } else {
            \
            tmp = RB_LEFT(parent, field);
            \
            if (RB_COLOR(tmp, field) == RB_RED) {
                \
                RB_SET_BLACKRED(tmp, parent, field);
                \
                RB_ROTATE_RIGHT(head, parent, tmp, field);
                \
                tmp
            = RB_LEFT(parent, field);
            }
            \
            if ((RB_LEFT(tmp, field) == NULL || \

```

```

        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
    if (RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
        struct type *oright; \
        if ((oright = RB_RIGHT(tmp, field)) \
            != NULL) \
            RB_COLOR(oright, field) = RB_BLACK;\
        RB_COLOR(tmp, field) = RB_RED; \
        RB_ROTATE_LEFT(head, tmp, oright, field);\
        tmp = RB_LEFT(parent, field); \
    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK; \
    if (RB_LEFT(tmp, field)) \
        RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \

```



```

color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent, field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
    parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \

```

```

if (color == RB_BLACK)    \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old);    \
}    \
    \
/* Inserts a node into the RB tree */ \
attr struct type *    \
name##_RB_INSERT(struct name *head, struct type *elm) \
{    \
    struct type *tmp;    \
    struct type *parent = NULL;    \
    int comp = 0;    \
    tmp = RB_ROOT(head);    \
    while (tmp) {    \
        parent = tmp;    \
        comp = (cmp)(elm, parent);    \
        if (comp < 0)    \
            tmp = RB_LEFT(tmp, field);    \
        else if (comp > 0)    \
            tmp = RB_RIGHT(tmp, field);    \
        else    \
            return (tmp);    \
    }    \
    RB_SET(elm, parent, field);    \
    if (parent != NULL) {    \
        if (comp < 0)    \
            RB_LEFT(parent, field) = elm;    \
        else    \
            RB_RIGHT(parent, field) = elm;    \
        RB_AUGMENT(parent);    \
    } else    \
        RB_ROOT(head) = elm;    \
    name##_RB_INSERT_COLOR(head, \
    elm);    \
    return (NULL);    \
}    \
    \
/* Finds the node with the same key as elm */ \
attr struct type *    \
name##_RB_FIND(struct name *head, struct type *elm) \
{    \
    struct type *tmp = RB_ROOT(head);    \
    int comp;    \
    while (tmp) {    \
        comp = cmp(elm, tmp);    \
        if (comp < 0)    \
            tmp = RB_LEFT(tmp, field);    \
        else if (comp > 0)    \

```

```

    tmp = RB_RIGHT(tmp, field); \
else \
    return (tmp); \
} \
return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */\
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
} \

```

```

return (elm);    \
}    \
    \
/* ARGSUSED */    \
attr struct type *    \
name##_RB_PREV(struct type *elm)    \
{    \
if (RB_LEFT(elm, field)) {    \
elm = RB_LEFT(elm, field);    \
while (RB_RIGHT(elm, field))    \
elm = RB_RIGHT(elm, field);    \
}
else {    \
if (RB_PARENT(elm, field) &&    \
(elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
elm = RB_PARENT(elm, field);    \
else {    \
while (RB_PARENT(elm, field) &&    \
(elm == RB_LEFT(RB_PARENT(elm, field), field)))\
elm = RB_PARENT(elm, field);    \
elm = RB_PARENT(elm, field);    \
}    \
}    \
return (elm);    \
}    \
    \
attr struct type *    \
name##_RB_MINMAX(struct name *head, int val)    \
{    \
struct type *tmp = RB_ROOT(head);    \
struct type *parent = NULL;    \
while (tmp) {    \
parent = tmp;    \
if (val < 0)    \
tmp = RB_LEFT(tmp, field);    \
else    \
tmp = RB_RIGHT(tmp, field);    \
}    \
return (parent);    \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,

```

```

y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
for ((x) = RB_MIN(name, head); \
(x) != NULL; \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
(x) != NULL; \
(x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
head, y) \
for ((x) = RB_MAX(name, head); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#endif /* _SYS_TREE_H */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"

```

```

license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
    Software-License-0.104007.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir/\${_pkgname}-\${pkgver}"

build() {

gpep517 build-wheel \

--wheel-dir .dist \

--output-fd 3 3>&1 >&2

}

check() {

python3 -m venv --clear --without-pip --system-site-packages .testenv

.testenv/bin/python3 -m installer .dist/*.whl

.testenv/bin/python3 -m pytest

}

package() {

python3 -m installer -d "\$pkgdir" \

.dist/*.whl

}

sha512sums="

f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3

ab36c676e56ec302178d7166588066

license_expression-30.4.4.tar.gz

"

1.154 cpp 15.2.0-r2

1.154.1 Available under license :

Copyright (c) 2021-2025 Symas Corporation

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Symas Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your

freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software

patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the

users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's

complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based

on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary
GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or

linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the

work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse

you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by

the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library.
It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
GNU Free Documentation License
Version 1.2, November 2002

Copyright (C) 2000-2025 Free Software Foundation, Inc.
<<http://fsf.org/>>.
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly

within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title

Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on

the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute

Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may

copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities

responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.

- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all

of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements",

and

any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations

of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

The libffi source distribution contains certain code that is not part of libffi, and is only used as tooling to assist with the building and testing of libffi. This includes the msvcc.sh script used to wrap the Microsoft compiler with GNU compatible command-line options, make_sunver.pl, and the libffi test code distributed in the testsuite/libffi.bhaible directory. This code is distributed with libffi for the purpose of convenience only, and libffi is in no way derived from this code.

msvcc.sh and testsuite/libffi.bhaible are both distributed under the terms of the GNU GPL version 2, as below.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the

program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your

cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

You

are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work

as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Copyright (c) 2014-2020 The Rust Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN

CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is

modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of

free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based

on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library,

and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to

distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any

executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference

directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license

restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed

under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying

or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute
so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library

specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting

redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The files gnupng and gnu.eps are part of GNU Modula-2.

Copyright (C) 2005-2025 Free Software Foundation, Inc.

This file is part of GNU Modula-2.

GNU Modula-2 is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3, or (at your option) any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GCC; see the file COPYING3. If not see

<http://www.gnu.org/licenses/>. */

libffi - Copyright (c) 1996-2021 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the ``Software''), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF

CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
Copyright (c) 2015 The Rust Project Developers

Permission is hereby granted, free of charge, to any
person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the
Software without restriction, including without
limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software
is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice
shall be included in all copies or substantial portions
of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED
TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT
SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any
person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the
Software without restriction, including without
limitation the rights to use, copy, modify, merge,
publish, distribute, sublicense, and/or sell copies of
the Software, and to permit persons to whom the Software
is furnished to do so, subject to the following
conditions:

The above copyright notice and this permission notice
shall be included in all copies or substantial portions
of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED
TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT
SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
compiler_rt License
=====

The compiler_rt library is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====
University of Illinois/NCSA
Open Source License

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:

LLVM Team

<http://llvm.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction,

including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
- * Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
Copyrights and Licenses for Third Party Software Distributed with LLVM:
=====

The LLVM software contains code written by third parties. Such software will have its own individual LICENSE.TXT file in the directory in which it appears. This file will describe the copyrights, license, and restrictions which apply to that code.

The disclaimer of warranty in the University of Illinois Open Source License applies to all code in the LLVM Distribution, and nothing in any of the other licenses gives permission to use the names of the LLVM Team or the University of Illinois to endorse or promote products derived from this Software.

The following pieces of software have additional or alternate copyrights, licenses, and/or restrictions:

Program	Directory
-----	-----
mach_override	lib/interception/mach_override
GCC RUNTIME LIBRARY EXCEPTION	

Version 3.1, 31 March 2009

Copyright (C) 2009-2025 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the

header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes.

You

may then convey such a combination under terms of your choice,
consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general
presumption that third-party software is unaffected by the copyleft
requirements of the license of GCC.

```
/* Definitions for BSD assembler syntax for Intel 386
   (actually AT&T syntax for insns and operands,
   adapted to BSD conventions for symbol names and debugging.)
   Copyright (C) 1988-2025 Free Software Foundation, Inc.
```

This file is part of GCC.

GCC is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GCC is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with GCC; see the file COPYING3. If not see
<<http://www.gnu.org/licenses/>>. */

```
/* Use the Sequent Symmetry assembler syntax. */
```

```
/* Define the syntax of pseudo-ops, labels and comments. */
```

```
/* Prefix for internally generated assembler
   labels. If we aren't using
   underscores, we are using prefix `.'s to identify labels that should
   be ignored, as in `i386/gas.h' --karl@cs.umb.edu */
```

```
#define LPREFIX "L"
```

```
/* Assembler pseudos to introduce constants of various size. */
```

```
#define ASM_BYTE "\t.byte\t"
#define ASM_SHORT "\t.word\t"
#define ASM_LONG "\t.long\t"
#define ASM_QUAD "\t.quad\t" /* Should not be used for 32bit compilation. */
```

```

/* This was suggested, but it shouldn't be right for debugger output. -- RMS
#define ASM_OUTPUT_SOURCE_FILENAME(FILE, NAME) */

/* Define the syntax of labels and symbol definitions/declarations. */

/* This is how to output an assembler line
that says to advance the location counter by SIZE bytes. */

#define ASM_OUTPUT_SKIP(FILE,SIZE) \
fprintf (FILE, "\t.space " HOST_WIDE_INT_PRINT_UNSIGNED"\n", (SIZE))

/* Define the syntax of labels and symbol definitions/declarations. */

/* This says how to output an assembler line
to define a global common symbol. */

#define
ASM_OUTPUT_COMMON(FILE, NAME, SIZE, ROUNDED) \
( fputs (".comm ", (FILE)), \
assemble_name ((FILE), (NAME)), \
fprintf ((FILE), "%u\n", (int)(ROUNDED)))

/* This says how to output an assembler line
to define a local common symbol. */

#define ASM_OUTPUT_LOCAL(FILE, NAME, SIZE, ROUNDED) \
( fputs (".lcomm ", (FILE)), \
assemble_name ((FILE), (NAME)), \
fprintf ((FILE), "%u\n", (int)(ROUNDED)))

#ifdef HAVE_GAS_LCOMM_WITH_ALIGNMENT
#define ASM_OUTPUT_ALIGNED_LOCAL(FILE, NAME, SIZE, ALIGNMENT) \
( fputs (".lcomm ", (FILE)), \
assemble_name ((FILE), (NAME)), \
fprintf ((FILE), "%u,%u\n", (int)(SIZE), (int)(ALIGNMENT) / BITS_PER_UNIT))
#endif

/* This is how to output an assembler line
that says to advance the location counter
to a multiple of 2**LOG bytes. */

#define ASM_OUTPUT_ALIGN(FILE,LOG) \
if ((LOG)!=0) fprintf ((FILE), "\t.align %d\n", (LOG))

/* This is how to store into the string BUF
the symbol_ref name of an internal numbered

```

label where

PREFIX is the class of label and NUM is the number within the class.

This is suitable for output with `assemble_name'. */

```
#define ASM_GENERATE_INTERNAL_LABEL(BUF,PREFIX,NUMBER) \
    sprintf ((BUF), "%s%d", (PREFIX), (long)(NUMBER))
```

```
/* The prefix to add to user-visible assembler symbols. */
```

```
#define USER_LABEL_PREFIX "_"
GNU GENERAL PUBLIC LICENSE
Version 2, June 1991
```

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the

notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt

otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made

generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands

`show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

Licensed under the Apache License, Version 2.0

<LICENSE-APACHE or

<http://www.apache.org/licenses/LICENSE-2.0>> or the MIT

license <LICENSE-MIT or <http://opensource.org/licenses/MIT>>,

at your option. All files in the project carrying such

notice may not be copied, modified, or distributed except

according to those terms.

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2010 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@bzip.org
bzip2/libbzip2 version 1.0.6 of 6 September 2010

=====

The LLVM Project is under the Apache License v2.0 with LLVM Exceptions:

=====

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---- LLVM Exceptions to the Apache 2.0 License ----

As an exception, if, as a result of your compiling your source code, portions of this Software are embedded into an Object form of such source code, you may redistribute such embedded portions in such Object form without complying with the conditions of Sections 4(a), 4(b) and 4(d) of the License.

In addition, if you combine or link compiled forms of this Software with software that is licensed under the GPLv2 ("Combined Software") and if a court of competent jurisdiction determines that the patent provision (Section 3), the indemnity provision (Section 9) or other Section of the License conflicts with the conditions of the GPLv2, you may retroactively and prospectively choose to deem waived or otherwise exclude such Section(s) of the License, but only in their entirety and only with respect to the Combined Software.

=====
Software from third parties included in the LLVM Project:
=====

The LLVM Project contains third party software which is under different license terms. All such code will be identified clearly using at least one of two mechanisms:

- 1) It will be in a separate directory tree with its own `LICENSE.txt` or `LICENSE` file at the top containing the specific license and restrictions which apply to that software, or
- 2) It will contain specific license and restriction terms at the top of every file.

=====
Legacy LLVM License (<https://llvm.org/docs/DeveloperPolicy.html#legacy>):
=====

The software contained in this directory tree is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====

University of Illinois/NCSA
Open Source License

Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:
Threading Runtimes Team
Intel Corporation
<http://www.intel.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
- * Neither the names of Intel Corporation Threading Runtimes Team nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====

Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011 University of Illinois at Urbana-Champaign. All rights reserved.

Developed by: Polaris Research Group
University of Illinois at Urbana-Champaign
<http://polaris.cs.uiuc.edu>

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
3. Neither the names of Polaris Research Group, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library

for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general

presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The

text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
# This source code was written by the Go contributors.  
# The master list of contributors is in the main Go distribution,  
# visible at http://tip.golang.org/CONTRIBUTORS.  
/* Copyright (C) 2013-2025 Free Software Foundation, Inc.
```

This file is part of GCC.

modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

In addition to the permissions in the GNU Library General Public License, the Free Software Foundation gives you unlimited permission to link the compiled version of this file into combinations with other programs, and to distribute those combinations without any restriction coming from the use of this file. (The Library Public License restrictions do apply in other respects; for example, they cover modification of the file, and distribution when not linked into a combined executable.)

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street - Fifth Floor, Boston, MA

02110-1301, USA. */

```
#ifndef __VTV_H__
#define __VTV_H__

/* We could have used an enumeration here but it just makes it more
   difficult for the compiler to generate a call to this. These are
   used as arguments to the function __VLTChangePermission, declared
   below. */
#define __VLTP_READ_ONLY 0
#define __VLTP_READ_WRITE 1

#ifdef __cplusplus
extern "C" void __VLTChangePermission (int);
#else
extern void __VLTChangePermission (int);
#endif

#ifdef BIG_PAGE_SIZE
/* TODO - Replace '4096' below with correct big page size. */
#define VTV_PAGE_SIZE 4096
#else
#ifdef defined(__sun__) && defined(__svr4__) && defined(__sparc__)
#define VTV_PAGE_SIZE 8192
#elif defined(__loongarch_lp64)
/* The page size is configurable by the kernel to be 4,
   16 or 64 KiB.
   For now, only the default page size of 16KiB is supported. */
#define VTV_PAGE_SIZE 16384
#else
#define VTV_PAGE_SIZE 4096
#endif
#endif

#endif /* __VTV_H__ */
```

Copyright (c) 2014 The Rust Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following

conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if

you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of

works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with

the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified

it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions

apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does

not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that

contain the covered work, unless you entered into that arrangement,
or
that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you
have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying

Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are

covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under

terms of your
choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF

YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2013 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Copyright (c) 2019 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.155 libcap 2.77-r0

1.155.1 Available under license :

/* SPDX-License-Identifier: BSD-3-Clause OR GPL-2.0-only */

Unless otherwise **explicitly** stated, the following text describes the licensed conditions under which the contents of this libcap/cap release may be used and distributed.

The licensed conditions are one or the other of these two Licenses:

- BSD 3-clause
- GPL v2.0

BSD 3-clause:

Redistribution and use in source and binary forms of libcap/cap, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following

disclaimer in the documentation and/or other materials provided with the distribution.

3.

The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GPL v2.0:

ALTERNATIVELY, this product may be distributed under the terms of the GNU General Public License (v2.0 - see below), in which case the provisions of the GNU GPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU GPL and the restrictions contained in a BSD-style copyright.)

Full text of gpl-2.0.txt:

GNU GENERAL PUBLIC LICENSE Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public

License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This

General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities

other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively

when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to

this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to

address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software

Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL

ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it

free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which
```

makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

/* SPDX-License-Identifier: BSD-3-Clause OR GPL-2.0-only */

Unless otherwise *explicitly* stated, the following text describes the licensed conditions under which the contents of this libcap/psx release may be used and distributed.

The licensed conditions are one or the other of these two Licenses:

- BSD 3-clause
- GPL v2.0

BSD 3-clause:

Redistribution and use in source and binary forms of libcap/psx, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3.
The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,

BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GPL v2.0:

ALTERNATIVELY, this product may be distributed under the terms of the GNU General Public License (v2.0 - see below), in which case the provisions of the GNU GPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU GPL and the restrictions contained in a BSD-style copyright.)

Full text of gpl-2.0.txt:

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it

if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities

other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program,

and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you;
rather, the intent is to
exercise the right to control the distribution of derivative or
collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary

form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free

Software

Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License along
with this program; if not, write to the Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information
on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which
makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

/* SPDX-License-Identifier: BSD-3-Clause OR GPL-2.0-only */

Unless otherwise **explicitly** stated, the following text describes the
licensed conditions under which the contents of this libcap release

may be used and distributed.

The licensed conditions are one or the other of these two Licenses:

- BSD 3-clause
- GPL v2.0

BSD 3-clause:

Redistribution and use in source and binary forms of libcap, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name
of any author may not be used to endorse or promote
products derived from this software without their specific prior
written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GPL v2.0:

ALTERNATIVELY, this product may be distributed under the terms of the
GNU General Public License (v2.0 - see below), in which case the

provisions of the GNU GPL are required INSTEAD OF the above restrictions.

Full text of gpl-2.0.txt:

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and

(2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of

Section 1

above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition,

mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such

parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you

do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented

by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING

ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public

License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Lesser General
Public License instead of this License.

/* SPDX-License-Identifier: BSD-3-Clause OR LGPL-2.0-or-later */

Unless otherwise *explicitly* stated the following text describes the
licensed conditions under which the contents of this module release
may be distributed:

Redistribution and use in source and binary forms of this module, with
or without modification, are permitted provided that the following
conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior

written
permission.

ALTERNATIVELY, this product may be distributed under the terms of the GNU Library General Public License, in which case the provisions of the GNU LGPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU LGPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.156 nghttp2 1.68.0-r0

1.156.1 Available under license :

The MIT License

Copyright (c) 2012, 2014, 2015, 2016 Tatsuhiro Tsujikawa
Copyright (c) 2012, 2014, 2015, 2016 nghttp2 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
See COPYING
This software is licensed under the MIT License.

Copyright Fedor Indutny, 2018.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the
following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN
NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR
OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE
USE OR OTHER DEALINGS IN THE SOFTWARE.

If not otherwise noted, the extensions in this package are licensed
under the following license.

Copyright (c) 2010 by the contributors (see AUTHORS file).
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.157 logr 1.4.3

1.157.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.158 gogo-protobuf 1.3.2

1.158.1 Available under license :

Copyright (c) 2013, The GoGo Authors. All rights reserved.

Protocol Buffers for Go with Gadgets

Go support for Protocol Buffers - Google's data interchange format

Copyright 2010 The Go Authors. All rights reserved.

<https://github.com/golang/protobuf>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Anton Povarov <anton.povarov@gmail.com>

Brian Goff <cpuguy83@gmail.com>

Clayton Coleman <ccoleman@redhat.com>

Denis Smirnov <denis.smirnov.91@gmail.com>

DongYun Kang <ceram1000@gmail.com>

Dwayne Schultz <dschultz@pivotal.io>

Georg Apitz <gapitz@pivotal.io>

Gustav Paul <gustav.paul@gmail.com>

Johan Brandhorst <johan.brandhorst@gmail.com>

John Shahid <jvshahid@gmail.com>

John Tuley <john@tuley.org>

Laurent <laurent@adyoulike.com>

Patrick Lee <patrick@dropbox.com>

Peter Edge <peter.edge@gmail.com>

Roger Johansson <rogersalsing@gmail.com>

Sam Nguyen <sam.nguyen@sendgrid.com>

Sergio Arbeo <serabe@gmail.com>

Stephen J Day <stephen.day@docker.com>

Tamir Duberstein <tamird@gmail.com>

Todd Eisenberger <teisenberger@dropbox.com>

Tormod Erevik Lea <tormodlea@gmail.com>

Vyacheslav Kim <kane@sendgrid.com>

Walter Schulze <awalterschulze@gmail.com>

1.159 coreos-semver 0.3.1

1.159.1 Available under license :

CoreOS Project

Copyright 2018 CoreOS, Inc

This product includes software developed at CoreOS, Inc.

(<http://www.coreos.com/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work

or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.160 xxhash 2.3.0

1.160.1 Available under license :

Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.161 sarama 1.46.3

1.161.1 Available under license :

MIT License

Copyright (c) 2013 Shopify

Copyright (c) 2023 IBM Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.162 curl 8.17.0-r1

1.162.1 Available under license :

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2025, Daniel Stenberg, <daniel@haxx.se>, and many contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

1.163 pcre2 10.47-r0

1.163.1 Available under license :

PCRE2 LICENCE

Please see the file LICENCE in the PCRE2 distribution for licensing details.

End

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

PCRE2 Licence

=====

SPDX-License-Identifier:	BSD-3-Clause WITH PCRE2-exception

PCRE2 is a library of functions to support regular expressions whose syntax and semantics are as close as possible to those of the Perl 5 language.

Releases 10.00 and above of PCRE2 are distributed under the terms of the "BSD" licence, as specified below, with one exemption for certain binary redistributions. The documentation for PCRE2, supplied in the "doc" directory, is distributed under the same terms as the software itself. The data in the testdata directory is not copyrighted and is in the public domain.

The basic library functions are written in C and are freestanding. Also included in the distribution is a just-in-time compiler that can be used to optimize pattern matching. This is an optional feature that can be omitted when the library is built. The just-in-time compiler is separately licensed under the "2-clause BSD" licence.

COPYRIGHT

The basic
library functions

Written by: Philip Hazel
Email local part: Philip.Hazel
Email domain: gmail.com

Retired from University of Cambridge Computing Service,
Cambridge, England.

Copyright (c) 1997-2007 University of Cambridge
Copyright (c) 2007-2024 Philip Hazel
All rights reserved.

PCRE2 Just-In-Time compilation support

Written by: Zoltan Herczeg
Email local part: hzmester
Email domain: freemail.hu

Copyright (c) 2010-2024 Zoltan Herczeg

All rights reserved.

Stack-less Just-In-Time compiler

Written by: Zoltan Herczeg

Email local part: hzmester

Email domain: freemail.hu

Copyright (c) 2009-2024 Zoltan Herczeg

All rights reserved.

The code in the `deps/sljit` directory has its own LICENSE file.

All other contributions

Many other contributors have participated in the authorship of PCRE2. As PCRE2 has never required a Contributor Licensing Agreement, or other copyright assignment agreement, all contributions have copyright retained by each original contributor or their employer.

THE "BSD" LICENCE

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notices, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notices, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the University of Cambridge nor the names of any contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

EXEMPTION FOR BINARY LIBRARY-LIKE PACKAGES

The second condition in the BSD licence (covering binary redistributions) does not apply all the way down a chain of software. If binary package A includes PCRE2, it must respect the condition, but if package B is software that includes package A, the condition is not imposed on package B unless it uses PCRE2 independently.

1.164 ca-certificates 20251003-r0

1.164.1 Available under license :

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdfnt rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
```



```

}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

```

```

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"

```

```
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"
```

```
depend() {
    need dbus
}
# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"
options="!check" # no tests
```

```
build() {
    # some GNU autoconf options are ignored, but it works
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr \
        --sysconfdir=/etc \
        --mandir=/usr/share/man \
        --sourcedir=/usr/share/$pkgname
    make
}
```

```
package() {
    make DESTDIR="$pkgdir" install
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}
```

```
sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
    bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"
MIT License
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
  update_config_sub  
  default_prepare  
}
```

```
build() {  
  ./configure \  
  --build=$CBUILD \  
  --host=$CHOST \  
  --prefix=/usr  
  make  
}
```

```
package() {  
  make DESTDIR="$pkgdir" install  
}
```

```
sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7  
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"  
mini_sendmail - accept email on behalf of real sendmail
```

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

```
# Contributor: Patrycja Rosa <alpine@ptrcnull.me>  
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>  
pkgname=bsd-compat-headers  
pkgver=0.7.2  
pkgrel=6  
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"  
url="https://gitlab.alpinelinux.org/alpine/aports"  
arch="noarch"  
license="BSD-2-Clause AND BSD-3-Clause"  
source="  
  cdefs.h  
  queue.h  
  tree.h  
  "  
builddir="$srcdir"  
options="!check" # just headers
```

```

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

Original Copyright (c) 1985 by Supoj Sutanthavibul

Parts Copyright (c) 1989-2012 by Brian V. Smith

Parts Copyright (c) 1991 by Paul King

Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the University nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * @(#)queue.h 8.5 (Berkeley) 8/20/94
 */

```
#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_
```

```
/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 * pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large
 * datasets and few or no removals or for implementing a LIFO queue.
 *
 * A list is headed by a single forward pointer (or an array of forward
```

- * pointers for a hash table header). The elements are doubly linked
- * so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before
- * or after an existing element or at the head of the list. A list
- * may only be traversed in the forward direction.
- *
- * A simple queue is headed by a pair of pointers, one the head of the
- * list and the
- other to the tail of the list. The elements are singly
- * linked to save space, so elements can only be removed from the
- * head of the list. New elements can be added to the list after
- * an existing element, at the head of the list, or at the end of the
- * list. A simple queue may only be traversed in the forward direction.
- *
- * A tail queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before or
- * after an existing element, at the head of the list, or at the end of
- * the list. A tail queue may be traversed in either direction.
- *
- * A circle queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements
- can be added to the list before or after
- * an existing element, at the head of the list, or at the end of the list.
- * A circle queue may be traversed in either direction, but has a more
- * complex end of list detection.
- *
- * For details on the use of these macros, see the queue(3) manual page.
- */
- /*
- * Include the definition of NULL only on NetBSD because sys/null.h
- * is not available elsewhere. This conditional makes the header
- * portable and it can simply be dropped verbatim into any system.
- * The caveat is that on other systems some other header
- * must provide NULL before the macros can be used.
- */
- #ifdef __NetBSD__
- #include <sys/null.h>
- #endif
- #if defined(QEUEDEBUG)
- # if defined(_KERNEL)
- # define QEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
- # else


```

# include <err.h>
# define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/)

```

```
#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)
```

```
#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)
```

```
#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)
```

```
#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)
```

```
#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)
```

```
/*
```

```
* List definitions.
```

```
*/
```

```
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}
```

```
#define LIST_HEAD_INITIALIZER(head) \
{ NULL }
```

```
#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
}
```

```

struct type **le_prev; /* address of previous next element */\
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
    for ((var) = ((head)->lh_first); \
         (var) != LIST_END(head); \
         (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = LIST_FIRST((head)); \
         (var) != LIST_END(head) && \
         ((tvar) = LIST_NEXT((var), field), 1); \
         (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */
#ifdef QUEUEDEBDEBUG
#define QUEUEDEBDEBUG_LIST_INSERT_HEAD(head, elm, field) \
    if ((head)->lh_first && \
        (head)->lh_first->field.le_prev != &(head)->lh_first) \
        QUEUEDEBDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBDEBUG_LIST_OP(elm, field) \
    if ((elm)->field.le_next && \
        (elm)->field.le_next->field.le_prev != \
        &(elm)->field.le_next) \
        QUEUEDEBDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \
    if (*(elm)->field.le_prev != (elm)) \
        QUEUEDEBDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \

```

```

    __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
} while (/*CONSTCOND*/0)

```

```

QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
(elm2)->field.le_next->field.le_prev = \
    &(elm2)->field.le_next; \
(elm2)->field.le_prev = (elm)->field.le_prev; \
*(elm2)->field.le_prev = (elm2); \
QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head); \
    (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head) && \
    ((next = ((var)->field.sqe_next)), 1); \
    (var) = (next))

```

```

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \

```

```

    curelm->field.sqe_next->field.sqe_next) == NULL) \
    (head)->sqh_last = &(curelm)->field.sqe_next; \
} \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
(SIMPLEQ_EMPTY((head)) ? \
    NULL : \
    ((struct type \
    *) (void *) \
    ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */

#define _TAILQ_HEAD(name, type, qual) \
struct name { \
    qual type *tqh_first; /* first element */ \
    qual type *qual *tqh_last; /* addr of last next element */ \
}

#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
{ TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}

#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */

#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)

```

```

#define TAILQ_PREV(elm, headname, field) \
    (((struct headname \
    *)((void *)((elm)->field.tqe_prev))->tqh_last))
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head); \
        (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head) && \
        ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head); \
        (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head) && \
        ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
    if ((elm)->field.tqe_next && \
        (elm)->field.tqe_next->field.tqe_prev != \
        &(elm)->field.tqe_next) \
        QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \
    if (*(elm)->field.tqe_prev != (elm)) \
        QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \

```



```

    __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
    if ((elm)->field.tqe_next == NULL && \
        (head)->tqh_last != &(elm)->field.tqe_next) \
        QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
            (head), (elm), __FILE__, \
            __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \

```

```

    &(elm)->field.tqe_next; \
else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBDEBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
    (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
    *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBDEBUG_TAILQ_POSTREMOVE((elm), \
    field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
}

```

```

} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type)  \
struct name {                    \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head)  \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type)  \
struct {                    \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

```

```
#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL)\
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)
```

```
#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)
```

```
#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)
```

```
#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))
```

```
#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))
```

```
#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)
```

```
#define STAILQ_LAST(head, type, field) \
    (STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
        ((head)->stqh_last->field.stqe_next)))
```

```
((char *)((head)->stqh_last) - offsetof(struct type, field))))
```

```
#ifndef _KERNEL
```

```
/*
```

```
* Circular queue definitions. Do not use. We still keep the macros
```

```
* for compatibility but because of pointer aliasing issues their use
```

```
* is discouraged!
```

```
*/
```

```
/*
```

```
* __launder_type(): We use this ugly hack to work around the the compiler
```

```
* noticing that two types may not alias each other and elide tests in code.
```

```
* We hit this in the CIRCLEQ macros when comparing 'struct name *' and
```

```
* 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
```

```
* 4.8) declare these comparisons as always false, causing the code to
```

```
* not run as designed.
```

```
*
```

```
* This hack is only to be used for comparisons and thus can be fully const.
```

```
* Do not use for assignment.
```

```
*
```

```
* If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
```

```
* this by changing the head/tail sentinel values, but see the note above
```

```
* this one.
```

```
*/
```

```
static __inline const void * __launder_type(const void *);
```

```
static __inline const void *
```

```
__launder_type(const void *__x)
```

```
{
```

```
__asm __volatile("" : "+r" (__x));
```

```
return __x;
```

```
}
```

```
#if defined(QUEUEDEBUG)
```

```
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
```

```
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
```

```
(head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
```

```
QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
```

```
__FILE__, __LINE__); \
```

```
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
```

```
(head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
```

```
QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
```

```
__FILE__, __LINE__);
```

```
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
```

```
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
```

```
if ((head)->cqh_last != (elm)) \
```

```
QUEUEDEBUG_ABORT("CIRCLEQ
```

```

elm last %p %s:%d", \
    (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} \
if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_first != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
            (elm), __FILE__, __LINE__); \
}
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */

#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

```

```
#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)
```

```
#define CIRCLEQ_INSERT_BEFORE(head, \
listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)
```

```
#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)
```

```
#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)
```

```

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

```

```

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

```

/*

* Circular queue access methods.

*/

```

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)

```

```

#define CIRCLEQ_LAST(head) ((head)->cqh_last)

```

/* For comparisons */

```

#define CIRCLEQ_ENDC(head) (__launter_type(head))

```

/* For assignments */

```

#define CIRCLEQ_END(head) ((void *) (head))

```

```

#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)

```

```

#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)

```

```

#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

```

```

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm)->field.cqe_next)

```

```

#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \

```



```

? ((head)->cqh_last) \
:
(elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"

```

```

depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
/* Modified by Void Linux. */
/*
* Copyright 2002 Niels Provos <provos@citi.umich.edu>
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE
* AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
* This file defines data structures for different types of trees:

```

- * splay trees and red-black trees.
- *
- * A splay tree is a self-organizing data structure. Every operation
- * on the tree causes a splay to happen. The splay moves the requested
- * node to the root of the tree and partly rebalances it.
- *
- * This has the benefit that request locality causes faster lookups as
- * the requested nodes move to the top of the tree. On the other hand,
- * every lookup causes memory writes.
- *
- * The Balance Theorem bounds the total access time for m operations
- * and n inserts on an initially empty tree as $O((m + n)\lg n)$. The
- * amortized cost for a sequence of m accesses to a splay tree is $O(\lg n)$;
- *
- * A red-black tree is a binary search tree with the node color as an
- * extra attribute. It fulfills a set of conditions:
- * - every search path from the root to a leaf consists of the
- * same number of black nodes,
- * - each red node (except for the root) has a black parent,
- * - each leaf node is black.
- *
- * Every operation on a red-black tree is bounded as $O(\lg n)$.
- * The maximum height of a red-black tree is $2\lg(n+1)$.
- */

```
#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}
```

```
#define SPLAY_INITIALIZER(root) \
{ NULL }
```

```
#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}
```

```
#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)
```

```

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
\
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \

```

```

return(NULL); \
name##_SPLAY(head, elm); \
if ((cmp)(elm, (head)->sph_root) == 0) \
return (head->sph_root); \
return (NULL); \
} \
\
static __inline __sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
name##_SPLAY(head, elm); \
if (SPLAY_RIGHT(elm, field) != NULL) { \
elm = SPLAY_RIGHT(elm, field); \
while (SPLAY_LEFT(elm, field) != NULL) { \
elm = SPLAY_LEFT(elm, field); \
} \
} \
else \
elm = NULL; \
return (elm); \
} \
\
static __sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
name##_SPLAY_MINMAX(head, val); \
return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
* Moves node close to the key of elm to top
*/
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
if (SPLAY_EMPTY(head)) { \
SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
} else { \
int __comp; \
name##_SPLAY(head, elm); \
__comp = (cmp)(elm, (head)->sph_root); \
if(__comp < 0) { \
SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
SPLAY_RIGHT(elm, field) = (head)->sph_root; \
SPLAY_LEFT((head)->sph_root, field) = NULL; \
} else if (__comp > 0) { \
SPLAY_RIGHT(elm,

```

```

field) = SPLAY_RIGHT((head)->sph_root, field);\
    SPLAY_LEFT(elm, field) = (head)->sph_root; \
    SPLAY_RIGHT((head)->sph_root, field) = NULL; \
} else \
    return ((head)->sph_root); \
} \
(head)->sph_root = (elm); \
return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \
name##_SPLAY(struct \
    name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
            }

```

```

    if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field);\
    if (__tmp == NULL) \
        break; \
    if ((cmp)(elm, __tmp) > 0){ \
        SPLAY_ROTATE_LEFT(head, __tmp, field);\
        if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field);\
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field);\
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\
            if (__tmp == NULL) \
                break; \
            if (__comp > 0) { \
                SPLAY_ROTATE_LEFT(head, __tmp, field);\
                if (SPLAY_RIGHT((head)->sph_root,

```



```

field) == NULL)\
    break; \
} \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
    SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
    struct { \
        struct type *rbe_left; /* left element */ \
        struct type *rbe_right; /* right element */ \
        struct type *rbe_parent; /* parent element */ \
        int rbe_color; /* node color */ \
    }

```

```

}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field))

```

```

!= NULL) { \
    RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
} \
RB_AUGMENT(elm); \
if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
    if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
        RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
    else \
        RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
    (head)->rbh_root = (tmp); \
RB_RIGHT(tmp, field) = (elm); \
RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        struct type

```

```

*parent, *gparent, *tmp; \
while ((parent = RB_PARENT(elm, field)) != NULL && \
    RB_COLOR(parent, field) == RB_RED) { \
    gparent = RB_PARENT(parent, field); \
    if (parent == RB_LEFT(gparent, field)) { \
        tmp = RB_RIGHT(gparent, field); \
        if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
            RB_COLOR(tmp, field) = RB_BLACK; \
            RB_SET_BLACKRED(parent, gparent, field);\
            elm = gparent; \
            continue; \
        } \
        if (RB_RIGHT(parent, field) == elm) { \
            RB_ROTATE_LEFT(head, parent, tmp, field);\
            tmp = parent; \
            parent = elm; \
            elm = tmp; \
        } \
        RB_SET_BLACKRED(parent, gparent, field);\
        RB_ROTATE_RIGHT(head, gparent, tmp, field);\
    } else { \
        tmp = RB_LEFT(gparent, field); \
        if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
            RB_COLOR(tmp, field) = RB_BLACK; \
            RB_SET_BLACKRED(parent, gparent, field);\
            elm = gparent; \
            continue; \
        } \
        if (RB_LEFT(parent, field) == elm) \
    { \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp = parent; \
        parent = elm; \
        elm = tmp; \
    } \
    RB_SET_BLACKRED(parent, gparent, field);\
    RB_ROTATE_LEFT(head, gparent, tmp, field);\
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \

```

```

if (RB_LEFT(parent, field) == elm) { \
    tmp = RB_RIGHT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_LEFT(head, parent, tmp, field);\
        tmp = RB_RIGHT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp,
field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_RIGHT(tmp, field) == NULL || \
            RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
            struct type *oleft; \
            if ((oleft = RB_LEFT(tmp, field)) \
                != NULL) \
                RB_COLOR(oleft, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_RIGHT(head, tmp, oleft, field);\
            tmp = RB_RIGHT(parent, field); \
        } \
        RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
        RB_COLOR(parent, field) = RB_BLACK; \
        if (RB_RIGHT(tmp, field)) \
            RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
        RB_ROTATE_LEFT(head, parent, tmp, field);\
        elm = RB_ROOT(head); \
        break; \
    } \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \

```

```

parent = RB_PARENT(elm, field); \
} else { \
if (RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
    struct type *oright; \
    if ((oright = RB_RIGHT(tmp, field)) \
        != NULL) \
        RB_COLOR(oright, field) = RB_BLACK;\
    RB_COLOR(tmp, field) = RB_RED; \
    RB_ROTATE_LEFT(head, tmp, oright, field);\
    tmp = RB_LEFT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \
if (RB_LEFT(tmp, field)) \
    RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
RB_ROTATE_RIGHT(head, parent, tmp, field);\
elm = RB_ROOT(head); \
break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \

```

```

    RB_LEFT(parent, field) = child; \
else \
    RB_RIGHT(parent, field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
    parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
    RB_PARENT(RB_LEFT(old, field), field) = elm; \
    if (RB_RIGHT(old, field)) \
        RB_PARENT(RB_RIGHT(old, field), field) = elm; \
    if (parent) { \
        left = parent; \
        do { \
            RB_AUGMENT(left); \
        } while ((left = RB_PARENT(left, field)) != NULL); \
    } \
    goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\

```

```

/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = cmp(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    RB_SET(elm, parent, field); \
    if (parent != NULL) { \
        if (comp < 0) \
            RB_LEFT(parent, field) = elm; \
        else \
            RB_RIGHT(parent, field) = elm; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head) = elm; \
    name##_RB_INSERT_COLOR(head, \
    elm); \
    return (NULL); \
} \

```

```

/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \

```



```

}    \
    \
/* Finds the first node greater than or equal to the search key */\
attr struct type *    \
name##_RB_NFIND(struct name *head, struct type *elm) \
{    \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) {    \
        comp = cmp(elm, tmp); \
        if (comp < 0) {    \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp =
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
}    \
    \
/* ARGSUSED */    \
attr struct type *    \
name##_RB_NEXT(struct type *elm) \
{    \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
}    \
    \
/* ARGSUSED */    \
attr struct type *    \

```

```

name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    } \
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x, \
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

```

```

#define RB_FOREACH(x, name, head) \
for ((x) = RB_MIN(name, head); \
(x) != NULL; \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
(x) != NULL; \
(x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
head, y) \
for ((x) = RB_MAX(name, head); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"

```

```
builddir="$srcdir/${_pkgreal-$pkgver}"
```

```
build() {  
  export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
```

```
  PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \  
  INSTALLDIRS=vendor \  
  NO_PACKLIST=1 \  
  NO_PERLLOCAL=1  
  make  
}
```

```
check() {  
  export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
```

```
  make test  
}
```

```
package() {  
  make DESTDIR="$pkgdir" install  
}
```

```
sha512sums="  
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d  
9c959e69eace2169c6ed1cffe5277e4  
  Software-License-0.104007.tar.gz  
"
```

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

# Contributor: Dhruvin Gandhi <contact@dhruvin>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=py3-license-expression
_pkgname=license_expression
pkgver=30.4.4
pkgrel=0
pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gp517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-$pkgver.tar.gz"
buildid="$srcdir/_pkgname-$pkgver"

build() {
    gp517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
    license_expression-30.4.4.tar.gz
"

```

1.165 grpc-go 1.77.0

1.165.1 Available under license :

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.
Copyright 2014 gRPC authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.166 zap-exp 1.27.1

1.166.1 Available under license :

Copyright (c) 2016-2024 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.167 zap 1.27.1

1.167.1 Available under license :

Copyright (c) 2016-2024 Uber Technologies, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

1.168 busybox 1.37.0-r29

1.168.1 Available under license :

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"
```

```

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"

```

```
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
```

```
builddir="$srcdir/$_pkgreal-$pkgver"
```

```
build() {  
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
```

```
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
```

```
    INSTALLDIRS=vendor \
```

```
    NO_PACKLIST=1 \
```

```
    NO_PERLLOCAL=1
```

```
    make
```

```
}
```

```
check() {  
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
```

```
    make test
```

```
}
```

```
package() {  
    make DESTDIR="$pkgdir" install
```

```
}
```

```
sha512sums="  
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b  
8065ba65f4fea16dc9262728b3b6b85  
    BSD-Resource-1.2911.tar.gz  
"
```

```
maintainer="Achill Gilgenast <achill@achill.org>"  
pkgname=cargo-license  
pkgver=0.7.0  
pkgrel=1  
pkgdesc="Cargo subcommand to see license of dependencies"  
url="https://github.com/onur/cargo-license"  
arch="all"  
license="MIT"  
makedepends="cargo cargo-auditable"  
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"
```

```
prepare() {  
    default_prepare
```



```
    cargo fetch --target="$CTARGET" --locked
```

```
}
```

```
build() {  
    cargo auditable build --release --frozen
```

```
}
```

```
check() {
```

```

cargo test --frozen
}

package() {
install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
need dbus
}
# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--sourcedir=/usr/share/$pkgname
make

```

```
}
```

```
package() {  
  make DESTDIR="$pkgdir" install  
  install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE  
}
```

```
sha512sums="  
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6  
8d3390143e0e62d5e3d210ccfb61294  
  bsd-games-3.3.tar.gz  
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0  
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch  
"
```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
    --build=$CBUILD \  
    --host=$CHOST \  
    --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e76654309e001aee9bace727b5b4c8589405256a3c020 libart-lgpl-2.3.21.tar.bz2"


```

# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

```

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

#ifndef _SYS_QUEUE_H_

#define _SYS_QUEUE_H_

```

/*
* This file defines five types of data structures: singly-linked lists,
* lists, simple queues, tail queues, and circular queues.
*
* A singly-linked list is headed by a single forward pointer. The
* elements are singly linked for minimum space and
* pointer manipulation
* overhead at the expense of O(n) removal for arbitrary elements. New
* elements can be added to the list after an existing element or at the
* head of the list. Elements being removed from the head of the list
* should use the explicit macro for this purpose for optimum
* efficiency. A singly-linked list may only be traversed in the forward
* direction. Singly-linked lists are ideal for applications with large
* datasets and few or no removals or for implementing a LIFO queue.
*
* A list is headed by a single forward pointer (or an array of forward
* pointers for a hash table header). The elements are doubly linked
* so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before
* or after an existing element or at the head of the list. A list
* may only be traversed in the forward direction.
*
* A simple queue is headed by a pair of pointers, one the head of the
* list and the
* other to the tail of the list. The elements are singly
* linked to save space, so elements can only be removed from the
* head of the list. New elements can be added to the list after
* an existing element, at the head of the list, or at the end of the
* list. A simple queue may only be traversed in the forward direction.
*
* A tail queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before or
* after an existing element, at the head of the list, or at the end of
* the list. A tail queue may be traversed in either direction.
*
* A circle queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements
* can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.
*/

```

```

/*
 * Include the definition of NULL only on NetBSD because sys/null.h
 * is not available elsewhere. This conditional makes the header
 * portable and it can simply be dropped verbatim into any system.
 * The caveat is that on other systems some other header
 * must provide NULL before the macros can be used.
 */
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#ifdef QUEUEDEBUG
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \

```

```

    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

```

```

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
     (var) != LIST_END(head); \
     (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
     (var) != LIST_END(head) && \
     ((tvar) = LIST_NEXT((var), field), 1); \
     (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*

```

```

* List functions.
*/
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
    (head)->lh_first->field.le_prev != &(head)->lh_first) \
    QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
(elm)->field.le_next = (void *)1L; \
(elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

```

```
#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next
    = (head)->lh_first) != LIST_END(head))\
        (head)->lh_first->field.le_prev = &(elm)->field.le_next;\
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)
```

```
#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)
```

```
#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)
```

/*

* Simple queue definitions.

*/

```
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}
```

```
#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }
```

```
#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}
```

/*

* Simple queue access methods.


```

*/
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head); \
     (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head) && \
     ((next = ((var)->field.sqe_next)), 1); \
     (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

```

```

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
    (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
     == NULL) \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \
            curelm->field.sqe_next->field.sqe_next) == NULL) \
            (head)->sqh_last = &(curelm)->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
     NULL : \
     ((struct type \
      *) (void *) \
      ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */

#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }

#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

```

```

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}

#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type, )

/*
 * Tail queue access methods.
 */

#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head); \
        (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head) && \
        ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head); \
        (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head) && \
        ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head,

```

```

elm, field) \
if ((head)->tqh_first && \
    (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
if (*(head)->tqh_last != NULL) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
    (elm)->field.tqe_next->field.tqe_prev != \
    &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
(elm)->field.tqe_next = (void *)1L; \
(elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
}

```

```

(elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head,
elm, field) do { \
    QUEUEDEBBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \

```

```

        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm),
    field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */

```

```

#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \

```

```

for ((var) = STAILQ_FIRST((head)); \
    (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
    (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *) ((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

```



```

}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
    (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
    QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
        __FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
    (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
    QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_last != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} \
if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_first != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
            (elm), __FILE__, __LINE__); \
}
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
(elm)->field.cqe_next = (void *)1L; \
(elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
first element */ \
    struct type *cqh_last; /* last element */ \
}

```

```

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

```

```

else    \
    (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm);    \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else    \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm);    \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else    \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else    \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */
#define CIRCLEQ_FIRST(head) ((head)->cqh_first)

```

```

#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launder_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_last) \
     : \
     (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else

```

```

# define __THROW
# define __NTH(fct)  fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
buildid="srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=${pkgver}-r${pkgrel}" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
'Software'), to deal in the Software without restriction, including

```

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE

AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

#ifndef _SYS_TREE_H_

#define _SYS_TREE_H_

```

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
    struct name { \
        struct type *sph_root; /* root of the tree */ \
    }

#define SPLAY_INITIALIZER(root) \

```

```

{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
}

```



```

} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
    \
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
    \
static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */

```

```

#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if(__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field);\
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \

```

```

name##_SPLAY(struct
name *head, struct type *elm) \
{ \
struct type __node, *__left, *__right, *__tmp; \
int __comp; \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
__left = __right = &__node; \
\
while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
if (__comp < 0) { \
__tmp = SPLAY_LEFT((head)->sph_root, field); \
if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) < 0){ \
SPLAY_ROTATE_RIGHT(head, __tmp, field); \
if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
__tmp = SPLAY_RIGHT((head)->sph_root, field); \
if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) > 0){ \
SPLAY_ROTATE_LEFT(head, __tmp, field); \
if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
struct type __node, *__left, *__right, *__tmp; \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
__left = __right = &__node; \
\
while (1) { \
if (__comp < 0) { \

```

```

__tmp = SPLAY_LEFT((head)->sph_root, field); \
if (__tmp == NULL) \
    break; \
if (__comp < 0){ \
    SPLAY_ROTATE_RIGHT(head, __tmp, field); \
    if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if (__comp > 0) { \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
struct name { \
    struct type *rbh_root; /* root of the tree */ \
}

```

```

#define RB_INITIALIZER(root) \
{
    NULL }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \

```

```

if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
    RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
else \
    RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
    (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \

```

```

attr struct type *name##_RB_PREV(struct type *); \
attr struct type *name##_RB_MINMAX(struct name *, int); \
\

/* Main rb operation.
* Moves node close to the key of elm to top
*/

#define RB_GENERATE(name, type, field, cmp) \
RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
attr void \
name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
{ \
struct type \
*parent, *gparent, *tmp; \
while ((parent = RB_PARENT(elm, field)) != NULL && \
RB_COLOR(parent, field) == RB_RED) { \
gparent = RB_PARENT(parent, field); \
if (parent == RB_LEFT(gparent, field)) { \
tmp = RB_RIGHT(gparent, field); \
if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
RB_COLOR(tmp, field) = RB_BLACK; \
RB_SET_BLACKRED(parent, gparent, field);\
elm = gparent; \
continue; \
} \
if (RB_RIGHT(parent, field) == elm) { \
RB_ROTATE_LEFT(head, parent, tmp, field);\
tmp = parent; \
parent = elm; \
elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_RIGHT(head, gparent, tmp, field); \
} else { \
tmp = RB_LEFT(gparent, field); \
if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
RB_COLOR(tmp, field) = RB_BLACK; \
RB_SET_BLACKRED(parent, gparent, field);\
elm = gparent; \
continue; \
} \
if (RB_LEFT(parent, field) == elm) \
{ \
RB_ROTATE_RIGHT(head, parent, tmp, field);\
tmp = parent; \

```

```

    parent = elm; \
    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_LEFT(head, gparent, tmp, field); \
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, \
field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK; \
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field); \
                    tmp = RB_RIGHT(parent, field); \
                } \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field); \
                RB_COLOR(parent, field) = RB_BLACK; \
                if (RB_RIGHT(tmp, field)) \
                    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK; \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                elm = RB_ROOT(head); \
            } \
        } \
    } \
}

```



```

    break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\
            tmp = RB_LEFT(parent, field); \
        } \
        RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
        RB_COLOR(parent, field) = RB_BLACK; \
        if (RB_LEFT(tmp, field)) \
            RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        elm = RB_ROOT(head); \
        break; \
    } \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \

```

```

if (RB_LEFT(elm, field) == NULL) \
    child = RB_RIGHT(elm, field); \
else if (RB_RIGHT(elm, field) == NULL) \
    child = RB_LEFT(elm, field); \
else { \
    struct type *left; \
    elm = RB_RIGHT(elm, field); \
    while ((left = RB_LEFT(elm, field)) != NULL) \
        elm = left; \
    child = RB_RIGHT(elm, field); \
    parent = RB_PARENT(elm, field); \
    color = RB_COLOR(elm, field); \
    if (child) \
        RB_PARENT(child, field) = parent; \
    if (parent) { \
        if (RB_LEFT(parent, field) == elm) \
            RB_LEFT(parent, field) = child; \
        else \
            RB_RIGHT(parent, field) = child; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
    parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \

```

```

    RB_PARENT(child, field) = parent; \
    if (parent) { \
        if (RB_LEFT(parent, field) == elm) \
            RB_LEFT(parent, field) = child; \
        else \
            RB_RIGHT(parent,
field) = child; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head) = child; \
    color: \
    if (color == RB_BLACK) \
        name##_RB_REMOVE_COLOR(head, parent, child); \
    return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    RB_SET(elm, parent, field); \
    if (parent != NULL) { \
        if (comp < 0) \
            RB_LEFT(parent, field) = elm; \
        else \
            RB_RIGHT(parent, field) = elm; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head) = elm; \
    name##_RB_INSERT_COLOR(head,
elm); \
    return (NULL); \
} \
\

```

```

/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \

/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \

/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } \
}

```

```

} else {
    \
    if (RB_PARENT(elm, field) &&
        (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
        elm = RB_PARENT(elm, field); \
    else {
        \
        while (RB_PARENT(elm, field) &&
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        elm = RB_PARENT(elm, field); \
    } \
} \
return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{
    \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    }
    else {
        \
        if (RB_PARENT(elm, field) &&
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else {
            \
            while (RB_PARENT(elm, field) &&
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{
    \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) {
        \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    }

```

```

}    \
return (parent);    \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head)    \
for ((x) = RB_MIN(name, head);    \
(x) != NULL;    \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y)    \
for ((x) = (y);    \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y)    \
for ((x) = RB_MIN(name, head);    \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head)    \
for ((x) = RB_MAX(name, head);    \
(x) != NULL;    \
(x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y)    \
for ((x) = (y);    \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y)    \
for ((x) = RB_MAX(name, head);    \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

```

```

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
    Software-License-0.104007.tar.gz
"
(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including

```

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
# Contributor: Dhruvin Gandhi <contact@dhruvin>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=py3-license-expression
_pkgname=license_expression
pkgver=30.4.4
pkgrel=0
pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-$pkgver.tar.gz"
builddir="$srcdir/$pkgname-$pkgver"
```

```
build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}
```

```
check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}
```

```
package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}
```



```
}
```

```
sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
  license_expression-30.4.4.tar.gz
"
```

1.169 nghttp3 1.13.1-r0

1.169.1 Available under license :

The MIT License

Copyright (c) 2019 nghttp3 contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.170 alpine-baselayout 3.7.1-r8

1.170.1 Available under license :

```
# Automatically generated by apkbuild-cpan, template 1
# Contributor: Francesco Colista <francesco.colista@gmail.com>
# Maintainer: Francesco Colista <francesco.colista@gmail.com>
pkgname=perl-software-license
_pkgreal=Software-License
pkgver=0.103004
pkgrel=0
pkgdesc="packages that provide templated software licenses"
```

```

url="http://search.cpan.org/dist/Software-License/"
arch="noarch"
license="GPL PerlArtistic"
cpandepends="perl-text-template perl-data-section perl-sub-install"
cpanmakedepends=" "
depends="$cpandepends"
makedepends="perl-dev $cpanmakedepends"
subpackages="$pkgname-doc"
source="http://search.cpan.org/CPAN/authors/id/R/RJ/RJBS/${_pkgreal}-${pkgver}.tar.gz"

_buildddir="$srcdir/${_pkgreal}-${pkgver}"

prepare() {
    cd "$_buildddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}'`
    PERL_MM_USE_DEFAULT=1 perl Makefile.PL INSTALLDIRS=vendor
}

build() {
    cd "$_buildddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}'`
    make && make test
}

package() {
    cd "$_buildddir"
    make
    DESTDIR="$pkgdir" install || return 1
    find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}

md5sums="0c5fd53d93818566234578b27d667b35 Software-License-0.103004.tar.gz"
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-lgpl
pkgver=2.3.21
pkgrel=5
pkgdesc="A library for high-performance 2D graphics"
url="http://www.levien.com/libart/"
arch="all"
license="LGPL"
depends=
makedepends=
subpackages="$pkgname-dev"
source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-${pkgver}.tar.bz2"
"

_buildddir="$srcdir"/libart-lgpl-${pkgver}

```

```

prepare() {
    cd "$_builddir"
    update_config_sub || return 1
}
build() {
    cd "$_builddir"
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr \
    || return 1
    make || return 1
}

```

```

package() {
    cd "$_builddir"
    make DESTDIR="$pkgdir" install || return 1
}

```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e76654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"

IMPORTANT - READ BEFORE COPYING, INSTALLING OR USING.

Do not use or load this software and any associated materials (collectively, the "Software") until you have carefully read the following terms and conditions. By loading or using the Software, you agree to the terms of this Agreement. If you do not wish to so agree, do not install or use the Software.

1. COPYRIGHT NOTICE

Some or all of this work - Copyright 1999-2011, Intel Corp. All rights reserved.

2. LICENSE

2.1. This is your license from Intel Corp. under its intellectual property rights. You may have additional license terms from the party that provided you this software, covering your right to use that party's intellectual property rights.

2.2. Intel grants, free of charge, to any person ("Licensee") obtaining a copy of the source code appearing in this file ("Covered Code") an irrevocable, perpetual, worldwide license under Intel's copyrights in the base code distributed originally by Intel ("Original Intel Code") to copy, make derivatives, distribute, use and display any portion of the Covered Code in any form, with the right to sublicense such rights; and

2.3. Intel grants Licensee a non-exclusive and non-transferable patent license (with the right to sublicense), under only those claims of Intel patents that are infringed by the Original Intel Code, to make, use, sell, offer to sell, and import the Covered Code and derivative works thereof solely to the minimum extent necessary to exercise the above copyright license, and in no event shall the patent license extend to any additions to or modifications of the Original Intel Code. No other license or right is granted directly or by implication, estoppel or otherwise; The above copyright and patent license is granted only if the following conditions are met:

3. CONDITIONS

3.1. Redistribution of Source with Rights to Further Distribute Source. Redistribution of source code of any substantial portion of the Covered Code or modification with rights to further distribute source must include the above Copyright Notice, the above License, this list of Conditions, and the following Disclaimer and Export Compliance provision. In addition, Licensee must cause all Covered Code to which Licensee contributes to contain a file documenting the changes Licensee made to create that Covered Code and the date of any change. Licensee must include in that file the documentation of any changes made by any predecessor Licensee. Licensee must include a prominent statement that the modification is derived, directly or indirectly, from Original Intel Code.

3.2. Redistribution of Source with no Rights to Further Distribute Source. Redistribution of source code of any substantial portion of the Covered Code or modification without rights to further distribute source must include the following Disclaimer and Export Compliance provision in the documentation and/or other materials provided with distribution. In addition, Licensee may not authorize further sublicense of source of any portion of the Covered Code, and must include terms to the effect that the license from Licensee to its licensee is limited to the intellectual property embodied in the software Licensee provides to its licensee, and not to intellectual property embodied in modifications its licensee may make.

3.3. Redistribution of Executable. Redistribution in executable form of any substantial portion of the Covered Code or modification must reproduce the above Copyright Notice, and the following Disclaimer and Export Compliance provision in the documentation and/or other materials provided with the distribution.

3.4. Intel retains all right, title, and interest in and to the Original Intel Code.

3.5. Neither the name Intel nor any other trademark owned or controlled by Intel shall be used in advertising or otherwise to promote the sale, use or other dealings in products derived from or relating to the Covered

Code without prior written authorization from Intel.

4. DISCLAIMER AND EXPORT COMPLIANCE

4.1. INTEL MAKES NO WARRANTY OF ANY KIND REGARDING ANY SOFTWARE PROVIDED HERE. ANY SOFTWARE ORIGINATING FROM INTEL OR DERIVED FROM INTEL SOFTWARE IS PROVIDED "AS IS," AND INTEL WILL NOT PROVIDE ANY SUPPORT, ASSISTANCE, INSTALLATION, TRAINING OR OTHER SERVICES. INTEL WILL NOT PROVIDE ANY UPDATES, ENHANCEMENTS OR EXTENSIONS. INTEL SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY, NONINFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE.

4.2. IN NO EVENT SHALL INTEL HAVE ANY LIABILITY TO LICENSEE, ITS LICENSEES OR ANY OTHER THIRD PARTY, FOR ANY LOST PROFITS, LOST DATA, LOSS OF USE OR COSTS OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, UNDER ANY CAUSE OF ACTION OR THEORY OF LIABILITY, AND IRRESPECTIVE OF WHETHER INTEL HAS ADVANCE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING THE FAILURE OF THE ESSENTIAL PURPOSE OF ANY LIMITED REMEDY.

4.3. Licensee shall not export, either directly or indirectly, any of this software or system incorporating such software without first obtaining any required license or other approval from the U. S. Department of Commerce or any other agency or department of the United States Government. In the event Licensee exports any such software from the United States or re-exports any such software from a foreign destination, Licensee shall ensure that the distribution and export/re-export of the software is in compliance with all laws, regulations, orders, or other restrictions of the U.S. Export Administration Regulations. Licensee agrees that neither it nor any of its subsidiaries will export/re-export any technical data, process, software, or service, directly or indirectly, to any country for which the United States government or any agency thereof requires an export license, other governmental approval, or letter of assurance, without first obtaining such license, approval or letter.

/*

* Copyright (c) 1983, 1988 Regents of the University of California.

* All rights reserved.

*

- * Redistribution and use in source and binary forms are permitted
- * provided that the above copyright notice and this paragraph are
- * duplicated in all such forms and that any documentation,
- * advertising materials, and other materials related to such
- * distribution and use acknowledge that the software was developed
- * by the University of California, Berkeley. The name of the
- * University may not be used to endorse or promote products derived
- * from this software without specific prior written permission.
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND WITHOUT ANY EXPRESS OR
- * IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
- * WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
- */

INTEL SOFTWARE LICENSE AGREEMENT

IMPORTANT - READ BEFORE COPYING, INSTALLING OR USING.

Do not use or load this software and any associated materials (collectively, the "Software") until you have carefully read the following terms and conditions. By loading or using the Software, you agree to the terms of this Agreement. If you do not wish to so agree, do not install or use the Software.

LICENSES: Please Note:

- If you are a network administrator, the "Site License" below shall apply to you.
- If you are an end user, the "Single User License" shall apply to you.
- If you are an original equipment manufacturer (OEM), the "OEM License" shall apply to you.

SITE LICENSE. You may copy the Software onto your organization's computers for your organization's use, and you may make a reasonable number of back-up copies of the Software, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may not sublicense or permit simultaneous use of the Software by more than one user.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

SINGLE USER LICENSE. You may copy the Software onto a single computer for your personal, noncommercial use, and you may make one back-up copy of the Software, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may not sublicense or permit simultaneous use of the Software by more than one user.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

OEM LICENSE: You may reproduce and distribute the Software only as an integral part of or incorporated in Your product or as a standalone Software maintenance update for existing end users of Your products, excluding any other standalone products, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may only distribute the Software to your customers pursuant to a written license agreement. Such license agreement may be a "break-the-seal" license agreement. At a minimum such license shall safeguard Intel's ownership rights to the Software.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

NO OTHER RIGHTS. No rights or licenses are granted by Intel to You, expressly or by implication, with respect to any proprietary information or patent, copyright, mask work, trademark, trade secret, or other intellectual property right owned or controlled by Intel, except as expressly provided in this Agreement.

OWNERSHIP OF SOFTWARE AND COPYRIGHTS. Title to all copies of the Software remains with Intel or its suppliers. The Software is copyrighted and protected by the laws of the United States and other countries, and international treaty provisions. You may not remove any copyright notices from the Software. Intel may make changes to the Software, or to items referenced therein, at any time without notice, but is not obligated to support or update the Software. Except as otherwise expressly provided, Intel grants no express or implied right under Intel patents, copyrights,

trademarks, or other intellectual property rights. You may transfer the Software only if the recipient agrees to be fully bound by these terms and if you retain no copies of the Software.

LIMITED MEDIA WARRANTY. If the Software has been delivered by Intel on physical media, Intel warrants the media to be free from material physical defects for a period of ninety days after delivery by Intel. If such a defect is found, return the media to Intel for replacement or alternate delivery of the Software as Intel may select.

EXCLUSION OF OTHER WARRANTIES. EXCEPT AS PROVIDED ABOVE, THE SOFTWARE IS PROVIDED "AS IS" WITHOUT ANY EXPRESS OR IMPLIED WARRANTY OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, NONINFRINGEMENT, OR FITNESS FOR A PARTICULAR PURPOSE. Intel does not warrant or assume responsibility for the accuracy or completeness of any information, text, graphics, links or other items contained within the Software.

LIMITATION OF LIABILITY. IN NO EVENT SHALL INTEL OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES WHATSOEVER (INCLUDING, WITHOUT LIMITATION, LOST PROFITS, BUSINESS INTERRUPTION, OR LOST INFORMATION) ARISING OUT OF THE USE OF OR INABILITY TO USE THE SOFTWARE, EVEN IF INTEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. SOME JURISDICTIONS PROHIBIT EXCLUSION OR LIMITATION OF LIABILITY FOR IMPLIED WARRANTIES OR CONSEQUENTIAL OR INCIDENTAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. YOU MAY ALSO HAVE OTHER LEGAL RIGHTS THAT VARY FROM JURISDICTION TO JURISDICTION.

TERMINATION OF THIS AGREEMENT. Intel may terminate this Agreement at any time if you violate its terms. Upon termination, you will immediately destroy the Software or return all copies of the Software to Intel.

APPLICABLE LAWS. Claims arising under this Agreement shall be governed by the laws of California, excluding its principles of conflict of laws and the United Nations Convention on Contracts for the Sale of Goods. You may not export the Software in violation of applicable export laws and regulations. Intel is not obligated under any other agreements unless they are in writing and signed by an authorized representative of Intel.

GOVERNMENT RESTRICTED RIGHTS. The Software is provided with "RESTRICTED RIGHTS." Use, duplication, or disclosure by the Government is subject to restrictions as set forth in FAR52.227-14 and DFAR252.227-7013 et seq. or its successor. Use of the Software by the Government constitutes acknowledgment of Intel's proprietary rights therein. Contractor or Manufacturer is Intel
2200 Mission College Blvd., Santa Clara, CA
95052.

Automatically generated by apkbuidl-cpan, template 1

Contributor: Valery Kartel <valery.kartel@gmail.com>


```

# Maintainer: Valery Kartel <valery.kartel@gmail.com>
pkgname=perl-bsd-resource
_pkgreal=BSD-Resource
pkgver=1.2909
pkgrel=2
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="http://search.cpan.org/dist/BSD-Resource/"
arch="all"
license="GPL PerlArtistic"
cpandepends=""
cpanmakedepends=" "
depends="$cpandepends"
makedepends="perl-dev $cpanmakedepends"
subpackages="$pkgname-doc"
source="http://search.cpan.org/CPAN/authors/id/J/JH/JHI/${_pkgreal}-${pkgver}.tar.gz"

_buildddir="$srcdir/${_pkgreal}-${pkgver}"

prepare() {
    cd "$_buildddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}'`
    PERL_MM_USE_DEFAULT=1 perl Makefile.PL INSTALLDIRS=vendor
}

build() {
    cd "$_buildddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}'`
    make && make test || return 1
}

package() {
    cd "$_buildddir"
    make DESTDIR="$pkgdir" install || return 1
    find "$pkgdir"
    \(-name perllocal.pod -o -name .packlist\) -delete
}

md5sums="3c6dd2fa953088aa87e263f40818d012 BSD-Resource-1.2909.tar.gz"
sha256sums="c47d460e2bd00d8d049f6ff4a0f1f61957e289e8de45af5fc79e851e2e855e06 BSD-Resource-1.2909.tar.gz"
sha512sums="5f489eaac5089e82081b7cf51d62638750e443751b49415407354da96b17771819b5e6e85529faa41ddd85743363750157943c7f7700276cce2bd40a429fa430 BSD-Resource-1.2909.tar.gz"
SQLite Copyright
SQLite is in the
Public Domain

```

All of the deliverable code in SQLite has been dedicated to the public domain by the authors. All code authors, and

representatives of the companies they work for, have signed affidavits dedicating their contributions to the public domain and originals of those signed affidavits are stored in a firesafe at the main offices of Hwaci. Anyone is free to copy, modify, publish, use, compile, sell, or distribute the original SQLite code, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

The previous paragraph applies to the deliverable code in SQLite - those parts of the SQLite library that you actually bundle and ship with a larger application. Portions of the documentation and some code used as part of the build process might fall under other licenses. The details here are unclear. We do not worry about the licensing of the documentation and build code so much because none of these things are part of the core deliverable SQLite library.

All of the deliverable code in SQLite has been written from scratch. No code has been taken from other projects or from the open internet. Every line of code can be traced back to its original author, and all of those authors have public domain dedications on file. So the SQLite code base is clean and is uncontaminated with licensed code from other projects.

Obtaining An Explicit License To Use SQLite

Even though SQLite is in the public domain and does not require a license, some users want to obtain a license anyway. Some reasons for obtaining a license include:

You are using SQLite in a jurisdiction that does not recognize the public domain.

You are using SQLite in a jurisdiction that does not recognize the right of an author to dedicate their work to the public domain.

You want to hold a tangible legal document as evidence that you have the legal right to use and distribute SQLite.

Your legal department tells

you that you have to purchase a license.

If you feel like you really have to purchase a license for SQLite, Hwaci, the company that employs the architect and principal developers of SQLite, will sell you one.

Contributed Code

In order to keep SQLite completely free and unencumbered by copyright, all new contributors to the SQLite code base are asked to dedicate their contributions to the public domain. If you want to send a patch or enhancement for possible inclusion in the SQLite source tree, please accompany the patch with the following statement:

The author or authors of this code dedicate any and all copyright interest in this code to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this code under copyright law.

We are not able to accept patches or changes to SQLite that are not accompanied

by a statement such as the above. In addition, if you make changes or enhancements as an employee, then a simple statement such as the above is insufficient. You must also send by surface mail a copyright release signed by a company officer. A signed original of the copyright release should be mailed to:

Hwaci

6200 Maple Cove Lane

Charlotte, NC 28269

USA

A template copyright release is available in PDF or HTML. You can use this release to make future changes.

see <http://www.sqlite.org/copyright.html>
Copyright (c) 2016 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software source and associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, compile, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject the following terms and conditions:

All modifications to the Materials used to create a binary that is distributed to third parties shall be provided to Khronos with an unrestricted license to use for the purposes of implementing bug fixes and enhancements to the Materials;

If the binary is used as part of an OpenCL(TM) implementation, whether binary is distributed together with or separately to that implementation, then recipient must become an OpenCL Adopter and follow the published OpenCL conformance process for that implementation, details at:
<http://www.khronos.org/conformance/>;

The above copyright notice, the OpenCL trademark license, and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

OpenCL is a trademark of Apple Inc. used under license by Khronos.

Contributor: Fabian Affolter <fabian@affolter-engineering.ch>

Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>

pkgname=py-flake8-copyright

_pkgname=flake8-copyright

pkgver=0.2.0

pkgrel=1

pkgdesc="Extension for flake8 which checks for copyrights"

url="https://github.com/savoirfairelinux/flake8-copyright"

arch="noarch"

license="MIT"

depends="flake8"

```

makedepends="python3-dev"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

build() {
    cd "$builddir"
    python3 setup.py build || return 1
}

package() {
    cd "$builddir"
    python3 setup.py install --prefix=/usr --root="$pkgdir" || return 1
}

md5sums="c6348990c6d74933bf5d5f6a55a14bdf flake8-copyright-0.2.0.tar.gz"
sha256sums="aeef26eb4d5223c9cd5b101e68175fcef6d2b353bf36da688fdde62fccfe2b73 flake8-copyright-0.2.0.tar.gz"
sha512sums="bab1bfaeed3a525ac3c7da12b1f2ec338c204cc69b72d05cd39560e528faff5d586c3b1be9570f4a977a7e2417b586e543bfba12abce256b2023c8c4993eeb90 flake8-copyright-0.2.0.tar.gz"
mini_sendmail - accept email on behalf of real sendmail

```

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.171 ncurses 6.5_p20251123-r0

1.171.1 Available under license :

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: ncurses

Upstream-Contact: Thomas E. Dickey <dickey@invisible-island.net>

Source: <https://invisible-island.net/ncurses/ncurses.html>

Files: *

Copyright: 2017-2024,2025 by Thomas E. Dickey

1998-2016,2017 Free Software Foundation, Inc.

License: X11 License Distribution Modification Variant

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE

SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Comment:

<https://invisible-island.net/ncurses/ncurses-license.html>

Files: aclocal.m4 package

Copyright: 1996-2024,2025 by Thomas E. Dickey

License: X11 License Distribution Modification Variant

Files: doc/html/NCURSES-Programming-HOWTO.html

Copyright: 2001 by Pradeep Padala

License: X11 License Distribution

Modification Variant

Files: misc/ncu2openbsd
ncurses/wcwidth.h

Copyright: 2002-2024 by Thomas E. Dickey

License: X11

Files: install-sh

Copyright: 1994 X Consortium

License: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE LISTED COPYRIGHT HOLDER(S) BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: ncurses/tinfo/read_termcap.c
progs/tset.c

Copyright: 1980,1991,1992,1993 The Regents of the University of California.

License: BSD-3-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.
THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: test/terminal.xbm
Copyright: 1988 Evans & Sutherland Computer Corporation, Salt Lake City, Utah
License: StandardML-NJ
Comment: vile: txtmode file-encoding=utf-8
Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>
Upstream-Name: AdaCurses
Upstream-Contact: Thomas E. Dickey <dickey@invisible-island.net>
Source: <https://invisible-island.net/ncurses/Ada95.html>

Files: *
Copyright: 2017-2024,2025 by Thomas E. Dickey
Copyright: 1998-2016,2017 Free Software Foundation, Inc.
License: X11 License Distribution Modification Variant
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.
THE
SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.
Except as contained in this notice, the name(s) of the above copyright

holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Comment:

<https://invisible-island.net/ncurses/ncurses-license.html>

Files: install-sh

Copyright: 1994 X Consortium

License: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE LISTED COPYRIGHT HOLDER(S) BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Comment: vile: txtmode file-encoding=utf-8

Copyright 2018-2024,2025 Thomas E. Dickey

Copyright 1998-2017,2018 Free Software Foundation, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS

OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

-- vile:txtmode fc=72
-- \$Id: COPYING,v 1.14 2025/01/04 10:53:46 tom Exp \$
Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>
Upstream-Name: ncurses-examples
Upstream-Contact: Thomas E. Dickey <dickey@invisible-island.net>
Source: <https://invisible-island.net/ncurses/ncurses-examples.html>

Files: *

Copyright: 2017-2024,2025 by Thomas E. Dickey

1998-2016,2017 Free Software Foundation, Inc.

License: X11 License Distribution Modification Variant

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Comment:

<https://invisible-island.net/ncurses/ncurses-license.html>

Files: aclocal.m4 package

Copyright: 2003-2024,2025 by Thomas E. Dickey

License: X11 License Distribution Modification Variant

Files: install-sh

Copyright: 1994 X Consortium

License: X11

Permission is hereby granted,

free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
ABOVE LISTED COPYRIGHT HOLDER(S) BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright
holders shall not be used in advertising or otherwise to promote the sale,
use or other dealings in this Software without prior written authorization.

Files: terminal.xbm

Copyright: 1988 Evans & Sutherland Computer Corporation, Salt Lake City, Utah

License: StandardML-NJ

Comment: vile: txtmode file-encoding=utf-8

1.172 libunistring 1.4.1-r0

1.172.1 Available under license :

/* Extract the last component (base name) of a file name.

Copyright (C) 1998, 2001, 2003-2006, 2009-2025 Free Software Foundation,
Inc.

This file is free software: you can redistribute it and/or modify

it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This file is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>. */

```
#ifndef _BASENAME_LGPL_H
#define _BASENAME_LGPL_H

/* This file uses _GL_ATTRIBUTE_PURE. */
#if !_GL_CONFIG_H_INCLUDED
#error "Please include config.h first."
#endif

#include <stddef.h>

#ifndef
DOUBLE_SLASH_IS_DISTINCT_ROOT
# define DOUBLE_SLASH_IS_DISTINCT_ROOT 0
#endif

#ifdef __cplusplus
extern "C" {
#endif

/* Return the address of the last file name component of FILENAME.
   If FILENAME has some trailing slash(es), they are considered to be
   part of the last component.
   If FILENAME has no relative file name components because it is a file
   system root, return the empty string.
   Examples:
       FILENAME    RESULT
       "foo.c"     "foo.c"
       "foo/bar.c" "bar.c"
       "/foo/bar.c" "bar.c"
       "foo/bar/"  "bar/"
       "foo/bar/"  "bar/"
       "/"         ""
       "/"         ""
       ""          ""

   The return value is a tail of the given FILENAME; do NOT free() it! */
```

```

/* This function was traditionally called 'basename', but we avoid this
function name because
* Various platforms have different functions in their libc.
In particular, the glibc basename(),
defined in <string.h>, does
not consider trailing slashes to be part of the component:
    FILENAME    RESULT
    "foo/bar/"   ""
    "foo/bar/"   ""
* The 'basename' command eliminates trailing slashes and for a root
produces a non-empty result:
    FILENAME    RESULT
    "foo/bar/"   "bar"
    "foo/bar/"   "bar"
    "/"          "/"
    "/"          "/"
*/
extern char *last_component (char const *filename) _GL_ATTRIBUTE_PURE;

/* Return the length of the basename FILENAME.
Typically FILENAME is the value returned by base_name or last_component.
Act like strlen (FILENAME), except omit all trailing slashes. */
extern size_t base_len (char const *filename) _GL_ATTRIBUTE_PURE;

#ifdef __cplusplus
} /* extern "C" */
#endif

#endif /* _BASENAME_LGPL_H */
GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

```

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the

GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of

software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If

the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is

covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section
4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution
medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no

charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered

work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),

EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary.

For more information on this, and how to apply and follow the GNU GPL, see
<<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read
<<https://www.gnu.org/licenses/why-not-lgpl.html>>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the

Library is used in it and that the Library and its use are covered by this License.

b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is

necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the

1.173 pam 1.7.1-r1

1.173.1 Available under license :

Unless otherwise *explicitly* stated the following text describes the licensed conditions under which the contents of this Linux-PAM release may be distributed:

Redistribution and use in source and binary forms of Linux-PAM, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

ALTERNATIVELY, this product may be distributed under the terms of the GNU General Public License, in which case the provisions of the GNU GPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU GPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Unless otherwise *explicitly* stated the following text describes the licensed conditions under which the contents of this libpamc release may be distributed:

Redistribution and use in source and binary forms of libpamc, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain any existing copyright notice, and this entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce all prior and current copyright notices, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of any author may not be used to endorse or promote products derived from this software without their specific prior written permission.

ALTERNATIVELY, this product may be distributed under the terms of the GNU Library General Public License (LGPL), in which case the provisions of the GNU LGPL are required INSTEAD OF the above restrictions. (This clause is necessary due to a potential conflict between the GNU LGPL and the restrictions contained in a BSD-style copyright.)

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR(S) BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.174 sqlite 3.51.1-r0

1.174.1 Available under license :

The author disclaims copyright to this source code. In place of a legal notice, here is a blessing:

May you do good and not evil.
May you find forgiveness for yourself and forgive others.
May you share freely, never taking more than you give.

License Information

=====

SQLite Is Public Domain

The SQLite source code, including all of the files in the directories listed in the bullets below are

[Public Domain](<https://sqlite.org/copyright.html>).

The authors have submitted written affidavits releasing their work to the public for any use. Every byte of the public-domain code can be traced back to the original authors. The files of this repository that are public domain include the following:

- * All of the primary SQLite source code files found in the [src/ directory](<https://sqlite.org/src/tree/src?type=tree&expand>)
- * All of the test cases and testing code in the [test/ directory](<https://sqlite.org/src/tree/test?type=tree&expand>)
- * All of the SQLite extension source code and test cases in the [ext/ directory](<https://sqlite.org/src/tree/ext?type=tree&expand>)
- * All code that ends up in the "sqlite3.c" and "sqlite3.h" build products that actually implement the SQLite RDBMS.
- * All of the code used to compile the [command-line interface](<https://sqlite.org/cli.html>)
- * All of the code used to build various utility programs such as "sqldiff", "sqlite3_rsync", and "sqlite3_analyzer".

The public domain source files usually contain a header comment similar to the following to make it clear that the software is public domain.

> The author disclaims copyright to this source code. In place of
> a legal notice, here is a blessing:
>
> * May you do good and not evil.
> * May you find forgiveness for yourself and forgive others.
> * May you share freely, never taking more than you give.

Almost every file you find in this source repository will be

public domain. But there are a small number of exceptions:

Non-Public-Domain Code Included With This Source Repository AS A Convenience

This repository contains a (relatively) small amount of non-public-domain code

used to help implement the configuration and build logic. In other words, there are some non-public-domain files used to implement:

```
> ./configure && make
```

In all cases, the non-public-domain files included with this repository have generous BSD-style licenses. So anyone is free to use any of the code in this source repository for any purpose, though attribution may be required to reuse or republish the configure and build scripts. None of the non-public-domain code ever actually reaches the build products, such as "sqlite3.c", however, so no attribution is required to use SQLite itself. The non-public-domain code consists of scripts used to help compile SQLite. The non-public-domain code is technically not part of SQLite. The non-public-domain code is included in this repository as a convenience to developers, so that those who want to build SQLite do not need to go download a bunch of third-party build scripts in order to compile SQLite.

Non-public-domain code included in this repository includes:

- * The ["autosetup"](<http://msteveb.github.io/autosetup/>) configuration system that is contained (mostly) in the autosetup/ directory, but also includes the "./configure" script at the top-level of this archive. Autosetup has a separate BSD-style license. See the [autosetup/LICENSE](<http://msteveb.github.io/autosetup/license/>) for details.
- * There are BSD-style licenses on some of the configuration software found in the legacy autoconf/ directory and its subdirectories.

The following unix shell command can be run from the top-level of this source repository in order to remove all non-public-domain code:

```
> rm -rf configure autosetup autoconf
```

If you unpack this source repository and then run the command above, what is left will be 100% public domain.

Unless explicitly stated, all files which form part of autoseup
are released under the following license:

autoseup - A build environment "autoconfigurator"

Copyright (c) 2010-2011, WorkWare Systems <<http://workware.net.au/>>

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE WORKWARE SYSTEMS ``AS IS" AND ANY
EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL WORKWARE
SYSTEMS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation
are those of the authors and should not be interpreted as representing
official policies, either expressed or implied, of WorkWare Systems.

1.175 golang 1.25.5

1.175.1 Available under license :

```
// Copyright 2024 The Go Authors. All rights reserved.  
// Use of this source code is governed by a BSD-style  
// license that can be found in the LICENSE file.
```

```
package copyright
```

```
import (
```

```

"bytes"
"internal/testenv"
"io"
"io/fs"
"os"
"path/filepath"
"testing"
)

var copyright = []byte("Copyright")

var permitted = [][]byte{
    []byte("// Code generated by "),
    []byte("// Code generated from "),
    []byte("// Created by cgo -cdefs"),
    []byte("// DO NOT EDIT\n// generated by:"),
    []byte("// Empty assembly file"),
    []byte("// Generated using cgo"),
    []byte("// Original source:\n/\thttp://www.zorinaq.com/papers/md5-amd64.html"), // public domain crypto/md5
    []byte("// created by cgo -cdefs"),
    []byte("// go run mkasm.go"),
    []byte("// mkerrors"),
    []byte("// mksys"),
    []byte("// run\n// Code generated by"), // cmd/compile/internal/test/constFold_test.go
}

func TestCopyright(t *testing.T) {
    buf := make([]byte, 2048)
    filepath.WalkDir(filepath.Join(testenv.GOROOT(t), "src"), func(path string,
        d fs.DirEntry, err error) error {
        if d.IsDir() && (d.Name() == "testdata" || d.Name() == "vendor") {
            return filepath.SkipDir
        }
        switch filepath.Ext(d.Name()) {
        default:
            return nil
        case ".s", ".go":
            // check
        }

        f, err := os.Open(path)
        if err != nil {
            t.Error(err)
            return nil
        }
        defer f.Close()
        n, err := f.Read(buf)
        if err != nil && err != io.EOF {

```

```

t.Error(err)
return nil
}
b := buf[:n]
if bytes.Contains(b, copyright) {
    return nil
}
for _, ok := range permitted {
    if bytes.HasPrefix(b, ok) {
        return nil
    }
}
t.Errorf("%s: missing copyright notice", path)
return nil
}))
}

```

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Go source code and supporting files in this directory are covered by the usual Go license (see ../../../../LICENSE).

When building with GOEXPERIMENT=boringcrypto, the following applies.

The `goboringcrypto_linux_amd64.syso` object file is built from BoringSSL source code by `build/build.sh` and is covered by the BoringSSL license reproduced below and also at <https://boringssl.googlesource.com/boringssl/+/fips-20220613/LICENSE>.

BoringSSL is a fork of OpenSSL. As such, large parts of it fall under OpenSSL licensing. Files that are completely new have a Google copyright and an ISC license. This license is reproduced at the bottom of this file.

Contributors to BoringSSL are required to follow the CLA rules for Chromium: <https://cla.developers.google.com/clas>

Some files from Intel are under yet another license, which is also included underneath.

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit.

See below

for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

The following are Google-internal bug numbers where explicit permission from some authors is recorded for use of their work. (This is purely for our own record keeping.)

27287199

27287880

27287883

OpenSSL License

/* =====

* Copyright (c) 1998-2011 The OpenSSL Project. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following

disclaimer in

* the documentation and/or other materials provided with the

* distribution.

```

*
* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
*
* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.
*
* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.
*
* 6. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit
* (http://www.openssl.org/)"
*
* THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
* EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
* LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
* STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
* OF THE POSSIBILITY OF SUCH DAMAGE.
* =====
*
* This product includes cryptographic software written by Eric Young
* (eay@cryptsoft.com). This product
* includes software written by Tim
* Hudson (tjh@cryptsoft.com).
*
*/

```

Original SSLeay License

```

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
* All rights reserved.
*

```

- * This package is an SSL implementation written
- * by Eric Young (eay@cryptsoft.com).
- * The implementation was written so as to conform with Netscapes SSL.
- *
- * This library is free for commercial and non-commercial use as long as
- * the following conditions are aheared to. The following conditions
- * apply to all code found in this distribution, be it the RC4, RSA,
- * lhash, DES, etc., code; not just the SSL code. The SSL documentation
- * included with this distribution is covered by the same copyright terms
- * except that the holder is Tim Hudson (tjh@cryptsoft.com).
- *
- * Copyright remains Eric Young's, and as such any Copyright notices in
- * the code are not to be removed.
- * If this package is used in a product, Eric Young should be given attribution
- * as the author of
- the parts of the library used.
- * This can be in the form of a textual message at program startup or
- * in documentation (online or textual) provided with the package.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. All advertising materials mentioning features or use of this software
- * must display the following acknowledgement:
- * "This product includes cryptographic software written by
- * Eric Young (eay@cryptsoft.com)"
- * The word 'cryptographic' can be left out if the rouines from the library
- * being used are
- not cryptographic related :-).
- * 4. If you include any Windows specific code (or a derivative thereof) from
- * the apps directory (application code) you must include an acknowledgement:
- * "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
- *
- * THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
- * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE

POSSIBILITY OF

* SUCH DAMAGE.

*

* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]

*/

ISC license used for completely new code in BoringSSL:

/* Copyright (c) 2015, Google Inc.

*

* Permission to use, copy, modify, and/or distribute this software for any
* purpose with or without fee is hereby granted, provided that the above
* copyright notice and this permission notice appear in all copies.

*

* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
* SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION
* OF CONTRACT, NEGLIGENCE
OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN
* CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. */

Some files from Intel carry the following license:

Copyright (c) 2012, Intel Corporation

#

All rights reserved.

#

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

#

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

#

* Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the
distribution.

#

* Neither the name of the Intel Corporation nor the names of its
contributors may be used to endorse or promote products derived from

```
# this software without specific prior written permission.
#
#
# THIS SOFTWARE IS PROVIDED BY INTEL CORPORATION
# ""AS IS"" AND ANY
# EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
# IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
# PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL INTEL CORPORATION OR
# CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
# EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
# PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
# PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF
# LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
# NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
# SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
# People who have agreed to one of the CLAs and can contribute patches.
# The AUTHORS file lists the copyright holders; this file
# lists people. For example, Google employees are listed here
# but not in AUTHORS, because Google holds the copyright.
#
# https://developers.google.com/open-source/cla/individual
# https://developers.google.com/open-source/cla/corporate
#
# Names should be added to this file as:
#   Name <email address>
Raul Silvera <rsilvera@google.com>
Tipp Moseley <tipp@google.com>
Hyoun Kyu Cho <netforce@google.com>
Martin Spier <spiermar@gmail.com>
Taco de Wolff <tacodewolff@gmail.com>
Andrew Hunter <andrewhhunter@gmail.com>
Copyright (c) 2009 The Go Authors. All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or

Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use,

reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2015 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright 2015 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright 2009-2017 Andrea Leofreddi <a.leofreddi@vleo.net>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of Andrea Leofreddi.

1.176 apk-tools 3.0.1-r1

1.176.1 Available under license :

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
```

```

mkdir -p "$pkgdir"
}

_subpkg() {
local type=${subpkgname/$pkgname-/}
pkgdesc="$pkgdesc ($type)"
install_if="$pkgname=$pkgver-r$pkgrel"
mkdir -p "$subpkgdir"/usr/share/spdx
cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
pkgdesc="$pkgdesc (licence list)"
mkdir -p "$subpkgdir"/usr/share/spdx
local i; for i in "$builddir"/text/*.txt;
do
local license=${i##*/}
echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-$pkgver"

build() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
INSTALLDIRS=vendor \

```

```

NO_PACKLIST=1 \
NO_PERLLOCAL=1
make
}

check() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
make test
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
default_prepare

cargo fetch --target="$CTARGET" --locked
}

build() {
cargo auditable build --release --frozen
}

check() {
cargo test --frozen
}

package() {
install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

```

```

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
    need dbus
}
# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
    # some GNU autoconf options are ignored, but it works
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr \
        --sysconfdir=/etc \
        --mandir=/usr/share/man \
        --scoredir=/usr/share/$pkgname
    make
}

package() {
    make DESTDIR="$pkgdir" install
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

```

```
sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
  BSD-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"
```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart_lgpl/2.3/libart_lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart_lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
    --build=$CBUILD \  
    --host=$CHOST \  
    --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"

Contributor: Patrycja Rosa <alpine@ptrcnull.me>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=bsd-compat-headers

pkgver=0.7.2

pkgrel=6

pkgdesc="BSD compatibility headers (cdefs, queue, tree)"

url="https://gitlab.alpinelinux.org/alpine/aports"

```

arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

Original Copyright (c) 1985 by Supoj Sutanthavibul
 Parts Copyright (c) 1989-2012 by Brian V. Smith
 Parts Copyright (c) 1991 by Paul King
 Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
 The text rotation code in w_rottext.c was written by Alan Richardson.
 The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker
 The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick
 The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-

bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:
 "X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

```

/* $NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp $ */

/*
 * Copyright (c) 1991, 1993
 * The Regents of the University of California. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the University nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * @(#)queue.h 8.5 (Berkeley) 8/20/94
 */

#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_

/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and

```


pointer manipulation

- * overhead at the expense of $O(n)$ removal for arbitrary elements. New
- * elements can be added to the list after an existing element or at the
- * head of the list. Elements being removed from the head of the list
- * should use the explicit macro for this purpose for optimum
- * efficiency. A singly-linked list may only be traversed in the forward
- * direction. Singly-linked lists are ideal for applications with large
- * datasets and few or no removals or for implementing a LIFO queue.

*

- * A list is headed by a single forward pointer (or an array of forward
- * pointers for a hash table header). The elements are doubly linked
- * so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before
- * or after an existing element or at the head of the list. A list
- * may only be traversed in the forward direction.

*

- * A simple queue is headed by a pair of pointers, one the head of the
- * list and the

other to the tail of the list. The elements are singly

- * linked to save space, so elements can only be removed from the
- * head of the list. New elements can be added to the list after
- * an existing element, at the head of the list, or at the end of the
- * list. A simple queue may only be traversed in the forward direction.

*

- * A tail queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before or
- * after an existing element, at the head of the list, or at the end of
- * the list. A tail queue may be traversed in either direction.

*

- * A circle queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements

can be added to the list before or after

- * an existing element, at the head of the list, or at the end of the list.
- * A circle queue may be traversed in either direction, but has a more
- * complex end of list detection.

*

- * For details on the use of these macros, see the queue(3) manual page.

*/

/*

- * Include the definition of NULL only on NetBSD because sys/null.h
- * is not available elsewhere. This conditional makes the header
- * portable and it can simply be dropped verbatim into any system.
- * The caveat is that on other systems some other header

```

* must provide NULL before the macros can be used.
*/
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#if defined(QUEUEDEBUG)
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
* Singly-linked List definitions.
*/
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
* Singly-linked List access methods.
*/
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \

```

```

        ((tvar) = SLIST_NEXT((var), field), 1); \
        (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \

```

```

struct name {      \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
    { NULL }

#define LIST_ENTRY(type) \
struct {      \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
    for ((var) = ((head)->lh_first); \
         (var) != LIST_END(head); \
         (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = LIST_FIRST((head)); \
         (var) != LIST_END(head) && \
         ((tvar) = LIST_NEXT((var), field), 1); \
         (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */
#ifdef QUEUEDEBDEBUG
#define QUEUEDEBDEBUG_LIST_INSERT_HEAD(head, elm, field) \
    if ((head)->lh_first && \
        (head)->lh_first->field.le_prev != &(head)->lh_first) \

```

```

QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
    __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
(elm)->field.le_next = (void *)1L; \
(elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

```

```

(head)->lh_first = (elm); \
(elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

```

```

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head); \
    (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head) && \
    ((next = ((var)->field.sqe_next)), 1); \
    (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

```

```

} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \
            curelm->field.sqe_next->field.sqe_next) == NULL) \
            (head)->sqh_last = &(curelm->field.sqe_next); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
    NULL : \
    ((struct type \
    *) (void *) \
    ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */

#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }

#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
    struct { \
        qual type *tqe_next; /* next element */ \
        qual type *qual *tqe_prev; /* address of previous next element */ \
    }

```



```

#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */

#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
         (var) != TAILQ_END(head); \
         (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
         (var) != TAILQ_END(head) && \
         ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
         (var) != TAILQ_END(head); \
         (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
         (var) != TAILQ_END(head) && \
         ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \

```

```

    QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
    if ((elm)->field.tqe_next && \
        (elm)->field.tqe_next->field.tqe_prev != \
        &(elm)->field.tqe_next) \
        QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \
    if (*(elm)->field.tqe_prev != (elm)) \
        QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
    if ((elm)->field.tqe_next == NULL && \
        (head)->tqh_last != &(elm)->field.tqe_next) \
        QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
            (head), (elm), __FILE__, \
            __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \

```

```

(elm)->field.tqe_prev = (head)->tqh_last; \
*(head)->tqh_last = (elm); \
(head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
        (listelm)->field.tqe_next = (elm); \
        (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
        *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
        QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
    } while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm),

```

```

    field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \

```

```

(head)->stqh_last = &(elm)->field.stqe_next; \
(head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL)\
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last

```

```

= (head2)->stqh_first; \
(head1)->stqh_last = (head2)->stqh_last; \
STAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
NULL : \
((struct type *) (void *) \
((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifndef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
(head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \

```

```

    __FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
    (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
    QUEUEDEBDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBDEBUG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_last != (elm)) \
        QUEUEDEBDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QUEUEDEBDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} \
if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_first != (elm)) \
        QUEUEDEBDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
        QUEUEDEBDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
            (elm), __FILE__, __LINE__); \
}
#define QUEUEDEBDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
(elm)->field.cqe_next = (void *)1L; \
(elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

```

```

}

/*
 * Circular queue functions.
 */

#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
    listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \

```



```

(elm)->field.cqe_next
= CIRCLEQ_END(head); \
(elm)->field.cqe_prev = (head)->cqh_last; \
if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
    (head)->cqh_first = (elm); \
else \
    (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)

```

```

#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_last) \
     : \
     (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>

```

```

pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR
IN CONNECTION WITH THE
SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE

AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

#ifndef _SYS_TREE_H_

#define _SYS_TREE_H_

#ifdef __GNUC__

#define __GNUC_PREREQ__(x, y) \

((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \

(__GNUC__ > (x)))

#else

#define __GNUC_PREREQ__(x, y) 0

#endif

```

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \

```

```

struct {
    \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \

```

```

void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
\
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
\
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
\
static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \

```

```

int __comp;    \
name##_SPLAY(head, elm);    \
__comp = (cmp)(elm, (head)->sph_root);    \
if(__comp < 0) {    \
    SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
    SPLAY_RIGHT(elm, field) = (head)->sph_root;    \
    SPLAY_LEFT((head)->sph_root, field) = NULL;    \
} else if (__comp > 0) {    \
    SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field);\
    SPLAY_LEFT(elm, field) = (head)->sph_root;    \
    SPLAY_RIGHT((head)->sph_root, field) = NULL;    \
} else    \
    return ((head)->sph_root);    \
}    \
(head)->sph_root = (elm);    \
return (NULL);    \
}    \
\
struct type *    \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{    \
    struct type *__tmp;    \
    if (SPLAY_EMPTY(head))    \
        return (NULL);    \
    name##_SPLAY(head, elm);    \
    if ((cmp)(elm, (head)->sph_root) == 0) {    \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) {    \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else {    \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm);    \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp;    \
        }    \
        return (elm);    \
    }    \
    return (NULL);    \
}    \
\
void    \
name##_SPLAY(struct
name *head, struct type *elm) \
{    \
    struct type __node, *__left, *__right, *__tmp;    \
    int __comp;    \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\

```



```

__left = __right = &__node;  \
\
while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) {  \
    if (__comp < 0) {  \
        __tmp = SPLAY_LEFT((head)->sph_root, field); \
        if (__tmp == NULL)  \
            break;  \
        if ((cmp)(elm, __tmp) < 0){  \
            SPLAY_ROTATE_RIGHT(head, __tmp, field); \
            if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                break;  \
        }  \
        SPLAY_LINKLEFT(head, __right, field); \
    } else if (__comp > 0) {  \
        __tmp = SPLAY_RIGHT((head)->sph_root, field); \
        if (__tmp == NULL)  \
            break;  \
        if ((cmp)(elm, __tmp) > 0){  \
            SPLAY_ROTATE_LEFT(head, __tmp, field); \
            if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
                break;  \
        }  \
        SPLAY_LINKRIGHT(head, __left, field); \
    }  \
}  \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
}  \
\
/* Splay with either the minimum or the maximum element  \
* Used to find minimum or maximum element in tree.  \
*/  \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{  \
    struct type __node, *__left, *__right, *__tmp;  \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node;  \
    \
    while (1) {  \
        if (__comp < 0) {  \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL)  \
                break;  \
            if (__comp < 0){  \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break;  \
            }

```

```

    } \
    SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if (__comp > 0) { \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL \
    }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

```

```

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
}

```

```

RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */

```

```

#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        struct type \
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \
            RB_COLOR(parent, field) == RB_RED) { \
            gparent = RB_PARENT(parent, field); \
            if (parent == RB_LEFT(gparent, field)) { \
                tmp = RB_RIGHT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field); \
                    elm = gparent; \
                    continue; \
                } \
                if (RB_RIGHT(parent, field) == elm) { \
                    RB_ROTATE_LEFT(head, parent, tmp, field); \
                    tmp = parent; \
                    parent = elm; \
                    elm = tmp; \
                } \
                RB_SET_BLACKRED(parent, gparent, field); \
                RB_ROTATE_RIGHT(head, gparent, tmp, field); \
            } else { \
                tmp = RB_LEFT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field); \
                    elm = gparent; \
                    continue; \
                } \
                if (RB_LEFT(parent, field) == elm) \
            { \
                RB_ROTATE_RIGHT(head, parent, tmp, field); \
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \
            RB_ROTATE_LEFT(head, gparent, tmp, field); \
        } \
    } \

```

```

RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, \
field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK; \
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field); \
                    tmp = RB_RIGHT(parent, field); \
                } \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field); \
                RB_COLOR(parent, field) = RB_BLACK; \
                if (RB_RIGHT(tmp, field)) \
                    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK; \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                elm = RB_ROOT(head); \
                break; \
            } \
        } else { \
            tmp = RB_LEFT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_RIGHT(head, parent, tmp, field); \

```

```

    tmp
= RB_LEFT(parent, field); \
} \
if ((RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
    (RB_RIGHT(tmp, field) == NULL || \
    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
    if (RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
        struct type *oright; \
        if ((oright = RB_RIGHT(tmp, field)) \
            != NULL) \
            RB_COLOR(oright, field) = RB_BLACK;\
        RB_COLOR(tmp, field) = RB_RED; \
        RB_ROTATE_LEFT(head, tmp, oright, field);\
        tmp = RB_LEFT(parent, field); \
    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK; \
    if (RB_LEFT(tmp, field)) \
        RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \

```

```

while ((left = RB_LEFT(elm, field)) != NULL) \
    elm = left; \
child = RB_RIGHT(elm, field); \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent, field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
    parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,

```



```

field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\

/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    RB_SET(elm, parent, field); \
    if (parent != NULL) { \
        if (comp < 0) \
            RB_LEFT(parent, field) = elm; \
        else \
            RB_RIGHT(parent, field) = elm; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head) = elm; \
    name##_RB_INSERT_COLOR(head, \
    elm); \
    return (NULL); \
} \
\

/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \

```

```

while (tmp) {
    comp = cmp(elm, tmp);
    if (comp < 0)
        tmp = RB_LEFT(tmp, field);
    else if (comp > 0)
        tmp = RB_RIGHT(tmp, field);
    else
        return (tmp);
}
return (NULL);
}

/* Finds the first node greater than or equal to the search key */
attr struct type *
name##_RB_NFIND(struct name *head, struct type *elm)
{
    struct type *tmp = RB_ROOT(head);
    struct type *res = NULL;
    int comp;
    while (tmp) {
        comp = cmp(elm, tmp);
        if (comp < 0) {
            res = tmp;
            tmp = RB_LEFT(tmp, field);
        }
        else if (comp > 0)
            tmp =
RB_RIGHT(tmp, field);
        else
            return (tmp);
    }
    return (res);
}

/* ARGSUSED */
attr struct type *
name##_RB_NEXT(struct type *elm)
{
    if (RB_RIGHT(elm, field)) {
        elm = RB_RIGHT(elm, field);
        while (RB_LEFT(elm, field))
            elm = RB_LEFT(elm, field);
    } else {
        if (RB_PARENT(elm, field) &&
            (elm == RB_LEFT(RB_PARENT(elm, field), field)))
            elm = RB_PARENT(elm, field);
        else {
            while (RB_PARENT(elm, field) &&

```

```

        (elm == RB_RIGHT(RB_PARENT(elm, field), field)))\
    elm = RB_PARENT(elm, field); \
    elm = RB_PARENT(elm, field); \
} \
} \
return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    }
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field)))\
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

```

```

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
for ((x) = RB_MIN(name, head); \
(x) != NULL; \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
(x) != NULL; \
(x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y) \
for ((x) = RB_MAX(name, head); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0

```

```

# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
Software-License-0.104007.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir/\${_pkgname}-\${pkgver}"

```
build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}
```

```
check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}
```

```
package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}
```

sha512sums="

f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066

```
license_expression-30.4.4.tar.gz
```

```
"
```

1.177 alpine-base 3.23.0-r0

1.177.1 Available under license :

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}
```

```

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkbuid-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkbuid-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

```



```

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a  cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
    need dbus
}

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2

```

```

pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"
options="!check" # no tests

build() {
    # some GNU autoconf options are ignored, but it works
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr \
        --sysconfdir=/etc \
        --mandir=/usr/share/man \
        --scoredir=/usr/share/$pkgname
    make
}

package() {
    make DESTDIR="$pkgdir" install
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
    bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"

MIT License

```

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

```
builddir="$srcdir"/libart_lgpl-$pkgver
```

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
    --build=$CBUILD \  
    --host=$CHOST \  
    --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

```
sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7  
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"
```

```
# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
```

```
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
```

```
pkgname=bsd-compat-headers
```

```
pkgver=0.7.2
```

```
pkgrel=6
```

```
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
```

```
url="https://gitlab.alpinelinux.org/alpine/aports"
```

```
arch="noarch"
```

```
license="BSD-2-Clause AND BSD-3-Clause"
```

```
source="
```

```
    cdefs.h
```

```
    queue.h
```

```
    tree.h
```

```
"
```

```
builddir="$srcdir"
```

```
options="!check" # just headers
```

```
package() {  
    mkdir -p "$pkgdir"  
    install -Dm644 -t "$pkgdir"/usr/include/sys \  
    cdefs.h queue.h tree.h  
}
```

```
sha512sums="
```

```
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
```

```
7006442c3f019b6447a620c0cae73178 cdefs.h
```

```
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
```

11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

Original Copyright (c) 1985 by Supoj Sutanthavibul

Parts Copyright (c) 1989-2012 by Brian V. Smith

Parts Copyright (c) 1991 by Paul King

Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

- * may be used to endorse or promote products derived from this software
- * without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
- BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
- * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- *
- * @(#)queue.h 8.5 (Berkeley) 8/20/94
- */

```
#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_
```

```
/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 * pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large
 * datasets and few or no removals or for implementing a LIFO queue.
 *
 * A list is headed by a single forward pointer (or an array of forward
 * pointers for a hash table header). The elements are doubly linked
 * so that an arbitrary element can be removed without a need to
 * traverse the list. New elements can be added to the list before
 * or after an existing element or at the head of the list. A list
 * may only be traversed in the forward direction.
 *
 * A simple queue is headed by a pair of pointers, one the head of the
 * list and the
 * other to the tail of the list. The elements are singly
 * linked to save space, so elements can only be removed from the
```

```

* head of the list. New elements can be added to the list after
* an existing element, at the head of the list, or at the end of the
* list. A simple queue may only be traversed in the forward direction.
*
* A tail queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before or
* after an existing element, at the head of the list, or at the end of
* the list. A tail queue may be traversed in either direction.
*
* A circle queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements
can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.
*/

/*
* Include the definition of NULL only on NetBSD because sys/null.h
* is not available elsewhere. This conditional makes the header
* portable and it can simply be dropped verbatim into any system.
* The caveat is that on other systems some other header
* must provide NULL before the macros can be used.
*/
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#if defined(QEUEDEBUG)
# if defined(_KERNEL)
#  define QEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
* Singly-linked List definitions.
*/
#define SLIST_HEAD(name, type) \
struct name { \

```

```

struct type *slh_first; /* first
element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */

#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */

#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

```



```

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

```

```

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
    (var) != LIST_END(head); \
    (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
    (var) != LIST_END(head) && \
    ((tvar) = LIST_NEXT((var), field), 1); \
    (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
    (head)->lh_first->field.le_prev != &(head)->lh_first) \
    QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
(elm)->field.le_next = (void *)1L; \
(elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm, field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

```

```

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

```

```

} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type)  \
struct name {  \
    struct  \
    type *sqh_first; /* first element */  \
    struct type **sqh_last; /* addr of last next element */  \
}

#define SIMPLEQ_HEAD_INITIALIZER(head)  \
    { NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type)  \
struct {  \
    struct type *sqe_next; /* next element */  \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field)  \
    for ((var) = ((head)->sqh_first);  \
        (var) != SIMPLEQ_END(head);  \
        (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next)  \
    for ((var) = ((head)->sqh_first);  \
        (var) != SIMPLEQ_END(head) &&  \
        ((next = ((var)->field.sqe_next)), 1);  \
        (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do {  \
    (head)->sqh_first = NULL;  \
    (head)->sqh_last  \
    = &(head)->sqh_first;  \
} while (/*CONSTCOND*/0)

```

```

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \
            curelm->field.sqe_next->field.sqe_next) == NULL) \
            (head)->sqh_last = &(curelm)->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

```

```

} \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
(SIMPLEQ_EMPTY((head)) ? \
NULL : \
((struct type \
*)(void *) \
((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
struct name { \
    qual type *tqh_first; /* first element */ \
    qual type *qual *tqh_last; /* addr of last next element */ \
}
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
{ TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
(*(((struct headname *) (void *)((head)->tqh_last))->tqh_last))
#define TAILQ_PREV(elm, headname, field) \
(*(((struct headname \
*)(void *)((elm)->field.tqe_prev))->tqh_last))
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->tqh_first); \
    (var) != TAILQ_END(head); \
    (var) = ((var)->field.tqe_next))

```

```

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->tqh_first); \
     (var) != TAILQ_END(head) && \
     ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
for ((var) = TAILQ_LAST((head), headname); \
     (var) != TAILQ_END(head); \
     (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
for ((var) = TAILQ_LAST((head), headname); \
     (var) != TAILQ_END(head) && \
     ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
elm, field) \
if ((head)->tqh_first && \
     (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
if (*(head)->tqh_last != NULL) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
     (elm)->field.tqe_next->field.tqe_prev != \
     &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
     (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
(elm)->field.tqe_next = (void *)1L; \
(elm)->field.tqe_prev = (void *)1L;

```

```

#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
    (head)->tqh_first->field.tqe_prev = \
        &(elm)->field.tqe_next; \
    else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
    (elm)->field.tqe_next->field.tqe_prev = \
        &(elm)->field.tqe_next; \
    else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \

```



```

(elm)->field.tqe_next = (listelm); \
*(listelm)->field.tqe_prev = (elm); \
(listelm)->field.tqe_prev
= &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
    (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
    *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
        field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */

#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

```

```

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
}

```

```

} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm->field.stqe_next); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
    (STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

```

```

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
    if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
        (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
            __FILE__, __LINE__); \
    if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
        (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_last != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    }

```

```

} else {    \
if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
    QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
        (elm), __FILE__, __LINE__); \
}

#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
    { CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */

#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (0)

```

```

} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head,
listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \

```

```

else \
    (elm)->field.cqe_prev->field.cqe_next = \
        (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */
#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__laundry_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_last) \
     : \
     (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifdef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

```

```

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gp517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
buildid="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gp517 build-wheel \

```



```

--wheel-dir .dist \
--output-fd 3 3>&1 >&2
}

package() {
gpep517 install-wheel --destdir "$pkgdir" \
.dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
flake8-copyright-0.2.4.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- *
- * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- * IN NO EVENT SHALL THE
- AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
- * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- */

```
#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_
```

```
#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
 (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif
```

```
#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif
```

```
/*
```

- * This file defines data structures for different types of trees:
- * splay trees and red-black trees.
- *
- * A splay tree is a self-organizing
- data structure. Every operation
- * on the tree causes a splay to happen. The splay moves the requested
- * node to the root of the tree and partly rebalances it.
- *
- * This has the benefit that request locality causes faster lookups as
- * the requested nodes move to the top of the tree. On the other hand,
- * every lookup causes memory writes.
- *

- * The Balance Theorem bounds the total access time for m operations
- * and n inserts on an initially empty tree as $O((m + n)\lg n)$. The
- * amortized cost for a sequence of m accesses to a splay tree is $O(\lg n)$;
- *
- * A red-black tree is a binary search tree with the node color as an
- * extra attribute. It fulfills a set of conditions:
- * - every search path from the root to a leaf consists of the
- * same number of black nodes,
- * - each red node (except for the root) has a black parent,
- * - each leaf node is black.
- *
- * Every operation on a red-black tree is bounded as $O(\lg n)$.
- * The maximum height of a red-black tree is $2\lg(n+1)$.
- */

```
#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}
```

```
#define SPLAY_INITIALIZER(root) \
{ NULL }
```

```
#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}
```

```
#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)
```

```
/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root,
```

```

field) = SPLAY_LEFT(tmp, field); \
SPLAY_LEFT(tmp, field) = (head)->sph_root; \
(head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
\
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
\
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \

```

```

name##_SPLAY(head, elm); \
if (SPLAY_RIGHT(elm, field) != NULL) { \
    elm = SPLAY_RIGHT(elm, field); \
    while (SPLAY_LEFT(elm, field) != NULL) { \
        elm = SPLAY_LEFT(elm, field); \
    } \
} \
else \
    elm = NULL; \
return (elm); \
} \
\
static __sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if (__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field); \
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\

```

```

struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \
name##_SPLAY(struct \
    name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) > 0){ \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \

```

```

    if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
\
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
\
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp > 0) { \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
    SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

```

```

#define SPLAY_NEGINF -1

```

```

#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL \
    }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
    struct { \
        struct type *rbe_left; /* left element */ \
        struct type *rbe_right; /* right element */ \
        struct type *rbe_parent; /* parent element */ \
        int rbe_color; /* node color */ \
    }

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \

```



```

RB_PARENT(elm, field) = parent;  \
RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
RB_COLOR(elm, field) = RB_RED;  \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do {  \
    RB_COLOR(black, field) = RB_BLACK;  \
    RB_COLOR(red, field)
= RB_RED;  \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do {  \
    (tmp) = RB_RIGHT(elm, field);  \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    }  \
    RB_AUGMENT(elm);  \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else  \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else  \
        (head)->rbh_root = (tmp);  \
    RB_LEFT(tmp, field) = (elm);  \
    RB_PARENT(elm, field) = (tmp);  \
    RB_AUGMENT(tmp);  \
    if ((RB_PARENT(tmp, field)))  \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do {  \
    (tmp) = RB_LEFT(elm, field);  \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field))
!= NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    }  \
    RB_AUGMENT(elm);  \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else  \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else  \

```

```

(head)->rbh_root = (tmp); \
RB_RIGHT(tmp, field) = (elm); \
RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *);\
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        struct type \
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \
            RB_COLOR(parent, field) == RB_RED) { \
            gparent = RB_PARENT(parent, field); \
            if (parent == RB_LEFT(gparent, field)) { \
                tmp = RB_RIGHT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field);\
                    elm = gparent; \

```

```

        continue; \
    } \
    if (RB_RIGHT(parent, field) == elm) { \
        RB_ROTATE_LEFT(head, parent, tmp, field);\
        tmp = parent; \
        parent = elm; \
        elm = tmp; \
    } \
    RB_SET_BLACKRED(parent, gparent, field); \
    RB_ROTATE_RIGHT(head, gparent, tmp, field); \
} else { \
    tmp = RB_LEFT(gparent, field); \
    if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
        RB_COLOR(tmp, field) = RB_BLACK; \
        RB_SET_BLACKRED(parent, gparent, field);\
        elm = gparent; \
        continue; \
    } \
    if (RB_LEFT(parent, field) == elm)
{ \
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
    RB_SET_BLACKRED(parent, gparent, field); \
    RB_ROTATE_LEFT(head, gparent, tmp, field); \
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \

```

```

        RB_COLOR(RB_RIGHT(tmp,
field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
    if (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
        struct type *oleft; \
        if ((oleft = RB_LEFT(tmp, field)) \
            != NULL) \
            RB_COLOR(oleft, field) = RB_BLACK;\
        RB_COLOR(tmp, field) = RB_RED; \
        RB_ROTATE_RIGHT(head, tmp, oleft, field);\
        tmp = RB_RIGHT(parent, field); \
    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK; \
    if (RB_RIGHT(tmp, field)) \
        RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\

```

```

    tmp = RB_LEFT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \
if (RB_LEFT(tmp, field)) \
    RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
RB_ROTATE_RIGHT(head, parent, tmp, field);\
elm = RB_ROOT(head); \
break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \
                RB_RIGHT(parent, field) = child; \
            RB_AUGMENT(parent); \
        } else \
            RB_ROOT(head)
= child; \
    if (RB_PARENT(elm, field) == old) \
        parent = elm; \
    (elm)->field = (old)->field; \
}

```

```

if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \

```

```

    comp = (cmp)(elm, parent); \
    if (comp < 0) \
        tmp = RB_LEFT(tmp, field); \
    else if (comp > 0) \
        tmp = RB_RIGHT(tmp, field); \
    else \
        return (tmp); \
} \
RB_SET(elm, parent, field); \
if (parent != NULL) { \
    if (comp < 0) \
        RB_LEFT(parent, field) = elm; \
    else \
        RB_RIGHT(parent, field) = elm; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = elm; \
name##_RB_INSERT_COLOR(head, \
elm); \
return (NULL); \
} \
\
/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \

```

```

comp = cmp(elm, tmp); \
if (comp < 0) { \
    res = tmp; \
    tmp = RB_LEFT(tmp, field); \
} \
else if (comp > 0) \
    tmp =
RB_RIGHT(tmp, field); \
else \
    return (tmp); \
} \
return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    } \
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \

```



```

    elm = RB_PARENT(elm, field); \
else { \
    while (RB_PARENT(elm, field) && \
        (elm == RB_LEFT(RB_PARENT(elm, field), field)))\
        elm = RB_PARENT(elm, field); \
    elm = RB_PARENT(elm, field); \
} \
} \
return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x, y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
    for ((x) = RB_MIN(name, head); \
        (x) != NULL; \
        (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
    for ((x) = (y); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

```

```

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
     ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
     (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
     (x) != NULL; \
     (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
     ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
     (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
head, y) \
for ((x) = RB_MAX(name, head); \
     ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
     (x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
buildid="$srcdir/${_pkgreal}-${pkgver}"

build() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
INSTALLDIRS=vendor \
NO_PACKLIST=1 \
NO_PERLLOCAL=1
make
}

```

```
check() {
  export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
  make test
}
```

```
package() {
  make DESTDIR="$pkgdir" install
}
```

```
sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
Software-License-0.104007.tar.gz
"
```

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

```

depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir/${_pkgname}-${pkgver}"

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
    license_expression-30.4.4.tar.gz
"

```

1.178 ca-certificates-bundle 20251003-r0

1.178.1 Available under license :

```

# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-${pkgver}.tar.gz::https://github.com/spdx/license-list-data/archive/v${pkgver}.tar.gz"
builddir="$srcdir/license-list-data-${pkgver}"
subpackages="$pkgname-list"

```

```

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgrel is used by apkbuild-cpan to find modules at MetaCpan
_pkgrel=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"

```

```

source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {

```

```

cargo test --frozen
}

package() {
install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
need dbus
}

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--sourcedir=/usr/share/$pkgname
make

```

```
}
```

```
package() {  
  make DESTDIR="$pkgdir" install  
  install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE  
}
```

```
sha512sums="  
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6  
8d3390143e0e62d5e3d210ccfb61294  
  bsd-games-3.3.tar.gz  
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0  
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch  
"
```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
    --build=$CBUILD \  
    --host=$CHOST \  
    --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e76654309e001aee9bace727b5b4c8589405256a3c020 libart-lgpl-2.3.21.tar.bz2"

```

# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

```

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

#ifndef _SYS_QUEUE_H_

#define _SYS_QUEUE_H_

```

/*
* This file defines five types of data structures: singly-linked lists,
* lists, simple queues, tail queues, and circular queues.
*
* A singly-linked list is headed by a single forward pointer. The
* elements are singly linked for minimum space and
* pointer manipulation
* overhead at the expense of O(n) removal for arbitrary elements. New
* elements can be added to the list after an existing element or at the
* head of the list. Elements being removed from the head of the list
* should use the explicit macro for this purpose for optimum
* efficiency. A singly-linked list may only be traversed in the forward
* direction. Singly-linked lists are ideal for applications with large
* datasets and few or no removals or for implementing a LIFO queue.
*
* A list is headed by a single forward pointer (or an array of forward
* pointers for a hash table header). The elements are doubly linked
* so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before
* or after an existing element or at the head of the list. A list
* may only be traversed in the forward direction.
*
* A simple queue is headed by a pair of pointers, one the head of the
* list and the
* other to the tail of the list. The elements are singly
* linked to save space, so elements can only be removed from the
* head of the list. New elements can be added to the list after
* an existing element, at the head of the list, or at the end of the
* list. A simple queue may only be traversed in the forward direction.
*
* A tail queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before or
* after an existing element, at the head of the list, or at the end of
* the list. A tail queue may be traversed in either direction.
*
* A circle queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements
* can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.
*/

```

```

/*
 * Include the definition of NULL only on NetBSD because sys/null.h
 * is not available elsewhere. This conditional makes the header
 * portable and it can simply be dropped verbatim into any system.
 * The caveat is that on other systems some other header
 * must provide NULL before the macros can be used.
 */
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#ifdef QUEUEDEBUG
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \

```

```

    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

```

```

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
     (var) != LIST_END(head); \
     (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
     (var) != LIST_END(head) && \
     ((tvar) = LIST_NEXT((var), field), 1); \
     (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*

```

```

* List functions.
*/
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
    (head)->lh_first->field.le_prev != &(head)->lh_first) \
    QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
(elm)->field.le_next = (void *)1L; \
(elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

```



```
#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
    = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)
```

```
#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)
```

```
#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)
```

/*

* Simple queue definitions.

*/

```
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}
```

```
#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }
```

```
#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}
```

/*

* Simple queue access methods.

```

*/
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head); \
     (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head) && \
     ((next = ((var)->field.sqe_next)), 1); \
     (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

```

```

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
    (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
     == NULL) \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \
            curelm->field.sqe_next->field.sqe_next) == NULL) \
            (head)->sqh_last = &(curelm)->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
     NULL : \
     ((struct type \
      *) (void *) \
      ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */

#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }

#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

```

```

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}

#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type, )

/*
 * Tail queue access methods.
 */

#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head); \
        (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head) && \
        ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head); \
        (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head) && \
        ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head,

```

```

elm, field) \
if ((head)->tqh_first && \
    (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
if (*(head)->tqh_last != NULL) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
    (elm)->field.tqe_next->field.tqe_prev != \
    &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
(elm)->field.tqe_next = (void *)1L; \
(elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
}

```

```

(elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head,
elm, field) do { \
    QUEUEDEBBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \

```

```

        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm),
    field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */

```

```

#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \

```



```

for ((var) = STAILQ_FIRST((head)); \
    (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
    (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *) ((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

```

```

}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
    (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
    QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
        __FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
    (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
    QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_last != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} \
if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_first != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
            (elm), __FILE__, __LINE__); \
}
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
(elm)->field.cqe_next = (void *)1L; \
(elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
first element */ \
    struct type *cqh_last; /* last element */ \
}

```

```

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

```

```

else    \
    (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm);    \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else    \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm);    \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else    \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else    \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */
#define CIRCLEQ_FIRST(head) ((head)->cqh_first)

```

```

#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launder_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_last) \
     : \
     (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else

```

```

# define __THROW
# define __NTH(fct)  fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
buildid="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=${pkgver}-r${pkgrel}" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
'Software'), to deal in the Software without restriction, including

```

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE

AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

#ifndef _SYS_TREE_H_

#define _SYS_TREE_H_

```

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
    struct name { \
        struct type *sph_root; /* root of the tree */ \
    }

#define SPLAY_INITIALIZER(root) \

```



```

{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
}

```

```

} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
    \
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
    \
static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */

```

```

#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if(__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field);\
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \

```

```

name##_SPLAY(struct
name *head, struct type *elm) \
{ \
struct type __node, *__left, *__right, *__tmp; \
int __comp; \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
__left = __right = &__node; \
\
while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
if (__comp < 0) { \
__tmp = SPLAY_LEFT((head)->sph_root, field); \
if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) < 0){ \
SPLAY_ROTATE_RIGHT(head, __tmp, field); \
if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
__tmp = SPLAY_RIGHT((head)->sph_root, field); \
if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) > 0){ \
SPLAY_ROTATE_LEFT(head, __tmp, field); \
if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
struct type __node, *__left, *__right, *__tmp; \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
__left = __right = &__node; \
\
while (1) { \
if (__comp < 0) { \

```

```

__tmp = SPLAY_LEFT((head)->sph_root, field); \
if (__tmp == NULL) \
    break; \
if (__comp < 0){ \
    SPLAY_ROTATE_RIGHT(head, __tmp, field); \
    if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if (__comp > 0) { \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
struct name { \
    struct type *rbh_root; /* root of the tree */ \
}

```

```

#define RB_INITIALIZER(root)  \
{
    NULL }

#define RB_INIT(root) do {  \
    (root)->rbh_root = NULL;  \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type)  \
struct {  \
    struct type *rbe_left; /* left element */  \
    struct type *rbe_right; /* right element */  \
    struct type *rbe_parent; /* parent element */  \
    int rbe_color; /* node color */  \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do {  \
    RB_PARENT(elm, field) = parent;  \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL;  \
    RB_COLOR(elm, field) = RB_RED;  \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do {  \
    RB_COLOR(black, field) = RB_BLACK;  \
    RB_COLOR(red, field)  \
    = RB_RED;  \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do {  \
    (tmp) = RB_RIGHT(elm, field);  \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) {  \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm);  \
    }  \
    RB_AUGMENT(elm);  \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) {  \

```

```

if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
    RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
else \
    RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
    (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \

```

```

attr struct type *name##_RB_PREV(struct type *); \
attr struct type *name##_RB_MINMAX(struct name *, int); \
\

/* Main rb operation.
* Moves node close to the key of elm to top
*/

#define RB_GENERATE(name, type, field, cmp) \
RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
attr void \
name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
{ \
struct type \
*parent, *gparent, *tmp; \
while ((parent = RB_PARENT(elm, field)) != NULL && \
RB_COLOR(parent, field) == RB_RED) { \
gparent = RB_PARENT(parent, field); \
if (parent == RB_LEFT(gparent, field)) { \
tmp = RB_RIGHT(gparent, field); \
if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
RB_COLOR(tmp, field) = RB_BLACK; \
RB_SET_BLACKRED(parent, gparent, field);\
elm = gparent; \
continue; \
} \
if (RB_RIGHT(parent, field) == elm) { \
RB_ROTATE_LEFT(head, parent, tmp, field);\
tmp = parent; \
parent = elm; \
elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field);\
RB_ROTATE_RIGHT(head, gparent, tmp, field);\
} else { \
tmp = RB_LEFT(gparent, field); \
if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
RB_COLOR(tmp, field) = RB_BLACK; \
RB_SET_BLACKRED(parent, gparent, field);\
elm = gparent; \
continue; \
} \
if (RB_LEFT(parent, field) == elm) \
{ \
RB_ROTATE_RIGHT(head, parent, tmp, field);\
tmp = parent; \

```



```

    parent = elm; \
    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_LEFT(head, gparent, tmp, field); \
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, \
field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK; \
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field); \
                    tmp = RB_RIGHT(parent, field); \
                } \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field); \
                RB_COLOR(parent, field) = RB_BLACK; \
                if (RB_RIGHT(tmp, field)) \
                    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK; \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                elm = RB_ROOT(head); \
            } \
        } \
    } \
}

```

```

    break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\
            tmp = RB_LEFT(parent, field); \
        } \
        RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
        RB_COLOR(parent, field) = RB_BLACK; \
        if (RB_LEFT(tmp, field)) \
            RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        elm = RB_ROOT(head); \
        break; \
    } \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \

```

```

if (RB_LEFT(elm, field) == NULL) \
    child = RB_RIGHT(elm, field); \
else if (RB_RIGHT(elm, field) == NULL) \
    child = RB_LEFT(elm, field); \
else { \
    struct type *left; \
    elm = RB_RIGHT(elm, field); \
    while ((left = RB_LEFT(elm, field)) != NULL) \
        elm = left; \
    child = RB_RIGHT(elm, field); \
    parent = RB_PARENT(elm, field); \
    color = RB_COLOR(elm, field); \
    if (child) \
        RB_PARENT(child, field) = parent; \
    if (parent) { \
        if (RB_LEFT(parent, field) == elm) \
            RB_LEFT(parent, field) = child; \
        else \
            RB_RIGHT(parent, field) = child; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
    parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \

```

```

    RB_PARENT(child, field) = parent; \
    if (parent) { \
        if (RB_LEFT(parent, field) == elm) \
            RB_LEFT(parent, field) = child; \
        else \
            RB_RIGHT(parent,
field) = child; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head) = child; \
    color: \
    if (color == RB_BLACK) \
        name##_RB_REMOVE_COLOR(head, parent, child); \
    return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    RB_SET(elm, parent, field); \
    if (parent != NULL) { \
        if (comp < 0) \
            RB_LEFT(parent, field) = elm; \
        else \
            RB_RIGHT(parent, field) = elm; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head) = elm; \
    name##_RB_INSERT_COLOR(head,
elm); \
    return (NULL); \
} \
\

```

```

/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \

/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \

/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } \
}

```

```

} else {
    \
    if (RB_PARENT(elm, field) &&
        (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
        elm = RB_PARENT(elm, field); \
    else {
        \
        while (RB_PARENT(elm, field) &&
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        elm = RB_PARENT(elm, field); \
    } \
} \
return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{
    \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    }
    else {
        \
        if (RB_PARENT(elm, field) &&
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else {
            \
            while (RB_PARENT(elm, field) &&
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{
    \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) {
        \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    }

```

```

}    \
return (parent);    \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head)    \
for ((x) = RB_MIN(name, head);    \
(x) != NULL;    \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y)    \
for ((x) = (y);    \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y)    \
for ((x) = RB_MIN(name, head);    \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head)    \
for ((x) = RB_MAX(name, head);    \
(x) != NULL;    \
(x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y)    \
for ((x) = (y);    \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y)    \
for ((x) = RB_MAX(name, head);    \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

```

```

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
    Software-License-0.104007.tar.gz
"
(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including

```


without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
# Contributor: Dhruvin Gandhi <contact@dhruvin>
# Maintainer: Patrycja Rosa <alpine@ptrcnll.me>
pkgname=py3-license-expression
_pkgname=license_expression
pkgver=30.4.4
pkgrel=0
pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gp517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-$pkgver.tar.gz"
builddir="$srcdir/$pkgname-$pkgver"
```

```
build() {
    gp517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}
```

```
check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}
```

```
package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}
```

```

}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
license_expression-30.4.4.tar.gz
"

```

1.179 alpine-release 3.23.0-r0

1.179.1 Available under license :

```

# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;

```

```

do
local license=${i##*/}
echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c  license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
INSTALLDIRS=vendor \
NO_PACKLIST=1 \
NO_PERLLOCAL=1
make
}

check() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
make test
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="

```

```

d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"
maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
  default_prepare

  cargo fetch --target="$CTARGET" --locked
}

build() {
  cargo auditable build --release --frozen
}

check() {
  cargo test --frozen
}

package() {
  install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a  cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
  need dbus
}

```

```

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--scoredir=/usr/share/$pkgname
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights

```

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,

BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

```

options="!check" # No test suite.
license="GPL-2.0-or-later"
subpackages="$pkgname-dev"
source="https://download.gnome.org/sources/libart_lgpl/2.3/libart_lgpl-$pkgver.tar.bz2"
"

builddir="$srcdir"/libart_lgpl-$pkgver

prepare() {
    update_config_sub
    default_prepare
}

build() {
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr
    make
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"
# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"

builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h

```

```

}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

Original Copyright (c) 1985 by Supoj Sutanthavibul

Parts Copyright (c) 1989-2012 by Brian V. Smith

Parts Copyright (c) 1991 by Paul King

Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the University nor the names of its contributors
- * may be used to endorse or promote products derived from this software
- * without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
- BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
- * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
- * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
- * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
- * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
- * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
- * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
- * SUCH DAMAGE.
- *
- * @(#)queue.h 8.5 (Berkeley) 8/20/94
- */

```
#ifndef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_
```

```
/*
 * This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.
 *
 * A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 * pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large
 * datasets and few or no removals or for implementing a LIFO queue.
 *
 * A list is headed by a single forward pointer (or an array of forward
 * pointers for a hash table header). The elements are doubly linked
 * so that an arbitrary element can be removed without a need to
 * traverse the list. New elements can be added to the list before
 * or after an existing element or at the head of the list. A list
 * may only be traversed in the forward direction.
```

*
 * A simple queue is headed by a pair of pointers, one the head of the
 * list and the
 other to the tail of the list. The elements are singly
 * linked to save space, so elements can only be removed from the
 * head of the list. New elements can be added to the list after
 * an existing element, at the head of the list, or at the end of the
 * list. A simple queue may only be traversed in the forward direction.
 *
 * A tail queue is headed by a pair of pointers, one to the head of the
 * list and the other to the tail of the list. The elements are doubly
 * linked so that an arbitrary element can be removed without a need to
 * traverse the list. New elements can be added to the list before or
 * after an existing element, at the head of the list, or at the end of
 * the list. A tail queue may be traversed in either direction.
 *
 * A circle queue is headed by a pair of pointers, one to the head of the
 * list and the other to the tail of the list. The elements are doubly
 * linked so that an arbitrary element can be removed without a need to
 * traverse the list. New elements
 can be added to the list before or after
 * an existing element, at the head of the list, or at the end of the list.
 * A circle queue may be traversed in either direction, but has a more
 * complex end of list detection.
 *
 * For details on the use of these macros, see the queue(3) manual page.
 */

/*
 * Include the definition of NULL only on NetBSD because sys/null.h
 * is not available elsewhere. This conditional makes the header
 * portable and it can simply be dropped verbatim into any system.
 * The caveat is that on other systems some other header
 * must provide NULL before the macros can be used.
 */

```
#ifdef __NetBSD__
#include <sys/null.h>
#endif
```

```
#if defined(QUEUEDEBUG)
# if defined(_KERNEL)
# define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
# include <err.h>
# define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif
```

```

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.

```

```

*/
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
    for ((var) = ((head)->lh_first); \
         (var) != LIST_END(head); \
         (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = LIST_FIRST((head)); \
         (var) != LIST_END(head) && \
         ((tvar) = LIST_NEXT((var), field), 1); \
         (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
    if ((head)->lh_first && \
        (head)->lh_first->field.le_prev != &(head)->lh_first) \
        QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
    if ((elm)->field.le_next && \
        (elm)->field.le_next->field.le_prev != \
        &(elm)->field.le_next) \
        QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \
    if (*(elm)->field.le_prev != (elm)) \
        QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else

```

```

#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \

```

```

(elm2)->field.le_next->field.le_prev = \
    &(elm2)->field.le_next; \
(elm2)->field.le_prev = (elm)->field.le_prev; \
*(elm2)->field.le_prev = (elm2); \
QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head); \
    (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head) && \
    ((next = ((var)->field.sqe_next)), 1); \
    (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \

```

```

(head)->sqh_first = NULL;  \
(head)->sqh_last
= &(head)->sqh_first;  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do {  \
if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
    (head)->sqh_last = &(elm)->field.sqe_next;  \
    (head)->sqh_first = (elm);  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do {  \
    (elm)->field.sqe_next = NULL;  \
    *(head)->sqh_last = (elm);  \
    (head)->sqh_last = &(elm)->field.sqe_next;  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do {  \
if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
    (head)->sqh_last = &(elm)->field.sqe_next;  \
    (listelm)->field.sqe_next = (elm);  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do {  \
if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
    (head)->sqh_last = &(head)->sqh_first;  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do {  \
if
    (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
    == NULL)  \
    (head)->sqh_last = &(elm)->field.sqe_next;  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do {  \
if ((head)->sqh_first == (elm)) {  \
    SIMPLEQ_REMOVE_HEAD((head), field);  \
} else {  \
    struct type *curelm = (head)->sqh_first;  \
    while (curelm->field.sqe_next != (elm))  \
        curelm = curelm->field.sqe_next;  \
    if ((curelm->field.sqe_next =  \
        curelm->field.sqe_next->field.sqe_next) == NULL) \
        (head)->sqh_last = &(curelm)->field.sqe_next;  \
}  \
} while (/*CONSTCOND*/0)

```



```

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
     NULL : \
     ((struct type \
      *) (void *) \
      ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
    struct { \
        qual type *tqe_next; /* next element */ \
        qual type *qual *tqe_prev; /* address of previous next element */ \
    }
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (*((struct headname *) (void *)) ((head)->tqh_last)->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (*((struct headname \
      *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

```

```

#define TAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->tqh_first); \
     (var) != TAILQ_END(head); \
     (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->tqh_first); \
     (var) != TAILQ_END(head) && \
     ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
for ((var) = TAILQ_LAST((head), headname); \
     (var) != TAILQ_END(head); \
     (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
for ((var) = TAILQ_LAST((head), headname); \
     (var) != TAILQ_END(head) && \
     ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QEUEDEBBUG)
#define QEUEDEBBUG_TAILQ_INSERT_HEAD(head, \
elm, field) \
if ((head)->tqh_first && \
     (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
QEUEDEBBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
    __FILE__, __LINE__);
#define QEUEDEBBUG_TAILQ_INSERT_TAIL(head, elm, field) \
if (*(head)->tqh_last != NULL) \
QEUEDEBBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
    __FILE__, __LINE__);
#define QEUEDEBBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
     (elm)->field.tqe_next->field.tqe_prev != \
     &(elm)->field.tqe_next) \
QEUEDEBBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
    __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
QEUEDEBBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
    __FILE__, __LINE__);
#define QEUEDEBBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
     (head)->tqh_last != &(elm)->field.tqe_next) \
QEUEDEBBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \

```

```

    (head), (elm), __FILE__,
    __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

```

```

} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
    (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
    *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
        field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */

```

```

#define STAILQ_HEAD(name, type)  \
struct name {                    \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head)  \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type)  \
struct {                    \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

```

```
#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)
```

```
#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm->field.stqe_next); \
    } \
} while (/*CONSTCOND*/0)
```

```
#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))
```

```
#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))
```

```
#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)
```

```
#define STAILQ_LAST(head, type, field) \
    (STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *)((head)->stqh_last) - offsetof(struct type, field))))
```

```
#ifndef _KERNEL
/*
```

```

* Circular queue definitions. Do not use. We still keep the macros
* for compatibility but because of pointer aliasing issues their use
* is discouraged!
*/

/*
* __launder_type(): We use this ugly hack to work around the the compiler
* noticing that two types may not alias each other and elide tests in code.
* We hit this in the CIRCLEQ macros when comparing 'struct name *' and
* 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
* 4.8) declare these comparisons as always false, causing the code to
* not run as designed.
*
* This hack is only to be used for comparisons and thus can be fully const.
* Do not use for assignment.
*
* If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
* this by changing the head/tail sentinel values, but see the note above
* this one.
*/
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
    if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
        (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
            __FILE__, __LINE__); \
    if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
        (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_last != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    }

```

```

} \
if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_first != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
            (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    }
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
    struct name { \
        struct type *cqh_first; /* \
        first element */ \
        struct type *cqh_last; /* last element */ \
    }

#define CIRCLEQ_HEAD_INITIALIZER(head) \
    { CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
    struct { \
        struct type *cqe_next; /* next element */ \
        struct type *cqe_prev; /* previous element */ \
    }

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \

```



```

if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
    (head)->cqh_last = (elm); \
else \
    (listelm)->field.cqe_next->field.cqe_prev = (elm); \
(listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head,
listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next
= CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \

```

```

else    \
    (elm)->field.cqe_next->field.cqe_prev = \
        (elm)->field.cqe_prev;    \
if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
    (head)->cqh_first = (elm)->field.cqe_next; \
else    \
    (elm)->field.cqe_prev->field.cqe_next = \
        (elm)->field.cqe_next;    \
QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->cqh_first); \
    (var) != CIRCLEQ_ENDC(head); \
    (var) \
    = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
for ((var) = ((head)->cqh_last); \
    (var) != CIRCLEQ_ENDC(head); \
    (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
    ? ((head)->cqh_first) \
    : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
    ? ((head)->cqh_last) \
    : \
    (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */

```

```

#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */

# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

```

```

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"

(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
/* Modified by Void Linux. */
/*

```

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

```

*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE
* AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

```

```

/*
* This file defines data structures for different types of trees:
* splay trees and red-black trees.
*
* A splay tree is a self-organizing
* data structure. Every operation
* on the tree causes a splay to happen. The splay moves the requested
* node to the root of the tree and partly rebalances it.

```

- *
 - * This has the benefit that request locality causes faster lookups as
 - * the requested nodes move to the top of the tree. On the other hand,
 - * every lookup causes memory writes.
- *
 - * The Balance Theorem bounds the total access time for m operations
 - * and n inserts on an initially empty tree as $O((m + n)\lg n)$. The
 - * amortized cost for a sequence of m accesses to a splay tree is $O(\lg n)$;
- *
 - * A red-black tree is a binary search tree with the node color as an
 - * extra attribute. It fulfills a set of conditions:
 - * - every search path from the root to a leaf consists of the
 - * same number of black nodes,
 - * - each red node (except for the root) has a black parent,
 - * - each leaf node is black.
- *
 - * Every operation on a red-black tree is bounded as $O(\lg n)$.
 - * The maximum height of a red-black tree is $2\lg(n+1)$.

```
#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}
```

```
#define SPLAY_INITIALIZER(root) \
{ NULL }
```

```
#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}
```

```
#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)
```

```
/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
}
```

```

} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
\
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \

```

```

    \
static __inline __sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{
    \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    }
}
else \
    elm = NULL; \
return (elm); \
} \
\

static __sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{
    \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{
    \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if (__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field); \
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
}

```



```

(head)->sph_root = (elm);    \
return (NULL);              \
}                             \
\
struct type *                \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{                             \
    struct type *__tmp;       \
    if (SPLAY_EMPTY(head))    \
        return (NULL);       \
    name##_SPLAY(head, elm);   \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp;\
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field);\
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field);\
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\

```

```

if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) > 0){ \
    SPLAY_ROTATE_LEFT(head, __tmp, field); \
    if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp > 0) { \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
} \

```

```

    SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL \
    }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
    struct { \
        struct type *rbe_left; /* left element */ \
        struct type *rbe_right; /* right element */ \
        struct type *rbe_parent; /* parent element */ \
        int rbe_color; /* node color */ \
    }

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color

```

```

#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
    != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \

```

```

    RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
else \
    RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
(head)->rbh_root = (tmp); \
RB_RIGHT(tmp, field) = (elm); \
RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
    type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        \
        struct type \
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \
            RB_COLOR(parent, field) == RB_RED) { \
            gparent = RB_PARENT(parent, field); \
            if (parent == RB_LEFT(gparent, field)) { \
                tmp = RB_RIGHT(gparent, field); \

```

```

if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
    RB_COLOR(tmp, field) = RB_BLACK; \
    RB_SET_BLACKRED(parent, gparent, field);\
    elm = gparent; \
    continue; \
} \
if (RB_RIGHT(parent, field) == elm) { \
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_RIGHT(head, gparent, tmp, field); \
} else { \
    tmp = RB_LEFT(gparent, field); \
    if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
        RB_COLOR(tmp, field) = RB_BLACK; \
        RB_SET_BLACKRED(parent, gparent, field);\
        elm = gparent; \
        continue; \
    } \
    if (RB_LEFT(parent, field) == elm)
{ \
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_LEFT(head, gparent, tmp, field); \
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = RB_RIGHT(parent, field); \

```

```

} \
if ((RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
    (RB_RIGHT(tmp, field) == NULL || \
    RB_COLOR(RB_RIGHT(tmp,
field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
    if (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
        struct type *oleft; \
        if ((oleft = RB_LEFT(tmp, field)) \
            != NULL) \
            RB_COLOR(oleft, field) = RB_BLACK;\
        RB_COLOR(tmp, field) = RB_RED; \
        RB_ROTATE_RIGHT(head, tmp, oleft, field);\
        tmp = RB_RIGHT(parent, field); \
    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK; \
    if (RB_RIGHT(tmp, field)) \
        RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \

```

```

    != NULL) \
    RB_COLOR(orient, field) = RB_BLACK;\
    RB_COLOR(tmp, field) = RB_RED;\
    RB_ROTATE_LEFT(head, tmp, orient, field);\
    tmp = RB_LEFT(parent, field);\
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK;\
if (RB_LEFT(tmp, field)) \
    RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
RB_ROTATE_RIGHT(head, parent, tmp, field);\
elm = RB_ROOT(head); \
break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \
                RB_RIGHT(parent, field) = child; \
            RB_AUGMENT(parent); \
        } else \
            RB_ROOT(head)

```



```

= child; \
if (RB_PARENT(elm, field) == old) \
    parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \

```

```

int comp = 0;    \
tmp = RB_ROOT(head);    \
while (tmp) {    \
    parent = tmp;    \
    comp = (cmp)(elm, parent);    \
    if (comp < 0)    \
        tmp = RB_LEFT(tmp, field);    \
    else if (comp > 0)    \
        tmp = RB_RIGHT(tmp, field);    \
    else    \
        return (tmp);    \
}    \
RB_SET(elm, parent, field);    \
if (parent != NULL) {    \
    if (comp < 0)    \
        RB_LEFT(parent, field) = elm;    \
    else    \
        RB_RIGHT(parent, field) = elm;    \
    RB_AUGMENT(parent);    \
} else    \
    RB_ROOT(head) = elm;    \
name##_RB_INSERT_COLOR(head,
elm);    \
return (NULL);    \
}    \
\

/* Finds the node with the same key as elm */    \
attr struct type *    \
name##_RB_FIND(struct name *head, struct type *elm)    \
{    \
    struct type *tmp = RB_ROOT(head);    \
    int comp;    \
    while (tmp) {    \
        comp = cmp(elm, tmp);    \
        if (comp < 0)    \
            tmp = RB_LEFT(tmp, field);    \
        else if (comp > 0)    \
            tmp = RB_RIGHT(tmp, field);    \
        else    \
            return (tmp);    \
    }    \
    return (NULL);    \
}    \
\

/* Finds the first node greater than or equal to the search key */    \
attr struct type *    \
name##_RB_NFIND(struct name *head, struct type *elm)    \
{    \

```

```

struct type *tmp = RB_ROOT(head); \
struct type *res = NULL; \
int comp; \
while (tmp) { \
    comp = cmp(elm, tmp); \
    if (comp < 0) { \
        res = tmp; \
        tmp = RB_LEFT(tmp, field); \
    } \
    else if (comp > 0) \
        tmp = \
RB_RIGHT(tmp, field); \
    else \
        return (tmp); \
} \
return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    } \
}

```

```

}
else {
    if (RB_PARENT(elm, field) &&
        (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
        elm = RB_PARENT(elm, field); \
    else {
        while (RB_PARENT(elm, field) &&
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        elm = RB_PARENT(elm, field); \
    } \
} \
return (elm); \
} \
\

attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) {
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x, \
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
for ((x) = RB_MIN(name, head); \
    (x) != NULL; \
    (x) = name##_RB_NEXT(x))

```

```

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
    ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
    ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
    (x) != NULL; \
    (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
head, y) \
for ((x) = RB_MAX(name, head); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
INSTALLDIRS=vendor \

```

```

NO_PACKLIST=1 \
NO_PERLLOCAL=1
make
}

check() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
make test
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
Software-License-0.104007.tar.gz
"
(The MIT License)

```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnll.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

```

pkgdesc="Library to parse, compare, simplify and normalize license expressions"
url="https://github.com/nexB/license-expression"
arch="noarch"
license="Apache-2.0"
depends="python3 py3-boolean.py"
makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"
checkdepends="py3-pytest py3-pytest-xdist"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/l/${pkgname}/${pkgname}-${pkgver}.tar.gz"
builddir="$srcdir/${pkgname}-${pkgver}"

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
    license_expression-30.4.4.tar.gz
"

```

1.180 alpine-baselayout-data 3.7.1-r8

1.180.1 Available under license :

```

# Automatically generated by apkbuild-cpan, template 1
# Contributor: Francesco Colista <francesco.colista@gmail.com>
# Maintainer: Francesco Colista <francesco.colista@gmail.com>
pkgname=perl-software-license
_pkgreal=Software-License
pkgver=0.103004
pkgrel=0
pkgdesc="packages that provide templated software licenses"
url="http://search.cpan.org/dist/Software-License/"
arch="noarch"

```

```

license="GPL PerlArtistic"
cpandepends="perl-text-template perl-data-section perl-sub-install"
cpanmakedepends=" "
depends="$cpandepends"
makedepends="perl-dev $cpanmakedepends"
subpackages="$pkgname-doc"
source="http://search.cpan.org/CPAN/authors/id/R/RJ/RJBS/${_pkgreal}-${pkgver}.tar.gz"

```

```
_builddir="$srcdir/${_pkgreal}-${pkgver}"
```

```

prepare() {
    cd "$_builddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
    PERL_MM_USE_DEFAULT=1 perl Makefile.PL INSTALLDIRS=vendor
}

```

```

build() {
    cd "$_builddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
    make && make test
}

```

```

package() {
    cd "$_builddir"
    make
    DESTDIR="$pkgdir" install || return 1
    find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}

```

```

md5sums="0c5fd53d93818566234578b27d667b35 Software-License-0.103004.tar.gz"
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-lgpl
pkgver=2.3.21
pkgrel=5
pkgdesc="A library for high-performance 2D graphics"
url="http://www.levien.com/libart/"
arch="all"
license="LGPL"
depends=
makedepends=
subpackages="$pkgname-dev"
source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-${pkgver}.tar.bz2"
"

```

```
_builddir="$srcdir"/libart-lgpl-${pkgver}
```

```

prepare() {
    cd "$_builddir"

```



```

update_config_sub || return 1
}
build() {
cd "$_builddir"
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
|| return 1
make || return 1
}

```

```

package() {
cd "$_builddir"
make DESTDIR="$pkgdir" install || return 1
}

```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e76654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"

IMPORTANT - READ BEFORE COPYING, INSTALLING OR USING.

Do not use or load this software and any associated materials (collectively, the "Software") until you have carefully read the following terms and conditions. By loading or using the Software, you agree to the terms of this Agreement. If you do not wish to so agree, do not install or use the Software.

1. COPYRIGHT NOTICE

Some or all of this work - Copyright 1999-2011, Intel Corp. All rights reserved.

2. LICENSE

2.1. This is your license from Intel Corp. under its intellectual property rights. You may have additional license terms from the party that provided you this software, covering your right to use that party's intellectual property rights.

2.2. Intel grants, free of charge, to any person ("Licensee") obtaining a copy of the source code appearing in this file ("Covered Code") an irrevocable, perpetual, worldwide license under Intel's copyrights in the base code distributed originally by Intel ("Original Intel Code") to copy, make derivatives, distribute, use and display any portion of the Covered Code in any form, with the right to sublicense such rights; and

2.3. Intel grants Licensee a non-exclusive and non-transferable patent license (with the right to sublicense), under only those claims of

Intel patents that are infringed by the Original Intel Code, to make, use, sell, offer to sell, and import the Covered Code and derivative works thereof solely to the minimum extent necessary to exercise the above copyright license, and in no event shall the patent license extend to any additions to or modifications of the Original Intel Code. No other license or right is granted directly or by implication, estoppel or otherwise; The above copyright and patent license is granted only if the following conditions are met:

3. CONDITIONS

3.1. Redistribution of Source with Rights to Further Distribute Source. Redistribution of source code of any substantial portion of the Covered Code or modification with rights to further distribute source must include the above Copyright Notice, the above License, this list of Conditions, and the following Disclaimer and Export Compliance provision. In addition, Licensee must cause all Covered Code to which Licensee contributes to contain a file documenting the changes Licensee made to create that Covered Code and the date of any change. Licensee must include in that file the documentation of any changes made by any predecessor Licensee. Licensee must include a prominent statement that the modification is derived, directly or indirectly, from Original Intel Code.

3.2. Redistribution of Source with no Rights to Further Distribute Source. Redistribution of source code of any substantial portion of the Covered Code or modification without rights to further distribute source must include the following Disclaimer and Export Compliance provision in the documentation and/or other materials provided with distribution. In addition, Licensee may not authorize further sublicense of source of any portion of the Covered Code, and must include terms to the effect that the license from Licensee to its licensee is limited to the intellectual property embodied in the software Licensee provides to its licensee, and not to intellectual property embodied in modifications its licensee may make.

3.3. Redistribution of Executable. Redistribution in executable form of any substantial portion of the Covered Code or modification must reproduce the above Copyright Notice, and the following Disclaimer and Export Compliance provision in the documentation and/or other materials provided with the distribution.

3.4. Intel retains all right, title, and interest in and to the Original Intel Code.

3.5. Neither the name Intel nor any other trademark owned or

controlled by Intel shall be used in advertising or otherwise to promote the sale, use or other dealings in products derived from or relating to the Covered Code without prior written authorization from Intel.

4. DISCLAIMER AND EXPORT COMPLIANCE

4.1. INTEL MAKES NO WARRANTY OF ANY KIND REGARDING ANY SOFTWARE PROVIDED HERE. ANY SOFTWARE ORIGINATING FROM INTEL OR DERIVED FROM INTEL SOFTWARE IS PROVIDED "AS IS," AND INTEL WILL NOT PROVIDE ANY SUPPORT, ASSISTANCE, INSTALLATION, TRAINING OR OTHER SERVICES. INTEL WILL NOT PROVIDE ANY UPDATES, ENHANCEMENTS OR EXTENSIONS. INTEL SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY, NONINFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE.

4.2. IN NO EVENT SHALL INTEL HAVE ANY LIABILITY TO LICENSEE, ITS LICENSEES OR ANY OTHER THIRD PARTY, FOR ANY LOST PROFITS, LOST DATA, LOSS OF USE OR COSTS OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, UNDER ANY CAUSE OF ACTION OR THEORY OF LIABILITY, AND IRRESPECTIVE OF WHETHER INTEL HAS ADVANCE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING THE FAILURE OF THE ESSENTIAL PURPOSE OF ANY LIMITED REMEDY.

4.3. Licensee shall not export, either directly or indirectly, any of this software or system incorporating such software without first obtaining any required license or other approval from the U. S. Department of Commerce or any other agency or department of the United States Government. In the event Licensee exports any such software from the United States or re-exports any such software from a foreign destination, Licensee shall ensure that the distribution and export/re-export of the software is in compliance with all laws, regulations, orders, or other restrictions of the U.S. Export Administration Regulations. Licensee agrees that neither it nor any of its subsidiaries will export/re-export any technical data, process, software, or service, directly or indirectly, to any country for which the United States government or any agency thereof requires an export license, other governmental approval, or letter of assurance, without first obtaining such license, approval or letter.

/*

* Copyright (c) 1983, 1988 Regents of the University of California.

* All rights reserved.

*

* Redistribution and use in source and binary forms are permitted

* provided that the above copyright notice and this paragraph are

- * duplicated in all such forms and that any documentation,
- * advertising materials, and other materials related to such
- * distribution and use acknowledge that the software was developed
- * by the University of California, Berkeley. The name of the
- * University may not be used to endorse or promote products derived
- * from this software without specific prior written permission.
- * THIS SOFTWARE IS PROVIDED ``AS IS" AND WITHOUT ANY EXPRESS OR
- * IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED
- * WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
- */

INTEL SOFTWARE LICENSE AGREEMENT

IMPORTANT - READ BEFORE COPYING, INSTALLING OR USING.

Do not use or load this software and any associated materials (collectively, the "Software") until you have carefully read the following terms and conditions. By loading or using the Software, you agree to the terms of this Agreement. If you do not wish to so agree, do not install or use the Software.

LICENSES: Please Note:

- If you are a network administrator, the "Site License" below shall apply to you.
- If you are an end user, the "Single User License" shall apply to you.
- If you are an original equipment manufacturer (OEM), the "OEM License" shall apply to you.

SITE LICENSE. You may copy the Software onto your organization's computers for your organization's use, and you may make a reasonable number of back-up copies of the Software, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may not sublicense or permit simultaneous use of the Software by more than one user.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

SINGLE USER LICENSE. You may copy the Software onto a single computer for your personal, noncommercial use, and you may make one back-up copy of the Software, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel

component products is not licensed hereunder.

2. You may not copy, modify, rent, sell, distribute or transfer any part of

the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.

3. You may not reverse engineer, decompile, or disassemble the Software.

4. You may not sublicense or permit simultaneous use of the Software by more than one user.

5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

OEM LICENSE: You may reproduce and distribute the Software only as an integral part of or incorporated in Your product or as a standalone Software maintenance update for existing end users of Your products, excluding any other standalone products, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.

2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.

3. You may not reverse engineer, decompile, or disassemble the Software.

4. You may only distribute the Software to your customers pursuant to a written license agreement. Such license agreement may be a "break-the-seal" license agreement. At a minimum such license shall safeguard Intel's ownership rights to the Software.

5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

NO OTHER RIGHTS. No rights or licenses are granted by Intel to You, expressly or by implication, with respect to any proprietary information or patent, copyright, mask work, trademark, trade secret, or other intellectual property right owned or controlled by Intel, except as expressly provided in this Agreement.

OWNERSHIP OF SOFTWARE AND COPYRIGHTS. Title to all copies of the Software remains with Intel or its suppliers. The Software is copyrighted and protected

by the laws of the United States and other countries, and international treaty provisions. You may not remove any copyright notices from the Software. Intel may make changes to the Software, or to items referenced therein, at any time without notice, but is not obligated to support or update the Software. Except as otherwise expressly provided, Intel grants no express or implied right under Intel patents, copyrights, trademarks, or other intellectual property rights. You may transfer the Software only if the recipient agrees to be fully bound by these terms and if

you retain no copies of the Software.

LIMITED MEDIA WARRANTY. If the Software has been delivered by Intel on physical media, Intel warrants the media to be free from material physical defects for a period of ninety days after delivery by Intel. If such a defect is found, return the media to Intel for replacement or alternate delivery of the Software as Intel may select.

EXCLUSION OF OTHER WARRANTIES. EXCEPT AS PROVIDED ABOVE, THE SOFTWARE IS PROVIDED "AS IS" WITHOUT ANY EXPRESS OR IMPLIED WARRANTY OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, NONINFRINGEMENT, OR FITNESS FOR A PARTICULAR PURPOSE. Intel does not warrant or assume responsibility for the accuracy or completeness of any information, text, graphics, links or other items contained within the Software.

LIMITATION OF LIABILITY. IN NO EVENT SHALL INTEL OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES WHATSOEVER (INCLUDING, WITHOUT LIMITATION, LOST PROFITS, BUSINESS INTERRUPTION, OR LOST INFORMATION) ARISING OUT OF THE USE OF OR INABILITY TO USE THE SOFTWARE, EVEN IF INTEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. SOME JURISDICTIONS PROHIBIT EXCLUSION OR LIMITATION OF LIABILITY FOR IMPLIED WARRANTIES OR CONSEQUENTIAL OR INCIDENTAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. YOU MAY ALSO HAVE OTHER LEGAL RIGHTS THAT VARY FROM JURISDICTION TO JURISDICTION.

TERMINATION OF THIS AGREEMENT. Intel may terminate this Agreement at any time if you violate its terms. Upon termination, you will immediately destroy the Software or return all copies of the Software to Intel.

APPLICABLE LAWS. Claims arising under this Agreement shall be governed by the laws of California, excluding its principles of conflict of laws and the United Nations Convention on Contracts for the Sale of Goods. You may not export the Software in violation of applicable export laws and regulations. Intel is not obligated under any other agreements unless they are in writing and signed by an authorized representative of Intel.

GOVERNMENT RESTRICTED RIGHTS. The Software is provided with "RESTRICTED RIGHTS." Use, duplication, or disclosure by the Government is subject to restrictions as set forth in FAR52.227-14 and DFAR252.227-7013 et seq. or its successor. Use of the Software by the Government constitutes acknowledgment of Intel's proprietary rights therein. Contractor or Manufacturer is Intel
2200 Mission College Blvd., Santa Clara, CA
95052.

Automatically generated by apkbuidl-cpan, template 1

Contributor: Valery Kartel <valery.kartel@gmail.com>

Maintainer: Valery Kartel <valery.kartel@gmail.com>

pkgname=perl-bsd-resource

```

_pkgreal=BSD-Resource
pkgver=1.2909
pkgrel=2
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="http://search.cpan.org/dist/BSD-Resource/"
arch="all"
license="GPL PerlArtistic"
cpandepends=""
cpanmakedepends=" "
depends="$cpandepends"
makedepends="perl-dev $cpanmakedepends"
subpackages="$pkgname-doc"
source="http://search.cpan.org/CPAN/authors/id/J/JH/JHI/${_pkgreal}-${pkgver}.tar.gz"

_buildddir="$srcdir/${_pkgreal}-${pkgver}"

prepare() {
    cd "$_buildddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
    PERL_MM_USE_DEFAULT=1 perl Makefile.PL INSTALLDIRS=vendor
}

build() {
    cd "$_buildddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
    make && make test || return 1
}

package() {
    cd "$_buildddir"
    make DESTDIR="$pkgdir" install || return 1
    find "$pkgdir"
    \(-name perllocal.pod -o -name .packlist\) -delete
}

md5sums="3c6dd2fa953088aa87e263f40818d012 BSD-Resource-1.2909.tar.gz"
sha256sums="c47d460e2bd00d8d049f6ff4a0f1f61957e289e8de45af5fc79e851e2e855e06 BSD-Resource-1.2909.tar.gz"
sha512sums="5f489eaac5089e82081b7cf51d62638750e443751b49415407354da96b17771819b5e6e85529faa41ddd85743363750157943c7f7700276cce2bd40a429fa430 BSD-Resource-1.2909.tar.gz"
SQLite Copyright
SQLite is in the
Public Domain

```

All of the deliverable code in SQLite has been dedicated to the public domain by the authors. All code authors, and representatives of the companies they work for, have signed affidavits dedicating their contributions to the public domain and originals of those signed affidavits are stored in a firesafe at the main offices of Hwaci. Anyone is free

to copy, modify, publish, use, compile, sell, or distribute the original SQLite code, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

The previous paragraph applies to the deliverable code in SQLite - those parts of the SQLite library that you actually bundle and ship with a larger application. Portions of the documentation and some code used as part of the build process might fall under other licenses. The details here are unclear. We do not worry about the licensing of the documentation and build code so much because none of these things are part of the core deliverable SQLite library.

All of the deliverable code in SQLite has been written from scratch. No code has been taken from other projects or from the open internet. Every line of code can be traced back to its original author, and all of those authors have public domain dedications on file. So the SQLite code base is clean and is uncontaminated with licensed code from other projects.

Obtaining An Explicit License To Use SQLite

Even though SQLite is in the public domain and does not require a license, some users want to obtain a license anyway. Some reasons for obtaining a license include:

You are using SQLite in a jurisdiction that does not recognize the public domain.

You are using SQLite in a jurisdiction that does not recognize the right of an author to dedicate their work to the public domain.

You want to hold a tangible legal document as evidence that you have the legal right to use and distribute SQLite.

Your legal department tells

you that you have to purchase a license.

If you feel like you really have to purchase a license for SQLite, Hwaci, the company that employs the architect and principal developers of SQLite, will sell you one.

Contributed Code

In order to keep SQLite completely free and unencumbered by copyright, all new contributors to the SQLite code base are asked to dedicate their contributions to the public domain. If you want to send a patch or enhancement for possible inclusion in the SQLite source tree, please accompany the patch with the following statement:

The author or authors of this code dedicate any and all copyright interest in this code to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this code under copyright law.

We are not able to accept patches or changes to SQLite that are not accompanied by a statement such as the above. In addition, if you make changes or enhancements as an employee, then a simple statement such as the above is insufficient. You must also send by surface mail a copyright release signed by a company officer. A signed original of the copyright release should be mailed to:

Hwaci
6200 Maple Cove Lane
Charlotte, NC 28269
USA

A template copyright release is available in PDF or HTML. You can use this release to make future changes.

see <http://www.sqlite.org/copyright.html>

Copyright (c) 2016 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software source and associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, compile, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject the following terms and conditions:

All modifications to the Materials used to create a binary that is distributed to third parties shall be provided to Khronos with an unrestricted license to use for the purposes of implementing bug fixes and enhancements to the Materials;

If the binary is used as part of an OpenCL(TM) implementation, whether binary is distributed together with or separately to that implementation, then recipient must become an OpenCL Adopter and follow the published OpenCL conformance process for that implementation, details at:
<http://www.khronos.org/conformance/>;

The above copyright notice, the OpenCL trademark license, and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

OpenCL is a trademark of Apple Inc. used under license by Khronos.

Contributor: Fabian Affolter <fabian@affolter-engineering.ch>

Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>

pkgname=py-flake8-copyright

_pkgname=flake8-copyright

pkgver=0.2.0

pkgrel=1

pkgdesc="Extension for flake8 which checks for copyrights"

url="https://github.com/savoirfairelinux/flake8-copyright"

arch="noarch"

license="MIT"

depends="flake8"

makedepends="python3-dev"

source="https://files.pythonhosted.org/packages/source/\${_pkgname:0:1}/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

```
builddir="$srcdir"/$_pkgname-$pkgver
```

```
build() {  
  cd "$builddir"  
  python3 setup.py build || return 1  
}
```

```
package() {  
  cd "$builddir"  
  python3 setup.py install --prefix=/usr --root="$pkgdir" || return 1  
}
```

```
md5sums="c6348990c6d74933bf5d5f6a55a14bdf flake8-copyright-0.2.0.tar.gz"  
sha256sums="aeef26eb4d5223c9cd5b101e68175fcef6d2b353bf36da688fdde62fccfe2b73 flake8-copyright-  
0.2.0.tar.gz"  
sha512sums="bab1bfaeed3a525ac3c7da12b1f2ec338c204cc69b72d05cd39560e528faff5d586c3b1be9570f4a977a7e  
2417b586e543bfba12abce256b2023c8c4993eeb90  
flake8-copyright-0.2.0.tar.gz"  
mini_sendmail - accept email on behalf of real sendmail
```

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

1.181 ssl-client 1.37.0-r29

1.181.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source
of bzip2 version 1.0.4. bzip2 source is distributed
under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2006 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must
not claim that you wrote the original software. If you use this
software in a product, an acknowledgment in the product
documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must
not be misrepresented
as being the original software.
4. The name of the author may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.
jseward@bzip.org

bzip2/libbzip2 version 1.0.4 of 20 December 2006

--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's

software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty;

and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program

with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License.

However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed

through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice

like this

when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of
Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.182 brotli 1.2.0-r0

1.182.1 Available under license :

Copyright (c) 2009, 2010, 2013-2016 by the Brotli Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.183 libncursesw 6.5_p20251123-r0

1.183.1 Available under license :

Upstream source <https://invisible-island.net/ncurses/ncurses-examples.html>

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *

Copyright: 2017-2020,2021 Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

Licence: X11

Files: aclocal.m4 package

Copyright: 2003-2019,2020 by Thomas E. Dickey

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: install-sh
Copyright: 1994 X Consortium
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent 'make' implicit rules from creating a file called install from it when there is no Makefile.

This script is compatible with the BSD install script, but was written from scratch. It can only install one file at a time, a restriction shared with many OS's install programs.

On Debian systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8
Upstream source <https://invisible-island.net/ncurses/ncurses.html>
This package is used for testing builds of ncurses.

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *

Copyright: 2017-2020,2021 by Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

Licence: X11

Files: aclocal.m4 package

Copyright: 1996-2020,2021 by Thomas E. Dickey

Licence: X11

Files: doc/html/NCURSES-Programming-HOWTO.html

Copyright: 2001 by Pradeep Padala

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files:

install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

Files: progs/tset.c ncurses/tinfo/read_termcap.c

Copyright: 1980,1991,1992,1993 The Regents of the University of California.

License: BSD

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list

of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY

OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

-- vile: txtmode file-encoding=utf-8

Copyright 2018-2020,2021 Thomas E. Dickey

Copyright 1998-2017,2018 Free Software Foundation, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

-- vile:txtmode fc=72

-- \$Id: COPYING,v 1.10 2021/01/01 09:54:30 tom Exp \$

Upstream source <https://invisible-island.net/ncurses/Ada95.html>

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *

Copyright: 2017-2020,2021 by Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

Licence: X11

Files: aclocal.m4 package

Copyright: 2010-2020,2021 by Thomas E. Dickey

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included

in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: install-sh

Copyright: 1994 X Consortium

Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except
as contained in this notice, the name of the X Consortium shall not
be used in advertising or otherwise to promote the sale, use or other deal-
ings in this Software without prior written authorization from the X Consor-
tium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent
'make' implicit rules from creating a file called install from it
when there is no Makefile.

This script is compatible with the BSD install script, but was written
from scratch. It can only install one file at a time, a restriction
shared with many OS's install programs.

On Debian systems, the complete text of the GNU General
Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8
Upstream source <https://invisible-island.net/ncurses/ncurses-examples.html>

Current ncurses maintainer: Thomas Dickey <dickey@invisible-island.net>

Files: *
Copyright: 2017-2020,2021 Thomas E. Dickey
Copyright: 1998-2016,2017 Free Software Foundation, Inc.
Licence: X11

Files: aclocal.m4 package
Copyright: 2003-2020,2021 by Thomas E. Dickey
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, distribute with modifications, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: install-sh
Copyright: 1994 X Consortium
Licence: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE X CONSORTIUM BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of the X Consortium shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from the X Consortium.

FSF changes to this file are in the public domain.

Calling this script install-sh is preferred over install.sh, to prevent 'make' implicit rules from creating a file called install from it when there is no Makefile.

This script is compatible with the BSD install script, but was written from scratch. It can only install one file at a time, a restriction shared with many OS's install programs.

On Debian systems, the complete text of the GNU General Public License can be found in '/usr/share/common-licenses/GPL-2'

-- vile: txtmode file-encoding=utf-8

1.184 libucontext 1.3.3-r0

1.184.1 Available under license :

Copyright (c) 2018-2022 Ariadne Conill <ariadne@dereferenced.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

This software is provided 'as is' and without any warranty, express or implied. In no event shall the authors be liable for any damages arising from the use of this software.

1.185 musl-obstack 1.2.3-r2

1.185.1 Available under license :

Copyright 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2008
Free Software Foundation, Inc.

NOTE: The canonical source of this file is maintained with the GNU C Library.
Bugs can be reported to bug-glibc@gnu.org.

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street - Fifth Floor, Boston, MA 02110-1301, USA.

1.186 klauspost-compress 1.18.2

1.186.1 Available under license :

Copyright (c) 2015, Pierre Curto

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of xxHash nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
# This is the official list of people who can contribute
# (and typically have contributed) code to the Snappy-Go repository.
# The AUTHORS file lists the copyright holders; this file
# lists people. For example, Google employees are listed here
# but not in AUTHORS, because Google holds the copyright.
#
# The submission process automatically checks to make sure
# that people submitting code are listed in this file (by email address).
#
# Names should be added to this file only after verifying that
# the individual or the individual's organization has agreed to
# the appropriate Contributor License Agreement, found here:
#
#   http://code.google.com/legal/individual-cla-v1.0.html
#   http://code.google.com/legal/corporate-cla-v1.0.html
#
```

The agreement for individuals can be filled out on the web.

#

When adding J Random Contributor's name to this file,
either J's name or J's organization's name should be
added to the AUTHORS file, depending on whether the
individual or corporate
CLA was used.

Names should be added to this file like so:

Name <email address>

Please keep the list sorted.

Alex Legg <alexlegg@google.com>
Damian Gryski <dgryski@gmail.com>
Eric Buth <eric@topos.com>
Jan Mercl <0xjnm@gmail.com>
Jonathan Swinney <jswinney@amazon.com>
Kai Backman <kaib@golang.org>
Klaus Post <klauspost@gmail.com>
Marc-Antoine Ruel <maruel@chromium.org>
Nigel Tao <nigeltao@golang.org>
Rob Pike <r@golang.org>
Rodolfo Carvalho <rhcarvalho@gmail.com>
Russ Cox <rsc@golang.org>
Sebastien Binet <seb.binet@gmail.com>
The MIT License (MIT)

Copyright (c) 2015 Klaus Post

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2016 Evan Huus

Copyright (c) 2023 Klaus Post

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

Copyright (c) 2019 Klaus Post. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2016 The filepathx Authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses
granted to You under this License for that Work shall terminate
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute
copies of the

Work or Derivative Works thereof in any medium, with or without
modifications, and in Source or Object form, provided that You
meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices
stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2016-2017 The New York Times Company

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2016 Caleb Spare

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH

THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2012 The Go Authors. All rights reserved.

Copyright (c) 2019 Klaus Post. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: gzhttp/*

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices
stating that You changed the files;
and
- (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally
appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall
be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2016-2017 The New York Times Company

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Files: s2/cmd/internal/readahead/*

The MIT License
(MIT)

Copyright (c) 2015 Klaus Post

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: snappy/*

Files: internal/snapref/*

Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED

TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: s2/cmd/internal/filepathx/*

Copyright 2016 The filepathx Authors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011 The Snappy-Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.187 x-sys 0.39.0

1.187.1 Available under license :

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer

in the documentation and/or other materials provided with the distribution.

* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.188 x-sync 0.19.0

1.188.1 Available under license :

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.189 x-term 0.38.0

1.189.1 Available under license :

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.190 x-text 0.32.0

1.190.1 Available under license :

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright

notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.191 iputils-arping 20250605-r0

1.191.1 Available under license :

arping: GPL-2.0-or-later
clockdiff: BSD-3-Clause
ping: BSD-3-Clause
tracepath: GPL-2.0-or-later

Files containing license texts are available in Documentation directory.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR

ANY DIRECT, INDIRECT,
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price.

Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that
you have. You must make sure that they, too, receive or can get the
source code. And you must show them these terms so they know their
rights.

We protect your rights with two steps: (1) copyright the software, and
(2) offer you this license which

gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot

impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.192 iputils-tracepath 20250605-r0

1.192.1 Available under license :

arping: GPL-2.0-or-later
clockdiff: BSD-3-Clause
ping: BSD-3-Clause
tracepath: GPL-2.0-or-later

Files containing license texts are available in Documentation directory.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the

source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate

copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt

otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made

generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.193 bridgeutils 1.7.1-r2

1.193.1 Available under license :

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public

License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively

when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer

to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to

this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it

free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) 19yy <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) 19yy name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program  
'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.194 iputils-ping 20250605-r0

1.194.1 Available under license :

arping: GPL-2.0-or-later

clockdiff: BSD-3-Clause

ping: BSD-3-Clause

tracepath: GPL-2.0-or-later

Files containing license texts are available in Documentation directory.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the

program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause

any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete

machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the

Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute  
it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if

necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.195 iputils 20250605-r0

1.195.1 Available under license :

arping: GPL-2.0-or-later
clockdiff: BSD-3-Clause
ping: BSD-3-Clause
tracepath: GPL-2.0-or-later

Files containing license texts are available in Documentation directory.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so

that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections

1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing
or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute  
it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may

be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.196 iputils-clockdiff 20250605-r0

1.196.1 Available under license :

arping: GPL-2.0-or-later
clockdiff: BSD-3-Clause
ping: BSD-3-Clause
tracepath: GPL-2.0-or-later

Files containing license texts are available in Documentation directory.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,

INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which

gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot

impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.197 gcompat 1.1.0-r4

1.197.1 Available under license :

Copyright (c) 2016-2022 Adlie Linux and its contributors.
All rights reserved.

Developed by: Wilcox Technologies Inc., A. Wilcox,
Ariadne Conill, and contributors
<https://www.adielinux.org/>

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal with the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject
to the following conditions:

Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimers.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.

Neither

the names of Adlie Linux nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE.

1.198 py3-parsing 3.2.3-r0

1.198.1 Available under license :

MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.199 py3-packaging 25.0-r0

1.199.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

BSD-style without advertising clause

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.200 libstdc++ 15.2.0-r2

1.200.1 Available under license :

Copyright (c) 2021-2025 Symas Corporation

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Symas Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide
to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less

of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the

Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for

that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may

distribute the object

code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy

from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
GNU Free Documentation License
Version 1.2, November 2002

Copyright (C) 2000-2025 Free Software Foundation, Inc.
<<http://fsf.org/>>.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or

for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title

Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties; any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the

copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the

Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may

copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section.

You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions,
provided that you include in the combination all of the
Invariant Sections of all of the original documents, unmodified, and
list them all as Invariant Sections of your combined work in its
license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and
multiple identical Invariant Sections may be replaced with a single
copy. If there are multiple Invariant Sections with the same name but
different contents, make the title of each such section unique by
adding at the end of it, in parentheses, the name of the original
author or publisher of that section if known, or else a unique number.
Make the same adjustment to the section titles in the list of
Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History"
in the various original documents, forming one section Entitled
"History"; likewise combine any sections Entitled "Acknowledgements",
and
any sections Entitled "Dedications". You must delete all sections
Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents
released under this License, and replace the individual copies of this
License in the various documents with a single copy that is included in
the collection, provided that you follow the rules of this License for
verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute
it individually under this License, provided you insert a copy of this
License into the extracted document, and follow this License in all
other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate
and independent documents or works, in or on a volume of a storage or
distribution medium, is called an "aggregate" if the copyright
resulting

from the compilation is not used to limit the legal rights
of the compilation's users beyond what the individual works permit.
When the Document is included in an aggregate, this License does not

apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations

of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

The libffi source distribution contains certain code that is not part of libffi, and is only used as tooling to assist with the building and

testing of libffi. This includes the msvcc.sh script used to wrap the Microsoft compiler with GNU compatible command-line options, make_sunver.pl, and the libffi test code distributed in the testsuite/libffi.bhaible directory. This code is distributed with libffi for the purpose of convenience only, and libffi is in no way derived from this code.

msvcc.sh and testsuite/libffi.bhaible are both distributed under the terms of the GNU GPL version 2, as below.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software
are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions
that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether
gratis or for a fee, you must give the recipients all the rights that

you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you

conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to

exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright

holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES

PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY

AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Copyright (c) 2014-2020 The Rust Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these

rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it

does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work

which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified

Library refers to a function or a

table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any

executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable

source code for the Library including whatever

changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the

user installs one, as long as the modified version is

interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying
or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute
so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many
people have made
generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN

WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You

should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The files gnu.png and gnu.eps are part of GNU Modula-2.

Copyright (C) 2005-2025 Free Software Foundation, Inc.

This file is part of GNU Modula-2.

GNU Modula-2 is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3, or (at your option) any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GCC; see the file COPYING3. If not see

<<http://www.gnu.org/licenses/>>. */

libffi - Copyright (c) 1996-2021 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the ``Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2015 The Rust Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall

mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along

with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
compiler_rt License
=====

The compiler_rt library is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====

University of Illinois/NCSA
Open Source License

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

<http://llvm.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
- * Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Copyrights and Licenses for Third Party Software Distributed with LLVM:

=====

The LLVM software contains code written by third parties. Such software will have its own individual LICENSE.TXT file in the directory in which it appears. This file will describe the copyrights, license, and restrictions which apply to that code.

The disclaimer of warranty in the University of Illinois Open Source License applies to all code in the LLVM Distribution, and nothing in any of the other licenses gives permission to use the names of the LLVM Team or the University of Illinois to endorse or promote products derived from this Software.

The following pieces of software have additional or alternate copyrights, licenses, and/or restrictions:

Program	Directory
-----	-----
mach_override	lib/interception/mach_override

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009-2025 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes.

You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

```
/* Definitions for BSD assembler syntax for Intel 386
   (actually AT&T syntax for insns and operands,
   adapted to BSD conventions for symbol names and debugging.)
   Copyright (C) 1988-2025 Free Software Foundation, Inc.
```

This file is part of GCC.

GCC is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3, or (at your option) any later version.

GCC is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

```

along with GCC; see the file COPYING3. If not see
<http://www.gnu.org/licenses/>. */

/* Use the Sequent Symmetry assembler syntax. */

/* Define the syntax of pseudo-ops, labels and comments. */

/* Prefix for internally generated assembler
labels. If we aren't using
underscores, we are using prefix `.'s to identify labels that should
be ignored, as in `i386/gas.h' --karl@cs.umb.edu */

#define LPREFIX "L"

/* Assembler pseudos to introduce constants of various size. */

#define ASM_BYTE "\t.byte\t"
#define ASM_SHORT "\t.word\t"
#define ASM_LONG "\t.long\t"
#define ASM_QUAD "\t.quad\t" /* Should not be used for 32bit compilation. */

/* This was suggested, but it shouldn't be right for debugger output. -- RMS
#define ASM_OUTPUT_SOURCE_FILENAME(FILE, NAME) */

/* Define the syntax of labels and symbol definitions/declarations. */

/* This is how to output an assembler line
that says to advance the location counter by SIZE bytes. */

#define ASM_OUTPUT_SKIP(FILE,SIZE) \
    fprintf (FILE, "\t.space " HOST_WIDE_INT_PRINT_UNSIGNED"\n", (SIZE))

/* Define the syntax of labels and symbol definitions/declarations. */

/* This says how to output an assembler line
to define a global common symbol. */

#define
    ASM_OUTPUT_COMMON(FILE, NAME, SIZE, ROUNDED) \
    ( fputs (".comm ", (FILE)), \
      assemble_name ((FILE), (NAME)), \
      fprintf ((FILE), "%u\n", (int)(ROUNDED)))

/* This says how to output an assembler line
to define a local common symbol. */

#define ASM_OUTPUT_LOCAL(FILE, NAME, SIZE, ROUNDED) \

```

```

(fputs(".lcomm ", (FILE)), \
assemble_name ((FILE), (NAME)), \
fprintf ((FILE), "%u\n", (int)(ROUNDED)))

#ifdef HAVE_GAS_LCOMM_WITH_ALIGNMENT
#define ASM_OUTPUT_ALIGNED_LOCAL(FILE, NAME, SIZE, ALIGNMENT) \
(fputs(".lcomm ", (FILE)), \
assemble_name ((FILE), (NAME)), \
fprintf ((FILE), "%u,%u\n", (int)(SIZE), (int)(ALIGNMENT) / BITS_PER_UNIT))
#endif

/* This is how to output an assembler line
that says to advance the location counter
to a multiple of 2**LOG bytes. */

#define ASM_OUTPUT_ALIGN(FILE,LOG) \
if ((LOG)!=0) fprintf ((FILE), "\t.align %d\n", (LOG))

/* This is how to store into the string BUF
the symbol_ref name of an internal numbered
label where
PREFIX is the class of label and NUM is the number within the class.
This is suitable for output with `assemble_name'. */

#define ASM_GENERATE_INTERNAL_LABEL(BUF,PREFIX,NUMBER) \
sprintf ((BUF), "%s%d", (PREFIX), (long)(NUMBER))

/* The prefix to add to user-visible assembler symbols. */

#define USER_LABEL_PREFIX "_"
GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

```

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to

your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed

under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's

source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this

License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not

excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free

Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands
`show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may

consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

Licensed under the Apache License, Version 2.0

<LICENSE-APACHE or

<http://www.apache.org/licenses/LICENSE-2.0>> or the MIT

license <LICENSE-MIT or <http://opensource.org/licenses/MIT>>,

at your option. All files in the project carrying such

notice may not be copied, modified, or distributed except

according to those terms.

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2010 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

The LLVM Project is under the Apache License v2.0 with LLVM Exceptions:

=====

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the

power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached

to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition,

"submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---- LLVM Exceptions to the Apache 2.0 License ----

As an exception, if, as a result of your compiling your source code, portions of this Software are embedded into an Object form of such source code, you may redistribute such embedded portions in such Object form without complying with the conditions of Sections 4(a), 4(b) and 4(d) of the License.

In addition, if you combine or link compiled forms of this Software with software that is licensed under the GPLv2 ("Combined Software") and if a court of competent jurisdiction determines that the patent provision (Section 3), the indemnity provision (Section 9) or other Section of the License conflicts with the conditions of the GPLv2, you may retroactively and prospectively choose to deem waived or otherwise exclude such Section(s) of the License, but only in their entirety and only with respect to the Combined Software.

=====

Software from third parties included in the LLVM Project:

=====

The LLVM Project contains third party software which is under different license terms. All such code will be identified clearly using at least one of two mechanisms:

- 1) It will be in a separate directory tree with its own `LICENSE.txt` or `LICENSE` file at the top containing the specific license and restrictions which apply to that software, or
- 2) It will contain specific license and restriction terms at the top of every file.

=====

Legacy LLVM License (<https://llvm.org/docs/DeveloperPolicy.html#legacy>):

=====

The software contained in this directory tree is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====

University of Illinois/NCSA
Open Source License

Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:
Threading Runtimes Team
Intel Corporation
<http://www.intel.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- * Redistributions in binary form must reproduce the above copyright notice,

this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.

* Neither the names of Intel Corporation Threading Runtimes Team nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====

Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including

the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011 University of Illinois at Urbana-Champaign. All rights reserved.

Developed by: Polaris Research Group
University of Illinois at Urbana-Champaign
<http://polaris.cs.uiuc.edu>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
3. Neither the names of Polaris Research Group, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along

with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility

of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
# This source code was written by the Go contributors.  
# The master list of contributors is in the main Go distribution,  
# visible at http://tip.golang.org/CONTRIBUTORS.  
/* Copyright (C) 2013-2025 Free Software Foundation, Inc.
```

This file is part of GCC.

modify it under the terms of the GNU Library General Public License

as published by the Free Software Foundation; either version 2, or
(at your option) any later version.

In addition to the permissions in the GNU Library General Public License, the Free Software Foundation gives you unlimited permission to link the compiled version of this file into combinations with other programs, and to distribute those combinations without any restriction coming from the use of this file. (The Library Public License restrictions do apply in other respects; for example, they cover modification of the file, and distribution when not linked into a combined executable.)

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street - Fifth Floor, Boston, MA 02110-1301, USA. */

```
#ifndef __VTV_H__
#define __VTV_H__

/* We could have used an enumeration here but it just makes it more
   difficult for the compiler to generate a call to this. These are
   used as arguments to the function __VLTChangePermission, declared
   below. */
#define __VLTP_READ_ONLY 0
#define __VLTP_READ_WRITE 1

#ifdef __cplusplus
extern "C" void __VLTChangePermission (int);
#else
extern void __VLTChangePermission (int);
#endif

#ifdef BIG_PAGE_SIZE
/* TODO - Replace '4096' below with correct big page size. */
#define VTV_PAGE_SIZE 4096
#else
#ifdef defined(__sun__) && defined(__svr4__) && defined(__sparc__)
#define VTV_PAGE_SIZE 8192
#elif defined(__loongarch_lp64)
/* The page size is configurable by the kernel to be 4,
```

16 or 64 KiB.

For now, only the default page size of 16KiB is supported. */

```
#define VTV_PAGE_SIZE 16384
```

```
#else
```

```
#define VTV_PAGE_SIZE 4096
```

```
#endif
```

```
#endif
```

```
#endif /* __VTV_H__ */
```

Copyright (c) 2014 The Rust Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we

stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding

Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not

used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in

the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is

available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates

for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or

authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is

reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that

any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or

arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License,

section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE

USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data

structure

layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible

with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser

General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2013 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD

PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Copyright (c) 2019 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.201 libgcc 15.2.0-r2

1.201.1 Available under license :

Copyright (c) 2021-2025 Symas Corporation

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Symas Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide

to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the

ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must

be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary

GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses

the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood

that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to

refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free

Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

GNU Free Documentation License

Version 1.2, November 2002

Copyright (C) 2000-2025 Free Software Foundation, Inc.

<<http://fsf.org/>>.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially.

Secondarily, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles

are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following

text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit

legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute

Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may

copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications

adjacent to the other copyright notices.

F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.

G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

H. Include an unaltered copy of this License.

I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document,

create one

stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section.

You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers

or the equivalent are not considered part of the section titles.

M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.

N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.

O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization

as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents

released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting

from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4.

Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations

of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts.

A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

The libffi source distribution contains certain code that is not part of libffi, and is only used as tooling to assist with the building and testing of libffi. This includes the msvcc.sh script used to wrap the Microsoft compiler with GNU compatible command-line options, make_sunver.pl, and the libffi test code distributed in the testsuite/libffi.bhaible directory. This code is distributed with libffi for the purpose of convenience only, and libffi is in no way derived from this code.

msvcc.sh and testsuite/libffi.bhaible are both distributed under the terms of the GNU GPL version 2, as below.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software

Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a

notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such

an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent

infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any

later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest

to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Copyright (c) 2014-2020 The Rust Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change

free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that

any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any

warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library

creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any

executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the

user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise

permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed

under the terms of the

Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by

all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is

copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL

DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the

direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The files gnu.png and gnu.eps are part of GNU Modula-2.

Copyright (C) 2005-2025 Free Software Foundation, Inc.

This file is part of GNU Modula-2.

GNU Modula-2 is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3, or (at your option) any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GCC; see the file COPYING3. If not see

<<http://www.gnu.org/licenses/>>. */

libffi - Copyright (c) 1996-2021 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the ``Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2015 The Rust Project Developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge,

publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS

IN THE SOFTWARE.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,
 - within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2009 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
compiler_rt License
=====

The compiler_rt library is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====
University of Illinois/NCSA
Open Source License

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

<http://llvm.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction,

including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do

so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
- * Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Copyrights and Licenses for Third Party Software Distributed with LLVM:

=====

The LLVM software contains code written by third parties. Such software will have its own individual LICENSE.TXT file in the directory in which it appears. This file will describe the copyrights, license, and restrictions which apply to that code.

The disclaimer of warranty in the University of Illinois Open Source License applies to all code in the LLVM Distribution, and nothing in any of the other licenses gives permission to use the names of the LLVM Team or the University of Illinois to endorse or promote products derived from this Software.

The following pieces of software have additional or alternate copyrights, licenses, and/or restrictions:

Program	Directory
-----	-----
mach_override	lib/interception/mach_override
GCC RUNTIME LIBRARY EXCEPTION	

Version 3.1, 31 March 2009

Copyright (C) 2009-2025 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes.

You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

/* Definitions for BSD assembler syntax for Intel 386

(actually AT&T syntax for insns and operands,

adapted to BSD conventions for symbol names and debugging.)
Copyright (C) 1988-2025 Free Software Foundation, Inc.

This file is part of GCC.

GCC is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 3, or (at your option)
any later version.

GCC is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with GCC; see the file COPYING3. If not see
<<http://www.gnu.org/licenses/>>. */

/* Use the Sequent Symmetry assembler syntax. */

/* Define the syntax of pseudo-ops, labels and comments. */

/* Prefix for internally generated assembler
labels. If we aren't using
underscores, we are using prefix `.'s to identify labels that should
be ignored, as in `i386/gas.h' --karl@cs.umb.edu */

#define LPREFIX "L"

/* Assembler pseudos to introduce constants of various size. */

#define ASM_BYTE "\t.byte\t"
#define ASM_SHORT "\t.word\t"
#define ASM_LONG "\t.long\t"
#define ASM_QUAD "\t.quad\t" /* Should not be used for 32bit compilation. */

/* This was suggested, but it shouldn't be right for debugger output. -- RMS
#define ASM_OUTPUT_SOURCE_FILENAME(FILE, NAME) */

/* Define the syntax of labels and symbol definitions/declarations. */

/* This is how to output an assembler line
that says to advance the location counter by SIZE bytes. */

#define ASM_OUTPUT_SKIP(FILE,SIZE) \
fprintf (FILE, "\t.space " HOST_WIDE_INT_PRINT_UNSIGNED"\n", (SIZE))


```

/* Define the syntax of labels and symbol definitions/declarations. */

/* This says how to output an assembler line
to define a global common symbol. */

#define
ASM_OUTPUT_COMMON(FILE, NAME, SIZE, ROUNDED) \
( fputs(".comm ", (FILE)), \
assemble_name((FILE), (NAME)), \
fprintf((FILE), "%u\n", (int)(ROUNDED)))

/* This says how to output an assembler line
to define a local common symbol. */

#define ASM_OUTPUT_LOCAL(FILE, NAME, SIZE, ROUNDED) \
( fputs(".lcomm ", (FILE)), \
assemble_name((FILE), (NAME)), \
fprintf((FILE), "%u\n", (int)(ROUNDED)))

#ifdef HAVE_GAS_LCOMM_WITH_ALIGNMENT
#define ASM_OUTPUT_ALIGNED_LOCAL(FILE, NAME, SIZE, ALIGNMENT) \
( fputs(".lcomm ", (FILE)), \
assemble_name((FILE), (NAME)), \
fprintf((FILE), "%u,%u\n", (int)(SIZE), (int)(ALIGNMENT) / BITS_PER_UNIT))
#endif

/* This is how to output an assembler line
that says to advance the location counter
to a multiple of 2**LOG bytes. */

#define ASM_OUTPUT_ALIGN(FILE, LOG) \
if ((LOG)!=0) fprintf((FILE), "\t.align %d\n", (LOG))

/* This is how to store into the string BUF
the symbol_ref name of an internal numbered
label where
PREFIX is the class of label and NUM is the number within the class.
This is suitable for output with `assemble_name'. */

#define ASM_GENERATE_INTERNAL_LABEL(BUF, PREFIX, NUMBER) \
sprintf((BUF), "%s%d", (PREFIX), (long)(NUMBER))

/* The prefix to add to user-visible assembler symbols. */

#define USER_LABEL_PREFIX "_"

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

```

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections

1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER

PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands

`show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

Licensed under the Apache License, Version 2.0

<LICENSE-APACHE or

<http://www.apache.org/licenses/LICENSE-2.0>> or the MIT

license <LICENSE-MIT or <http://opensource.org/licenses/MIT>>,

at your option. All files in the project carrying such

notice may not be copied, modified, or distributed except according to those terms.

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2010 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.

4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@bzip.org
bzip2/libbzip2 version 1.0.6 of 6 September 2010

=====

The LLVM Project is under the Apache License v2.0 with LLVM Exceptions:

=====

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---- LLVM Exceptions to the Apache 2.0 License ----

As an exception, if, as a result of your compiling your source code, portions of this Software are embedded into an Object form of such source code, you may redistribute such embedded portions in such Object form without complying with the conditions of Sections 4(a), 4(b) and 4(d) of the License.

In addition, if you combine or link compiled forms of this Software with software that is licensed under the GPLv2 ("Combined Software") and if a court of competent jurisdiction determines that the patent provision (Section 3), the indemnity provision (Section 9) or other Section of the License conflicts with the conditions of the GPLv2, you may retroactively and prospectively choose to deem waived or otherwise exclude such Section(s) of the License, but only in their entirety and only with respect to the Combined Software.

=====
Software from third parties included in the LLVM Project:
=====

The LLVM Project contains third party software which is under different license terms. All such code will be identified clearly using at least one of two mechanisms:

- 1) It will be in a separate directory tree with its own `LICENSE.txt` or `LICENSE` file at the top containing the specific license and restrictions which apply to that software, or
- 2) It will contain specific license and restriction terms at the top of every file.

=====
Legacy LLVM License (<https://llvm.org/docs/DeveloperPolicy.html#legacy>):
=====

The software contained in this directory tree is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====
University of Illinois/NCSA
Open Source License

Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:
Threading Runtimes Team
Intel Corporation
<http://www.intel.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.
- * Neither the names of Intel Corporation Threading Runtimes Team nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====

Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2011 University of Illinois at Urbana-Champaign. All rights reserved.

Developed by: Polaris Research Group
University of Illinois at Urbana-Champaign
<http://polaris.cs.uiuc.edu>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.

3. Neither the names of Polaris Research Group, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with

the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along

with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
# This source code was written by the Go contributors.  
# The master list of contributors is in the main Go distribution,  
# visible at http://tip.golang.org/CONTRIBUTORS.  
/* Copyright (C) 2013-2025 Free Software Foundation, Inc.
```

This file is part of GCC.

modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

In addition to the permissions in the GNU Library General Public License, the Free Software Foundation gives you unlimited permission to link the compiled version of this file into combinations with other programs, and to distribute those combinations without any restriction coming from the use of this file. (The Library Public License restrictions do apply in other respects; for example, they cover modification of the file, and distribution when not linked into a combined executable.)

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street - Fifth Floor, Boston, MA 02110-1301, USA. */

```
#ifndef __VTV_H__  
#define __VTV_H__
```

```
/* We could have used an enumeration here but it just makes it more  
difficult for the compiler to generate a call to this. These are  
used as arguments to the function __VLTChangePermission, declared  
below. */
```

```
#define __VLTP_READ_ONLY 0
```



```

#define __VLTP_READ_WRITE 1

#ifdef __cplusplus
extern "C" void __VLTChangePermission (int);
#else
extern void __VLTChangePermission (int);
#endif

#ifdef BIG_PAGE_SIZE
/* TODO - Replace '4096' below with correct big page size. */
#define VTV_PAGE_SIZE 4096
#else
#ifdef defined(__sun__) && defined(__svr4__) && defined(__sparc__)
#define VTV_PAGE_SIZE 8192
#elif defined(__loongarch_lp64)
/* The page size is configurable by the kernel to be 4,
16 or 64 KiB.
For now, only the default page size of 16KiB is supported. */
#define VTV_PAGE_SIZE 16384
#else
#define VTV_PAGE_SIZE 4096
#endif
#endif

#endif /* __VTV_H__ */
Copyright (c) 2014 The Rust Project Developers

```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:
(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the

earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This

License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the

written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object

code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above

requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible

for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a

patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a

publicly available network server or other readily accessible means,

then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered

work, then the patent license

you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or

that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

```
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
```

```
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the

facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2013 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data

Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Copyright (c) 2019 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.202 x-net 0.48.0

1.202.1 Available under license :

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google LLC nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.203 libpanelw 6.5_p20251123-r0

1.203.1 Available under license :

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: ncurses

Upstream-Contact: Thomas E. Dickey <dickey@invisible-island.net>

Source: <https://invisible-island.net/ncurses/ncurses.html>

Files: *

Copyright: 2017-2024,2025 by Thomas E. Dickey

1998-2016,2017 Free Software Foundation, Inc.

License: X11 License Distribution Modification Variant

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE

SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Comment:

<https://invisible-island.net/ncurses/ncurses-license.html>

Files: aclocal.m4 package

Copyright: 1996-2024,2025 by Thomas E. Dickey

License: X11 License Distribution Modification Variant

Files: doc/html/NCURSES-Programming-HOWTO.html

Copyright: 2001 by Pradeep Padala

License: X11 License Distribution
Modification Variant

Files: misc/ncu2openbsd

ncurses/wcwidth.h

Copyright: 2002-2024 by Thomas E. Dickey

License: X11

Files: install-sh

Copyright: 1994 X Consortium

License: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE LISTED COPYRIGHT HOLDER(S) BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Files: ncurses/tinfo/read_termcap.c
progs/tset.c

Copyright: 1980,1991,1992,1993 The Regents of the University of California.

License: BSD-3-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Files: test/terminal.xbm

Copyright: 1988 Evans & Sutherland Computer Corporation, Salt Lake City, Utah

License: StandardML-NJ

Comment: vile: txtmode file-encoding=utf-8

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: AdaCurses

Upstream-Contact: Thomas E. Dickey <dickey@invisible-island.net>

Source: <https://invisible-island.net/ncurses/Ada95.html>

Files: *

Copyright: 2017-2024,2025 by Thomas E. Dickey

Copyright: 1998-2016,2017 Free Software Foundation, Inc.

License: X11 License Distribution Modification Variant

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE

SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Comment:

<https://invisible-island.net/ncurses/ncurses-license.html>

Files: install-sh

Copyright: 1994 X Consortium

License: X11

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE LISTED COPYRIGHT HOLDER(S) BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Comment: vile: txtmode file-encoding=utf-8

Copyright 2018-2024,2025 Thomas E. Dickey

Copyright 1998-2017,2018 Free Software Foundation, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

-- vile:txtmode fc=72

-- \$Id: COPYING,v 1.14 2025/01/04 10:53:46 tom Exp \$

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: ncurses-examples

Upstream-Contact: Thomas E. Dickey <dickey@invisible-island.net>

Source: <https://invisible-island.net/ncurses/ncurses-examples.html>

Files: *

Copyright: 2017-2024,2025 by Thomas E. Dickey

1998-2016,2017 Free Software Foundation, Inc.

License: X11 License Distribution Modification Variant

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, distribute with modifications, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE ABOVE COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright holders shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization.

Comment:

<https://invisible-island.net/ncurses/ncurses-license.html>

Files: aclocal.m4 package

Copyright: 2003-2024,2025 by Thomas E. Dickey

License: X11 License Distribution Modification Variant

Files: install-sh

Copyright: 1994 X Consortium

License: X11

Permission is hereby granted,

free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to
deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or
sell copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
ABOVE LISTED COPYRIGHT HOLDER(S) BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN THE SOFTWARE.

.

Except as contained in this notice, the name(s) of the above copyright
holders shall not be used in advertising or otherwise to promote the sale,
use or other dealings in this Software without prior written authorization.

Files: terminal.xbm

Copyright: 1988 Evans & Sutherland Computer Corporation, Salt Lake City, Utah

License: StandardML-NJ

Comment: vile: txtmode file-encoding=utf-8

1.204 nspr 4.36-r0

1.204.1 Available under license :

Copyright 2005 Sun Microsystems, Inc. All rights reserved.

Use is subject to license terms.

This Source Code Form is subject to the terms of the Mozilla Public
License, v. 2.0. If a copy of the MPL was not distributed with this
file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to

the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of

version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other

equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary

License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have

come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

*
*
*
* 6. Disclaimer of Warranty *
* ----- *
*
* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the *
* Covered Software is free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *
* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
* essential part of this License. No use of any Covered
Software is *
* authorized under this License except under this disclaimer. *

*

*
*
* 7. Limitation of Liability *
* ----- *
*
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *

* Contributor, or anyone who distributes Covered Software as *

* permitted above, be liable to You for any direct, indirect, *

* special, incidental, or consequential damages of any character *

* including, without limitation,

damages for lost profits, loss of *

* goodwill, work stoppage, computer failure or malfunction, or any *

* and all other commercial damages or losses, even if such party *

* shall have been informed of the possibility of such damages. This *

* limitation of liability shall not apply to liability for death or *

* personal injury resulting from such party's negligence to the *

* extent applicable law prohibits such limitation. Some *

* jurisdictions do not allow the exclusion or limitation of *

* incidental or consequential damages, so this exclusion and *

* limitation may not apply to You. *

* *

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place

of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions.

Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version

number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source

Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.205 nss 3.118.1-r0

1.205.1 Available under license :

```
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;
    do
        local license=${i##*/}
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
    done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdad70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9"
```

```

d4706fbe0ca6a8d236189e88870720c license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkbuid-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkbuid-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1

```

```

pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a  cargo-license-0.7.0.tar.gz
"

#!/sbin/openrc-run

command="/usr/libexec/xdg-permission-store"
supervisor=supervise-daemon
command_args="--replace $command_args"
error_logger="logger -t '${RC_SVCNAME}' -p daemon.error"

depend() {
    need dbus
}

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"

```

```

install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"
options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--scoredir=/usr/share/$pkgname
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"
MIT License

```

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

prepare() {

```

update_config_sub
default_prepare
}

build() {
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr
make
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"
# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
bulddir="$srcdir"
options="!check" # just headers

package() {
mkdir -p "$pkgdir"
install -Dm644 -t "$pkgdir"/usr/include/sys \
cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
The text rotation code in w_rottext.c was written by Alan Richardson.
The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker
The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick
The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:
"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95
<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>
/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993
* The Regents of the University of California. All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the University nor the names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

#ifndef _SYS_QUEUE_H_

#define _SYS_QUEUE_H_

/*

* This file defines five types of data structures: singly-linked lists,
 * lists, simple queues, tail queues, and circular queues.

*

* A singly-linked list is headed by a single forward pointer. The
 * elements are singly linked for minimum space and
 pointer manipulation
 * overhead at the expense of O(n) removal for arbitrary elements. New
 * elements can be added to the list after an existing element or at the
 * head of the list. Elements being removed from the head of the list
 * should use the explicit macro for this purpose for optimum
 * efficiency. A singly-linked list may only be traversed in the forward
 * direction. Singly-linked lists are ideal for applications with large
 * datasets and few or no removals or for implementing a LIFO queue.

*

* A list is headed by a single forward pointer (or an array of forward
 * pointers for a hash table header). The elements are doubly linked
 * so that an arbitrary element can be removed without a need to
 * traverse the list. New elements can be added to the list before
 * or after an existing element or at the head of the list. A list
 * may only be traversed in the forward direction.

*

* A simple queue is headed by a pair of pointers, one the head of the
 * list and the
 other to the tail of the list. The elements are singly
 * linked to save space, so elements can only be removed from the
 * head of the list. New elements can be added to the list after
 * an existing element, at the head of the list, or at the end of the
 * list. A simple queue may only be traversed in the forward direction.

*

- * A tail queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before or
- * after an existing element, at the head of the list, or at the end of
- * the list. A tail queue may be traversed in either direction.
- *
- * A circle queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements
- can be added to the list before or after
- * an existing element, at the head of the list, or at the end of the list.
- * A circle queue may be traversed in either direction, but has a more
- * complex end of list detection.
- *
- * For details on the use of these macros, see the queue(3) manual page.
- */

```
/*
 * Include the definition of NULL only on NetBSD because sys/null.h
 * is not available elsewhere. This conditional makes the header
 * portable and it can simply be dropped verbatim into any system.
 * The caveat is that on other systems some other header
 * must provide NULL before the macros can be used.
 */
```

```
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#if defined(QEUEDEDEBUG)
# if defined(_KERNEL)
#  define QEUEDEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QEUEDEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif
```

```
/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}
```

```

#define SLIST_HEAD_INITIALIZER(head)  \
{ NULL }

#define SLIST_ENTRY(type)  \
struct {  \
    struct type *sle_next; /* next element */  \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field)  \
for((var) = (head)->slh_first;  \
    (var) != SLIST_END(head);  \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar)  \
for ((var) = SLIST_FIRST((head));  \
    (var) != SLIST_END(head) &&  \
    ((tvar) = SLIST_NEXT((var), field), 1);  \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do {  \
    (head)->slh_first = SLIST_END(head);  \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do {  \
    (elm)->field.sle_next = (slistelm)->field.sle_next;  \
    (slistelm)->field.sle_next  \
    = (elm);  \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do {  \
    (elm)->field.sle_next = (head)->slh_first;  \
    (head)->slh_first = (elm);  \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do {  \
    (slistelm)->field.sle_next =  \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field);  \
} while (/*CONSTCOND*/0)

```

```

} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
    (var) != LIST_END(head); \

```

```

    (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
    (var) != LIST_END(head) && \
    ((tvar) = LIST_NEXT((var), field), 1); \
    (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */
#ifdef QUEUEDEBDEBUG
#define QUEUEDEBDEBUG_LIST_INSERT_HEAD(head, elm, field) \
if ((head)->lh_first && \
    (head)->lh_first->field.le_prev != &(head)->lh_first) \
    QUEUEDEBDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBDEBUG_LIST_OP(elm, field) \
if ((elm)->field.le_next && \
    (elm)->field.le_next->field.le_prev != \
    &(elm)->field.le_next) \
    QUEUEDEBDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBDEBUG_LIST_POSTREMOVE(elm, field) \
(elm)->field.le_next = (void *)1L; \
(elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBDEBUG_LIST_OP(elm, field)
#define QUEUEDEBDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

```



```

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
        = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
* Simple queue definitions.

```

```

*/
#define SIMPLEQ_HEAD(name, type)  \
struct name {  \
    struct  \
    type *sqh_first; /* first element */  \
    struct type **sqh_last; /* addr of last next element */  \
}

#define SIMPLEQ_HEAD_INITIALIZER(head)  \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type)  \
struct {  \
    struct type *sqe_next; /* next element */  \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field)  \
for ((var) = ((head)->sqh_first);  \
     (var) != SIMPLEQ_END(head);  \
     (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next)  \
for ((var) = ((head)->sqh_first);  \
     (var) != SIMPLEQ_END(head) &&  \
     ((next = ((var)->field.sqe_next)), 1);  \
     (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do {  \
    (head)->sqh_first = NULL;  \
    (head)->sqh_last  \
    = &(head)->sqh_first;  \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do {  \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL)  \
        (head)->sqh_last = &(elm)->field.sqe_next;  \
    (head)->sqh_first = (elm);  \
}

```

```

} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \
            curelm->field.sqe_next->field.sqe_next) == NULL) \
            (head)->sqh_last = &(curelm)->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \

```

```

(SIMPLEQ_EMPTY((head)) ? \
NULL : \
    ((struct type
*)(void *) \
    ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
struct name { \
    qual type *tqh_first; /* first element */ \
    qual type *qual *tqh_last; /* addr of last next element */ \
}
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
{ TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}
#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */
#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *)((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *)((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->tqh_first); \
    (var) != TAILQ_END(head); \
    (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->tqh_first); \
    (var) != TAILQ_END(head) && \

```

```

((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
for ((var) = TAILQ_LAST((head), headname); \
    (var) != TAILQ_END(head); \
    (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
for ((var) = TAILQ_LAST((head), headname); \
    (var) != TAILQ_END(head) && \
    ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
if ((head)->tqh_first && \
    (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
if (*(head)->tqh_last != NULL) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
    (elm)->field.tqe_next->field.tqe_prev != \
    &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
(elm)->field.tqe_next = (void *)1L; \
(elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)

```

```

#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
    (head)->tqh_first->field.tqe_prev = \
        &(elm)->field.tqe_next; \
    else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
    (elm)->field.tqe_next->field.tqe_prev = \
        &(elm)->field.tqe_next; \
    else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev

```

```

= &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
    (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
    *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm), \
        field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

```

```

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \

```



```

if ((head)->stqh_first == (elm)) { \
    STAILQ_REMOVE_HEAD((head), field); \
} else { \
    struct type *curelm = (head)->stqh_first; \
    while (curelm->field.stqe_next != (elm)) \
        curelm = curelm->field.stqe_next; \
    if ((curelm->field.stqe_next = \
        curelm->field.stqe_next->field.stqe_next) == NULL) \
        (head)->stqh_last = &(curelm->field.stqe_next); \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = STAILQ_FIRST((head)); \
        (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
        (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
    (STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.

```

* We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */

```
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
    if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
        (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
            __FILE__, __LINE__); \
    if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
        (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
        QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_last != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
```

```

        (elm), __FILE__, __LINE__); \
    }
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
    { CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head,

```

```

listelm, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

```

```

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
} while (/*CONSTCOND*/0)

```

```

QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->cqh_first); \
    (var) != CIRCLEQ_ENDC(head); \
    (var) \
    = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
for ((var) = ((head)->cqh_last); \
    (var) != CIRCLEQ_ENDC(head); \
    (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_last) \
     : \
     (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */

# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite

```

```

url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gp517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright"          # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gp517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gp517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"

#ifdef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS

```

```
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__ ((__nothrow__))
# define __NTH(fct) __attribute__ ((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif
```

```
#endif /* _SYS_CDEFS_H_ */
(The MIT License)
```

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
```

```
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
```

```
/* Modified by Void Linux. */
```

```
/*
```

```
* Copyright 2002 Niels Provos <provos@citi.umich.edu>
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

- * documentation and/or other materials provided with the distribution.
- *
- * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
- * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
- * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
- * IN NO EVENT SHALL THE
- AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
- * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
- * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
- * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
- * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
- * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
- * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
- */

```
#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_
```

```
#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
 (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif
```

```
#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif
```

```
/*
* This file defines data structures for different types of trees:
* splay trees and red-black trees.
*
* A splay tree is a self-organizing
data structure. Every operation
* on the tree causes a splay to happen. The splay moves the requested
* node to the root of the tree and partly rebalances it.
*
* This has the benefit that request locality causes faster lookups as
* the requested nodes move to the top of the tree. On the other hand,
* every lookup causes memory writes.
*
* The Balance Theorem bounds the total access time for m operations
* and n inserts on an initially empty tree as  $O((m + n) \lg n)$ . The
* amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
```



```

*
* A red-black tree is a binary search tree with the node color as an
* extra attribute. It fulfills a set of conditions:
* - every search path from the root to a leaf consists of the
*   same number of black nodes,
* - each red node (except for the root) has a black parent,
* - each leaf node is black.
*
* Every operation on a red-black tree is bounded as  $O(\lg n)$ .
* The maximum height of a red-black tree is  $2\lg(n+1)$ .
*/

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

```

```

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
\
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
\
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \

```

```

    elm = SPLAY_LEFT(elm, field); \
} \
}
else \
    elm = NULL; \
return (elm); \
} \
\
static __sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if (__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field); \
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \

```

```

if (SPLAY_EMPTY(head)) \
    return (NULL); \
name##_SPLAY(head, elm); \
if ((cmp)(elm, (head)->sph_root) == 0) { \
    if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
        (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
    } else { \
        __tmp = SPLAY_RIGHT((head)->sph_root, field); \
        (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
        name##_SPLAY(head, elm); \
        SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
    } \
    return (elm); \
} \
return (NULL); \
} \
\
void \
name##_SPLAY(struct
    name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) > 0){ \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
}

```

```

    }    \
}    \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
}    \
    \
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/    \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{    \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) {    \
        if (__comp < 0) {    \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL)    \
                break;    \
            if (__comp < 0){    \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break;    \
            }    \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) {    \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL)    \
                break;    \
            if (__comp > 0) {    \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
                    break;    \
            }    \
            SPLAY_LINKRIGHT(head, __left, field); \
        }    \
    }    \
    SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)

```

```

#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL \
    }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
    struct { \
        struct type *rbe_left; /* left element */ \
        struct type *rbe_right; /* right element */ \
        struct type *rbe_parent; /* parent element */ \
        int rbe_color; /* node color */ \
    }

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

```

```

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
    != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
}

```

```

if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *);\
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        \
        struct type \
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \
            RB_COLOR(parent, field) == RB_RED) { \
            \
            gparent = RB_PARENT(parent, field); \
            if (parent == RB_LEFT(gparent, field)) { \
                \
                tmp = RB_RIGHT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field);\
                    elm = gparent; \
                    continue; \
                } \
            } \
            if (RB_RIGHT(parent, field) == elm) { \
                \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
            } \
        } \
    } \

```



```

    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_RIGHT(head, gparent, tmp, field); \
} else { \
    tmp = RB_LEFT(gparent, field); \
    if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
        RB_COLOR(tmp, field) = RB_BLACK; \
        RB_SET_BLACKRED(parent, gparent, field); \
        elm = gparent; \
        continue; \
    } \
    if (RB_LEFT(parent, field) == elm)
{ \
    RB_ROTATE_RIGHT(head, parent, tmp, field); \
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
    RB_SET_BLACKRED(parent, gparent, field); \
    RB_ROTATE_LEFT(head, gparent, tmp, field); \
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp,
field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \

```

```

parent = RB_PARENT(elm, field); \
} else { \
if (RB_RIGHT(tmp, field) == NULL || \
    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
    struct type *oleft; \
    if ((oleft = RB_LEFT(tmp, field)) \
        != NULL) \
        RB_COLOR(oleft, field) = RB_BLACK;\
    RB_COLOR(tmp, field) = RB_RED; \
    RB_ROTATE_RIGHT(head, tmp, oleft, field);\
    tmp = RB_RIGHT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \
if (RB_RIGHT(tmp, field)) \
    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
RB_ROTATE_LEFT(head, parent, tmp, field);\
elm = RB_ROOT(head); \
break; \
} \
} else { \
tmp = RB_LEFT(parent, field); \
if (RB_COLOR(tmp, field) == RB_RED) { \
    RB_SET_BLACKRED(tmp, parent, field); \
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    tmp \
= RB_LEFT(parent, field); \
} \
if ((RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
    (RB_RIGHT(tmp, field) == NULL || \
    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
if (RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
    struct type *oright; \
    if ((oright = RB_RIGHT(tmp, field)) \
        != NULL) \
        RB_COLOR(oright, field) = RB_BLACK;\
    RB_COLOR(tmp, field) = RB_RED; \
    RB_ROTATE_LEFT(head, tmp, oright, field);\
    tmp = RB_LEFT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \

```

```

    if (RB_LEFT(tmp, field)) \
        RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \
                RB_RIGHT(parent, field) = child; \
            RB_AUGMENT(parent); \
        } else \
            RB_ROOT(head)
    = child; \
    if (RB_PARENT(elm, field) == old) \
        parent = elm; \
    (elm)->field = (old)->field; \
    if (RB_PARENT(old, field)) { \
        if (RB_LEFT(RB_PARENT(old, field), field) == old)\
            RB_LEFT(RB_PARENT(old, field), field) = elm;\
        else \

```

```

    RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
    RB_PARENT(RB_LEFT(old, field), field) = elm; \
    if (RB_RIGHT(old, field)) \
        RB_PARENT(RB_RIGHT(old, field), field) = elm;\
    if (parent) { \
        left = parent; \
        do { \
            RB_AUGMENT(left); \
        } while ((left = RB_PARENT(left, field)) != NULL);\
    } \
    goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
    if (color == RB_BLACK) \
        name##_RB_REMOVE_COLOR(head, parent, child); \
    return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \

```

```

    tmp = RB_RIGHT(tmp, field); \
else \
    return (tmp); \
} \
RB_SET(elm, parent, field); \
if (parent != NULL) { \
    if (comp < 0) \
        RB_LEFT(parent, field) = elm; \
    else \
        RB_RIGHT(parent, field) = elm; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = elm; \
name##_RB_INSERT_COLOR(head,
elm); \
return (NULL); \
} \
\
/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \

```

```

    } \
    else if (comp > 0) \
        tmp =
RB_RIGHT(tmp, field); \
    else \
        return (tmp); \
    } \
    return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    } \
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \

```

```

    elm = RB_PARENT(elm, field); \
    elm = RB_PARENT(elm, field); \
} \
} \
return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x, \
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
for ((x) = RB_MIN(name, head); \
(x) != NULL; \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \

```

```

(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
    (x) != NULL; \
    (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
    head, y) \
for ((x) = RB_MAX(name, head); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

```



```
}
```

```
package() {  
  make DESTDIR="$pkgdir" install  
}
```

```
sha512sums="  
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d  
9c959e69eace2169c6ed1cffe5277e4  
  Software-License-0.104007.tar.gz  
"
```

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin.me>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

```

source="https://files.pythonhosted.org/packages/source/l/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir/${_pkgname}-${pkgver}"

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
    license_expression-30.4.4.tar.gz
"

```

1.206 py3-pip 25.1.1-r1

1.206.1 Available under license :

```

UNRECOGNIZED LICENSE; MD5 sum: b0eaf0c960a0f5d744339da436682707
UNRECOGNIZED LICENSE; MD5 sum: 45874240865793abc3a77b0bbdf3dc51
UNRECOGNIZED LICENSE; MD5 sum: 856bd8901cf18d4edc40b86012a95b26
UNRECOGNIZED LICENSE; MD5 sum: d2e8c3bce80da2a2e51cffd44205a7b1
UNRECOGNIZED LICENSE; MD5 sum: 89c981cb43c0c7a860b8a18449e92a38
UNRECOGNIZED LICENSE; MD5 sum: f7cacecf6ff92c07405436643ace4302
PKu5Z\&#license.dist-0.2.dist-info/METADATAUT ggux]MN@s
J*VT$$ ~nH-dKp>NXw
'h4xOAZu'OR#diT>?ECesh
%W6Q:'nl|^?t){u-{Z0XPKa5Zhb'!license.dist-0.2.dist-info/RECORDUT ggux}r03I,HZK
m^2fXZ;wzmUnjWU]52+\Gfmy8sUP-"7DbuhoAUo9sM"T_ST
,9%=la1?O"+l[0]y:4o$6}D
HzPs_`1rPK5d#Ahr6s%license.dist-0.2.dist-info/RECORD.jwsUT DPmgux%N@EHq()04@:*`w].9?\'$mZK'3'
}g7.hI[zMeH4 TQzI9 +g\v7+L? iOU{RC3;>>p_,7:N-f@]i#
;_*bl-X,sZzoI]4a%JQy+KI(:d=^Su`t5U@d"R7PK
d#A~XY@@@ license.dist-0.2.dist-info/WHEELUT FDPmguxWheel-Version: 0.1
Packager: bdist_wheel
Root-Is-Purelib: true

```

PK

o@licensedist/___init___pyUT PBmguxPKu5Z\&#license.dist-0.2.dist-
info/METADATAUTguxPKa5Zhb'!)license.dist-0.2.dist-info/RECORDUTguxPK5d#Ahr6s%Vlicense.dist-0.2.dist-
info/RECORD.jwsUTDPuxPK
d#A~XY@@ license.dist-0.2.dist-info/WHEELUTFDPUxPK
o@licensedist/___init___pyUTPUxPK
SPDX-License-Identifier: MIT
SPDX-FileCopyrightText: 2021 Taneli Hukkinen
Licensed to PSF under a Contributor Agreement.
Copyright (c) 2020 Will McGugan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Python/Jython

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensors and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

MIT License

Copyright (c) 2024-present Stephen Rosen <sirosen0@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 969a9e986521a635141d6b548aea92ad

UNRECOGNIZED LICENSE; MD5 sum: c0f4347d81adc62c6cd62b1b85aa469b

BSD 3-Clause License

Copyright (c) 2013-2024, Kim Davies and contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006-2022 by the respective authors (see AUTHORS file).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

UNRECOGNIZED LICENSE; MD5 sum: 224a0356792d38f867e73fdd7ee8bc68
argparse is (c) 2006-2009 Steven J. Bethard <steven.bethard@gmail.com>.

The argparse module was contributed to Python as of Python 2.7 and thus was licensed under the Python license. Same license applies to all files in the argparse package project.

For details about the Python License, please see doc/Python-License.txt.

History

Before (and including) argparse 1.1, the argparse package was licensed under Apache License v2.0.

After argparse 1.1, all project files from the argparse project were deleted due to license compatibility issues between Apache License 2.0 and GNU GPL v2.

The project repository then had a clean start with some files taken from Python 2.7.1, so definitely all files are under Python License now.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Philip Jenvey
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think you name is missing, please add it (alpha order by first name)

UNRECOGNIZED LICENSE; MD5 sum: b7f43a4fdd86a40df4c36e1b6afca602

Copyright (c) 2011 Agendaless Consulting and Contributors.

(<http://www.agendaless.com>), All Rights Reserved

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Dirley Rodrigues
- * Donald Stufft
- * Grigory Petrov
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Phillip J. Eby
- * Philip Jenvey
- * Philip Thiem
- * Reinout van Rees

- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think your name is missing, please add it (alpha order by first name)

UNRECOGNIZED LICENSE; MD5 sum: 83ef8a4c430ba194704fb45783887e46

UNRECOGNIZED LICENSE; MD5 sum: aa439617d32fe0ada48c0da904366da4

MIT

Copyright (c) 2008-present The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 279f913b168e268d25ef6188c9e3ffd4

UNRECOGNIZED LICENSE; MD5 sum: 69a0cd56dc900d1143c236b05bb465ac

Copyright (c) 2008-2013 The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License for Bundle of CA Root Certificates (pip/cacert.pem)

=====

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
02110-1301

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

Copyright (c) 2007 Ian Bicking and Contributors

Copyright (c) 2009 Ian Bicking, The Open Planning Project

Copyright (c) 2011-2013 The virtualenv developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
UNRECOGNIZED LICENSE; MD5 sum: 4ffcc98b2323777b0f5c002e45250264
The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 185fbb8d66d86d1c6cc10d6b557cb3f

UNRECOGNIZED LICENSE; MD5 sum: 3fd6103100722c2ab40319eb942c4c6a

UNRECOGNIZED LICENSE; MD5 sum: a7e9b70ca59c69b9aa662e8ae7bbec00

UNRECOGNIZED LICENSE; MD5 sum: 504fdd18bdcfd3f7606b5a0f88addea3

UNRECOGNIZED LICENSE; MD5 sum: bbfcab4df1f200b2a9ca494c44800c0

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)

0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.
8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").
2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.
3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON

1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO

THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree:

<https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt>

It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication. Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$
UNRECOGNIZED LICENSE; MD5 sum: f148932318e88b83787b4b3a0bdcf70a
UNRECOGNIZED LICENSE; MD5 sum: ee4b86b7d59c7064abc30c2496ac78b9
UNRECOGNIZED LICENSE; MD5 sum: 351b831d68a447eabcbaa43af18d7b41

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

UNRECOGNIZED LICENSE; MD5 sum: b8d0bf09a388e9b6640ef5c7c153d61d
MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2018, Tzu-ping Chung <uranusjr@gmail.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: c0c0185b7475d96d2c346c55c3e53ab7

UNRECOGNIZED LICENSE; MD5 sum: f659b2cbaf5278203e32eb1f5a5f79c7

Pylons Project Contributor Agreement

=====

The submitter agrees by adding his or her name within the section below named "Contributors" and submitting the resulting modified document to the canonical shared repository location for this software project (whether directly, as a user with "direct commit access", or via a "pull request"), he or she is signing a contract electronically. The submitter becomes a Contributor after a) he or she signs this document by adding their name beneath the "Contributors" section below, and b) the resulting document is

accepted into the canonical version control repository.

Treatment of Account

Contributor will not allow anyone other than the Contributor to use his or her username or source repository login to submit code to a Pylons Project source repository. Should Contributor become aware of any such use, Contributor will immediately by notifying Agendaless Consulting.

Notification must be performed

by sending an email to

webmaster@agendaless.com. Until such notice is received, Contributor will be presumed to have taken all actions made through Contributor's account. If the Contributor has direct commit access, Agendaless Consulting will have complete control and discretion over capabilities assigned to Contributor's account, and may disable Contributor's account for any reason at any time.

Legal Effect of Contribution

Upon submitting a change or new work to a Pylons Project source Repository (a "Contribution"), you agree to assign, and hereby do assign, a one-half interest of all right, title and interest in and to copyright and other intellectual property rights with respect to your new and original portions of the Contribution to Agendaless Consulting. You and Agendaless Consulting each agree that the other shall be free to exercise any and all exclusive rights in and to the Contribution, without accounting to one another, including without limitation,

the right to license the Contribution to others

under the Repoze Public License. This agreement shall run with title to the Contribution. Agendaless Consulting does not convey to you any right, title or interest in or to the Program or such portions of the Contribution that were taken from the Program. Your transmission of a submission to the Pylons Project source Repository and marks of identification concerning the Contribution itself constitute your intent to contribute and your assignment of the work in accordance with the provisions of this Agreement.

License Terms

Code committed to the Pylons Project source repository (Committed Code) must be governed by the Repoze Public License (<http://repoze.org/LICENSE.txt>, aka "the RPL") or another license acceptable to Agendaless Consulting. Until Agendaless Consulting declares in writing an acceptable license other than the RPL, only the RPL shall be used. A list of exceptions is detailed within the "Licensing Exceptions" section of this document, if one exists.

Representations, Warranty, and Indemnification

Contributor represents and warrants that the Committed Code does not violate the rights of any person or entity, and that the Contributor has legal authority to enter into this Agreement and legal authority over Contributed Code. Further, Contributor indemnifies Agendaless Consulting against violations.

Cryptography

Contributor understands that cryptographic code may be subject to government regulations with which Agendaless Consulting and/or entities using Committed Code must comply. Any code which contains any of the items listed below must not be checked-in until Agendaless Consulting staff has been notified and has approved such contribution in writing.

- Cryptographic capabilities or features
- Calls to cryptographic features
- User interface elements which provide context relating to cryptography
- Code which may, under casual inspection, appear to be cryptographic.

Notices

Contributor confirms that any notices required will be included in any Committed Code.

Licensing Exceptions

None.

List of Contributors

The below-signed are contributors to a code repository that is part of the project named "Translationstring". Each below-signed contributor has read, understands and agrees to the terms above in the section within this document entitled "Pylons Project Contributor Agreement" as of the date beside his or her name.

Contributors

- Chris McDonough, 2011/02/16

- Wichert Akkerman, 2012/02/02

UNRECOGNIZED LICENSE; MD5 sum: 3f2777d4b97006c32953b26ef1f7ac43

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,

or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems

that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations (now Zope
Corporation, see <http://www.zope.com>). In 2001, the Python Software
Foundation (PSF, see <http://www.python.org/psf/>) was formed, a
non-profit organization created specifically to own Python-related
Intellectual Property. Zope Corporation is a sponsoring member
of
the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for

the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
2.7	2.6	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under

the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License

Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with

Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S.

federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions

of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL

DAMAGES OR ANY DAMAGES

WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 1545853f429fe0b615b6e97ded0d7631

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting
Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands
as a successor of a language called ABC. Guido remains Python's
principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for
National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>)
in Reston, Virginia where he released several versions of the
software.

In May 2000, Guido and the Python core development team moved to
BeOpen.com to form the BeOpen PythonLabs team. In October of the same
year, the PythonLabs team moved to Digital Creations (now Zope
Corporation, see <http://www.zope.com>). In 2001, the Python Software
Foundation (PSF, see <http://www.python.org/psf/>) was formed, a
non-profit organization created specifically to own Python-related

Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes

3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make

the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version,

provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.

BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide

license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to

Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 8ad4ae5e46a2a3afa27316325386f1cb
UNRECOGNIZED LICENSE; MD5 sum: 45ea32bdebfc2e63ec2b131cd4bc11af
UNRECOGNIZED LICENSE; MD5 sum: c197738b997df284a755c01a887f0ed9
UNRECOGNIZED LICENSE; MD5 sum: 804cd29e64bdef8111fd6b88180e19dc
UNRECOGNIZED LICENSE; MD5 sum: b5e84cb1dddb61a4f3868fc707971432
UNRECOGNIZED LICENSE; MD5 sum: 80d13bfe019695adda309f6a182a2695
UNRECOGNIZED LICENSE; MD5 sum: efc9c2dbdd704e7546d437a42525644c
License

A copyright notice accompanies this license document that identifies

the copyright holders.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions in source code must retain the accompanying copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the accompanying copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Names of the copyright holders must not be used to endorse or promote products derived from this software without prior written permission from the copyright holders.
4. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: c4d2ef9007518f78fd9ae6bb89c51ef7

UNRECOGNIZED LICENSE; MD5 sum: ef8d703a4d226a68185ce4c5c15d90d7

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 95594488233717b3db751ed31d203303

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: 19a553a1ca654d9e1b3a5c06882c91fa

PK'u5ZtGH#license.dist-0.1.dist-info/METADATAUT ggux]AN0E>rT*VF]D

(&CjxR5[(Xf\$~"N.vVw5u%Q?8SC'%%q]#n?H]]@6=}))V_Li

^8r&ZOsyh8P]/Gy\8]C)'

c?R:@W5{Sha.PK*u5ZP%r'!license.dist-0.1.dist-info/RECORDUT ggux}N0I`0W ROonkE0UFqjgd[><i\$

)r^7f!{-"3T

]5w|IQ9!2/7apt81hg\N8|15![A~&x%>PK5d#Ahr6s%license.dist-0.1.dist-info/RECORD.jwsUT

DPmgux%N@EHq()04@.*`w].9?\'\$mZK'3'

}g7.hl[zMeH4 TQzI9 +g\v7+L? iOU{RC3;>>p_,7:N-f@]i#

;_*bl-X,sZzoI]4a%JQy+KI(:d=^Su`t5U@d"R7PK

d#A~XY@@ license.dist-0.1.dist-info/WHEELUT FDPmguxWheel-Version: 0.1

Packager: bdist_wheel

Root-Is-Purelib: true

PK

o@licensedist/ __init__.pyUT PBmguxPK'u5ZtGH#license.dist-0.1.dist-

info/METADATAUTguxPK*u5ZP%r'!<license.dist-0.1.dist-info/RECORDUTguxPK5d#Ahr6s%ilicense.dist-0.1.dist-info/RECORD.jwsUTDPuxPK

d#A~XY@@ license.dist-0.1.dist-info/WHEELUTFDPuxPK

o@licensedist/ __init__.pyUTPuxPK

UNRECOGNIZED LICENSE; MD5 sum: c1872b37e59a0ddda1fe4cf8a81192a

UNRECOGNIZED LICENSE; MD5 sum: c628ada423b19fd269a474e38eb93287

Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

1.207 apk-tools 3.0.1-r2

1.207.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom

to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for

each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications

or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works.

But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it

with the complete corresponding machine-readable source code,
which must be distributed under the terms of Sections 1 and 2 above on a medium
customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give
any third party, for a charge no more than your cost of physically performing
source distribution, a complete machine-readable copy of the corresponding
source code, to be distributed under the terms of Sections 1 and 2 above on
a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute
corresponding source code. (This alternative is allowed only for noncommercial
distribution and only if you received the program in object code or executable
form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making
modifications to it. For an executable work, complete source code means
all

the source code for all modules it contains, plus any associated interface
definition files, plus the scripts used to control compilation and installation
of the executable. However, as a special exception, the source code distributed
need not include anything that is normally distributed (in either source or
binary form) with the major components (compiler, kernel, and so on) of the
operating system on which the executable runs, unless that component itself
accompanies the executable.

If distribution of executable or object code is made by offering access to
copy from a designated place, then offering equivalent access to copy the
source code from the same place counts as distribution of the source code,
even though third parties are not compelled to copy the source along with
the object code.

4. You may not copy, modify, sublicense, or distribute the Program except
as expressly provided under this License. Any attempt otherwise to copy, modify,
sublicense or distribute the Program
is void, and will automatically terminate
your rights under this License. However, parties who have received copies,
or rights, from you under this License will not have their licenses terminated
so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed
it. However, nothing else grants you permission to modify or distribute the
Program or its derivative works. These actions are prohibited by law if you
do not accept this License. Therefore, by modifying or distributing the Program
(or any work based on the Program), you indicate your acceptance of this License
to do so, and all its terms and conditions for copying, distributing or modifying
the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar

in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C)< yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon >, 1 April 1989 Ty Coon, President of Vice This General

Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.208 py3-setuptools 80.9.0-r2

1.208.1 Available under license :

The code contained in this directory was automatically generated using the following command:

```
python -m validate_pyproject.pre_compile --output-dir=setuptools/config/_validate_pyproject --enable-plugins
setuptools distutils --very-verbose -t setuptools=setuptools/config/setuptools.schema.json -t
distutils=setuptools/config/distutils.schema.json
```

Please avoid changing it manually.

You can report issues or suggest changes directly to `validate-pyproject` (or to the relevant plugin repository)

- <https://github.com/abravalheri/validate-pyproject/issues>

The following files include code from opensource projects (either as direct copies or modified versions):

- `fastjsonschema\_exceptions.py`:
 - project: `fastjsonschema` - licensed under BSD-3-Clause (<https://github.com/horejsek/python-fastjsonschema>)
- `extra\_validations.py` and `format.py`, `error\_reporting.py`:
 - project: `validate-pyproject` - licensed under MPL-2.0 (<https://github.com/abravalheri/validate-pyproject>)

Additionally

the following files are automatically generated by tools provided by the same projects:

- `\_\_init\_\_.py`
- `fastjsonschema\_validations.py`

The relevant copyright notes and licenses are included below.

`fastjsonschema`

=====

Copyright (c) 2018, Michal Horejsek

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the {organization} nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS

SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

`validate-pyproject`

=====

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2.

"Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means

a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the

rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1.

Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create

and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days

after You have come back into

compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any

character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2.

Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

MIT License

Copyright (c) 2012 Daniel Holth <dholth@fastmail.fm> and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the

Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.
- e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library

facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON

FOR ANY

INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS
A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any
relationship of agency, partnership, or joint venture between PSF and
Licensee. This License Agreement does not grant permission to use PSF
trademarks or trade name in a trademark sense to endorse or promote
products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an
office at 160 Saratoga
Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,
provided, however, that the BeOpen Python License is retained in the
Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS"
basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE
WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE

SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This

Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any
purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH
REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM
LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR
OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 525adedaf9a94edbb3e245cdd7b0f448

UNRECOGNIZED LICENSE; MD5 sum: 8f2937ac54e1c71b8f33618e9e805225

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of **either** of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of **both** these licenses.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2012 Erik Rose

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The following files include code from opensource projects (either as direct copies or modified versions):

- `setuptools.schema.json`, `distutils.schema.json`:
 - project: `validate-pyproject` - licensed under MPL-2.0 (<https://github.com/abravalheri/validate-pyproject>):

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

This is the MIT license: <http://www.opensource.org/licenses/mit-license.php>

Copyright (c) Alex Grnholm

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,

TORT OR
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER
DEALINGS IN THE SOFTWARE.

1.209 py3-pip-pyc 25.1.1-r1

1.209.1 Available under license :

```
UNRECOGNIZED LICENSE; MD5 sum: b0eaf0c960a0f5d744339da436682707
UNRECOGNIZED LICENSE; MD5 sum: 45874240865793abc3a77b0bbdf3dc51
UNRECOGNIZED LICENSE; MD5 sum: 856bd8901cf18d4edc40b86012a95b26
UNRECOGNIZED LICENSE; MD5 sum: d2e8c3bce80da2a2e51cffd44205a7b1
UNRECOGNIZED LICENSE; MD5 sum: 89c981cb43c0c7a860b8a18449e92a38
UNRECOGNIZED LICENSE; MD5 sum: f7cacecf6ff92c07405436643ace4302
PKu5Z\&#license.dist-0.2.dist-info/METADATAUT ggux]MN@s
J*VT$$ ~nH-dKp>NXw
'h4xOAZu'OR#diT>?ECesh
%W6Q:'nl|^(t){u-{Z0XPKa5Zhb'!license.dist-0.2.dist-info/RECORDUT ggux}r03I,HZK
m^2fXZ;wzmUnjWU]52+\Gfmy8sUP-"7DbuhoAUo9sM"T_ST
,9%=la1?O"+l[0]y:4o$6}D
HzPs_`1rPK5d#Ahr6s%license.dist-0.2.dist-info/RECORD.jwsUT DPmgux%N@EHq()04@:*`w].9?`$mZK'3'
}g7.h[l[zMeH4 TQzI9 +g\v7+L? iOU{RC3;>>p_,7:N-f@]i#
;_*bl-X,sZzoI]4a%JQy+KI(:d=^Su`t5U@d"R7PK
d#A~XY@@ license.dist-0.2.dist-info/WHEELUT FDPmguxWheel-Version: 0.1
Packager: bdist_wheel
Root-Is-Purelib: true

PK
o@licensedist/__init__.pyUT PBmguxPKu5Z\&#license.dist-0.2.dist-
info/METADATAUTguxPKa5Zhb'!)license.dist-0.2.dist-info/RECORDUTguxPK5d#Ahr6s%Vlicense.dist-0.2.dist-
info/RECORD.jwsUTDPuxPK
d#A~XY@@ license.dist-0.2.dist-info/WHEELUTFDPuxPK
o@licensedist/__init__.pyUTPuxPK
SPDX-License-Identifier: MIT
SPDX-FileCopyrightText: 2021 Taneli Hukkinen
Licensed to PSF under a Contributor Agreement.
Copyright (c) 2020 Will McGugan
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Python/Jython

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

MIT License

Copyright (c) 2024-present Stephen Rosen <sirosen0@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 969a9e986521a635141d6b548aea92ad

UNRECOGNIZED LICENSE; MD5 sum: c0f4347d81adc62c6cd62b1b85aa469b

BSD 3-Clause License

Copyright (c) 2013-2024, Kim Davies and contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR

PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The MIT License (MIT)

Copyright (c) 2022 Seth Michael Larson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2006-2022 by the respective authors (see AUTHORS file).

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Copyright (C) 2008-2011 INADA Naoki <songofacandy@gmail.com>

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.
UNRECOGNIZED LICENSE; MD5 sum: 224a0356792d38f867e73fdd7ee8bc68
argparse is (c) 2006-2009 Steven J. Bethard <steven.bethard@gmail.com>.

The argparse module was contributed to Python as of Python 2.7 and thus was licensed under the Python license. Same license applies to all files in the argparse package project.

For details about the Python License, please see doc/Python-License.txt.

History

Before (and including) argparse 1.1, the argparse package was licensed under Apache License v2.0.

After argparse 1.1, all project files from the argparse project were deleted due to license compatibility issues between Apache License 2.0 and GNU GPL v2.

The project repository then had a clean start with some files taken from Python 2.7.1, so definitely all files are under Python License now.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor

- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Philip Jenvey
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think your name is missing, please add it (alpha order by first name)

UNRECOGNIZED LICENSE; MD5 sum: b7f43a4fdd86a40df4c36e1b6afca602

Copyright (c) 2011 Agendaless Consulting and Contributors.

(<http://www.agendaless.com>), All Rights Reserved

MIT License

Copyright (c) 2008-2020 Andrey Petrov and contributors (see CONTRIBUTORS.txt)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Contributors

=====

- * Alex Grnholm
- * Alice Bevan-McGregor
- * Arfrever Frehtes Taifersar Arahesis
- * Christophe Combelles
- * Daniel Stutzbach
- * Daniel Holth
- * Dirley Rodrigues
- * Donald Stufft
- * Grigory Petrov
- * Hanno Schlichting
- * Jannis Leidel
- * Jason R. Coombs
- * Jim Fulton
- * Jonathan Lange
- * Justin Azoff
- * Lennart Regebro
- * Marc Abramowitz
- * Martin von Lwis
- * Noufal Ibrahim
- * Pete Hollobon
- * Phillip J. Eby
- * Philip Jenvey
- * Philip Thiem
- * Reinout van Rees
- * Robert Myers
- * Stefan H. Holek
- * Tarek Ziad
- * Toshio Kuratomi

If you think you name is missing, please add it (alpha order by first name)

UNRECOGNIZED LICENSE; MD5 sum: 83ef8a4c430ba194704fb45783887e46

UNRECOGNIZED LICENSE; MD5 sum: aa439617d32fe0ada48c0da904366da4

MIT

Copyright (c) 2008-present The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 279f913b168e268d25ef6188c9e3ffd4
UNRECOGNIZED LICENSE; MD5 sum: 69a0cd56dc900d1143c236b05bb465ac

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.
Copyright (c) 2008-2013 The pip developers (see AUTHORS.txt file)

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

License for Bundle of CA Root Certificates (pip/cacert.pem)

=====

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA
02110-1301

Copyright (c) 2007 Ian Bicking and Contributors
Copyright (c) 2009 Ian Bicking, The Open Planning Project
Copyright (c) 2011-2013 The virtualenv developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
UNRECOGNIZED LICENSE; MD5 sum: 4ffcc98b2323777b0f5c002e45250264
The MIT License (MIT)

Copyright (c) 2017 Thomas Kluyver

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
UNRECOGNIZED LICENSE; MD5 sum: 185fbbba8d66d86d1c6cc10d6b557cb3f
UNRECOGNIZED LICENSE; MD5 sum: 3fd6103100722c2ab40319eb942c4c6a
UNRECOGNIZED LICENSE; MD5 sum: a7e9b70ca59c69b9aa662e8ae7bbec00
UNRECOGNIZED LICENSE; MD5 sum: 504fdd18bdcfd3f7606b5a0f88addea3
UNRECOGNIZED LICENSE; MD5 sum: bbfcba4df1f200b2a9ca494c44800c0

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF	yes			

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The

GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make

the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version,

provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly,

prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to

Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM

LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This package contains a modified version of ca-bundle.crt:

ca-bundle.crt -- Bundle of CA Root Certificates

This is a bundle of X.509 certificates of public Certificate Authorities (CA). These were automatically extracted from Mozilla's root certificates file (certdata.txt). This file can be found in the mozilla source tree: <https://hg.mozilla.org/mozilla-central/file/tip/security/nss/lib/ckfw/builtins/certdata.txt> It contains the certificates in PEM format and therefore can be directly used with curl / libcurl / php_curl, or with an Apache+mod_ssl webserver for SSL client authentication. Just configure this file as the SSLCACertificateFile.#

***** BEGIN LICENSE BLOCK *****

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

***** END LICENSE BLOCK *****

@(#) \$RCSfile: certdata.txt,v \$ \$Revision: 1.80 \$ \$Date: 2011/11/03 15:11:58 \$
UNRECOGNIZED LICENSE; MD5 sum: f148932318e88b83787b4b3a0bdcf70a
UNRECOGNIZED LICENSE; MD5 sum: ee4b86b7d59c7064abc30c2496ac78b9
UNRECOGNIZED LICENSE; MD5 sum: 351b831d68a447eabcbaa43af18d7b41
This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.
UNRECOGNIZED LICENSE; MD5 sum: b8d0bf09a388e9b6640ef5c7c153d61d
MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Copyright (c) 2018, Tzu-ping Chung <uranusjr@gmail.com>

Permission to use, copy, modify, and distribute this software for any
purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: c0c0185b7475d96d2c346c55c3e53ab7

UNRECOGNIZED LICENSE; MD5 sum: f659b2cbaf5278203e32eb1f5a5f79c7

Pylons Project Contributor Agreement

=====

The submitter agrees by adding his or her name within the section below named
"Contributors" and submitting the resulting modified document to the
canonical shared repository location for this software project (whether
directly, as a user with "direct commit access", or via a "pull request"), he
or she is signing a contract electronically. The submitter becomes a
Contributor after a) he or she signs this document by adding their name
beneath the "Contributors" section below, and b) the resulting document is
accepted into the canonical version control repository.

Treatment of Account

Contributor will not allow anyone other than the Contributor to use his or
her username or source repository login to submit code to a Pylons Project
source repository. Should Contributor become aware of any such use,
Contributor will immediately by notifying Agendaless Consulting.

Notification must be performed

by sending an email to

webmaster@agendaless.com. Until such notice is received, Contributor will be
presumed to have taken all actions made through Contributor's account. If the
Contributor has direct commit access, Agendaless Consulting will have
complete control and discretion over capabilities assigned to Contributor's
account, and may disable Contributor's account for any reason at any time.

Legal Effect of Contribution

Upon submitting a change or new work to a Pylons Project source Repository (a "Contribution"), you agree to assign, and hereby do assign, a one-half interest of all right, title and interest in and to copyright and other intellectual property rights with respect to your new and original portions of the Contribution to Agendaless Consulting. You and Agendaless Consulting each agree that the other shall be free to exercise any and all exclusive rights in and to the Contribution, without accounting to one another, including without limitation, the right to license the Contribution to others under the Repoze Public License. This agreement shall run with title to the Contribution. Agendaless Consulting does not convey to you any right, title or interest in or to the Program or such portions of the Contribution that were taken from the Program. Your transmission of a submission to the Pylons Project source Repository and marks of identification concerning the Contribution itself constitute your intent to contribute and your assignment of the work in accordance with the provisions of this Agreement.

License Terms

Code committed to the Pylons Project source repository (Committed Code) must be governed by the Repoze Public License (<http://repoze.org/LICENSE.txt>, aka "the RPL") or another license acceptable to Agendaless Consulting. Until Agendaless Consulting declares in writing an acceptable license other than the RPL, only the RPL shall be used. A list of exceptions is detailed within the "Licensing Exceptions" section of this document, if one exists.

Representations, Warranty, and Indemnification

Contributor represents and warrants that the Committed Code does not violate the rights of any person or entity, and that the Contributor has legal authority to enter into this Agreement and legal authority over Contributed Code. Further, Contributor indemnifies Agendaless Consulting against violations.

Cryptography

Contributor understands that cryptographic code may be subject to government regulations with which Agendaless Consulting and/or entities using Committed Code must comply. Any code which contains any of the items listed below must not be checked-in until Agendaless Consulting staff has been notified and has approved such contribution in writing.

- Cryptographic capabilities or features

- Calls to cryptographic features
- User interface elements which provide context relating to cryptography
- Code which may, under casual inspection, appear to be cryptographic.

Notices

Contributor confirms that any notices required will be included in any Committed Code.

Licensing Exceptions

=====

None.

List of Contributors

=====

The below-signed are contributors to a code repository that is part of the project named "Translationstring". Each below-signed contributor has read, understands and agrees to the terms above in the section within this document entitled "Pylons Project Contributor Agreement" as of the date beside his or her name.

Contributors

- Chris McDonough, 2011/02/16

- Wichert Akkerman, 2012/02/02

UNRECOGNIZED LICENSE; MD5 sum: 3f2777d4b97006c32953b26ef1f7ac43

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You"
(or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,
or other modifications
represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems
that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental,

or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted

against, such Contributor by reason

of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				

2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
2.7	2.6	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.
8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License

Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"),
having an
office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the
Individual or Organization ("Licensee") accessing and otherwise using
this software in source or binary form and its associated
documentation ("the Software").
2. Subject to the terms and conditions of this BeOpen Python License
Agreement, BeOpen hereby grants Licensee a non-exclusive,
royalty-free, world-wide license to reproduce, analyze, test, perform
and/or display publicly, prepare derivative works, distribute, and
otherwise use the Software alone or in any derivative version,
provided, however, that the BeOpen Python License is retained in the
Software, alone or in any derivative version prepared by Licensee.
3. BeOpen is making the Software available to Licensee on an "AS IS"
basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR
PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT
INFRINGE ANY THIRD PARTY RIGHTS.
4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE
SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS
AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY
DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
5. This License Agreement will automatically terminate upon a material
breach of its terms and conditions.
6. This License Agreement shall be governed by and interpreted in all
respects by the law of the State of California, excluding conflict of
law provisions. Nothing in this License Agreement shall be deemed to
create any relationship of agency, partnership, or joint venture
between BeOpen and Licensee. This License Agreement does not grant
permission to use BeOpen trademarks or trade names in a trademark
sense to endorse or promote products or services of Licensee, or any
third party. As an exception, the "BeOpen Python" logos

available at
<http://www.pythonlabs.com/logos.html> may be used according to the
permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee
agrees to be bound by the terms and conditions of this License
Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National
Research Initiatives, having an office at 1895 Preston White Drive,
Reston, VA 20191 ("CNRI"), and the Individual or Organization
("Licensee") accessing and otherwise using Python 1.6.1 software in
source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI
hereby grants Licensee a nonexclusive, royalty-free, world-wide
license to reproduce, analyze, test, perform and/or display publicly,
prepare derivative works, distribute, and otherwise use Python 1.6.1
alone or in any derivative version, provided, however, that CNRI's
License
Agreement and CNRI's notice of copyright, i.e., "Copyright (c)
1995-2001 Corporation for National Research Initiatives; All Rights
Reserved" are retained in Python 1.6.1 alone or in any derivative
version prepared by Licensee. Alternately, in lieu of CNRI's License
Agreement, Licensee may substitute the following text (omitting the
quotes): "Python 1.6.1 is made available subject to the terms and
conditions in CNRI's License Agreement. This Agreement together with
Python 1.6.1 may be located on the Internet using the following
unique, persistent identifier (known as a handle): 1895.22/1013. This
Agreement may also be obtained from a proxy server on the Internet
using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on
or incorporates Python 1.6.1 or any part thereof, and wants to make
the derivative work available to others as provided herein, then
Licensee hereby agrees to include in any such work
a brief summary of
the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS"
basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR
IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND
DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS
FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT

INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S.

federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions.

Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to

distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. UNRECOGNIZED LICENSE; MD5 sum: 1545853f429fe0b615b6e97ded0d7631

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <http://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <http://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations (now Zope Corporation, see <http://www.zope.com>). In 2001, the Python Software Foundation (PSF, see <http://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation is a sponsoring member of the PSF.

All Python releases are Open Source (see <http://www.opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes
1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)

2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.2	2.1.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3				
2.1.2	2002	PSF	yes	
2.2.1	2.2	2002	PSF	yes
2.2.2	2.2.1	2002	PSF	yes
2.2.3	2.2.2	2003	PSF	yes
2.3	2.2.2	2002-2003	PSF	yes
2.3.1	2.3	2002-2003	PSF	yes
2.3.2	2.3.1	2002-2003	PSF	yes
2.3.3	2.3.2	2002-2003	PSF	yes
2.3.4	2.3.3	2004	PSF	yes
2.3.5	2.3.4	2005	PSF	yes
2.4	2.3	2004	PSF	yes
2.4.1	2.4	2005	PSF	yes
2.4.2	2.4.1	2005	PSF	yes
2.4.3	2.4.2	2006	PSF	yes
2.4.4	2.4.3	2006	PSF	yes
2.5	2.4	2006	PSF	yes
2.5.1	2.5	2007	PSF	yes
2.5.2	2.5.1	2008	PSF	yes
2.5.3	2.5.2	2008	PSF	yes
2.6	2.5	2008	PSF	yes
2.6.1	2.6	2008	PSF	yes
2.6.2	2.6.1	2009	PSF	yes
2.6.3	2.6.2	2009	PSF	yes
2.6.4	2.6.3	2009	PSF	yes
2.6.5	2.6.4	2010	PSF	yes
3.0	2.6	2008	PSF	yes
3.0.1	3.0	2009	PSF	yes
3.1	3.0.1	2009	PSF	yes
3.1.1	3.1	2009	PSF	yes
3.1.2	3.1	2010	PSF	yes
3.2	3.1	2010	PSF	yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible,

because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.
4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN.COM LICENSE AGREEMENT FOR PYTHON 2.0

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").

2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.

3.
BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

5. This License Agreement will automatically terminate upon a material

breach of its terms and conditions.

6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of

agency, partnership, or joint venture

between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the Internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the Internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on

or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6.

This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam,
The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its
documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both that copyright notice and this permission notice appear in
supporting documentation, and that the name of Stichting Mathematisch
Centrum or CWI not be used in advertising or publicity pertaining to
distribution of the software
without specific, written prior
permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO
THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE
FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 8ad4ae5e46a2a3afa27316325386f1cb
UNRECOGNIZED LICENSE; MD5 sum: 45ea32bdebfc2e63ec2b131cd4bc11af
UNRECOGNIZED LICENSE; MD5 sum: c197738b997df284a755c01a887f0ed9
UNRECOGNIZED LICENSE; MD5 sum: 804cd29e64bdef8111fd6b88180e19dc
UNRECOGNIZED LICENSE; MD5 sum: b5e84cb1dddb61a4f3868fc707971432
UNRECOGNIZED LICENSE; MD5 sum: 80d13bfe019695adda309f6a182a2695
UNRECOGNIZED LICENSE; MD5 sum: efc9c2dbdd704e7546d437a42525644c
License

A copyright notice accompanies this license document that identifies
the copyright holders.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

1. Redistributions in source code must retain the accompanying
copyright notice, this list of conditions, and the following
disclaimer.
2. Redistributions in binary form must reproduce the accompanying
copyright notice, this list of conditions, and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
3. Names of the copyright holders must not be used to endorse or
promote products derived from this software without prior

written permission from the copyright holders.

4. If any files are modified, you must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

Disclaimer

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

UNRECOGNIZED LICENSE; MD5 sum: c4d2ef9007518f78fd9ae6bb89c51ef7

UNRECOGNIZED LICENSE; MD5 sum: ef8d703a4d226a68185ce4c5c15d90d7

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 95594488233717b3db751ed31d203303

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stuft and individual contributors.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

PK'u5ZtGH#license.dist-0.1.dist-info/METADATAUT ggux]AN0E>rT*VF]D
(&CjxR5[(Xf\$~"N.vVw5u%Q?8SC'%%q]#n?H]]@6=}))V_Li
^8r&ZOsyh8P]/Gy\8[C]'
c?R:@W5{Sha.PK*u5ZP%r'!license.dist-0.1.dist-info/RECORDUT ggux}N0I`0W ROonkE0UFqjgd[><i\$

)r^7f!{-"3T
]l5w|lQ9!2/7apt81hg\N8|15![A~&x%>PK5d#Ahr6s%license.dist-0.1.dist-info/RECORD.jwsUT
DPmgux%N@EHq()04@:*`w].9?.\$mZK'3'
}g7.hl[zMeH4 TQzI9 +g\v7+L? iOU{RC3;>>p_,7:N-f@]i#

;_ *bl-X,sZzoI]4a%JQy+KI(:d=^Su`t5U@d"R7PK
d#A~XY@@ license.dist-0.1.dist-info/WHEELUT FDPmguxWheel-Version: 0.1
Packager: bdist_wheel
Root-Is-Purelib: true

PK

o@licensedist/___init___pyUT PBmguxPK'u5ZtGH#license.dist-0.1.dist-
info/METADATAUTguxPK*u5ZP%r'!<license.dist-0.1.dist-info/RECORDUTguxPK5d#Ahr6s%ilicense.dist-
0.1.dist-info/RECORD.jwsUTDPuxPK
d#A~XY@@ license.dist-0.1.dist-info/WHEELUTFDPUxPK
o@licensedist/___init___pyUTPUxPK
UNRECOGNIZED LICENSE; MD5 sum: 19a553a1ca654d9e1b3a5c06882c91fa
UNRECOGNIZED LICENSE; MD5 sum: c1872b37e59a0ddda1fe4cf8a81192a
UNRECOGNIZED LICENSE; MD5 sum: c628ada423b19fd269a474e38eb93287
Copyright 2012-2021 Eric Larson

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.210 libapk 3.0.1-r2

1.210.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share
and change it. By contrast, the GNU General Public License is intended to
guarantee your freedom to share and change free software--to make sure the

software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under

the terms

of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print

an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works.

But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it

with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all

the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation

of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C)< yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a

copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon >, 1 April 1989 Ty Coon, President of Vice This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.211 py3-setuptools-pyc 80.9.0-r2

1.211.1 Available under license :

The code contained in this directory was automatically generated using the following command:

```
python -m validate_pyproject.pre_compile --output-dir=setuptools/config/_validate_pyproject --enable-plugins
setuptools distutils --very-verbose -t setuptools=setuptools/config/setuptools.schema.json -t
distutils=setuptools/config/distutils.schema.json
```

Please avoid changing it manually.

You can report issues or suggest changes directly to `validate-pyproject`
(or to the relevant plugin repository)

- <https://github.com/abravalheri/validate-pyproject/issues>

The following files include code from opensource projects
(either as direct copies or modified versions):

- `fastjsonschema\_exceptions.py`:
 - project: `fastjsonschema` - licensed under BSD-3-Clause
(<https://github.com/horejsek/python-fastjsonschema>)
- `extra\_validations.py` and `format.py`, `error\_reporting.py`:
 - project: `validate-pyproject` - licensed under MPL-2.0
(<https://github.com/abravalheri/validate-pyproject>)

Additionally
the following files are automatically generated by tools provided
by the same projects:

- `\_\_init\_\_.py`
- `fastjsonschema\_validations.py`

The relevant copyright notes and licenses are included below.

`fastjsonschema`
=====

Copyright (c) 2018, Michal Horejsek
All rights reserved.

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this
list of conditions and the following disclaimer in the documentation and/or
other materials provided with the distribution.

Neither the name of the {organization} nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS

SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

`validate-pyproject`

=====

Mozilla Public License, version 2.0

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2.

"Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

- a. that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or
- b. that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means

a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

- a. any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- b. any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1.

Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- a. under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- b. under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional

rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- a. for any code that a Contributor has removed from Covered Software; or
- b. for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- c. under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed

by the terms of this

License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- a. such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- b. You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days

after You have come back into

compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section

2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6. Disclaimer of Warranty

Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

7. Limitation of Liability

Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2.

Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form

License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v.

2.0. If a copy of the MPL was not distributed with this file, You can obtain one at

<https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible
With Secondary Licenses", as defined by
the Mozilla Public License, v. 2.0.

MIT License

Copyright (c) 2012 Daniel Holth <dholth@fastmail.fm> and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or

b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of

the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

UNRECOGNIZED LICENSE; MD5 sum: 48a0c7f25705055f99a9a86670e60fb8

A. HISTORY OF THE SOFTWARE

=====

Python was created in the early 1990s by Guido van Rossum at Stichting Mathematisch Centrum (CWI, see <https://www.cwi.nl>) in the Netherlands as a successor of a language called ABC. Guido remains Python's principal author, although it includes many contributions from others.

In 1995, Guido continued his work on Python at the Corporation for National Research Initiatives (CNRI, see <https://www.cnri.reston.va.us>) in Reston, Virginia where he released several versions of the software.

In May 2000, Guido and the Python core development team moved to BeOpen.com to form the BeOpen PythonLabs team. In October of the same year, the PythonLabs team moved to Digital Creations, which became Zope Corporation. In 2001, the Python Software Foundation (PSF, see <https://www.python.org/psf/>) was formed, a non-profit organization created specifically to own Python-related Intellectual Property. Zope Corporation was a sponsoring member of the PSF.

All

Python releases are Open Source (see <https://opensource.org> for the Open Source Definition). Historically, most, but not all, Python releases have also been GPL-compatible; the table below summarizes the various releases.

Release	Derived from	Year	Owner	GPL-compatible? (1)
0.9.0 thru 1.2		1991-1995	CWI	yes

1.3 thru 1.5.2	1.2	1995-1999	CNRI	yes
1.6	1.5.2	2000	CNRI	no
2.0	1.6	2000	BeOpen.com	no
1.6.1	1.6	2001	CNRI	yes (2)
2.1	2.0+1.6.1	2001	PSF	no
2.0.1	2.0+1.6.1	2001	PSF	yes
2.1.1	2.1+2.0.1	2001	PSF	yes
2.1.2	2.1.1	2002	PSF	yes
2.1.3	2.1.2	2002	PSF	yes
2.2 and above	2.1.1	2001-now		
PSF				yes

Footnotes:

(1) GPL-compatible doesn't mean that we're distributing Python under the GPL. All Python licenses, unlike the GPL, let you distribute a modified version without making your changes open source. The GPL-compatible licenses make it possible to combine Python with other software that is released under the GPL; the others don't.

(2) According to Richard Stallman, 1.6.1 is not GPL-compatible, because its license has a choice of law clause. According to CNRI, however, Stallman's lawyer has told CNRI's lawyer that 1.6.1 is "not incompatible" with the GPL.

Thanks to the many outside volunteers who have worked under Guido's direction to make these releases possible.

B. TERMS AND CONDITIONS FOR ACCESSING OR OTHERWISE USING PYTHON

=====

Python software and documentation are licensed under the Python Software Foundation License Version 2.

Starting with Python 3.8.6, examples, recipes, and other code in the documentation are dual licensed under the PSF License Version 2 and the Zero-Clause BSD license.

Some software incorporated into Python is under different licenses. The licenses are listed with code falling under that license.

PYTHON SOFTWARE FOUNDATION LICENSE VERSION 2

1. This LICENSE AGREEMENT is between the Python Software Foundation

("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using this software ("Python") in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright

(c) 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023 Python Software Foundation; All Rights Reserved" are retained in Python alone or in any derivative version prepared by Licensee.

3. In the event Licensee prepares a derivative work that is based on or incorporates Python or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python.

4. PSF is making Python available to Licensee on an "AS IS" basis. PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python, Licensee agrees to be bound by the terms and conditions of this License Agreement.

BEOPEN PYTHON OPEN SOURCE LICENSE AGREEMENT VERSION 1

1. This LICENSE AGREEMENT is between BeOpen.com ("BeOpen"), having an office at 160 Saratoga Avenue, Santa Clara, CA 95051, and the Individual or Organization ("Licensee") accessing and otherwise using this software in source or binary form and its associated documentation ("the Software").
2. Subject to the terms and conditions of this BeOpen Python License Agreement, BeOpen hereby grants Licensee a non-exclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use the Software alone or in any derivative version, provided, however, that the BeOpen Python License is retained in the Software, alone or in any derivative version prepared by Licensee.
3. BeOpen is making the Software available to Licensee on an "AS IS" basis. BEOPEN MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, BEOPEN MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
4. BEOPEN SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF THE SOFTWARE FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THE SOFTWARE, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
5. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
6. This License Agreement shall be governed by and interpreted in all respects by the law of the State of California, excluding conflict of law provisions. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between BeOpen and Licensee. This License Agreement does not grant permission to use BeOpen trademarks or trade names in a trademark sense to endorse or promote products or services of Licensee, or any third party. As an exception, the "BeOpen Python" logos available at <http://www.pythonlabs.com/logos.html> may be used according to the permissions granted on that web page.

7. By copying, installing or otherwise using the software, Licensee agrees to be bound by the terms and conditions of this License Agreement.

CNRI LICENSE AGREEMENT FOR PYTHON 1.6.1

1. This LICENSE AGREEMENT is between the Corporation for National Research Initiatives, having an office at 1895 Preston White Drive, Reston, VA 20191 ("CNRI"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 1.6.1 software in source or binary form and its associated documentation.

2. Subject to the terms and conditions of this License Agreement, CNRI hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 1.6.1 alone or in any derivative version, provided, however, that CNRI's License Agreement and CNRI's notice of copyright, i.e., "Copyright (c) 1995-2001 Corporation for National Research Initiatives; All Rights Reserved" are retained in Python 1.6.1 alone or in any derivative version prepared by Licensee. Alternately, in lieu of CNRI's License Agreement, Licensee may substitute the following text (omitting the quotes): "Python 1.6.1 is made available subject to the terms and conditions in CNRI's License Agreement. This Agreement together with Python 1.6.1 may be located on the internet using the following unique, persistent identifier (known as a handle): 1895.22/1013. This Agreement may also be obtained from a proxy server on the internet using the following URL: <http://hdl.handle.net/1895.22/1013>".

3. In the event Licensee prepares a derivative work that is based on or incorporates Python 1.6.1 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 1.6.1.

4. CNRI is making Python 1.6.1 available to Licensee on an "AS IS" basis. CNRI MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, CNRI MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 1.6.1 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.

5. CNRI SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 1.6.1 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS

A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 1.6.1,
OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.

6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.

7. This License Agreement shall be governed by the federal intellectual property law of the United States, including without limitation the federal copyright law, and, to the extent such U.S. federal law does not apply, by the law of the Commonwealth of Virginia, excluding Virginia's conflict of law provisions. Notwithstanding the foregoing, with regard to derivative works based on Python 1.6.1 that incorporate non-separable material that was previously distributed under the GNU General Public License (GPL), the law of the Commonwealth of Virginia shall govern this License Agreement only as to issues arising under or with respect to Paragraphs 4, 5, and 7 of this License Agreement. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between CNRI and Licensee. This License Agreement does not grant permission to use CNRI trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By clicking on the "ACCEPT" button where indicated, or by copying, installing or otherwise using Python 1.6.1, Licensee agrees to be bound by the terms and conditions of this License Agreement.

ACCEPT

CWI LICENSE AGREEMENT FOR PYTHON 0.9.0 THROUGH 1.2

Copyright (c) 1991 - 1995, Stichting Mathematisch Centrum Amsterdam, The Netherlands. All rights reserved.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Stichting Mathematisch Centrum or CWI not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

STICHTING MATHEMATISCH CENTRUM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS, IN NO EVENT SHALL STICHTING MATHEMATISCH CENTRUM BE LIABLE FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER

RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

ZERO-CLAUSE BSD LICENSE FOR CODE IN THE PYTHON DOCUMENTATION

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

UNRECOGNIZED LICENSE; MD5 sum: 525adedaf9a94edbb3e245cdd7b0f448

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

This software is made available under the terms of *either* of the licenses found in LICENSE.APACHE or LICENSE.BSD. Contributions to this software is made under the terms of *both* these licenses.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

MIT License

Copyright (c) 2021 Taneli Hukkinen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT License

Copyright (c) 2010-202x The platformdirs developers

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) Donald Stufft and individual contributors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2012 Erik Rose

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The following files include code from opensource projects
(either as direct copies or modified versions):

- `setuptools.schema.json`, `distutils.schema.json`:
- project: `validate-pyproject` - licensed under MPL-2.0
(<https://github.com/abravalheri/validate-pyproject>):

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.
This is the MIT license: <http://www.opensource.org/licenses/mit-license.php>

Copyright (c) Alex Grnholm

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.212 shadow 4.18.0-r0

1.212.1 Available under license :

SPDX-License-Identifier: BSD-3-Clause

All files under this project either

1. fall under the BSD 3 clause license (by default).
2. carry an SPDX header declaring what license applies.

or

3. list a full custom license

This software is originally

* Copyright (c) 1989 - 1994, Julianne Frances Haugh

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. The name of the copyright holders or contributors may not be used to

* endorse or promote products derived from this software without

* specific

prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

* ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

* PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT

* HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,

* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT

* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

* OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.213 x-crypto 0.46.0

1.213.1 Available under license :

Copyright 2009 The Go Authors.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with the
distribution.

* Neither the name of Google LLC nor the names of its
contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.214 protobuf-go 1.36.11

1.214.1 Available under license :

Copyright (c) 2018 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.215 procps 4.0.5-r0

1.215.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU

General Public License as published by

the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

GNU LIBRARY GENERAL PUBLIC LICENSE Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When

we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary

General Public License
treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification
follow. Pay close attention to the difference between a
"work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below,
refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if
its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also
meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices
stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no

charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the

Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the

Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying

the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus

excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY

(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF

SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

1.216 libproc2 4.0.5-r0

1.216.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which

gives you legal permission to copy,
distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot

impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR

THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

GNU LIBRARY GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is
numbered 2 because it goes with version 2 of the ordinary GPL.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When

we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

GNU LIBRARY GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below,
refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if
its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

You may charge a fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1
above, provided that you also
meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices
stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in

these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative

work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance

of this License to do so, and
all its terms and conditions for copying, distributing or modifying
the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other
pertinent obligations, then as a consequence you
may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that
system in reliance on consistent application of that
system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add

an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY

(INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

1.217 gorm-gorm 1.31.1

1.217.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-present Jinzhu <wosmvp@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.218 netcat-openbsd 1.234.1-r0

1.218.1 Available under license :

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Source: <http://www.openbsd.org/cgi-bin/cvsweb/src/usr.bin/nc/>

Upstream-Name: netcat

Files: netcat.c

Copyright: 2001 Eric Jackson <ericj@monkey.org>

License: BSD-3-Clause

Files: nc.1

Copyright: 1996 David Sacerdote

License: BSD-3-Clause

Files: atomicio.*

Copyright: 2006 Damien Miller

2005 Anil Madhavapeddy

1995,1999 Theo de Raadt

License: BSD-2-Clause

Files: socks.c

Copyright: 1999 Niklas Hallqvist

2004, 2005 Damien Miller

License: BSD-2-Clause

Files: Makefile

Copyright: The OpenBSD project

License: BSD-3-Clause

Files: debian/*

Copyright: 2008, 2009, 2010 Decklin Foster <decklin@red-bean.com>

2008, 2009, 2010 Soren Hansen <soren@ubuntu.com>

2012 Aron Xu <aron@debian.org>

2016-2022 Guilhem Moulin <guilhem@debian.org>

License: BSD-3-Clause

Files: debian/checks/* debian/tests/*

Copyright: 2021-2022 Guilhem Moulin <guilhem@debian.org>

License: BSD-3-Clause

License:

BSD-2-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

License: BSD-3-Clause

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- .
- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.
- .

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.219 wget 1.25.0-r2

1.219.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007, 2023 Free Software Foundation, Inc. <<https://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free

software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents.

States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the

work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work

is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in
section 4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or
distribution medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no

charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the

covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),

EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, your program's commands
might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school,
if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program
into proprietary programs. If your program is a subroutine library, you
may consider it more useful to permit linking proprietary applications with
the library. If this is what you
want to do, use the GNU Lesser General
Public License instead of this License. But first, please read
<<https://www.gnu.org/philosophy/why-not-lgpl.html>>.
/* Extract the last component (base name) of a file name.

Copyright (C) 1998, 2001, 2003-2006, 2009-2024 Free Software Foundation,
Inc.

This file is free software: you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of the
License, or (at your option) any later version.

This file is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License
along with this program. If not, see <<https://www.gnu.org/licenses/>>. */

```
#ifndef _BASENAME_LGPL_H
#define _BASENAME_LGPL_H
```

```
/* This file uses _GL_ATTRIBUTE_PURE. */
#if !_GL_CONFIG_H_INCLUDED
#error "Please include config.h first."
#endif
```

```
#include <stddef.h>
```

```

#ifdef
DOUBLE_SLASH_IS_DISTINCT_ROOT
#define DOUBLE_SLASH_IS_DISTINCT_ROOT 0
#endif

#ifdef __cplusplus
extern "C" {
#endif

/* Return the address of the last file name component of FILENAME.
If FILENAME has some trailing slash(es), they are considered to be
part of the last component.
If FILENAME has no relative file name components because it is a file
system root, return the empty string.
Examples:
    FILENAME    RESULT
    "foo.c"     "foo.c"
    "foo/bar.c" "bar.c"
    "/foo/bar.c" "bar.c"
    "foo/bar/"  "bar/"
    "foo/bar/"  "bar/"
    "/"         ""
    "/"         ""
    ""          ""

The return value is a tail of the given FILENAME; do NOT free() it! */

/* This function was traditionally called 'basename', but we avoid this
function name because
* Various platforms have different functions in their libc.
In particular, the glibc basename(),
defined in <string.h>, does
not consider trailing slashes to be part of the component:
    FILENAME    RESULT
    "foo/bar/"  ""
    "foo/bar/"  ""
* The 'basename' command eliminates trailing slashes and for a root
produces a non-empty result:
    FILENAME    RESULT
    "foo/bar/"  "bar"
    "foo/bar/"  "bar"
    "/"         "/"
    "/"         "/"
*/
extern char *last_component (char const *filename) _GL_ATTRIBUTE_PURE;

/* Return the length of the basename FILENAME.

```

Typically FILENAME is the value returned by base_name or last_component.

Act like strlen (FILENAME), except omit all trailing slashes. */

```
extern size_t base_len (char const *filename) _GL_ATTRIBUTE_PURE;
```

```
#ifdef __cplusplus
```

```
 } /* extern "C" */
```

```
#endif
```

```
#endif /* _BASENAME_LGPL_H */
```

1.220 drill 1.8.4-r1

1.220.1 Available under license :

This software is copyright (c) 2013 by UNINETT Norid AS. No license is granted to other entities.

All rights reserved.

Copyright (c) 2005,2006, NLnetLabs

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of NLnetLabs nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2011, Xelerance

Author: Christopher Olah <chris@xelerance.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Xelerance nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2009, Zdenek Vasicek (vasicek AT fit.vutbr.cz)

Karel Slany (slany AT fit.vutbr.cz)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the organization nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.221 Idns 1.8.4-r1

1.221.1 Available under license :

This software is copyright (c) 2013 by UNINETT Norid AS. No license is granted to other entities.

All rights reserved.

Copyright (c) 2005,2006, NLnetLabs

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of NLnetLabs nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO

EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2011, Xelerance

Author: Christopher Olah <chris@xelerance.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Xelerance nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2009, Zdenek Vasicek (vasicek AT fit.vutbr.cz)

Karel Slany (slany AT fit.vutbr.cz)

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the organization nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.222 htop 3.4.1-r1

1.222.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License

along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of

a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under

this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to

decide if he or she is willing
to distribute software through any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing
version number. If the Program
specifies a version number of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN
OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this
is what you want to do, use the GNU Lesser General
Public License instead of this License.

1.223 libcurl 8.17.0-r1

1.223.1 Available under license :

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1996 - 2025, Daniel Stenberg, <daniel@haxx.se>, and many contributors, see the THANKS file.

All rights reserved.

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,

DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings

in this Software without prior written authorization of the copyright holder.

1.224 genproto-googleapis-api 0.0.0-20251213004720-97cd9d5aeac2

1.224.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.225 genproto-googleapis-rpc 0.0.0-20251213004720-97cd9d5aeac2

1.225.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.226 tre 0.8.0-r2

1.226.1 Available under license :

```
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=smartmontools
pkgver=7.5
pkgrel=0
pkgdesc="Control and monitor S.M.A.R.T. enabled hard drives"
url="https://www.smartmontools.org/"
arch="all"
license="GPL-2.0-or-later"
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.27.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
```



```

local type=${subpkgname/$pkgname-/}
pkgdesc="$pkgdesc ($type)"
install_if="$pkgname=$pkgver-r$pkgrel"
mkdir -p "$subpkgdir"/usr/share/spdx
cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
pkgdesc="$pkgdesc (licence list)"
mkdir -p "$subpkgdir"/usr/share/spdx
local i; for i in "$builddir"/text/*.txt;
do
local license=${i##*/}
echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
done
}

sha512sums="
16d59c81e331b54b52639826f83408d98144cdaa70eacc3e8ce35dc3b13992e4794cf7515eb9db200efd390a0c0e35ae9
d4706fbe0ca6a8d236189e88870720c license-list-data-3.27.0.tar.gz
"

# Automatically generated by apkbuidl-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=11
#_pkgreal is used by apkbuidl-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"

build() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
INSTALLDIRS=vendor \
NO_PACKLIST=1 \
NO_PERLLOCAL=1
make
}

```

```

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

```

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to
freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have
certain responsibilities if you distribute copies of the software, or if
you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with

the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified

it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions

apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty
or limiting liability differently from the
terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or
author attributions in that material or in the Appropriate Legal
Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or
requiring that modified versions of such material be marked in
reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or
authors of the material; or
- e) Declining to grant rights under trademark law for use of some
trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on
those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does

not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free

patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement,

or

that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with

the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<https://www.gnu.org/licenses/why-not-lgpl.html>>.

```

maintainer="Achill Gilgenast <achill@achill.org>"
pkgname=cargo-license
pkgver=0.7.0
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
9b3f0ead35515e85ef4074ebdbdbe5b9ec8bcaec244fabe414e2ed60f90366e8b1692d8bf7ffe4c07d778e60d94bab86bc
0c8be9823232e9c360a38bc65e9c5a  cargo-license-0.7.0.tar.gz
"

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error

```

```

subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--scoredir=/usr/share/$pkgname
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"

```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
        --build=$CBUILD \  
        --host=$CHOST \  
        --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart-lgpl-2.3.21.tar.bz2"

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Contributor: Sören Tempel <soeren+alpine@soeren-tempel.net>

Contributor: Leonardo Arena <rnalrd@alpinelinux.org>

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=util-linux

pkgver=2.41.2

pkgrel=0

pkgdesc="Random collection of Linux utilities"

url="https://git.kernel.org/cgit/utils/util-linux/util-linux.git"

arch="all"

license="GPL-3.0-or-later AND GPL-2.0-or-later AND GPL-2.0-only AND GPL-1.0-only AND LGPL-2.1-or-later AND BSD-1-Clause AND BSD-3-Clause AND BSD-4-Clause-UC AND MIT AND Public-Domain"

Original Copyright (c) 1985 by Supoj Sutanthavibul

Parts Copyright (c) 1989-2012 by Brian V. Smith

Parts Copyright (c) 1991 by Paul King

Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

Contributor: Fabian Affolter <fabian@affolter-engineering.ch>

Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>

pkgname=py3-flake8-copyright

_pkgname=flake8-copyright

pkgver=0.2.4

pkgrel=3

pkgdesc="Extension for flake8 which checks for copyrights"

options="!check" # No testsuite

url="https://github.com/savoirfairelinux/flake8-copyright"

arch="noarch"

license="MIT"

depends="py3-flake8 py3-setuptools"

makedepends="py3-gpep517 py3-wheel"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/\${_pkgname:0:1}/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir"/\$_pkgname-\$pkgver

replaces="py-flake8-copyright" # Backwards compatibility

provides="py-flake8-copyright=\$pkgver-r\$pkgrel" # Backwards compatibility

build() {

gpep517 build-wheel \

--wheel-dir .dist \

--output-fd 3 3>&1 >&2

}

package() {

gpep517 install-wheel --destdir "\$pkgdir" \

.dist/*.whl

}

sha512sums="

a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237

b316bd503ae7dceed6ca284ccd5a74d

flake8-copyright-0.2.4.tar.gz

"

(The MIT License)

Copyright (c) Ryan Davis, seattle.rb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/* \$NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp \$ */

/* \$OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp \$ */

/* Modified by Void Linux. */

/*

* Copyright 2002 Niels Provos <provos@citi.umich.edu>

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE

AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

```

#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
    struct name { \

```

```

struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \

```



```

    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

```

/* Generates prototypes and inline functions */

```
#define
```

```

    SPLAY_PROTOTYPE(name, type, field, cmp) \
    void name##_SPLAY(struct name *, struct type *); \
    void name##_SPLAY_MINMAX(struct name *, int); \
    struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
    struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \

```

/* Finds the node with the same key as elm */ \

```

static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \

```

```

static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \

```

```

static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

```

```

/* Main splay operation.
* Moves node close to the key of elm to top
*/
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if(__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field);\
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
} \

```

```

return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
struct type __node, *__left, *__right, *__tmp; \
int __comp; \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
__left = __right = &__node; \
\
while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
if (__comp < 0) { \
__tmp = SPLAY_LEFT((head)->sph_root, field); \
if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) < 0){ \
SPLAY_ROTATE_RIGHT(head, __tmp, field); \
if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
__tmp = SPLAY_RIGHT((head)->sph_root, field); \
if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) > 0){ \
SPLAY_ROTATE_LEFT(head, __tmp, field); \
if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
struct type __node, *__left, *__right, *__tmp; \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\

```

```

__left = __right = &__node;  \
\
while (1) {  \
    if (__comp < 0) {  \
        __tmp = SPLAY_LEFT((head)->sph_root, field); \
        if (__tmp == NULL)  \
            break;  \
        if (__comp < 0){  \
            SPLAY_ROTATE_RIGHT(head, __tmp, field); \
            if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                break;  \
        }  \
        SPLAY_LINKLEFT(head, __right, field); \
    } else if (__comp > 0) {  \
        __tmp = SPLAY_RIGHT((head)->sph_root, field); \
        if (__tmp == NULL)  \
            break;  \
        if (__comp > 0) {  \
            SPLAY_ROTATE_LEFT(head, __tmp, field); \
            if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
                break;  \
        }  \
        SPLAY_LINKRIGHT(head, __left, field); \
    }  \
}  \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head)  \
    for ((x) = SPLAY_MIN(name, head);  \
        (x) != NULL;  \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type)  \

```

```

struct name {
    \
    struct type *rbh_root; /* root of the tree */ \
}

#define RB_INITIALIZER(root) \
{
    NULL }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \

```

```

RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
} \
RB_AUGMENT(elm); \
if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
else \
RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
(head)->rbh_root = (tmp); \
RB_LEFT(tmp, field) = (elm); \
RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
(tmp) = RB_LEFT(elm, field); \
if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
!= NULL) { \
RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
} \
RB_AUGMENT(elm); \
if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
else \
RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
(head)->rbh_root = (tmp); \
RB_RIGHT(tmp, field) = (elm); \
RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
attr void name##_RB_INSERT_COLOR(struct name *, struct \
type *); \
attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
attr struct type *name##_RB_REMOVE(struct name *, struct type *); \

```

```

attr struct type *name##_RB_INSERT(struct name *, struct type *); \
attr struct type *name##_RB_FIND(struct name *, struct type *); \
attr struct type *name##_RB_NFIND(struct name *, struct type *); \
attr struct type *name##_RB_NEXT(struct type *); \
attr struct type *name##_RB_PREV(struct type *); \
attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
* Moves node close to the key of elm to top
*/

#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
attr void \
name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
{ \
    struct type \
    *parent, *gparent, *tmp; \
    while ((parent = RB_PARENT(elm, field)) != NULL && \
        RB_COLOR(parent, field) == RB_RED) { \
        gparent = RB_PARENT(parent, field); \
        if (parent == RB_LEFT(gparent, field)) { \
            tmp = RB_RIGHT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field);\
                elm = gparent; \
                continue; \
            } \
            if (RB_RIGHT(parent, field) == elm) { \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \
            RB_ROTATE_RIGHT(head, gparent, tmp, field); \
        } else { \
            tmp = RB_LEFT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field);\
                elm = gparent; \
                continue; \
            } \

```

```

    if (RB_LEFT(parent, field) == elm)
    { \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp = parent; \
        parent = elm; \
        elm = tmp; \
    } \
    RB_SET_BLACKRED(parent, gparent, field);\
    RB_ROTATE_LEFT(head, gparent, tmp, field);\
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field);\
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK;\
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field);\
                    tmp = RB_RIGHT(parent, field); \
                } \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
                RB_COLOR(parent, field) = RB_BLACK; \
            }

```



```

    if (RB_RIGHT(tmp, field)) \
        RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field);\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\
            tmp = RB_LEFT(parent, field); \
        } \
        RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
        RB_COLOR(parent, field) = RB_BLACK; \
        if (RB_LEFT(tmp, field)) \
            RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        elm = RB_ROOT(head); \
        break; \
    } \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \

```

```

name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \
                RB_RIGHT(parent, field) = child; \
            RB_AUGMENT(parent); \
        } else \
            RB_ROOT(head) \
= child; \
        if (RB_PARENT(elm, field) == old) \
            parent = elm; \
        (elm)->field = (old)->field; \
        if (RB_PARENT(old, field)) { \
            if (RB_LEFT(RB_PARENT(old, field), field) == old)\
                RB_LEFT(RB_PARENT(old, field), field) = elm;\
            else \
                RB_RIGHT(RB_PARENT(old, field), field) = elm;\
            RB_AUGMENT(RB_PARENT(old, field)); \
        } else \
            RB_ROOT(head) = elm; \
        RB_PARENT(RB_LEFT(old, field), field) = elm; \
        if (RB_RIGHT(old, field)) \
            RB_PARENT(RB_RIGHT(old, field), field) = elm; \
        if (parent) { \
            left = parent; \
            do { \
                RB_AUGMENT(left); \
            } while ((left = RB_PARENT(left, field)) != NULL); \
        } \
        goto color; \
    }

```

```

}    \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child)    \
    RB_PARENT(child, field) = parent; \
if (parent) {    \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else    \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else    \
    RB_ROOT(head) = child; \
color:    \
if (color == RB_BLACK)    \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old);    \
}    \
    \
/* Inserts a node into the RB tree */ \
attr struct type *    \
name##_RB_INSERT(struct name *head, struct type *elm) \
{    \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) {    \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else    \
            return (tmp); \
    }    \
    RB_SET(elm, parent, field); \
    if (parent != NULL) {    \
        if (comp < 0) \
            RB_LEFT(parent, field) = elm; \
        else    \
            RB_RIGHT(parent, field) = elm; \
        RB_AUGMENT(parent); \
    } else    \
        RB_ROOT(head) = elm; \
    name##_RB_INSERT_COLOR(head,

```

```

elm); \
return (NULL); \
} \
\
/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \

```

```

if (RB_RIGHT(elm, field)) { \
    elm = RB_RIGHT(elm, field); \
    while (RB_LEFT(elm, field)) \
        elm = RB_LEFT(elm, field); \
} else { \
    if (RB_PARENT(elm, field) && \
        (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
        elm = RB_PARENT(elm, field); \
    else { \
        while (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        elm = RB_PARENT(elm, field); \
    } \
} \
return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    } \
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \

```

```

    if (val < 0)    \
        tmp = RB_LEFT(tmp, field); \
    else          \
        tmp = RB_RIGHT(tmp, field); \
}                \
return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
    for ((x) = RB_MIN(name, head); \
        (x) != NULL; \
        (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
    for ((x) = (y); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
    for ((x) = RB_MIN(name, head); \
        ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
    for ((x) = RB_MAX(name, head); \
        (x) != NULL; \
        (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
    for ((x) = (y); \
        ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
        (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,

```

```

head, y) \
for ((x) = RB_MAX(name, head); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#endif /* _SYS_TREE_H_ */
# Contributor: Wen Heping <wenhepingalpine@sohu.com>
# Maintainer: Wen Heping <wenhepingalpine@sohu.com>
pkgname=perl-software-license
pkgver=0.104007
pkgrel=0
# _pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=Software-License
pkgdesc="packages that provide templated software licenses"
url="https://metacpan.org/release/Software-License/"
arch="noarch"
license="GPL-1.0-or-later OR Artistic-1.0-Perl"
depends="perl perl-data-section perl-text-template"
checkdepends="perl-try-tiny"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/L/LE/LEONT/Software-License-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
12d75e9583b3013d9b4a282467f1ac80ab6b7f3251926d66591d01404489b528f22adc396dfd4528a0f0ca650f0eed6d
9c959e69eace2169c6ed1cffe5277e4
Software-License-0.104007.tar.gz
"
(The MIT License)

```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.4

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-\$pkgver.tar.gz"

builddir="\$srcdir/\$_pkgname-\$pkgver"

```
build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}
```

```
check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}
```



```

}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
f46dd4cf524b3962115fe26f5545bfdd6767275b482724af51e7ca07da79244969a3bfc5d2fd5b95bc0f19d1b95a26a8f3
ab36c676e56ec302178d7166588066
    license_expression-30.4.4.tar.gz
"

```

1.227 etcd-client 3.6.7

1.227.1 Available under license :

Features

This document provides an overview of etcd features and general development guidelines for adding and deprecating them. The project maintainers can override these guidelines per the need of the project following the project governance.

Overview

The etcd features fall into three stages, experimental, stable, and unsafe.

Experimental

Any new feature is usually added as an experimental feature. An experimental feature is characterized as below:

- Might be buggy due to a lack of user testing. Enabling the feature may not work as expected.
- Disabled by default when added initially.
- Support for such a feature may be dropped at any time without notice
 - Feature-related issues may be given lower priorities.
 - It can be removed in the next minor or major release without following the feature deprecation policy unless it graduates to a stable future.

Stable

A stable feature is characterized as below:

- Supported as part of the supported releases of etcd.
- May be enabled by default.
- Discontinuation of support must follow the feature deprecation policy.

Unsafe

Unsafe features are rare and listed under the `Unsafe feature:` section in the etcd usage documentation. By default,

they are disabled. They should be used with caution following documentation. An unsafe feature can be removed in the next minor or major release without following the feature deprecation policy.

Development Guidelines

Adding a new feature

Any new enhancements to the etcd are typically added as an experimental feature. The general development requirements are listed below. They can be somewhat flexible depending on the scope of the feature and review discussions and will evolve over time.

- Open an issue
 - It must provide a clear need for the proposed feature.
 - It should list development work items as checkboxes. There must be one work item towards future graduation to a stable future.
 - Label the issue with `type/feature` and `experimental`.
 - Keep the issue open for tracking purposes until a decision is made on graduation.
- Open a Pull Request (PR)
 - Provide unit tests. Integration tests are also recommended as possible.
 - Provide robust e2e test coverage. If the feature being added is complicated or quickly needed, maintainers can decide to go with e2e tests for basic coverage initially and have robust coverage added at a later time before the feature graduation to the stable feature.
 - Provide logs for proper debugging.
 - Provide metrics and benchmarks as needed.
 - The Feature should be disabled by default.
 - Any configuration flags related to the implementation of the feature must be prefixed with `experimental` e.g. `--experimental-feature-name`.
 - Add a CHANGELOG entry.
- At least two maintainers must approve feature requirements and related code changes.

Graduating an Experimental feature to Stable

It is important that experimental features don't get stuck in that stage.

They should be revisited and moved to the stable stage following the graduation steps as described here.

Locate graduation candidate

Decide if an experimental feature is ready for graduation to the stable stage.

- Find the issue that was used to enable the experimental feature initially. One way to find such issues is to search for issues with `type/feature` and `experimental` labels.
- Fix any known open issues against the feature.
- Make sure the feature was enabled for at least one previous release. Check the PR(s) reference from the issue to see when the feature-related code changes were merged.

Provide implementation

If an experimental feature is found ready for graduation to the stable stage, open a Pull Request (PR) with the following changes.

- Add robust e2e tests if not already provided.
- Add a new stable feature flag identical to the experimental feature flag but without the `--experimental` prefix.
- Deprecate the experimental feature following the [feature deprecation

policy](#Deprecating-a-feature).

- Implementation must ensure that both the graduated and deprecated experimental feature flags work as expected. Note that both these flags will co-exist for the timeframe described in the feature deprecation policy.
- Enable the graduated feature by default if needed.

At least two maintainers must approve the work. Patch releases should not be considered for graduation.

Deprecating a feature

Experimental

An experimental feature deprecates when it graduates to the stable stage.

- Add a deprecation message in the documentation of the experimental feature with a recommendation to use a related stable feature. e.g. `DEPRECATED. Use <feature-name> instead.`
- Add a `deprecated` label in the issue that was initially used to enable the experimental feature.

Stable

As the project evolves, a stable feature may sometimes need to be deprecated and removed. Such a situation should be handled using the steps below:

- Create an issue for tracking purposes.
- Add a deprecation message in the feature usage documentation before a planned release for feature deprecation. e.g. `To be deprecated in <release>.`. If a new feature replaces the `To be deprecated` feature, then also provide a message saying so. e.g. `Use <feature-name> instead.`.
- Deprecate the feature in the planned release with a message as part of the feature usage documentation. e.g. `DEPRECATED`. If a new feature replaces the deprecated feature, then also provide a message saying so. e.g. `DEPRECATED. Use <feature-name> instead.`.
- Add a `deprecated` label in the related issue.

Remove the deprecated feature in the following release. Close any related issue(s). At least two maintainers must approve the work. Patch releases should not be considered for deprecation.

Set up the local cluster

For testing and development deployments, the quickest and easiest way is to configure a local cluster. For a production deployment, refer to the [clustering][clustering] section.

Local standalone cluster

Starting a cluster

Run the following to deploy an etcd cluster as a standalone cluster:

```
...  
$ ./etcd  
...  
...
```

If the `etcd` binary is not present in the current working directory, it might be located either at `\$GOPATH/bin/etcd` or at `/usr/local/bin/etcd`. Run the command appropriately.

The running etcd member listens on `localhost:2379` for client requests.

Interacting with the cluster

Use `etcdctl` to interact with the running cluster:

1. Store an example key-value pair in the cluster:

```
...  
$ ./etcdctl put foo bar  
OK  
...
```

If OK is printed, storing the key-value pair is successful.

2. Retrieve the value of `foo`:

```
...  
$ ./etcdctl get foo  
bar  
...
```

If `bar` is returned, interaction with the etcd cluster is working as expected.

Local multi-member cluster

Starting a cluster

A `Procfile` at the base of the etcd git repository is provided to easily configure a local multi-member cluster. To start a multi-member cluster, navigate to the root of the etcd source tree and perform the following:

1. Install `goreman` to control Procfile-based applications:

```
...  
$ go install github.com/mattn/goreman@latest  
...
```

The installation will place executables in the \$GOPATH/bin. If \$GOPATH environment variable is not set, the tool will be installed into the \$HOME/go/bin. Make sure that \$PATH is set accordingly in your environment.

2. Start a cluster with `goreman` using etcd's stock Procfile:

```
...  
$ goreman -f Procfile start  
...
```

The members start running. They listen on `localhost:2379`, `localhost:22379`, and `localhost:32379` respectively

for client requests.

Interacting with the cluster

Use `etcdctl`` to interact with the running cluster:

1. Print

the list of members:

...

```
$ etcdctl --write-out=table --endpoints=localhost:2379 member list
```

...

The list of etcd members is displayed as follows:

...

```
+-----+-----+-----+-----+-----+
|  ID    | STATUS | NAME |  PEER ADDRS   | CLIENT ADDRS   |
+-----+-----+-----+-----+-----+
| 8211f1d0f64f3269 | started | infra1 | http://127.0.0.1:2380 | http://127.0.0.1:2379 |
| 91bc3c398fb3c146 | started | infra2 | http://127.0.0.1:22380 | http://127.0.0.1:22379 |
| fd422379fda50e48 | started | infra3 | http://127.0.0.1:32380 | http://127.0.0.1:32379 |
+-----+-----+-----+-----+-----+
```

...

2. Store an example key-value pair in the cluster:

...

```
$ etcdctl put foo bar
```

OK

...

If OK is printed, storing the key-value pair is successful.

###

Testing fault tolerance

To exercise etcd's fault tolerance, kill a member and attempt to retrieve the key.

1. Identify the process name of the member to be stopped.

The ``Procfile`` lists the properties of the multi-member cluster. For example, consider the member with the process name, ``etcd2``.

2. Stop the member:

...

```
# kill etcd2
```

```
$ goreman run stop etcd2
```

...

3. Store a key:

...

```
$ etcdctl put key hello
```

```
OK
```

...

4. Retrieve the key that is stored in the previous step:

...

```
$ etcdctl get key
```

```
hello
```

...

5. Retrieve a key from the stopped member:

...

```
$ etcdctl --endpoints=localhost:22379 get key
```

...

The command should display an error caused by connection failure:

...

```
2017/06/18 23:07:35 grpc: Conn.resetTransport failed to create client transport: connection error: desc =
"transport: dial tcp 127.0.0.1:22379: getsockopt: connection refused"; Reconnecting to "localhost:22379"
```

```
Error: grpc:
```

```
timed out trying to connect
```

...

6. Restart the stopped member:

...

```
$ goreman run restart etcd2
```

...

7. Get the key from the restarted member:

...

```
$ etcdctl --endpoints=localhost:22379 get key
```

```
hello
```

...

Restarting the member re-establishes the connection. `etcdctl` will now be able to retrieve the key successfully. To learn more about interacting with etcd, read [\[interacting with etcd section\]](#)[\[interacting\]](#).

[\[clustering\]](#): <https://etcd.io/docs/latest/op-guide/clustering/>

[\[interacting\]](#): https://etcd.io/docs/latest/dev-guide/interacting_v3/

Issue triage guidelines

Purpose

Speed up issue management.

The `etcd` issues are listed at <<https://github.com/etcd-io/etcd/issues>> and are identified with labels. For example, an issue that is identified as a bug will be set to the label `type/bug`.

The etcd project uses labels to indicate common attributes such as `area`, `type`, and `priority` of incoming issues.

New issues will often start without any labels, but typically `etcd` maintainers, reviewers, and members will add labels by following these triage guidelines. The detailed list of labels can be found at <<https://github.com/etcd-io/etcd/labels>>.

Scope

This document serves as the primary guidelines for triaging incoming issues in `etcd`.

All contributors are encouraged and welcome to help manage issues which will help reduce the burden on project maintainers, though the work and responsibilities discussed in this document are created with `etcd` project reviewers and members in mind as these individuals will have triage access to the etcd project which is a requirement for actions like applying labels or closing issues.

Refer to [etcd community membership](<https://github.com/etcd-io/etcd/blob/main/Documentation/contributor-guide/community-membership.md>) for guidance on becoming an etcd project member or reviewer.

Step 1 - Find an issue to triage

To get started you can use the following recommended issue searches to identify issues that are in need of triage:

- * [Issues that have no labels](<https://github.com/etcd-io/etcd/issues?q=is%3Aissue+is%3Aopen+sort%3Aupdated+no%3Alabel>)
- * [Issues created recently](<https://github.com/etcd-io/etcd/issues?q=is%3Aissue+is%3Aopen+>)
- * [Issues not assigned but linked pr](<https://github.com/etcd-io/etcd/issues?q=is%3Aopen+is%3Aissue+no%3Aassignee+linked%3Apr>)
- * [Issues with no comments](<https://github.com/etcd-io/etcd/issues?q=is%3Aopen+is%3Aissue+comments%3A0+>)
- * [Issues with help wanted](<https://github.com/etcd-io/etcd/issues?q=is%3Aopen+is%3Aissue+label%3A%22help+wanted%22+>)

##

Step 2 - Check the issue is valid

Before we start adding labels or trying to work out a priority, our first triage step needs to be working out if the issue actually belongs to the etcd project and is not a duplicate.

Issues that don't belong to etcd

Sometimes issues are reported that belong to other projects that `etcd` use. For example, `grpc` or `golang` issues. Such issues should be addressed by asking the reporter to open issues in the appropriate other projects.

These issues can generally be closed unless a maintainer and issue reporter see a need to keep it open for tracking purposes. If you have triage permissions please close it, alternatively mention the @etcd-io/members group to request a member with triage access to close the issue.

Duplicate issues

If an issue is a duplicate, add a comment stating so along with a reference for the original issue and if you have triage permissions please close it, alternatively mention the @etcd-io/members group to request a member with triage access close the issue.

Step 3 - Apply the appropriate type of label

Adding a `type` label to an issue helps create visibility on the health of the project and helps contributors identify potential priorities, i.e. addressing existing bugs or test flakes before implementing new features.

Support requests

As a general rule, the focus for etcd support is to address common themes in a broad way that helps all users, i.e. through channels like known issues, frequently asked questions, and high-quality documentation. To make the best use of project members time we should avoid providing 1:1 support if a broad approach is available.

Some people mistakenly use our GitHub bug report or feature request templates to file support requests. Usually, they are asking for help operating or configuring some aspect of etcd. Support requests for etcd should instead be raised as [discussions](https://github.com/etcd-io/etcd/discussions).

Common

types of support requests are:

1. Questions about configuring or operating existing well-documented etcd features, for example, <<https://github.com/etcd-io/etcd/issues/15945>>. Note - If an existing feature is not well documented please apply the `area/documentation` label and propose documentation improvements that would prevent future users from stumbling on the problem again.
2. Bug reports or questions about unsupported versions of etcd, for example <<https://github.com/etcd-io/etcd/issues/15796>>. When responding to these issues please refer to our [supported versions documentation](https://etcd.io/docs/latest/op-guide/versioning) and encourage the reporter to upgrade to a recent patch release of a supported version as soon as possible. We should limit the effort supporting users that do not make the effort to run a supported version of etcd or ensure their version is patched.
3. Bug reports that do not provide a complete list of steps to reproduce the issue and/or contributors are not able to reproduce the issue, for example, <<https://github.com/etcd-io/etcd/issues/15740>>. We should limit the effort we put into reproducing issues ourselves and motivate users to provide the necessary information to accept the bug report.
4. General questions that are filed using feature request or bug report issue templates, for example,

<<https://github.com/etcd-io/etcd/issues/15914>>. Note - These types of requests may surface good additions to our [frequently asked questions](<https://etcd.io/docs/v3.5/faq>).

If you identify that an issue is a support request please:

1. Add the `type/support` or `type/question` label.
2. Add the following comment to inform the issue creator that discussions should be used instead and that this issue will be converted to a discussion.

> Thank you for your question, this support issue will be moved to our [Discussion Forums](<https://github.com/etcd-io/etcd/discussions>).

>

> We are trying to consolidate the channels to which questions for help/support are posted so that we can improve our efficiency in responding to your requests, and make it easier for you to find answers to frequently asked questions and how to address common use cases.

>

> We regularly see messages posted in multiple forums, with the full response thread only in one place or, worse, spread across multiple forums. Also, the large volume of support issues on GitHub is making it difficult for us to use issues to identify real bugs.

>

> Members of the etcd community use Discussion Forums to field support requests. Before posting a new question, please search these for answers to similar questions, and also familiarize yourself with:

>

> 1. [user documentation](<https://etcd.io/docs/latest>)

> 2. [frequently asked questions](<https://etcd.io/docs/v3.5/faq>)

>

> Again, thanks for using etcd and raising this question.

>

> The etcd team

3. Finally, click `Convert to discussion` on the right-hand panel, selecting the appropriate discussion category.

Bug reports

If an issue has been raised as a bug it should already have the `type/bug` label, however, if this is missing for an issue you determine to be a bug please add the label manually.

The next step is to validate if the issue is indeed a bug. If not, add a comment with the findings and close the trivial issue. For non-trivial issues, wait to hear back from the issue reporter and see if there is any objection. If the issue reporter does not reply in 30 days, close the issue.

If the problem can not be reproduced or requires more information, leave a comment for the issue reporter as soon as possible while the issue is fresh for the issue reporter.

Feature requests

New feature requests should be created via the etcd feature request template and in theory already have the `type/feature` label, however, if this is missing for an issue you determine to be a feature please add the label manually.

Test flakes

Test flakes

are a specific type of bug that the etcd project tracks separately as these are a priority to address. These should be created via the test flake template and in theory already have the `type/flake` label, however, if this is missing for an issue you determine to be related to a flaking test please add the label manually.

Step 4 - Define the areas impacted

Adding an `area` label to an issue helps create visibility on which areas of the etcd project require attention and helps contributors find issues to work on relating to their particular skills or knowledge of the etcd codebase.

If an issue crosses multiple domains please add additional `area` labels to reflect that.

Below is a brief summary of the area labels in active use by the etcd project along with any notes on their use:

Label	Notes
---	---
area/external	Tracking label for issues raised that are external to etcd.
area/community	
area/raft	
area/clientv3	
area/performance	
area/security	
area/tls	
area/auth	
area/etcdctl	
area/etcdutl	
area/contrib	Not to be confused with `area/community` this label is specifically used for issues relating to community-maintained scripts or files in the `contrib` directory which aren't part of the core etcd project.
area/documentation	
area/tooling	Generally used in relation to the third party / external utilities or tools that are used in various stages of the etcd build, test, or release process, for example, tooling to create sboms.
area/testing	
area/robustness-testing	

Step 5 - Prioritise the issue

If an issue lacks a priority label it has not been formally prioritized yet.

Adding a `priority` label helps the etcd project understand what is important and should be worked on now, and conversely, what is not as important and is on the project backlog.

|Priority label|What it means|Examples|

|---|---|---|

| `priority/critical-urgent`

| Maintainers are responsible for making sure that these issues (in their area) are being actively worked on i.e., drop what you're doing. The stuff is burning. These should be fixed before the next release. | user-visible critical bugs in core features
 broken builds on tier1 supported platforms
 tests and critical security issues |

| `priority/important-soon` | Must be staffed and worked on either currently or very soon ideally in time for the next release. | |

| `priority/important-longterm` | Important over the long term, but may not be currently staffed and/or may require multiple releases to complete. | |

| `priority/backlog` | General agreement that this is a nice-to-have, but no one's available to work on it anytime soon. Community contributions would be most welcome in the meantime, though it might take a while to get them reviewed if reviewers are fully occupied with higher-priority issues for example, immediately before a release. | |

| `priority/awaiting-more-evidence`

| Possibly useful, but not yet enough support to actually get it done. | Mostly placeholders for potentially good ideas, so that they don't get completely forgotten, and can be referenced or deduped every time they come up |

Step 6 - Support new contributors

As part of the `etcd` triage process once the `kind` and `area` have been determined, please consider if the issue would be suitable for a less experienced contributor. The `good first issue` label is a subset of the `help wanted` label, indicating that members have committed to providing extra assistance for new contributors. All `good first issue` items also have the `help wanted` label.

Help wanted

Items marked with the `help wanted` label need to ensure that they meet these criteria:

* **Low Barrier to Entry** - It should be easy for new contributors.

* **Clear** - The task is agreed upon and does not require further discussions in the community.

* **Goldilocks priority** - The priority

should not be so high that a core contributor should do it, but not too low that it isn't useful enough for a core contributor to spend time reviewing it, answering questions, helping get it into a release, etc.

Good first issue

Items marked with `good first issue` are intended for first-time contributors. It indicates that members will keep an eye out for these pull requests and shepherd it through our processes.

New contributors should not be left to find an approver, ping for reviews, decipher test commands, or identify that their build failed due to a flake. It is important to make new contributors feel welcome and valued. We should assure them that they will have an extra level of help with their first contribution.

After a contributor has successfully completed one or two `good first issue` items, they should be ready to move on to `help wanted` items.

* ****No Barrier to Entry**** - The task is something that a new contributor can tackle without advanced setup or domain knowledge.

*

* ****Solution Explained**** - The recommended solution is clearly described in the issue.

* ****Gives Examples**** - Link to examples of similar implementations so new contributors have a reference guide for their changes.

* ****Identifies Relevant Code**** - The relevant code and tests to be changed should be linked in the issue.

* ****Ready to Test**** - There should be existing tests that can be modified, or existing test cases fit to be copied. If the area of code doesn't have tests, before labeling the issue, add a test fixture. This prep often makes a great help wanted task!

Step 7 - Follow up

Once initial triage has been completed, issues need to be re-evaluated over time to ensure they don't become stale incorrectly.

Track important issues

If an issue is at risk of being closed by the stale bot in the future, but is an important issue for the etcd project, then please apply the `stage/tracked` label and remove any `stale` labels that exist. This will ensure the project does not lose sight of the issue.

Close incomplete issues

Issues that lack enough information from the issue reporter should be closed if the issue reporter does not provide information in 30 days. Issues can always be re-opened at a later date if new information is provided.

Check for incomplete work

If an issue owned by a developer has no pull request created in 30 days, contact the issue owner and kindly ask about the status of their work, or to release ownership on the issue if needed.

Branch management

Guide

* New development occurs on the [main branch][main].

* The main branch should always have a green build!

* Backwards-compatible bug fixes should target the main branch and subsequently be ported to stable branches.

* Once the main branch is ready for release, it will be tagged and become the new stable branch.

The etcd team has adopted a *rolling release model* and supports two stable versions of etcd.

Main branch

The `main` branch is our development branch. All new features land here first.

To try new and experimental features, pull `main` and play with it. Note that `main` may not be stable because new features may introduce bugs.

Before the release of the next stable version, feature PRs will be frozen. A [release manager](./release.md#release-management) will be assigned to the major/minor version and will lead the etcd community in testing, bug-fix, and documentation of the release for one to two weeks.

Stable branches

All branches with the prefix `release-` are considered `_stable_` branches.

After every minor release (semver.org), we will have a new stable branch for that release, managed by a [patch release manager](./release.md#release-management). We will keep fixing the backward-compatible bugs for the latest two stable releases. A `_patch_` release to each supported release branch, incorporating any bug fixes, will be once every two weeks, given any patches.

[main]: <https://github.com/etcd-io/etcd/tree/main>
PR management

Purpose

Speed up PR management.

The `etcd` PRs are listed at <https://github.com/etcd-io/etcd/pulls>
A PR can have various labels, milestones, reviewers, etc. The detailed list of labels can be found at <https://github.com/kubernetes/kubernetes/labels>

Following are a few example searches on PR for convenience:

- * [Open PRs for milestone etcd-v3.6](<https://github.com/etcd-io/etcd/pulls?utf8=%E2%9C%93&q=is%3Apr+is%3Aopen+milestone%3Aetcd-v3.6>)
- * [PRs under investigation](<https://github.com/etcd-io/etcd/labels/Investigating>)

Scope

These guidelines serve as a primary document for managing PRs in `etcd`. Everyone is welcome to help manage PRs but the work and responsibilities discussed in this document are created with `etcd` maintainers and active contributors in mind.

Ensure tests are run

The etcd project use Kubernetes Prow and GitHub Actions to run tests. To ensure all required tests run if a pull request is ready for testing and still has the `needs-ok-to-test` label then please comment on the pull request `/ok-to-test`.

Handle inactive PRs

Poke PR owner if review comments are not addressed in 15 days. If the PR owner does not reply in 90 days, update the PR with a new commit if possible. If not, inactive PR should be closed after 180 days.

Poke reviewer if needed

Reviewers are responsive in a timely fashion, but considering everyone is busy, give them some time after requesting a review if a quick response is not provided. If the response is not provided in 10 days, feel free to contact them via adding a comment in the PR or sending an email or message on Slack.

Verify important labels are in place

Make sure that appropriate reviewers are added to the PR. Also, make sure that a milestone is identified. If any of these or other important labels are missing, add them. If a correct label cannot be decided, leave a comment for the maintainers to do so as needed.

Roadmap

etcd uses GitHub milestones to track all tasks in each major or minor release. The `roadmap.md` file only records the most important tasks for each release. The list is based on the current maintainer capacity that may shift over time. Proposed milestones are what we think we can deliver with the people we have. If we have more support on the important stuff, we could pick up more items from the backlog. Note that etcd will continue to mainly focus on technical debt over the next few major or minor releases.

Each item has an assigned priority. Refer to [priority definitions](https://github.com/etcd-io/etcd/blob/main/Documentation/contributor-guide/triage_issues.md#step-5---prioritise-the-issue).

v3.6.0

For a full list of tasks in `v3.6.0`, please see [milestone etcd-v3.6](https://github.com/etcd-io/etcd/milestone/38).

Title	Priority	Status	Note
[Support downgrade](https://github.com/etcd-io/etcd/issues/11716)	priority/important-soon	In progress	etcd will support downgrade starting from 3.6.0. But it will also support offline downgrade from 3.5 to 3.4.
[StoreV2 deprecation](https://github.com/etcd-io/etcd/issues/12913)	priority/important-soon	In progress	This task will be covered in both 3.6 and 3.7.
[Release raft 3.6.0](https://github.com/etcd-io/raft/issues/89)	priority/important-soon	Not started	etcd 3.6.0 will depends on raft 3.6.0
[Release bbolt 1.4.0](https://github.com/etcd-io/bbolt/issues/553)	priority/important-soon	Not started	etcd 3.6.0 will depends on bbolt 1.4.0

| [Support /livez and /readyz endpoints](https://github.com/etcd-io/etcd/issues/16007) |
 priority/important-longterm | In progress | It provides clearer APIs, and can also work around the stalled writes issue
 |
 | [Bump gRPC](https://github.com/etcd-io/etcd/issues/16290) |
 priority/important-longterm | Completed | It isn't guaranteed to be resolved in 3.6, and might be postponed to 3.7
 depending on the effort and risk. |
 | [Deprecate grpc-gateway
 or bump it](https://github.com/etcd-io/etcd/issues/14499) | priority/important-longterm |
 Completed | It isn't guaranteed to be resolved in 3.6, and might be postponed to 3.7 depending on the effort and
 risk. |
 | [bbolt: Add logger into bbolt](https://github.com/etcd-io/bbolt/issues/509) |
 priority/important-longterm | Completed | It's important to diagnose bbolt issues
 |
 | [bbolt: Add surgery commands](https://github.com/etcd-io/bbolt/issues/370) |
 priority/important-longterm | Completed | Surgery commands are important for fixing corrupted db files
 |
 | [Evaluate and (Graduate or deprecate/remove) experimental features](https://github.com/etcd-
 io/etcd/issues/16292) | priority/backlog | Not started | This task will be covered in both 3.6 and
 3.7. |

v3.7.0

For a full list of tasks in `v3.7.0`, please see [milestone etcd-v3.7](https://github.com/etcd-io/etcd/milestone/39).

Title	Priority	Note
----- ----- -----		
[StoreV2 deprecation](https://github.com/etcd-io/etcd/issues/12913)	P0	Finish the remaining tasks 3.7.
[Refactor lease: Lease might be revoked by mistake by old leader](https://github.com/etcd-io/etcd/issues/15247)	P1	to be investigated & discussed
[Integrate raft's new feature (async write) into etcd](https://github.com/etcd-io/etcd/issues/16291)	P1	It should improve the performance
[bbolt: Support customizing the bbolt rebalance threshold](https://github.com/etcd-io/bbolt/issues/422)	P2	It may get rid of etcd's defragmentation. Both bbolt and etcd need to be changed.
[Evaluate and (graduate or deprecate/remove) experimental features](https://github.com/etcd-io/etcd/issues/16292)	P2	Finish the remaining tasks 3.7.

Backlog (future releases)

Title	Priority	Note
----- ----- -----		
[Remove the dependency on grpc-go's experimental API](https://github.com/etcd-io/etcd/issues/15145)		
[Protobuf: cleanup both golang/protobuf and gogo/protobuf](https://github.com/etcd-io/etcd/issues/14533)		

[Proposals should include a merkle root](https://github.com/etcd-io/etcd/issues/13839)			
[Add Distributed Tracing using OpenTelemetry](https://github.com/etcd-io/etcd/issues/12460)			
[Support CA rotation](https://github.com/etcd-io/etcd/issues/11555)			
[bbolt: Migrate all commands to cobra style commands](https://github.com/etcd-io/bbolt/issues/472)			
[raft: enhance the configuration change validation](https://github.com/etcd-io/raft/issues/80)			

Release

The guide talks about how to release a new version of etcd.

The procedure includes some manual steps for sanity checking, but it can probably be further scripted. Please keep this document up-to-date if making changes to the release process.

Release management

The following pool of release candidates manages the release of each etcd major/minor version as well as manages patches

to each stable release branch. They are responsible for communicating the timelines and status of each release and for ensuring the stability of the release branch.

- Benjamin Wang [@ahrtr](https://github.com/ahrtr)
- James Blair [@jmhbzn](https://github.com/jmhbnz)
- Marek Siarkowicz [@serathius](https://github.com/serathius)
- Sahdev Zala [@spzala](https://github.com/spzala)
- Wenjia Zhang [@wenjiaswe](https://github.com/wenjiaswe)

All release version numbers follow the format of [semantic versioning 2.0.0](http://semver.org/).

Major, minor version release, or its pre-release

- Ensure the relevant [milestone](https://github.com/etcd-io/etcd/milestones) on GitHub is complete. All referenced issues should be closed or moved elsewhere.
- Ensure the latest [upgrade documentation](https://etcd.io/docs/next/upgrades) is available.
- Bump [hardcoded MinClusterVersion in the repository](https://github.com/etcd-io/etcd/blob/v3.4.15/version/version.go#L29), if necessary.
- Add feature capability maps for the new version, if necessary.

Patch version release

- To request a backport, developers submit cherry-pick PRs targeting the release branch. The commits should not include merge commits. The commits should be restricted to bug fixes and security patches.
- The cherry-pick PRs should target the appropriate release branch (`base:release-<major>-<minor>`). The k8s infra cherry pick robot `/cherrypick <branch>` PR chatops command may be used to automatically generate cherry-pick PRs.
- The release patch manager reviews the cherry-pick PRs. Please discuss carefully what is backported to the patch release. Each patch release should be strictly better than its predecessor.
- The release patch manager will cherry-pick these commits starting from the oldest one into stable branch.

Write a release note

- Write an introduction for the new release. For example, what major bug we fix, what new features we introduce, or what performance improvement we make.
- Put `[GH XXXX]` at the head of the change line to reference the Pull Request that introduces the change. Moreover, add a link on it to jump to the Pull Request.
- Find PRs with the `release-note` label and explain them in the `NEWS` file, as a straightforward summary of changes for end-users.

Patch release criteria

The etcd project aims to release a new patch version if any of the following conditions are met:

- Fixed one or more major CVEs (≥ 7.5).
- Fixed one or more critical bugs.
- Fixed three or more major bugs.
- Fixed five or more minor bugs.

Release guide

Prerequisites

There are some prerequisites, which should be done before the release process. These are one-time operations, which don't need to be executed before releasing each version.

1. Generate a GPG key and add it to your GitHub account. Refer to the links on [settings](https://github.com/settings/keys).
2. Ensure you have a Linux machine, on which the git, Golang, and docker have been installed.
 - Ensure the Golang version matches the version defined in `.go-version` file.
 - Ensure non-privileged users can run docker commands, refer to the [Linux postinstall](https://docs.docker.com/engine/install/linux-postinstall/).
 - Ensure there is at least 5GB of free space on your Linux machine.
3. Install gsutil, refer to [gsutil_install](https://cloud.google.com/storage/docs/gsutil_install). When asked about cloud project to use, pick `etcd-development`.
4. Authenticate the image registry, refer to [Authentication methods](https://cloud.google.com/container-registry/docs/advanced-authentication).
 - `gcloud auth login`
 - `gcloud auth configure-docker`
5. Install gh, refer to [GitHub's documentation](https://github.com/cli/cli#installation). Ensure that running `gh auth login` succeeds for the GitHub account you use to contribute to etcd, and that `gh auth status` has a clean exit and doesn't show any issues.

Release steps

1. Raise an issue to publish the release plan, e.g. [issues/17350](https://github.com/etcd-io/etcd/issues/17350).
2. Raise a `kubernetes/org` pull request to temporarily elevate permissions for the GitHub release team.

3. Once permissions are elevated, temporarily relax [branch protections](https://github.com/etcd-io/etcd/settings/branches) to allow pushing changes directly to `release-\*` branches in GitHub.
4. Verify you can pass the authentication to the image registries,
 - `docker login gcr.io`
 - `docker login quay.io`
 - If the release person doesn't have access to 1password, one of the owners (@ahrtr, @ivanvc, @jmhbnz, @serathius) needs to share the password with them per [this guide](https://support.1password.com/share-items/). See rough steps below,
 - [Sign in](https://team-etcd.1password.com/home) to your account on 1password.com.
 - Click `Your Vault Items` on the right side.
 - Select `Password of quay.io`.
 - Click `Share` on the top right, and set expiration as `1 hour` and only available to the release person using his/her email.
 - Click `Copy Link` then send the link to the release person via slack or email.
5. Clone the etcd repository and checkout the target branch,
 - `git clone --branch release-3.X git@github.com:etcd-io/etcd.git`
6. Run the release script under the repository's root directory, replacing `\${VERSION}` with a value without the `v` prefix, i.e. `3.5.13`.
 - `DRY\_RUN=false ./scripts/release.sh \${VERSION}`
 - **NOTE:** When doing a pre-release (i.e., a version from the main branch, 3.6.0-alpha.2), you will need to explicitly set the branch to main:

...

```
DRY_RUN=false BRANCH=main ./scripts/release.sh ${VERSION}
```

...

It generates all release binaries under the directory `tmp/etcd-release-\${VERSION}/etcd/release/` and images. Binaries are pushed to the Google Cloud bucket

under project `etcd-development`, and images are pushed to `quay.io` and `gcr.io`.

7. Publish the release page on GitHub
 - Open the **draft** release URL shown by the release script
 - Click the pen button at the top right to edit the release
 - Review that it looks correct, reviewing that the bottom checkboxes are checked depending on the release version (v3.4 no checkboxes, v3.5 has the set as latest release checkbox checked, v3.6 has the set as pre-release checkbox checked)
 - Then, publish the release
8. Announce to the etcd-dev googlegroup

Follow the format of previous release emails sent to etcd-dev@googlegroups.com, see an example below. After sending out the email, ask one of the mailing list maintainers to approve the email from the pending list. Additionally, label the release email as `Release`.

```
``text
```

Hello,

etcd v3.4.30 is now public!

<https://github.com/etcd-io/etcd/releases/tag/v3.4.30>

Thanks to everyone who contributed to the release!

etcd team

...

9. Update the changelog to reflect the correct release date.
10. Paste the release link to the issue raised in Step 1 and close the issue.
11. Restore standard branch protection settings and raise a follow-up `kubernetes/org` pull request to return to least privilege permissions.
12. Create a new stable branch through `git push origin release-\${VERSION\_MAJOR}.\${VERSION\_MINOR}` if this is a new major or minor stable release.
13. Re-generate a new password for quay.io if needed (e.g. shared to a contributor who isn't in the release team, and we should rotate the password at least once every 3 months).

Release known issues

1. Timeouts pushing binaries - If binaries fail to fully upload to Google Cloud storage, the script must be re-run using the same command. Any artifacts that are already pushed will be overwritten to ensure they are correct. The storage bucket does not use object versioning so incorrect files cannot remain.
2. Timeouts pushing images - It is rare, although possible for connection timeouts to occur when publishing etcd release images to `quay.io` or `gcr.io`. If this occurs, it is known to be safe to rerun the release script command appending the `--no-upload` flag, and image uploads will gracefully resume.
3. GPG vs SSH signing - The release scripts assume that git tags will be signed with a GPG key. Since 2022 GitHub has supported [signing commits and tags using ssh](https://github.blog/changelog/2022-08-23-ssh-commit-verification-now-supported). Until further release script updates are completed you will need to disable this feature in your `~/.gitconfig` and revert to signing via GPG to perform etcd releases.

Golang modules

The etcd project (since version 3.5) is organized into multiple [golang modules](https://golang.org/ref/mod) hosted in a [single repository](https://golang.org/ref/mod#vcs-dir).

![modules graph](modules.svg)

There are the following modules:

- **go.etcd.io/etcd/api/v3** - contains API definitions (like protos & proto-generated libraries) that defines communication protocol between etcd clients and servers.
- **go.etcd.io/etcd/pkg/v3** - a collection of utility packages used by etcd without being specific to etcd itself. A package belongs here only if it could possibly be moved out into its own repository in the future. Please avoid adding here code that has a lot of dependencies on its own, as they automatically become dependencies of the client library

(that we want to keep lightweight).

- **go.etcd.io/etcd/client/v3** - client library used to contact etcd over the network (grpc). Recommended for all new usage of etcd.

- **go.etcd.io/raft/v3**

- implementation of distributed consensus protocol. Should have no etcd specific code. Hosted in a separate repository: <https://github.com/etcd-io/raft>.

- **go.etcd.io/etcd/server/v3** - etcd implementation.

The code in this package is internal to etcd and should not be consumed by external projects. The package layout and API can change within the minor versions.

- **go.etcd.io/etcd/etcdctl/v3** - a command line tool to access and manage etcd.

- **go.etcd.io/etcd/tests/v3** - a module that contains all integration tests of etcd.

Notice: All unit tests (fast and not requiring cross-module dependencies) should be kept in the local modules of the code under the test.

- **go.etcd.io/bbolt** - implementation of persistent b-tree.

Hosted in a separate repository: <https://github.com/etcd-io/bbolt>.

Operations

1. All etcd modules should be released in the same versions, e.g.

`go.etcd.io/etcd/client/v3@v3.5.10` must depend on `go.etcd.io/etcd/api/v3@v3.5.10`.

The consistent updating of versions can be performed using:

```
```shell script
% DRY_RUN=false TARGET_VERSION="v3.5.10" ./scripts/release_mod.sh update_versions
```
```

2. The released modules should be tagged according to <https://golang.org/ref/mod#vcs-version> rules, i.e. each module should get its own tag.

The tagging can be performed using:

```
```shell script
% DRY_RUN=false REMOTE_REPO="origin" ./scripts/release_mod.sh push_mod_tags
```
```

3. All etcd modules should depend on the same versions of underlying dependencies.

This can be verified using:

```
```shell script
% PASSES="dep" ./test.sh
```
```

4. The go.mod files must not contain dependencies not being used and must conform to `go mod tidy` format.

This is being verified by:

```
```
```

```
% PASSES="mod_tidy" ./test.sh
```

```
```
```

5. To trigger actions across all modules (e.g. auto-format all files), please

use/expand the following script:

```
```shell script
```

```
% ./scripts/fix.sh
```

```
```
```

###

Future

As a North Star, we would like to evaluate etcd modules towards the following model:

![modules graph](modules-future.svg)

This assumes:

- Splitting etcdmigrate/etcdadm out of etcdctl binary.

Thanks to this etcdctl would become clearly a command-line wrapper around network client API,

while etcdmigrate/etcdadm would support direct physical operations on the etcd storage files.

- Splitting etcd-proxy out of ./etcd binary, as it contains more experimental code so carries additional risk & dependencies.

- Deprecation of support for v2 protocol.

Reporting bugs

If any part of the etcd project has bugs or documentation mistakes, please let us know by [opening an issue][etcd-issue]. We treat bugs and mistakes very seriously and believe no issue is too small. Before creating a bug report, please check that an issue reporting the same problem does not already exist.

To make the bug report accurate and easy to understand, please try to create bug reports that are:

- Specific. Include as many details as possible: which version, what environment, what configuration, etc. If the bug is related to running the etcd server, please attach the etcd log (the starting log with the etcd configuration is especially important).

- Reproducible. Include the steps to reproduce the problem. We understand some issues might be hard to reproduce, please include the steps that might lead to the problem. If possible, please attach the affected etcd data dir and stack trace to the bug report.

- Isolated. Please try to isolate and reproduce the bug with minimum dependencies. It would significantly slow down the speed to fix a bug if too many dependencies are involved in a bug report. Debugging external systems that rely on etcd is out of scope, but we are happy to provide guidance in the right direction or help with using etcd itself.

- Unique. Do not duplicate existing bug reports.

- Scoped. One bug per report. Do not follow up with another bug inside one report.

It may be worthwhile to read [Elika Etemads article on filing good bug reports][filing-good-bugs] before creating a bug report.

We might ask for further information to locate a bug. A duplicated bug report will be closed.

Frequently asked questions

How to get a stack trace

```
``` bash
$ kill -QUIT $PID
```
```

How to get the etcd version

```
``` bash
$ etcd --version
```
```

How to get etcd configuration and log when it runs as systemd service etcd2.service

```
``` bash
$ sudo systemctl cat etcd2
$ sudo journalctl -u etcd2
```
```

Due to an upstream systemd bug, journald may miss the last few log lines when its processes exit. If journalctl says etcd stopped without a fatal or panic message, try `sudo journalctl -f -t etcd2` to get the full log.

[etcd-issue]: <https://github.com/etcd-io/etcd/issues/new>

[filing-good-bugs]: <http://fantasai.inkedblade.net/style/talks/filing-good-bugs/>

Community membership

This doc outlines the various responsibilities of contributor roles in etcd.

Role	Responsibilities	Requirements	Defined by
Member	Active contributor in the community etcd GitHub org member	Sponsored by 2 reviewers and multiple contributions	
Reviewer	Review contributions from other members	History of review and authorship	
[OWNERS] file reviewer entry			

| Maintainer | Set direction and priorities for the project | Demonstrated responsibility and excellent technical judgement | [OWNERS] file approver entry |

New contributors

New contributors should be welcomed to the community by existing members, helped with PR workflow, and directed to relevant documentation and communication channels.

Established community members

Established community members are expected to demonstrate their adherence to the principles in this document, familiarity with project organization, roles, policies, procedures, conventions, etc., and technical and/or writing ability. Role-specific expectations, responsibilities, and requirements are enumerated below.

Member

Members are continuously active contributors to the community. They can have issues and PRs assigned to them. Members are expected to remain active contributors to the community.

****Defined by:**** Member of the etcd GitHub organization.

Requirements

- Enabled [two-factor authentication] on their GitHub account
- Have made multiple contributions to the project or community. Contribution may include, but is not limited to:
 - Authoring or reviewing PRs on GitHub. At least one PR must be ****merged****.
 - Filing or commenting on issues on GitHub
- Contributing to community discussions (e.g. meetings, Slack, email discussion forums, Stack Overflow)
- Subscribed to [etcd-dev@googlegroups.com](https://groups.google.com/g/etcd-dev)
- Have read the [contributor guide]
- Sponsored by two active maintainers or reviewers.
 - Sponsors must be from multiple member companies to demonstrate integration across the community.
 - With no objections from other maintainers
- Open a [membership nomination] issue against the `kubernetes/org` repo
 - Ensure your sponsors are @mentioned on the issue
 - Make sure that the list of contributions included is representative of your work on the project.
- Members can be removed by a supermajority of the maintainers or can resign by notifying the maintainers.

Responsibilities and privileges

- Responsive to issues and PRs assigned to them
- Granted "triage access" to etcd project
- Active owner of code they have contributed (unless ownership is explicitly transferred)
 - Code is well-tested
 - Tests consistently pass
 - Addresses bugs or issues discovered after code is accepted

****Note:**** Members who frequently contribute code are expected to proactively perform code reviews and work towards becoming a **reviewer**.

Reviewers

Reviewers are contributors who have demonstrated greater skill in reviewing the code from other contributors. They are knowledgeable about both the codebase and software engineering principles. Their LGTM counts towards merging a code change into the project. A reviewer is generally on the ladder towards maintainership.

****Defined by:**** **reviewers** entry in the [OWNERS] file.

Requirements

- member for at least 3 months.
- Primary reviewer for at least 5 PRs to the codebase.
- Reviewed or contributed at least 20 substantial PRs to the codebase.
- Knowledgeable about the codebase.
- Sponsored by two active maintainers.
 - Sponsors must be from multiple member companies to demonstrate integration across the community.
 - With no objections from other maintainers
- Reviewers can be removed by a supermajority of the maintainers or can resign by notifying the maintainers.

Responsibilities and privileges

- Code reviewer status may be a precondition to accepting large code contributions
- Responsible for project quality control via code reviews
 - Focus on code quality and correctness, including testing and factoring
 - May also review for more holistic issues, but not a requirement
- Expected to be responsive to review requests
- Assigned PRs to review related to area of expertise
- Assigned test bugs related to area of expertise
- Granted "triage access" to etcd project

Maintainers

Maintainers are first and foremost contributors who have shown they are committed to the long-term success of a project. Maintainership is about building

trust with the current maintainers and being a person that they can depend on to make decisions in the best interest of the project in a consistent manner.

****Defined by:**** *approvers* entry in the [OWNERS] file.

Requirements

- Deep understanding of the technical goals and direction of the project
- Deep understanding of the technical domain of the project
- Sustained contributions to design and direction by doing all of:
 - Authoring and reviewing proposals
 - Initiating, contributing, and resolving discussions (emails, GitHub issues, meetings)
 - Identifying subtle or complex issues in the designs and implementation of PRs
- Directly contributed to the project through implementation and/or review
- Sponsored by two active maintainers and elected by supermajority
 - Sponsors must be from multiple member companies to demonstrate integration across the community.
- To become a maintainer send an email with your candidacy to etcd-maintainers-private@googlegroups.com
 - Ensure your sponsors are @mentioned in the email
 - Include a list of contributions representative of your work on the project.
-

Existing maintainers vote will privately and respond to the email with either acceptance or feedback for suggested improvement.

- With your membership approved you are expected to:
 - Open a PR and add an entry to the [OWNERS] file
 - Subscribe to etcd-maintainers@googlegroups.com and etcd-maintainers-private@googlegroups.com
 - Request to join [etcd-maintainer teams of etcd organization of GitHub](<https://github.com/orgs/etcd-io/teams/maintainers-etcd>)
 - Request to join the private slack channel for etcd maintainers on [kubernetes slack](<http://slack.kubernetes.io/>)
 - Request access to etcd-development GCP project where we publish releases
 - Request access to passwords shared between maintainers

Responsibilities and privileges

- Make and approve technical design decisions
- Set technical direction and priorities
- Define milestones and releases
- Mentor and guide reviewers, and contributors to the project.
- Participate when called upon in the [security disclosure and release process]
- Ensure the continued health of the project
 - Adequate test coverage to confidently release
 - Tests are passing reliably (i.e. not flaky) and are fixed when they fail
- Ensure a healthy process for discussion and decision-making is in place.
- Work with other maintainers to maintain the project's overall health and success holistically

Retiring

Life priorities, interests, and passions can change. Maintainers can retire and move to [emeritus maintainers]. If a maintainer needs to step down, they should inform other maintainers and, if possible, help find someone to pick up the related work. At the very least, ensure the related work can be continued. Afterward, they can remove themselves from the list of existing maintainers.

If a maintainer has not been performing their duties for 12 months, they can be removed by other maintainers. In that case, the inactive maintainer will be first notified via an email. If the situation doesn't improve, they will be removed.

If an emeritus maintainer wants to regain an active role, they can do so by renewing their contributions. Active maintainers should welcome such a move. Retiring other maintainers or regaining the status should require the approval of at least two active maintainers.

Acknowledgements

Contributor roles and responsibilities were written based on [Kubernetes community membership]

[OWNERS]: /OWNERS

[contributor guide]: /CONTRIBUTING.md

[membership nomination]: <https://github.com/kubernetes/org/issues/new?assignees=&labels=area%2Fgithub-membership&projects=&template=membership.yml&title=REQUEST%3A+New+membership+for+%3Cyour-GH-handle%3E>

[Kubernetes community membership]: <https://github.com/kubernetes/community/blob/master/community-membership.md>

[emeritus maintainers]: /README.md#etcd-emeritus-maintainers

[security disclosure and release process]: /security/README.md

[two-factor authentication]: <https://docs.github.com/en/authentication/securing-your-account-with-two-factor-authentication-2fa/about-two-factor-authentication>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Logging Conventions

etcd uses the [zap][zap] library for logging application output categorized into *levels*. A log message's level is determined according to these conventions:

* Debug: Everything is still fine, but even common operations may be logged, and less helpful but more quantity of notices. Usually not used in production.

* Examples:

- * Send a normal message to a remote peer
- * Write a log entry to disk

* Info: Normal, working log information, everything is fine, but helpful notices for auditing or common operations. Should rather not be logged more frequently than once per a few seconds in a normal server's operation.

* Examples:

- * Startup configuration
- * Start to do a snapshot

* Warning: (Hopefully) Temporary conditions that may cause errors, but may work fine. A replica disappearing (that may reconnect) is a warning.

* Examples:

- * Failure to send a raft message to a remote peer
- * Failure to receive heartbeat message within the configured election timeout

* Error: Data has been lost, a request has failed for a bad reason, or a required resource has been lost.

* Examples:

- * Failure to allocate disk space for WAL

* Panic: Unrecoverable or unexpected error situation that requires stopping execution.

* Examples:

- * Failure to create the database

* Fatal: Unrecoverable or unexpected error situation that requires immediate exit. Mostly used in the test.

* Examples:

- * Failure to find the data directory
- * Failure to run a test function

[zap]: <https://github.com/uber-go/zap>

Dependency management

Table of Contents

- **[Main branch](#main-branch)**
- [Dependencies used in workflows](#dependencies-used-in-workflows)
- [Bumping order](#bumping-order)
- [Steps to bump a dependency](#steps-to-bump-a-dependency)
- [Indirect dependencies](#indirect-dependencies)
- [Known incompatible dependency updates](#known-incompatible-dependency-updates)

- [arduino/setup-protoc](#arduinsetup-protoc)
- [Rotation worksheet](#rotation-worksheet)
- ****[Stable branches](#stable-branches)****
- ****[Golang versions](#golang-versions)****
- ****[Core dependencies mappings](#core-dependencies-mappings)****

Main branch

The dependabot is enabled & [configured](https://github.com/etcd-io/etcd/blob/main/.github/dependabot.yml) to manage dependencies for etcd `main` branch. But dependabot doesn't work well for multi-module repository like `etcd`,

see [dependabot-core/issues/6678](https://github.com/dependabot/dependabot-core/issues/6678).

Usually, human intervention is required

each time when dependabot automatically opens some PRs to bump dependencies.

Please see the guidance below.

Dependencies used in workflows

The PRs that automatically bump dependencies (see examples below) used in workflows are fine and can be approved & merged directly as long as all checks are successful.

- [build(deps): bump github/codeql-action from 2.2.11 to 2.2.12](https://github.com/etcd-io/etcd/pull/15736)
- [build(deps): bump actions/checkout from 3.5.0 to 3.5.2](https://github.com/etcd-io/etcd/pull/15735)
- [build(deps): bump ossf/scorecard-action from 2.1.2 to 2.1.3](https://github.com/etcd-io/etcd/pull/15607)

Bumping order

When multiple etcd modules depend on the same package, please bump the package version for all the modules in the correct order. The rule is simple:

if module A depends on module B, then bump the dependency for module B before module A. If the two modules do not depend on each other, then

it doesn't matter to bump which module first. For

example, multiple modules depend on `github.com/spf13/cobra`, so we need to bump the dependency in the following order,

- go.etcd.io/etcd/pkg/v3
- go.etcd.io/etcd/server/v3
- go.etcd.io/etcd/etcdctl/v3
- go.etcd.io/etcd/etcdutl/v3
- go.etcd.io/etcd/tests/v3
- go.etcd.io/etcd/v3
- go.etcd.io/etcd/tools/v3

For more details about etcd Golang modules, please check <https://etcd.io/docs/next/dev-internal/modules>

Note the module `go.etcd.io/etcd/tools/v3` doesn't depend on any other modules, nor by any other modules, so it doesn't matter when to bump dependencies for it.

Steps to bump a dependency

Use the `github.com/spf13/cobra` as an example, follow the steps below to bump it from 1.6.1 to 1.7.0 for module `go.etcd.io/etcd/etcdctl/v3`,

```
```bash
cd ${ETCD_ROOT_DIR}/etcdctl
go get github.com/spf13/cobra@v1.7.0
go mod tidy
cd ..
./scripts/fix.sh
```
```

Execute the same steps for all other modules. When you finish bumping the dependency for all modules, then commit the change,

```
```bash
git
add .
git commit --signoff -m "dependency: bump github.com/spf13/cobra from 1.6.1 to 1.7.0"
```
```

Please close the related PRs which were automatically opened by dependabot.

When you bump multiple dependencies in one PR, it's recommended to create a separate commit for each dependency. But it isn't a must; for example, you can get all dependencies bumping for the module `go.etcd.io/etcd/tools/v3` included in one commit.

Troubleshooting

In an event of bumping the version of protoc, protoc plugins or grpc-gateway, it might change `*.proto` file which can result in the following error:

```
```bash
[0;31mFAIL: 'genproto' FAILED at Wed Jul 31 07:09:08 UTC 2024
make: *** [Makefile:134: verify-genproto] Error 255
```
```

To fix the above error, run the following script from the root of etcd repository:

```
```bash
./scripts/genproto.sh
```
```

Indirect dependencies

Usually, we don't bump a dependency if all modules just indirectly depend on it, such as `github.com/go-logr/logr`.

If

an indirect dependency (e.g. `D1`) causes any CVE or bugs that affect etcd, usually the module (e.g. `M1`, not part of etcd, but used by etcd) which depends on it should bump the dependency (`D1`), and then etcd just needs to bump `M1`. However, if the module (`M1`) somehow doesn't bump the problematic dependency, then etcd can still bump it (`D1`) directly following the same steps above. But as a long-term solution, etcd should try to remove the dependency on such module (`M1`) that lack maintenance.

For mixed cases, in which some modules directly while others indirectly depend on a dependency, we have multiple options,

- Bump the dependency for all modules, no matter it's direct or indirect dependency.
- Bump the dependency only for modules that directly depend on it.

We should try to follow the first way, and temporarily fall back to the second one if we run into any issue on the first way. Eventually we should fix the issue and ensure all modules depend on the same version of the dependency.

Known incompatible dependency updates

arduino/setup-protoc

Please refer to [build(deps): bump arduino/setup-protoc from 1.3.0 to 2.0.0](https://github.com/etcd-io/etcd/pull/16016)

Rotation worksheet

The dependabot scheduling interval is weekly; it means dependabot will automatically raise a bunch of PRs per week.

Usually, human intervention is required each time. We have a [rotation worksheet](https://docs.google.com/spreadsheets/d/1jodHIO7Dk2VWTs1IRnfMFaRktS9IH8XRyifOnPdSY8I/edit#gid=1394774387), and everyone is welcome to participate; you just need to register your name in the worksheet.

Stable branches

Usually, we don't proactively bump dependencies for stable releases unless there are any CVEs or bugs that affect etcd.

If we have to do it, then follow the same guidance above. Note that there is no `./scripts/fix.sh` in release-3.4, so no need to execute it for 3.4.

Golang versions

The etcd project aims to maintain a development branch that

is on the latest [Go version](https://go.dev/dl), ideally, this will align with the Go version in use for Kubernetes project development. For an example of how to update etcd to a new minor release of Go refer to issue <https://github.com/etcd-io/etcd/issues/16393> and the linked pull requests.

Suggested steps for performing a minor version upgrade for the etcd development branch:

1. Carefully review new Go version release notes and potentially related blog posts for any deprecations, performance impacts, or other considerations.
2. Create a GitHub issue to signal intent to upgrade and invite discussion, for example, <https://github.com/etcd-io/etcd/issues/16393>.
3. Complete the upgrade locally in your development environment by editing `.go-version` and running `make fix`.
4. Run performance benchmarks locally to compare before and after.
5. Raise a pull request for the changes, for example, <https://github.com/etcd-io/etcd/pull/16394>.

Stable etcd release branches will be maintained

to stay on the latest patch release of a supported Go version. Upgrading minor versions will be completed before the minor version in use currently is no longer supported. Refer to the [Go release policy](https://go.dev/doc/devel/release).

For an example of how to update etcd to a new patch release of Go refer to issue <https://github.com/etcd-io/etcd/issues/16343> and the linked pull requests.

References:

- <https://github.com/kubernetes/sig-release/blob/master/release-engineering/handbooks/go.md>

Core dependencies mappings

[bbolt](https://github.com/etcd-io/bbolt) and [raft](https://github.com/etcd-io/raft) are two core dependencies of etcd.

Both etcd 3.4.x and 3.5.x depend on bbolt 1.3.x, and etcd 3.6.x (`main` branch`) depends on bbolt 1.4.x.

raft is included in the etcd repository for release-3.4 and release-3.5 branches, so etcd 3.4.x and 3.5.x do not depend on any

external raft module. We moved raft into [a separate repository](https://github.com/etcd-io/raft) starting from 3.6 (`main` branch`), and the first raft release will be v3.6.0, so etcd 3.6.x will depend on raft 3.6.x.

Please see the table below:

etcd versions	bbolt versions	raft versions	
3.4.x	v1.3.x	N/A	
3.5.x	v1.3.x	N/A	
3.6.x	v1.4.x	v3.6.x	

1.228 etcd-api 3.6.7

1.228.1 Available under license :

Features

This document provides an overview of etcd features and general development guidelines for adding and deprecating them. The project maintainers can override these guidelines per the need of the project following the project governance.

Overview

The etcd features fall into three stages, experimental, stable, and unsafe.

Experimental

Any new feature is usually added as an experimental feature. An experimental feature is characterized as below:

- Might be buggy due to a lack of user testing. Enabling the feature may not work as expected.
- Disabled by default when added initially.
- Support for such a feature may be dropped at any time without notice
 - Feature-related issues may be given lower priorities.
 - It can be removed in the next minor or major release without following the feature deprecation policy unless it graduates to a stable future.

Stable

A stable feature is characterized as below:

- Supported as part of the supported releases of etcd.
- - May be enabled by default.
- Discontinuation of support must follow the feature deprecation policy.

Unsafe

Unsafe features are rare and listed under the `Unsafe feature:` section in the etcd usage documentation. By default, they are disabled. They should be used with caution following documentation. An unsafe feature can be removed in the next minor or major release without following the feature deprecation policy.

Development Guidelines

Adding a new feature

Any new enhancements to the etcd are typically added as an experimental feature. The general development requirements are listed below. They can be somewhat flexible depending on the scope of the feature and review discussions and will evolve over time.

- Open an issue
 - It must provide a clear need for the proposed feature.
 - It should list development work items as checkboxes. There must be one work item towards future graduation to

a stable future.

- Label the issue with `type/feature` and `experimental`.
- Keep the issue open for tracking purposes until a decision is made on graduation.
- Open a Pull Request (PR)
 - Provide unit tests. Integration tests are also recommended as possible.
 - Provide robust e2e test coverage. If the feature being added is complicated or quickly needed, maintainers can decide to go with e2e tests for basic coverage initially and have robust coverage added at a later time before the feature graduation to the stable feature.
 - Provide logs for proper debugging.
 - Provide metrics and benchmarks as needed.
 - The Feature should be disabled by default.
 - Any configuration flags related to the implementation of the feature must be prefixed with `experimental` e.g. `--experimental-feature-name`.
 - Add a CHANGELOG entry.
- At least two maintainers must approve feature requirements and related code changes.

Graduating an Experimental feature to Stable

It is important that experimental features don't get stuck in that stage.

They should be revisited and moved to the stable stage following the graduation steps as described here.

Locate graduation candidate

Decide if an experimental feature is ready for graduation to the stable stage.

- Find the issue that was used to enable the experimental feature initially. One way to find such issues is to search for issues with `type/feature` and `experimental` labels.
- Fix any known open issues against the feature.
- Make sure the feature was enabled for at least one previous release. Check the PR(s) reference from the issue to see when the feature-related code changes were merged.

Provide implementation

If an experimental feature is found ready for graduation to the stable stage, open a Pull Request (PR) with the following changes.

- Add robust e2e tests if not already provided.
- Add a new stable feature flag identical to the experimental feature flag but without the `--experimental` prefix.
- Deprecate the experimental feature following the [feature deprecation policy](#Deprecating-a-feature).
- Implementation must ensure that both the graduated and deprecated experimental feature flags work as expected. Note that both these flags will co-exist for the timeframe described in the feature deprecation policy.
- Enable the graduated feature by default if needed.

At least two maintainers must approve the work. Patch releases should not be considered for graduation.

Deprecating a feature

Experimental

An experimental feature deprecates when it graduates to the stable stage.

- Add a deprecation message in the documentation of the experimental feature with a recommendation to use a related stable feature. e.g. `DEPRECATED. Use <feature-name> instead.`

- Add a `deprecated` label in the issue that was initially used to enable the experimental feature.

Stable

As the project evolves, a stable feature may sometimes need to be deprecated and removed. Such a situation should be handled using the steps below:

- Create an issue for tracking purposes.
- Add a deprecation message in the feature usage documentation before a planned release for feature deprecation. e.g. `To be deprecated in <release>.`. If a new feature replaces the `To be deprecated` feature, then also provide a message saying so. e.g. `Use <feature-name> instead.`.
- Deprecate the feature in the planned release with a message as part of the feature usage documentation. e.g. `DEPRECATED`. If a new feature replaces the deprecated feature, then also provide a message saying so. e.g. `DEPRECATED. Use <feature-name> instead.`.
- Add a `deprecated` label in the related issue.

Remove the deprecated feature in the following release. Close any related issue(s). At least two maintainers must approve the work. Patch releases should not be considered for deprecation.

Set up the local cluster

For testing and development deployments, the quickest and easiest way is to configure a local cluster. For a production deployment, refer to the [clustering][clustering] section.

Local standalone cluster

Starting a cluster

Run the following to deploy an etcd cluster as a standalone cluster:

```
...
$ ./etcd
...
...
```

If the `etcd` binary is not present in the current working directory, it might be located either at `\$GOPATH/bin/etcd` or at `/usr/local/bin/etcd`. Run the command appropriately.

The running etcd member listens on `localhost:2379` for client requests.

Interacting with the cluster

Use `etcdctl` to interact with the running cluster:

1. Store an example key-value pair in the cluster:

```
...
$ ./etcdctl put foo bar
OK
...
```

If OK is printed, storing the key-value pair is successful.

2. Retrieve the value of ``foo``:

```
...  
$ ./etcdctl get foo  
bar  
...
```

If ``bar`` is returned, interaction with the etcd cluster is working as expected.

Local multi-member cluster

Starting a cluster

A ``Procfile`` at the base of the etcd git repository is provided to easily configure a local multi-member cluster. To start a multi-member cluster, navigate to the root of the etcd source tree and perform the following:

1. Install ``goreman`` to control Procfile-based applications:

```
...  
$ go install github.com/mattn/goreman@latest  
...
```

The installation will place executables in the `$GOPATH/bin`. If `$GOPATH` environment variable is not set, the tool will be installed into the `$HOME/go/bin`. Make sure that `$PATH` is set accordingly in your environment.

2. Start a cluster with ``goreman`` using etcd's stock Procfile:

```
...  
$ goreman -f Procfile start  
...
```

The members start running. They listen on ``localhost:2379``, ``localhost:22379``, and ``localhost:32379`` respectively for client requests.

Interacting with the cluster

Use ``etcdctl`` to interact with the running cluster:

1. Print the list of members:

```
...  
$ etcdctl --write-out=table --endpoints=localhost:2379 member list  
...
```

The list of etcd members is displayed as follows:

```

...
+-----+-----+-----+-----+-----+
|  ID    | STATUS | NAME |  PEER ADDRS  |  CLIENT ADDRS  |
+-----+-----+-----+-----+-----+
| 8211f1d0f64f3269 | started | infra1 | http://127.0.0.1:2380 | http://127.0.0.1:2379 |
| 91bc3c398fb3c146 | started | infra2 | http://127.0.0.1:22380 | http://127.0.0.1:22379 |
| fd422379fda50e48 | started | infra3 | http://127.0.0.1:32380 | http://127.0.0.1:32379 |
+-----+-----+-----+-----+-----+
...

```

2. Store an example key-value pair in the cluster:

```

...
$ etcdctl put foo bar
OK
...

```

If OK is printed, storing the key-value pair is successful.

###

Testing fault tolerance

To exercise etcd's fault tolerance, kill a member and attempt to retrieve the key.

1. Identify the process name of the member to be stopped.

The `Procfile` lists the properties of the multi-member cluster. For example, consider the member with the process name, `etcd2`.

2. Stop the member:

```

...
# kill etcd2
$ goreman run stop etcd2
...

```

3. Store a key:

```

...
$ etcdctl put key hello
OK
...

```

4. Retrieve the key that is stored in the previous step:

```

...
$ etcdctl get key

```



```
hello
...
```

5. Retrieve a key from the stopped member:

```
...
$ etcdctl --endpoints=localhost:22379 get key
...
```

The command should display an error caused by connection failure:

```
...
2017/06/18 23:07:35 grpc: Conn.resetTransport failed to create client transport: connection error: desc =
"transport: dial tcp 127.0.0.1:22379: getsockopt: connection refused"; Reconnecting to "localhost:22379"
Error: grpc:
timed out trying to connect
...
```

6. Restart the stopped member:

```
...
$ goreman run restart etcd2
...
```

7. Get the key from the restarted member:

```
...
$ etcdctl --endpoints=localhost:22379 get key
hello
...
```

Restarting the member re-establishes the connection. `etcdctl` will now be able to retrieve the key successfully. To learn more about interacting with etcd, read [interacting with etcd section][interacting].

[clustering]: <https://etcd.io/docs/latest/op-guide/clustering/>
[interacting]: https://etcd.io/docs/latest/dev-guide/interacting_v3/
Branch management

Guide

- * New development occurs on the [main branch][main].
- * The main branch should always have a green build!
- * Backwards-compatible bug fixes should target the main branch and subsequently be ported to stable branches.
- * Once the main branch is ready for release, it will be tagged and become the new stable branch.

The etcd team has adopted a *rolling release model* and supports two stable versions of etcd.

Main branch

The ``main`` branch is our development branch. All new features land here first.

To try new and experimental features, pull ``main`` and play with it. Note that ``main`` may not be stable because new features may introduce bugs.

Before the release of the next stable version, feature PRs will be frozen. A [release manager](./release.md#release-management) will be assigned to the major/minor version and will lead the etcd community in testing, bug-fix, and documentation of the release for one to two weeks.

Stable branches

All branches with the prefix ``release-`` are considered `_stable_` branches.

After every minor release (semver.org), we will have a new stable branch for that release, managed by a [patch release manager](./release.md#release-management). We will keep fixing the backward-compatible bugs for the latest two stable releases. A `_patch_` release to each supported release branch, incorporating any bug fixes, will be once every two weeks, given any patches.

[main]: <https://github.com/etcd-io/etcd/tree/main>

Issue triage guidelines

Purpose

Speed up issue management.

The ``etcd`` issues are listed at <<https://github.com/etcd-io/etcd/issues>> and are identified with labels. For example, an issue that is identified as a bug will be set to the label ``type/bug``.

The etcd project uses labels to indicate common attributes such as ``area``, ``type``, and ``priority`` of incoming issues.

New issues will often start without any labels, but typically ``etcd`` maintainers, reviewers, and members will add labels by following these triage guidelines. The detailed list of labels can be found at <<https://github.com/etcd-io/etcd/labels>>.

Scope

This document serves as the primary guidelines for triaging incoming issues in ``etcd``.

All contributors are encouraged and welcome to help manage issues which will help reduce the burden on project maintainers, though the work and responsibilities discussed in this document are created with ``etcd`` project reviewers and members in mind as these individuals will have triage access to the etcd project which is a requirement for actions like applying labels or closing issues.

Refer to [etcd community membership](https://github.com/etcd-io/etcd/blob/main/Documentation/contributor-guide/community-membership.md) for guidance on becoming an etcd project member or reviewer.

Step 1 - Find an issue to triage

To get started you can use the following recommended issue searches to identify issues that are in need of triage:

- * [Issues that have no labels](https://github.com/etcd-io/etcd/issues?q=is%3Aissue+is%3Aopen+sort%3Aupdated+no%3Alabel)
- * [Issues created recently](https://github.com/etcd-io/etcd/issues?q=is%3Aissue+is%3Aopen+)
- * [Issues not assigned but linked pr](https://github.com/etcd-io/etcd/issues?q=is%3Aopen+is%3Aissue+no%3Aassignee+linked%3Apr)
- * [Issues with no comments](https://github.com/etcd-io/etcd/issues?q=is%3Aopen+is%3Aissue+comments%3A0+)
- * [Issues with help wanted](https://github.com/etcd-io/etcd/issues?q=is%3Aopen+is%3Aissue+label%3A%22help+wanted%22+)

##

Step 2 - Check the issue is valid

Before we start adding labels or trying to work out a priority, our first triage step needs to be working out if the issue actually belongs to the etcd project and is not a duplicate.

Issues that don't belong to etcd

Sometimes issues are reported that belong to other projects that `etcd` use. For example, `grpc` or `golang` issues. Such issues should be addressed by asking the reporter to open issues in the appropriate other projects.

These issues can generally be closed unless a maintainer and issue reporter see a need to keep it open for tracking purposes. If you have triage permissions please close it, alternatively mention the @etcd-io/members group to request a member with triage access to close the issue.

Duplicate issues

If an issue is a duplicate, add a comment stating so along with a reference for the original issue and if you have triage permissions please close it, alternatively mention the @etcd-io/members group to request a member with triage access close the issue.

Step 3 - Apply the appropriate type of label

Adding a `type` label to an issue helps create visibility on the health of the project and helps contributors identify potential priorities, i.e. addressing existing bugs or test flakes before implementing new features.

Support requests

As a general rule, the focus for etcd support is to address common themes in a broad way that helps all users, i.e. through channels like known issues, frequently asked questions, and high-quality documentation. To make the best use of project members time we should avoid providing 1:1 support if a broad approach is available.

Some people mistakenly use our GitHub bug report or feature request templates to file support requests. Usually, they are asking for help operating or configuring some aspect of etcd. Support requests for etcd should instead be raised as [discussions](https://github.com/etcd-io/etcd/discussions).

Common

types of support requests are:

1. Questions about configuring or operating existing well-documented etcd features, for example, <<https://github.com/etcd-io/etcd/issues/15945>>. Note - If an existing feature is not well documented please apply the `area/documentation` label and propose documentation improvements that would prevent future users from stumbling on the problem again.
2. Bug reports or questions about unsupported versions of etcd, for example <<https://github.com/etcd-io/etcd/issues/15796>>. When responding to these issues please refer to our [supported versions documentation](<https://etcd.io/docs/latest/op-guide/versioning>) and encourage the reporter to upgrade to a recent patch release of a supported version as soon as possible. We should limit the effort supporting users that do not make the effort to run a supported version of etcd or ensure their version is patched.
3. Bug reports that do not provide a complete list of steps to reproduce the issue and/or contributors are not able to reproduce the issue, for example, <<https://github.com/etcd-io/etcd/issues/15740>>. We should limit the effort we put into reproducing issues ourselves and motivate users to provide the necessary information to accept the bug report.
4. General questions that are filed using feature request or bug report issue templates, for example, <<https://github.com/etcd-io/etcd/issues/15914>>. Note - These types of requests may surface good additions to our [frequently asked questions](<https://etcd.io/docs/v3.5/faq>).

If you identify that an issue is a support request please:

1. Add the `type/support` or `type/question` label.
2. Add the following comment to inform the issue creator that discussions should be used instead and that this issue will be converted to a discussion.

> Thank you for your question, this support issue will be moved to our [Discussion Forums](<https://github.com/etcd-io/etcd/discussions>).

>

> We are trying to consolidate the channels to which questions for help/support are posted so that we can improve our efficiency in responding to your requests, and make it easier for you to find answers to frequently asked questions and how to address common use cases.

>

> We regularly see messages posted in multiple forums, with the full response thread only in one place or, worse, spread across multiple forums. Also, the large volume of support issues on GitHub is making it difficult for us to use issues to identify real bugs.

>

> Members of the etcd community use Discussion Forums to field support requests. Before posting a new question, please search these for answers to similar questions, and also familiarize yourself with:

>

> 1. [user documentation](<https://etcd.io/docs/latest>)

> 2. [frequently asked questions](<https://etcd.io/docs/v3.5/faq>)

>

> Again, thanks for using etcd and raising this question.

- >
- > The etcd team

3. Finally, click `Convert to discussion` on the right-hand panel, selecting the appropriate discussion category.

Bug reports

If an issue has been raised as a bug it should already have the `type/bug` label, however, if this is missing for an issue you determine to be a bug please add the label manually.

The next step is to validate if the issue is indeed a bug. If not, add a comment with the findings and close the trivial issue. For non-trivial issues, wait to hear back from the issue reporter and see if there is any objection. If the issue reporter does not reply in 30 days, close the issue.

If the problem can not be reproduced or requires more information, leave a comment for the issue reporter as soon as possible while the issue is fresh for the issue reporter.

Feature requests

New feature requests should be created via the etcd feature request template and in theory already have the `type/feature` label, however, if this is missing for an issue you determine to be a feature please add the label manually.

Test flakes

Test flakes

are a specific type of bug that the etcd project tracks separately as these are a priority to address. These should be created via the test flake template and in theory already have the `type/flake` label, however, if this is missing for an issue you determine to be related to a flaking test please add the label manually.

Step 4 - Define the areas impacted

Adding an `area` label to an issue helps create visibility on which areas of the etcd project require attention and helps contributors find issues to work on relating to their particular skills or knowledge of the etcd codebase.

If an issue crosses multiple domains please add additional `area` labels to reflect that.

Below is a brief summary of the area labels in active use by the etcd project along with any notes on their use:

Label	Notes
---	---
area/external	Tracking label for issues raised that are external to etcd.
area/community	
area/raft	
area/clientv3	
area/performance	

area/security		
area/tls		
area/auth		
area/etcdctl		
area/etcdutl		
area/contrib	Not to be confused with `area/community` this label is specifically used for issues relating to community-maintained scripts or files in the `contrib/` directory which aren't part of the core etcd project.	
area/documentation		
area/tooling	Generally used in relation to the third party / external utilities or tools that are used in various stages of the etcd build, test, or release process, for example, tooling to create sboms.	
area/testing		
area/robustness-testing		

Step 5 - Prioritise the issue

If an issue lacks a priority label it has not been formally prioritized yet.

Adding a `priority` label helps the etcd project understand what is important and should be worked on now, and conversely, what is not as important and is on the project backlog.

Priority label	What it means	Examples
--- --- ---		
`priority/critical-urgent`	Maintainers are responsible for making sure that these issues (in their area) are being actively worked on i.e., drop what you're doing. The stuff is burning. These should be fixed before the next release. user-visible critical bugs in core features broken builds on tier1 supported platforms tests and critical security issues	
`priority/important-soon`	Must be staffed and worked on either currently or very soon ideally in time for the next release.	
`priority/important-longterm`	Important over the long term, but may not be currently staffed and/or may require multiple releases to complete.	
`priority/backlog`	General agreement that this is a nice-to-have, but no one's available to work on it anytime soon. Community contributions would be most welcome in the meantime, though it might take a while to get them reviewed if reviewers are fully occupied with higher-priority issues for example, immediately before a release.	
`priority/awaiting-more-evidence`	Possibly useful, but not yet enough support to actually get it done. Mostly placeholders for potentially good ideas, so that they don't get completely forgotten, and can be referenced or deduped every time they come up	

Step 6 - Support new contributors

As part of the `etcd` triage process once the `kind` and `area` have been determined, please consider if the issue would be suitable for a less experienced contributor. The `good first issue` label is a subset of the `help wanted` label, indicating that members have committed to providing extra assistance for new contributors. All `good first issue` items also have the `help wanted` label.

Help wanted

Items marked with the `help wanted` label need to ensure that they meet these criteria:

* **Low Barrier to Entry** - It should be easy for new contributors.

* **Clear** - The task is agreed upon and does not require further discussions in the community.

* **Goldilocks priority** - The priority

should not be so high that a core contributor should do it, but not too low that it isn't useful enough for a core contributor to spend time reviewing it, answering questions, helping get it into a release, etc.

Good first issue

Items marked with `good first issue` are intended for first-time contributors. It indicates that members will keep an eye out for these pull requests and shepherd it through our processes.

New contributors should not be left to find an approver, ping for reviews, decipher test commands, or identify that their build failed due to a flake. It is important to make new contributors feel welcome and valued. We should assure them that they will have an extra level of help with their first contribution.

After a contributor has successfully completed one or two `good first issue` items, they should be ready to move on to `help wanted` items.

* **No Barrier to Entry** - The task is something that a new contributor can tackle without advanced setup or domain knowledge.

*

* **Solution Explained** - The recommended solution is clearly described in the issue.

* **Gives Examples** - Link to examples of similar implementations so new contributors have a reference guide for their changes.

* **Identifies Relevant Code** - The relevant code and tests to be changed should be linked in the issue.

* **Ready to Test** - There should be existing tests that can be modified, or existing test cases fit to be copied. If the area of code doesn't have tests, before labeling the issue, add a test fixture. This prep often makes a great help wanted task!

Step 7 - Follow up

Once initial triage has been completed, issues need to be re-evaluated over time to ensure they don't become stale incorrectly.

Track important issues

If an issue is at risk of being closed by the stale bot in the future, but is an important issue for the etcd project, then please apply the `stage/tracked` label and remove any `stale` labels that exist. This will ensure the project does not lose sight of the issue.

Close incomplete issues

Issues that lack enough information from the issue reporter should be closed if the issue reporter does not provide information in 30 days. Issues can always be re-opened at a later date if new information is provided.

Check for incomplete work

If an issue owned by a developer has no pull request created in 30 days, contact the issue owner and kindly ask about the status of their work, or to release ownership on the issue if needed.

PR management

Purpose

Speed up PR management.

The `etcd` PRs are listed at <https://github.com/etcd-io/etcd/pulls>

A PR can have various labels, milestones, reviewers, etc. The detailed list of labels can be found at <https://github.com/kubernetes/kubernetes/labels>

Following are a few example searches on PR for convenience:

- * [Open PRs for milestone etcd-v3.6](<https://github.com/etcd-io/etcd/pulls?utf8=%E2%9C%93&q=is%3Apr+is%3Aopen+milestone%3Aetcd-v3.6>)
- * [PRs under investigation](<https://github.com/etcd-io/etcd/labels/Investigating>)

Scope

These guidelines serve as a primary document for managing PRs in `etcd`. Everyone is welcome to help manage PRs but the work and responsibilities discussed in this document are created with `etcd` maintainers and active contributors in mind.

Ensure tests are run

The etcd project use Kubernetes Prow and GitHub Actions to run tests. To ensure all required tests run if a pull request is ready for testing and still has the `needs-ok-to-test` label then please comment on the pull request `/ok-to-test`.

Handle inactive PRs

Poke PR owner if review comments are not addressed in 15 days. If the PR owner does not reply in 90 days, update the PR with a new commit if possible. If not, inactive PR should be closed after 180 days.

Poke reviewer if needed

Reviewers are responsive in a timely fashion, but considering everyone is busy, give them some time after requesting a review if a quick response is not provided. If the response is not provided in 10 days, feel free to contact them via adding a comment in the PR or sending an email or message on Slack.

Verify important labels are in place

Make sure that appropriate reviewers are added to the PR. Also, make sure that a milestone is identified. If any of

these or other important labels are missing, add them. If a correct label cannot be decided, leave a comment for the maintainers to do so as needed.

Roadmap

etcd uses GitHub milestones to track all tasks in each major or minor release. The `roadmap.md` file only records the most important tasks for each release. The list is based on the current maintainer capacity that may shift over time. Proposed milestones are what we think we can deliver with the people we have. If we have more support on the important stuff, we could pick up more items from the backlog. Note that etcd will continue to mainly focus on technical debt over the next few major or minor releases.

Each item has an assigned priority. Refer to [priority definitions](https://github.com/etcd-io/etcd/blob/main/Documentation/contributor-guide/triage_issues.md#step-5---prioritise-the-issue).

v3.6.0

For a full list of tasks in `v3.6.0`, please see [milestone etcd-v3.6](https://github.com/etcd-io/etcd/milestone/38).

Title	Priority	Status	Note
[Support downgrade](https://github.com/etcd-io/etcd/issues/11716)	priority/important-soon	In progress	etcd will support downgrade starting from 3.6.0. But it will also support offline downgrade from 3.5 to 3.4.
[StoreV2 deprecation](https://github.com/etcd-io/etcd/issues/12913)	priority/important-soon	In progress	This task will be covered in both 3.6 and 3.7.
[Release raft 3.6.0](https://github.com/etcd-io/raft/issues/89)	priority/important-soon	Not started	etcd 3.6.0 will depends on raft 3.6.0
[Release bbolt 1.4.0](https://github.com/etcd-io/bbolt/issues/553)	priority/important-soon	Not started	etcd 3.6.0 will depends on bbolt 1.4.0
[Support /livez and /readyz endpoints](https://github.com/etcd-io/etcd/issues/16007)	priority/important-longterm	In progress	It provides clearer APIs, and can also work around the stalled writes issue
[Bump gRPC](https://github.com/etcd-io/etcd/issues/16290)	priority/important-longterm	Completed	It isn't guaranteed to be resolved in 3.6, and might be postponed to 3.7 depending on the effort and risk.
[Deprecate grpc-gateway or bump it](https://github.com/etcd-io/etcd/issues/14499)	priority/important-longterm	Completed	It isn't guaranteed to be resolved in 3.6, and might be postponed to 3.7 depending on the effort and risk.
[bbolt: Add logger into bbolt](https://github.com/etcd-io/bbolt/issues/509)	priority/important-longterm	Completed	It's important to diagnose bbolt issues

[bbolt: Add surgery commands](https://github.com/etcd-io/bbolt/issues/370)			
priority/important-longterm	Completed	Surgery commands are important for fixing corrupted db files	
[Evaluate and (Graduate or deprecate/remove) experimental features](https://github.com/etcd-io/etcd/issues/16292)	priority/backlog	Not started	This task will be covered in both 3.6 and 3.7.

v3.7.0

For a full list of tasks in `v3.7.0`, please see [milestone etcd-v3.7](https://github.com/etcd-io/etcd/milestone/39).

Title	Priority	Note
[StoreV2 deprecation](https://github.com/etcd-io/etcd/issues/12913)	P0	Finish the remaining tasks 3.7.
[Refactor lease: Lease might be revoked by mistake by old leader](https://github.com/etcd-io/etcd/issues/15247)	P1	to be investigated & discussed
[Integrate raft's new feature (async write) into etcd](https://github.com/etcd-io/etcd/issues/16291)	P1	It should improve the performance
[bbolt: Support customizing the bbolt rebalance threshold](https://github.com/etcd-io/bbolt/issues/422)	P2	It may get rid of etcd's defragmentation. Both bbolt and etcd need to be changed.
[Evaluate and (graduate or deprecate/remove) experimental features](https://github.com/etcd-io/etcd/issues/16292)	P2	Finish the remaining tasks 3.7.

Backlog (future releases)

Title	Priority	Note
[Remove the dependency on grpc-go's experimental API](https://github.com/etcd-io/etcd/issues/15145)		
[Protobuf: cleanup both golang/protobuf and gogo/protobuf](https://github.com/etcd-io/etcd/issues/14533)		
[Proposals should include a merkle root](https://github.com/etcd-io/etcd/issues/13839)		
[Add Distributed Tracing using OpenTelemetry](https://github.com/etcd-io/etcd/issues/12460)		
[Support CA rotation](https://github.com/etcd-io/etcd/issues/11555)		
[bbolt: Migrate all commands to cobra style commands](https://github.com/etcd-io/bbolt/issues/472)		
[raft: enhance the configuration change validation](https://github.com/etcd-io/raft/issues/80)		

Release

The guide talks about how to release a new version of etcd.

The procedure includes some manual steps for sanity checking, but it can probably be further scripted. Please keep this document up-to-date if making changes to the release process.

Release management

The following pool of release candidates manages the release of each etcd major/minor version as well as manages patches

to each stable release branch. They are responsible for communicating the timelines and status of each release and for ensuring the stability of the release branch.

- Benjamin Wang [[@ahrtr](https://github.com/ahrtr)](<https://github.com/ahrtr>)
- James Blair [[@jmhbnz](https://github.com/jmhbnz)](<https://github.com/jmhbnz>)
- Marek Siarkowicz [[@serathius](https://github.com/serathius)](<https://github.com/serathius>)
- Sahdev Zala [[@spzala](https://github.com/spzala)](<https://github.com/spzala>)
- Wenjia Zhang [[@wenjiaswe](https://github.com/wenjiaswe)](<https://github.com/wenjiaswe>)

All release version numbers follow the format of [semantic versioning 2.0.0](<http://semver.org/>).

Major, minor version release, or its pre-release

- Ensure the relevant [milestone](<https://github.com/etcd-io/etcd/milestones>) on GitHub is complete. All referenced issues should be closed or moved elsewhere.
- Ensure the latest [upgrade documentation](<https://etcd.io/docs/next/upgrades>) is available.
- Bump [hardcoded MinClusterVersion in the repository](<https://github.com/etcd-io/etcd/blob/v3.4.15/version/version.go#L29>), if necessary.
- Add feature capability maps for the new version, if necessary.

Patch version release

- To request a backport, developers submit cherry-pick PRs targeting the release branch. The commits should not include merge commits. The commits should be restricted to bug fixes and security patches.
- The cherrypick PRs should target the appropriate release branch (`base:release-<major>-<minor>`). The k8s infra cherry pick robot `/cherrypick <branch>` PR chatops command may be used to automatically generate cherrypick PRs.
- The release patch manager reviews the cherrypick PRs. Please discuss carefully what is backported to the patch release. Each patch release should be strictly better than its predecessor.
- The release patch manager will cherry-pick these commits starting from the oldest one into stable branch.

Write a release note

- Write an introduction for the new release. For example, what major bug we fix, what new features we introduce, or what performance improvement we make.
- Put `[GH XXXX]` at the head of the change line to reference the Pull Request that introduces the change. Moreover, add a link on it to jump to the Pull Request.
- Find PRs with the `release-note` label and explain them in the `NEWS` file, as a straightforward summary of changes for end-users.

Patch release criteria

The etcd project aims to release a new patch version if any of the following conditions are met:

- Fixed one or more major CVEs (≥ 7.5).
- Fixed one or more critical bugs.
- Fixed three or more major bugs.
- Fixed five or more minor bugs.

Release guide

Prerequisites

There are some

prerequisites, which should be done before the release process. These are one-time operations, which don't need to be executed before releasing each version.

1. Generate a GPG key and add it to your GitHub account. Refer to the links on [settings](https://github.com/settings/keys).
2. Ensure you have a Linux machine, on which the git, Golang, and docker have been installed.
 - Ensure the Golang version matches the version defined in `.go-version`` file.
 - Ensure non-privileged users can run docker commands, refer to the [Linux postinstall](https://docs.docker.com/engine/install/linux-postinstall/).
 - Ensure there is at least 5GB of free space on your Linux machine.
3. Install gsutil, refer to [gsutil_install](https://cloud.google.com/storage/docs/gsutil_install). When asked about cloud project to use, pick `etcd-development``.
4. Authenticate the image registry, refer to [Authentication methods](https://cloud.google.com/container-registry/docs/advanced-authentication).
 - ``gcloud`
 - `auth login``
 - ``gcloud auth configure-docker``
5. Install gh, refer to [GitHub's documentation](https://github.com/cli/cli#installation). Ensure that running ``gh auth login`` succeeds for the GitHub account you use to contribute to etcd, and that ``gh auth status`` has a clean exit and doesn't show any issues.

Release steps

1. Raise an issue to publish the release plan, e.g. [issues/17350](https://github.com/etcd-io/etcd/issues/17350).
2. Raise a ``kubernetes/org`` pull request to temporarily elevate permissions for the GitHub release team.
3. Once permissions are elevated, temporarily relax [branch protections](https://github.com/etcd-io/etcd/settings/branches) to allow pushing changes directly to ``release-*`` branches in GitHub.
4. Verify you can pass the authentication to the image registries,
 - ``docker login gcr.io``
 - ``docker login quay.io``
 - If the release person doesn't have access to 1password, one of the owners (@ahrtr, @ivanvc, @jmhbnz, @serathius) needs to share the password with them per [this guide](https://support.1password.com/share-items/). See rough steps below,
 - [Sign in](https://team-etcd.1password.com/home) to your account on 1password.com.
 - Click ``Your Vault Items`` on the right side.
 - Select ``Password of quay.io``.
 - Click ``Share`` on the top right, and set expiration as ``1 hour`` and only available to the release person using

his/her email.

- Click `Copy Link` then send the link to the release person via slack or email.

5. Clone the etcd repository and checkout the target branch,

- ``git clone --branch release-3.X git@github.com:etcd-io/etcd.git``

6. Run the release script under the repository's root directory, replacing `\${VERSION}` with a value without the `v` prefix, i.e. `3.5.13`.

- ``DRY_RUN=false ./scripts/release.sh ${VERSION}``

- ****NOTE:**** When doing a pre-release (i.e., a version from the main branch, 3.6.0-alpha.2), you will need to explicitly set the branch to main:

```
...  
DRY_RUN=false BRANCH=main ./scripts/release.sh ${VERSION}  
...
```

It generates all release binaries under the directory ``tmp/etcd-release-${VERSION}/etcd/release/`` and images.

Binaries are pushed to the Google Cloud bucket

under project ``etcd-development``, and images are pushed to ``quay.io`` and ``gcr.io``.

7. Publish the release page on GitHub

- Open the ****draft**** release URL shown by the release script
- Click the pen button at the top right to edit the release
- Review that it looks correct, reviewing that the bottom checkboxes are checked depending on the release version (v3.4 no checkboxes, v3.5 has the set as latest release checkbox checked, v3.6 has the set as pre-release checkbox checked)
- Then, publish the release

8. Announce to the etcd-dev googlegroup

Follow the format of previous release emails sent to `etcd-dev@googlegroups.com`, see an example below. After sending out the email, ask one of the mailing list maintainers to approve the email from the pending list. Additionally, label the release email as ``Release``.

``text

Hello,

etcd v3.4.30 is now public!

<https://github.com/etcd-io/etcd/releases/tag/v3.4.30>

Thanks to everyone who contributed to the release!

etcd team

``

9. Update the changelog to reflect the correct release date.

10. Paste the release link to the issue raised in Step 1 and close the issue.

11. Restore standard branch protection settings and raise a follow-up ``kubernetes/org`` pull request to return to least privilege permissions.

12. Create a new stable branch through ``git push origin release-${VERSION_MAJOR}.${VERSION_MINOR}`` if this is a new major or minor stable release.

13. Re-generate a new password for quay.io if needed (e.g. shared to a contributor who isn't in the release team, and we should rotate the password at least once every 3 months).

Release known issues

1. Timeouts pushing binaries - If binaries fail to fully upload to Google Cloud storage, the script must be re-run using the same command. Any artifacts that are already pushed will be overwritten to ensure they are correct. The storage bucket does not use object versioning so incorrect files cannot remain.
2. Timeouts pushing images - It is rare, although possible for connection timeouts to occur when publishing etcd release images to `quay.io` or `gcr.io`. If this occurs, it is known to be safe to rerun the release script command appending the `--no-upload` flag, and image uploads will gracefully resume.
3. GPG vs SSH signing - The release scripts assume that git tags will be signed with a GPG key. Since 2022 GitHub has supported [signing commits and tags using ssh](https://github.blog/changelog/2022-08-23-ssh-commit-verification-now-supported). Until further release script updates are completed you will need to disable this feature in your `~/.gitconfig` and revert to signing via GPG to perform etcd releases.

Golang modules

The etcd project (since version 3.5) is organized into multiple [golang modules](https://golang.org/ref/mod) hosted in a [single repository](https://golang.org/ref/mod#vcs-dir).

![modules graph](modules.svg)

There are the following modules:

- **go.etcd.io/etcd/api/v3** - contains API definitions (like protos & proto-generated libraries) that defines communication protocol between etcd clients and servers.
- **go.etcd.io/etcd/pkg/v3** - a collection of utility packages used by etcd without being specific to etcd itself. A package belongs here only if it could possibly be moved out into its own repository in the future. Please avoid adding here code that has a lot of dependencies on its own, as they automatically become dependencies of the client library (that we want to keep lightweight).
- **go.etcd.io/etcd/client/v3** - client library used to contact etcd over the network (grpc). Recommended for all new usage of etcd.
- **go.etcd.io/raft/v3**
 - implementation of distributed consensus protocol. Should have no etcd specific code. Hosted in a separate repository: <https://github.com/etcd-io/raft>.
- **go.etcd.io/etcd/server/v3** - etcd implementation.
The code in this package is internal to etcd and should not be consumed by external projects. The package layout and API can change within the minor versions.

- **go.etcd.io/etcd/etcdctl/v3** - a command line tool to access and manage etcd.

- **go.etcd.io/etcd/tests/v3** - a module that contains all integration tests of etcd.

Notice: All unit tests (fast and not requiring cross-module dependencies)
should be kept in the local modules of the code under the test.

- **go.etcd.io/bbolt** - implementation of persistent b-tree.

Hosted in a separate repository: <https://github.com/etcd-io/bbolt>.

Operations

1. All etcd modules should be released in the same versions, e.g.

`go.etcd.io/etcd/client/v3@v3.5.10` must depend on `go.etcd.io/etcd/api/v3@v3.5.10`.

The consistent updating of versions can be performed using:

```
```shell script
% DRY_RUN=false TARGET_VERSION="v3.5.10" ./scripts/release_mod.sh update_versions
```
```

2. The released modules should be tagged according to <https://golang.org/ref/mod#vcs-version> rules,
i.e. each module should get its own tag.

The tagging can be performed using:

```
```shell script
% DRY_RUN=false REMOTE_REPO="origin" ./scripts/release_mod.sh push_mod_tags
```
```

3. All etcd modules should depend on the same versions of underlying dependencies.

This can be verified using:

```
```shell script
% PASSES="dep" ./test.sh
```
```

4. The go.mod files must not contain dependencies not being used and must
conform to `go mod tidy` format.

This is being verified by:

```
```
% PASSES="mod_tidy" ./test.sh
```
```

5. To trigger actions across all modules (e.g. auto-format all files), please
use/expand the following script:

```
```shell script
% ./scripts/fix.sh
```
```

###

Future

As a North Star, we would like to evaluate etcd modules towards the following model:

![modules graph](modules-future.svg)

This assumes:

- Splitting etcdmigrate/etcdadm out of etcdctl binary.
Thanks to this etcdctl would become clearly a command-line wrapper around network client API, while etcdmigrate/etcdadm would support direct physical operations on the etcd storage files.
- Splitting etcd-proxy out of ./etcd binary, as it contains more experimental code so carries additional risk & dependencies.
- Deprecation of support for v2 protocol.

Reporting bugs

If any part of the etcd project has bugs or documentation mistakes, please let us know by [opening an issue][etcd-issue]. We treat bugs and mistakes very seriously and believe no issue is too small. Before creating a bug report, please check that an issue reporting the same problem does not already exist.

To make the bug report accurate and easy to understand, please try to create bug reports that are:

- Specific. Include as many details as possible: which version, what environment, what configuration, etc. If the bug is related to running the etcd server, please attach the etcd log (the starting log with the etcd configuration is especially important).
- Reproducible. Include the steps to reproduce the problem. We understand some issues might be hard to reproduce, please include the steps that might lead to the problem. If possible, please attach the affected etcd data dir and stack trace to the bug report.
- Isolated. Please try to isolate and reproduce the bug with minimum dependencies. It would significantly slow down the speed to fix a bug if too many dependencies are involved in a bug report. Debugging external systems that rely on etcd is out of scope, but we are happy to provide guidance in the right direction or help with using etcd itself.
- Unique. Do not duplicate existing bug reports.
- Scoped. One bug per report. Do not follow up with another bug inside one report.

It may be worthwhile to read [Elika Etemads article on filing good bug reports][filing-good-bugs] before creating a bug report.

We might ask for further information to locate a bug. A duplicated bug report will be closed.

Frequently asked questions

How to get a stack trace


```
``` bash
$ kill -QUIT $PID
```
```

How to get the etcd version

```
``` bash
$ etcd --version
```
```

How to get etcd configuration and log when it runs as systemd service etcd2.service

```
``` bash
$ sudo systemctl cat etcd2
$ sudo journalctl -u etcd2
```
```

Due to an upstream systemd bug, journald may miss the last few log lines when its processes exit. If journalctl says etcd stopped without a fatal or panic message, try `sudo journalctl -f -t etcd2` to get the full log.

[etcd-issue]: <https://github.com/etcd-io/etcd/issues/new>
[filing-good-bugs]: <http://fantasai.inkedblade.net/style/talks/filing-good-bugs/>
Community membership

This doc outlines the various responsibilities of contributor roles in etcd.

Role	Responsibilities	Requirements	Defined by
Member	Active contributor in the community	Sponsored by 2 reviewers and multiple contributions	etcd GitHub org member
Reviewer	Review contributions from other members	History of review and authorship	[OWNERS] file reviewer entry
Maintainer	Set direction and priorities for the project	Demonstrated responsibility and excellent technical judgement	[OWNERS] file approver entry

New contributors

New contributors should be welcomed to the community by existing members, helped with PR workflow, and directed to relevant documentation and communication channels.

Established community members

Established community members are expected to demonstrate their adherence to the principles in this document, familiarity with project organization, roles, policies, procedures, conventions, etc., and technical and/or writing ability. Role-specific expectations, responsibilities, and requirements are enumerated below.

Member

Members are continuously active contributors to the community. They can have issues and PRs assigned to them. Members are expected to remain active contributors to the community.

****Defined by:**** Member of the etcd GitHub organization.

Requirements

- Enabled [two-factor authentication] on their GitHub account
- Have made multiple contributions to the project or community. Contribution may include, but is not limited to:
 - Authoring or reviewing PRs on GitHub. At least one PR must be ****merged****.
 - Filing or commenting on issues on

GitHub

- Contributing to community discussions (e.g. meetings, Slack, email discussion forums, Stack Overflow)
- Subscribed to [etcd-dev@googlegroups.com](https://groups.google.com/g/etcd-dev)
- Have read the [contributor guide]
- Sponsored by two active maintainers or reviewers.
 - Sponsors must be from multiple member companies to demonstrate integration across the community.
 - With no objections from other maintainers
- Open a [membership nomination] issue against the `kubernetes/org` repo
 - Ensure your sponsors are @mentioned on the issue
 - Make sure that the list of contributions included is representative of your work on the project.
- Members can be removed by a supermajority of the maintainers or can resign by notifying the maintainers.

Responsibilities and privileges

- Responsive to issues and PRs assigned to them
- Granted "triage access" to etcd project
- Active owner of code they have contributed (unless ownership is explicitly transferred)
 - Code is well-tested
 - Tests consistently pass
 - Addresses bugs or issues discovered after code is accepted

****Note:**** Members who frequently contribute code are expected to proactively perform code reviews and work towards becoming a **reviewer**.

Reviewers

Reviewers are contributors who have demonstrated greater skill in reviewing the code from other contributors. They are knowledgeable about both the codebase and software engineering principles. Their LGTM counts towards merging a code change into the project. A reviewer is generally on the ladder towards maintainership.

****Defined by:**** **reviewers** entry in the [OWNERS] file.

Requirements

- member for at least 3 months.
- Primary reviewer for at least 5 PRs to the codebase.
- Reviewed or contributed at least 20 substantial PRs to the codebase.
- Knowledgeable about the codebase.
- Sponsored by two active maintainers.
 - Sponsors must be from multiple member companies to demonstrate integration across the community.
 - With no objections from other maintainers
- Reviewers can be removed by a supermajority of the maintainers or can resign by notifying the maintainers.

Responsibilities and privileges

- Code reviewer status may be a precondition to accepting large code contributions
- Responsible for project quality control via code reviews
 - Focus on code quality and correctness, including testing and factoring
 - May also review for more holistic issues, but not a requirement
- Expected to be responsive to review requests
- Assigned PRs to review related to area of expertise
- Assigned test bugs related to area of expertise
- Granted "triage access" to etcd project

Maintainers

Maintainers are first and foremost contributors who have shown they are committed to the long-term success of a project. Maintainership is about building trust with the current maintainers and being a person that they can depend on to make decisions in the best interest of the project in a consistent manner.

****Defined by:**** **approvers** entry in the [OWNERS] file.

Requirements

- Deep understanding of the technical goals and direction of the project
- Deep understanding of the technical domain of the project
- Sustained contributions to design and direction by doing all of:
 - Authoring and reviewing proposals

- Initiating, contributing, and resolving discussions (emails, GitHub issues, meetings)
- Identifying subtle or complex issues in the designs and implementation of PRs
- Directly contributed to the project through implementation and/or review
- Sponsored by two active maintainers and elected by supermajority
 - Sponsors must be from multiple member companies to demonstrate integration across the community.
- To become a maintainer send an email with your candidacy to etcd-maintainers-private@googlegroups.com
 - Ensure your sponsors are @mentioned in the email
 - Include a list of contributions representative of your work on the project.
-

Existing maintainers vote will privately and respond to the email with either acceptance or feedback for suggested improvement.

- With your membership approved you are expected to:
 - Open a PR and add an entry to the [OWNERS] file
 - Subscribe to etcd-maintainers@googlegroups.com and etcd-maintainers-private@googlegroups.com
 - Request to join [etcd-maintainer teams of etcd organization of GitHub](<https://github.com/orgs/etcd-io/teams/maintainers-etcd>)
 - Request to join the private slack channel for etcd maintainers on [kubernetes slack](<http://slack.kubernetes.io/>)
 - Request access to etcd-development GCP project where we publish releases
 - Request access to passwords shared between maintainers

Responsibilities and privileges

- Make and approve technical design decisions
- Set technical direction and priorities
- Define milestones and releases
- Mentor and guide reviewers, and contributors to the project.
- Participate when called upon in the [security disclosure and release process]
- Ensure the continued health of the project
 - Adequate test coverage to confidently release
 - Tests are passing reliably (i.e. not flaky) and are fixed when they fail
- Ensure a healthy process for discussion and decision-making is in place.
- Work with other maintainers to maintain the project's overall health and success holistically

Retiring

Life priorities, interests, and passions can change. Maintainers can retire and move to [emeritus maintainers]. If a maintainer needs to step down, they should inform other maintainers and, if possible, help find someone to pick up the related work. At the very least, ensure the related work can be continued. Afterward, they can remove themselves from the list of existing maintainers.

If a maintainer has not been performing their duties for 12 months, they can be removed by other maintainers. In that case, the inactive maintainer will be first notified via an email. If the situation doesn't improve, they will be removed.

If an emeritus maintainer wants to regain an active role, they can do so by renewing their contributions. Active maintainers should welcome such a move.

Retiring other maintainers or regaining the status should require the approval of at least two active maintainers.

Acknowledgements

Contributor roles and responsibilities were written based on [Kubernetes community membership]

[OWNERS]: /OWNERS

[contributor guide]: /CONTRIBUTING.md

[membership nomination]: <https://github.com/kubernetes/org/issues/new?assignees=&labels=area%2Fgithub-membership&projects=&template=membership.yml&title=REQUEST%3A+New+membership+for+%3Cyour-GH-handle%3E>

[Kubernetes community membership]: <https://github.com/kubernetes/community/blob/master/community-membership.md>

[emeritus maintainers]: /README.md#etcd-emeritus-maintainers

[security disclosure and release process]: /security/README.md

[two-factor authentication]: <https://docs.github.com/en/authentication/securing-your-account-with-two-factor-authentication-2fa/about-two-factor-authentication>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Logging Conventions

etcd uses the [zap][zap] library for logging application output categorized into *levels*. A log message's level is determined according to these conventions:

* Debug: Everything is still fine, but even common operations may be logged, and less helpful but more quantity of notices. Usually not used in production.

* Examples:

* Send a normal message to a remote peer

* Write a log entry to disk

* Info: Normal, working log information, everything is fine, but helpful notices for auditing or common operations. Should rather not be logged more frequently than once per a few seconds in a normal server's operation.

* Examples:

- * Startup configuration
- * Start to do a snapshot

* Warning: (Hopefully) Temporary conditions that may cause errors, but may work fine. A replica disappearing (that may reconnect) is a warning.

* Examples:

- * Failure to send a raft message to a remote peer
- * Failure to receive heartbeat message within the configured election timeout

* Error: Data has been lost, a request has failed for a bad reason, or a required resource has been lost.

* Examples:

- * Failure to allocate disk space for WAL

* Panic: Unrecoverable or unexpected error situation that requires stopping execution.

* Examples:

- * Failure to create the database

* Fatal: Unrecoverable or unexpected error situation that requires immediate exit. Mostly used in the test.

* Examples:

- * Failure to find the data directory
- * Failure to run a test function

[zap]: <https://github.com/uber-go/zap>

Dependency management

Table of Contents

- **[Main branch](#main-branch)**
- [Dependencies used in workflows](#dependencies-used-in-workflows)
- [Bumping order](#bumping-order)
- [Steps to bump a dependency](#steps-to-bump-a-dependency)
- [Indirect dependencies](#indirect-dependencies)
- [Known incompatible dependency updates](#known-incompatible-dependency-updates)
- [arduino/setup-protoc](#arduinsetup-protoc)
- [Rotation worksheet](#rotation-worksheet)
- **[Stable branches](#stable-branches)**
- **[Golang versions](#golang-versions)**
- **[Core dependencies mappings](#core-dependencies-mappings)**

Main branch

The dependabot is enabled & [configured](<https://github.com/etcd-io/etcd/blob/main/.github/dependabot.yml>) to manage dependencies for etcd `main` branch. But dependabot doesn't work well for multi-module repository like `etcd`,

see [dependabot-core/issues/6678](https://github.com/dependabot/dependabot-core/issues/6678).

Usually, human intervention is required

each time when dependabot automatically opens some PRs to bump dependencies.

Please see the guidance below.

Dependencies used in workflows

The PRs that automatically bump dependencies (see examples below) used in workflows are fine and can be approved & merged directly as long as all checks are successful.

- [build(deps): bump github/codeql-action from 2.2.11 to 2.2.12](https://github.com/etcd-io/etcd/pull/15736)
- [build(deps): bump actions/checkout from 3.5.0 to 3.5.2](https://github.com/etcd-io/etcd/pull/15735)
- [build(deps): bump ossf/scorecard-action from 2.1.2 to 2.1.3](https://github.com/etcd-io/etcd/pull/15607)

Bumping order

When multiple etcd modules depend on the same package, please bump the package version for all the modules in the correct order. The rule is simple:

if module A depends on module B, then bump the dependency for module B before module A. If the two modules do not depend on each other, then

it doesn't matter to bump which module first. For

example, multiple modules depend on `github.com/spf13/cobra`, so we need to bump the dependency in the following order,

- go.etcd.io/etcd/pkg/v3
- go.etcd.io/etcd/server/v3
- go.etcd.io/etcd/etcdctl/v3
- go.etcd.io/etcd/etcdutl/v3
- go.etcd.io/etcd/tests/v3
- go.etcd.io/etcd/v3
- go.etcd.io/etcd/tools/v3

For more details about etcd Golang modules, please check <<https://etcd.io/docs/next/dev-internal/modules>>

Note the module `go.etcd.io/etcd/tools/v3` doesn't depend on any other modules, nor by any other modules, so it doesn't matter when to bump dependencies for it.

Steps to bump a dependency

Use the `github.com/spf13/cobra` as an example, follow the steps below to bump it from 1.6.1 to 1.7.0 for module `go.etcd.io/etcd/etcdctl/v3`,

```
```bash
cd ${ETCD_ROOT_DIR}/etcdctl
go get github.com/spf13/cobra@v1.7.0
go mod tidy
cd ..
./scripts/fix.sh
```
```

Execute the same steps for all other modules. When you finish bumping the dependency for all modules, then commit the change,

```
```bash
git
add .
git commit --signoff -m "dependency: bump github.com/spf13/cobra from 1.6.1 to 1.7.0"
```
```

Please close the related PRs which were automatically opened by dependabot.

When you bump multiple dependencies in one PR, it's recommended to create a separate commit for each dependency. But it isn't a must; for example, you can get all dependencies bumping for the module `go.etcd.io/etcd/tools/v3` included in one commit.

Troubleshooting

In an event of bumping the version of protoc, protoc plugins or grpc-gateway, it might change `\*.proto` file which can result in the following error:

```
```bash
[0;31mFAIL: 'genproto' FAILED at Wed Jul 31 07:09:08 UTC 2024
make: *** [Makefile:134: verify-genproto] Error 255
```
```

To fix the above error, run the following script from the root of etcd repository:

```
```bash
./scripts/genproto.sh
```
```

Indirect dependencies

Usually, we don't bump a dependency if all modules just indirectly depend on it, such as `github.com/go-logr/logr`.

If

an indirect dependency (e.g. `D1`) causes any CVE or bugs that affect etcd, usually the module (e.g. `M1`, not part of etcd, but used by etcd) which depends on it should bump the dependency (`D1`), and then etcd just needs to bump `M1`. However, if the module (`M1`) somehow doesn't bump the problematic dependency, then etcd can still bump it (`D1`) directly following the same steps above. But as a long-term solution, etcd should try to remove the dependency on such module (`M1`) that lack maintenance.

For mixed cases, in which some modules directly while others indirectly depend on a dependency, we have multiple options,

- Bump the dependency for all modules, no matter it's direct or indirect dependency.
- Bump the dependency only for modules that directly depend on it.

We should try to follow the first way, and temporarily fall back to the second one if we run into any issue on the first way. Eventually we should fix the issue and ensure all modules depend on the same version of the dependency.

Known incompatible dependency updates

arduino/setup-protoc

Please refer to [build(deps): bump arduino/setup-protoc from 1.3.0 to 2.0.0](https://github.com/etcd-io/etcd/pull/16016)

Rotation worksheet

The dependabot scheduling interval is weekly; it means dependabot will automatically raise a bunch of PRs per week.

Usually, human intervention is required each time. We have a [rotation worksheet](https://docs.google.com/spreadsheets/d/1jodHIO7Dk2VWTs1IRnfMFaRktS9IH8XRyifOnPdSY8I/edit#gid=1394774387),

and everyone is welcome to participate; you just need to register your name in the worksheet.

Stable branches

Usually, we don't proactively bump dependencies for stable releases unless there are any CVEs or bugs that affect etcd.

If we have to do it, then follow the same guidance above. Note that there is no `./scripts/fix.sh` in release-3.4, so no need to execute it for 3.4.

Golang versions

The etcd project aims to maintain a development branch that is on the latest [Go version](https://go.dev/dl), ideally, this will align with the Go version in use for Kubernetes project development. For an example of how to update etcd to a new minor release of Go refer to issue <https://github.com/etcd-io/etcd/issues/16393> and the linked pull requests.

Suggested steps for performing a minor version upgrade for the etcd development branch:

1. Carefully review new Go version release notes and potentially related blog posts for any deprecations, performance impacts, or other considerations.
2. Create a GitHub issue to signal intent to upgrade and invite discussion, for example, <https://github.com/etcd-io/etcd/issues/16393>.
3. Complete the upgrade locally in your development environment by editing `.go-version` and running `make fix`.
4. Run performance benchmarks locally to compare before and after.

5. Raise a pull request for the changes, for example, <<https://github.com/etcd-io/etcd/pull/16394>>.

Stable etcd release branches will be maintained

to stay on the latest patch release of a supported Go version. Upgrading minor versions will be completed before the minor version in use currently is no longer supported. Refer to the [Go release policy](<https://go.dev/doc/devel/release>).

For an example of how to update etcd to a new patch release of Go refer to issue <<https://github.com/etcd-io/etcd/issues/16343>> and the linked pull requests.

References:

- <<https://github.com/kubernetes/sig-release/blob/master/release-engineering/handbooks/go.md>>

Core dependencies mappings

[bbolt](<https://github.com/etcd-io/bbolt>) and [raft](<https://github.com/etcd-io/raft>) are two core dependencies of etcd.

Both etcd 3.4.x and 3.5.x depend on bbolt 1.3.x, and etcd 3.6.x (`main` branch) depends on bbolt 1.4.x.

raft is included in the etcd repository for release-3.4 and release-3.5 branches, so etcd 3.4.x and 3.5.x do not depend on any

external raft module. We moved raft into [a separate repository](<https://github.com/etcd-io/raft>) starting from 3.6 (`main` branch), and the first raft release will be v3.6.0, so etcd 3.6.x will depend on raft 3.6.x.

Please see the table below:

etcd versions		bbolt versions		raft versions	
-----		-----		-----	
3.4.x		v1.3.x		N/A	
3.5.x		v1.3.x		N/A	
3.6.x		v1.4.x		v3.6.x	

1.229 etcd-client-pkg 3.6.7

1.229.1 Available under license :

Features

This document provides an overview of etcd features and general development guidelines for adding and deprecating them. The project maintainers can override these guidelines per the need of the project following the project governance.

Overview

The etcd features fall into three stages, experimental, stable, and unsafe.

Experimental

Any new feature is usually added as an experimental feature. An experimental feature is characterized as below:

- Might be buggy due to a lack of user testing. Enabling the feature may not work as expected.
- Disabled by default when added initially.
- Support for such a feature may be dropped at any time without notice
 - Feature-related issues may be given lower priorities.
 - It can be removed in the next minor or major release without following the feature deprecation policy unless it graduates to a stable future.

Stable

A stable feature is characterized as below:

- Supported as part of the supported releases of etcd.
- May be enabled by default.
- Discontinuation of support must follow the feature deprecation policy.

Unsafe

Unsafe features are rare and listed under the `Unsafe feature:` section in the etcd usage documentation. By default, they are disabled. They should be used with caution following documentation. An unsafe feature can be removed in the next minor or major release without following the feature deprecation policy.

Development Guidelines

Adding a new feature

Any new enhancements to the etcd are typically added as an experimental feature. The general development requirements are listed below. They can be somewhat flexible depending on the scope of the feature and review discussions and will evolve over time.

- Open an issue
 - It must provide a clear need for the proposed feature.
 - It should list development work items as checkboxes. There must be one work item towards future graduation to a stable future.
 - Label the issue with `type/feature` and `experimental`.
 - Keep the issue open for tracking purposes until a decision is made on graduation.
- Open a Pull Request (PR)
 - Provide unit tests. Integration tests are also recommended as possible.
 - Provide robust e2e test coverage. If the feature being added is complicated or quickly needed, maintainers can decide to go with e2e tests for basic coverage initially and have robust coverage added at a later time before the feature graduation to the stable feature.
 - Provide logs for proper debugging.
 - Provide metrics and benchmarks as needed.
 - The Feature should be disabled by default.
 - Any configuration flags related to the implementation of the feature must be prefixed with `experimental` e.g. `--experimental-feature-name`.

- Add a CHANGELOG entry.
- At least two maintainers must approve feature requirements and related code changes.

Graduating an Experimental feature to Stable

It is important that experimental features don't get stuck in that stage.

They should be revisited and moved to the stable stage following the graduation steps as described here.

Locate graduation candidate

Decide if an experimental feature is ready for graduation to the stable stage.

- Find the issue that was used to enable the experimental feature initially. One way to find such issues is to search for issues with `type/feature` and `experimental` labels.
- Fix any known open issues against the feature.
- Make sure the feature was enabled for at least one previous release. Check the PR(s) reference from the issue to see when the feature-related code changes were merged.

Provide implementation

If an experimental feature is found ready for graduation to the stable stage, open a Pull Request (PR) with the following changes.

- Add robust e2e tests if not already provided.
- Add a new stable feature flag identical to the experimental feature flag but without the `--experimental` prefix.
- Deprecate the experimental feature following the [feature deprecation policy](#Deprecating-a-feature).
- Implementation must ensure that both the graduated and deprecated experimental feature flags work as expected. Note that both these flags will co-exist for the timeframe described in the feature deprecation policy.
- Enable the graduated feature by default if needed.

At least two maintainers must approve the work. Patch releases should not be considered for graduation.

Deprecating a feature

Experimental

An experimental feature deprecates when it graduates to the stable stage.

- Add a deprecation message in the documentation of the experimental feature with a recommendation to use a related stable feature. e.g. `DEPRECATED. Use <feature-name> instead.`
- Add a `deprecated` label in the issue that was initially used to enable the experimental feature.

Stable

As the project evolves, a stable feature may sometimes need to be deprecated and removed. Such a situation should be handled using the steps below:

- Create an issue for tracking purposes.
- Add a deprecation message in the feature usage documentation before a planned release for feature deprecation. e.g. `To be deprecated in <release>.`. If a new feature replaces the `To be deprecated` feature, then also provide a message saying so. e.g. `Use <feature-name> instead.`.
- Deprecate the feature in the planned release with a message as part of the feature usage documentation. e.g. `DEPRECATED`. If a new feature replaces the deprecated feature, then also provide a message saying so. e.g. `DEPRECATED. Use <feature-name> instead.`.

- Add a `deprecated` label in the related issue.

Remove the deprecated feature in the following release. Close any related issue(s). At least two maintainers must approve the work. Patch releases should not be considered for deprecation.

Set up the local cluster

For testing and development deployments, the quickest and easiest way is to configure a local cluster. For a production deployment, refer to the [clustering][clustering] section.

Local standalone cluster

Starting a cluster

Run the following to deploy an etcd cluster as a standalone cluster:

```
...  
$ ./etcd  
...  
...
```

If the `etcd` binary is not present in the current working directory, it might be located either at `\$GOPATH/bin/etcd` or at `/usr/local/bin/etcd`. Run the command appropriately.

The running etcd member listens on `localhost:2379` for client requests.

Interacting with the cluster

Use `etcdctl` to interact with the running cluster:

1. Store an example key-value pair in the cluster:

```
...  
$ ./etcdctl put foo bar  
OK  
...
```

If OK is printed, storing the key-value pair is successful.

2. Retrieve the value of `foo`:

```
...  
$ ./etcdctl get foo  
bar  
...
```

If `bar` is returned, interaction with the etcd cluster is working as expected.

Local multi-member cluster

Starting a cluster

A `Procfile` at the base of the etcd git repository is provided to easily configure a local multi-member cluster. To start a multi-member cluster, navigate to the root of the etcd source tree and perform the following:

1. Install `goreman` to control Procfile-based applications:

```
...  
$ go install github.com/mattn/goreman@latest  
...
```

The installation will place executables in the \$GOPATH/bin. If \$GOPATH environment variable is not set, the tool will be installed into the \$HOME/go/bin. Make sure that \$PATH is set accordingly in your environment.

2. Start a cluster with `goreman` using etcd's stock Procfile:

```
...  
$ goreman -f Procfile start  
...
```

The members start running. They listen on `localhost:2379`, `localhost:22379`, and `localhost:32379` respectively for client requests.

Interacting with the cluster

Use `etcdctl` to interact with the running cluster:

1. Print the list of members:

```
...  
$ etcdctl --write-out=table --endpoints=localhost:2379 member list  
...
```

The list of etcd members is displayed as follows:

```
...  
+-----+-----+-----+-----+-----+  
| ID      | STATUS | NAME  | PEER ADDRS  | CLIENT ADDRS |  
+-----+-----+-----+-----+-----+  
| 8211f1d0f64f3269 | started | infra1 | http://127.0.0.1:2380 | http://127.0.0.1:2379 |  
| 91bc3c398fb3c146 | started | infra2 | http://127.0.0.1:22380 | http://127.0.0.1:22379 |  
| fd422379fda50e48 | started | infra3 | http://127.0.0.1:32380 | http://127.0.0.1:32379 |  
+-----+-----+-----+-----+-----+  
...
```

2. Store an example key-value pair in the cluster:

```
...  
$ etcdctl put foo bar  
OK  
...
```

If OK is printed, storing the key-value pair is successful.

###

Testing fault tolerance

To exercise etcd's fault tolerance, kill a member and attempt to retrieve the key.

1. Identify the process name of the member to be stopped.

The `/etc/passwd` lists the properties of the multi-member cluster. For example, consider the member with the process name, `etcd2`.

2. Stop the member:

```
...  
# kill etcd2  
$ goreman run stop etcd2  
...
```

3. Store a key:

```
...  
$ etcdctl put key hello  
OK  
...
```

4. Retrieve the key that is stored in the previous step:

```
...  
$ etcdctl get key  
hello  
...
```

5. Retrieve a key from the stopped member:

```
...  
$ etcdctl --endpoints=localhost:22379 get key  
...
```

The command should display an error caused by connection failure:

```
...  
2017/06/18 23:07:35 grpc: Conn.resetTransport failed to create client transport: connection error: desc =
```

```
"transport: dial tcp 127.0.0.1:22379: getsockopt: connection refused"; Reconnecting to "localhost:22379"
```

```
Error: grpc:
timed out trying to connect
...
```

6. Restart the stopped member:

```
...

$ goreman run restart etcd2
...
```

7. Get the key from the restarted member:

```
...

$ etcdctl --endpoints=localhost:22379 get key
hello
...
```

Restarting the member re-establishes the connection. `etcdctl` will now be able to retrieve the key successfully. To learn more about interacting with etcd, read [interacting with etcd section][interacting].

[clustering]: <https://etcd.io/docs/latest/op-guide/clustering/>

[interacting]: https://etcd.io/docs/latest/dev-guide/interacting_v3/

Branch management

Guide

- * New development occurs on the [main branch][main].
- * The main branch should always have a green build!
- * Backwards-compatible bug fixes should target the main branch and subsequently be ported to stable branches.
- * Once the main branch is ready for release, it will be tagged and become the new stable branch.

The etcd team has adopted a **rolling release model** and supports two stable versions of etcd.

Main branch

The `main` branch is our development branch. All new features land here first.

To try new and experimental features, pull `main` and play with it. Note that `main` may not be stable because new features may introduce bugs.

Before the release of the next stable version, feature PRs will be frozen. A [release manager](./release.md#release-management) will be assigned to the major/minor version and will lead the etcd community in testing, bug-fix, and documentation of the release for one to two weeks.

Stable branches

All branches with

the prefix `release-` are considered `_stable_` branches.

After every minor release (semver.org), we will have a new stable branch for that release, managed by a [patch release manager](./release.md#release-management). We will keep fixing the backward-compatible bugs for the latest two stable releases. A `_patch_` release to each supported release branch, incorporating any bug fixes, will be once every two weeks, given any patches.

[main]: <https://github.com/etcd-io/etcd/tree/main>

Issue triage guidelines

Purpose

Speed up issue management.

The `etcd` issues are listed at <<https://github.com/etcd-io/etcd/issues>> and are identified with labels. For example, an issue that is identified as a bug will be set to the label `type/bug`.

The etcd project uses labels to indicate common attributes such as `area`, `type`, and `priority` of incoming issues.

New issues will often start without any labels, but typically `etcd` maintainers, reviewers, and members will add labels by following these triage guidelines. The detailed list of labels can be found at <<https://github.com/etcd-io/etcd/labels>>.

Scope

This document serves as the primary guidelines for triaging incoming issues in `etcd`.

All contributors are encouraged and welcome to help manage issues which will help reduce the burden on project maintainers, though the work and responsibilities discussed in this document are created with `etcd` project reviewers and members in mind as these individuals will have triage access to the etcd project which is a requirement for actions like applying labels or closing issues.

Refer to [etcd community membership](<https://github.com/etcd-io/etcd/blob/main/Documentation/contributor-guide/community-membership.md>) for guidance on becoming an etcd project member or reviewer.

Step 1 - Find an issue to triage

To get started you can use the following recommended issue searches to identify issues that are in need of triage:

- * [Issues that have no labels](<https://github.com/etcd-io/etcd/issues?q=is%3Aissue+is%3Aopen+sort%3Aupdated+no%3Alabel>)
- * [Issues created recently](<https://github.com/etcd-io/etcd/issues?q=is%3Aissue+is%3Aopen+>)
- * [Issues not assigned but linked pr](<https://github.com/etcd-io/etcd/issues?q=is%3Aopen+is%3Aissue+no%3Aassignee+linked%3Apr>)
- * [Issues with no comments](<https://github.com/etcd-io/etcd/issues?q=is%3Aopen+is%3Aissue+comments%3A0+>)
- * [Issues with help wanted](<https://github.com/etcd-io/etcd/issues?q=is%3Aopen+is%3Aissue+label%3A%22help+wanted%22+>)

##

Step 2 - Check the issue is valid

Before we start adding labels or trying to work out a priority, our first triage step needs to be working out if the issue actually belongs to the etcd project and is not a duplicate.

Issues that don't belong to etcd

Sometimes issues are reported that belong to other projects that `etcd` use. For example, `grpc` or `golang` issues. Such issues should be addressed by asking the reporter to open issues in the appropriate other projects.

These issues can generally be closed unless a maintainer and issue reporter see a need to keep it open for tracking purposes. If you have triage permissions please close it, alternatively mention the @etcd-io/members group to request a member with triage access to close the issue.

Duplicate issues

If an issue is a duplicate, add a comment stating so along with a reference for the original issue and if you have triage permissions please close it, alternatively mention the @etcd-io/members group to request a member with triage access close the issue.

Step 3 - Apply the appropriate type of label

Adding a `type` label to an issue helps create visibility on the health of the project and helps contributors identify potential priorities, i.e. addressing existing bugs or test flakes before implementing new features.

Support requests

As a general rule, the focus for etcd support is to address common themes in a broad way that helps all users, i.e. through channels like known issues, frequently asked questions, and high-quality documentation. To make the best use of project members time we should avoid providing 1:1 support if a broad approach is available.

Some people mistakenly use our GitHub bug report or feature request templates to file support requests. Usually, they are asking for help operating or configuring some aspect of etcd. Support requests for etcd should instead be raised as [discussions](https://github.com/etcd-io/etcd/discussions).

Common

types of support requests are:

1. Questions about configuring or operating existing well-documented etcd features, for example, <<https://github.com/etcd-io/etcd/issues/15945>>. Note - If an existing feature is not well documented please apply the `area/documentation` label and propose documentation improvements that would prevent future users from stumbling on the problem again.
2. Bug reports or questions about unsupported versions of etcd, for example <<https://github.com/etcd-io/etcd/issues/15796>>. When responding to these issues please refer to our [supported versions documentation](https://etcd.io/docs/latest/op-guide/versioning) and encourage the reporter to upgrade to a recent patch release of a supported version as soon as possible. We should limit the effort supporting users that do not

make the effort to run a supported version of etcd or ensure their version is patched.

3. Bug reports that do not provide a complete list of steps to reproduce the issue and/or contributors are not able to reproduce the issue, for example, <<https://github.com/etcd-io/etcd/issues/15740>>. We should limit the effort we put into reproducing issues ourselves and motivate users to provide the necessary information to accept the bug report.

4. General questions that are filed using feature request or bug report issue templates, for example, <<https://github.com/etcd-io/etcd/issues/15914>>. Note - These types of requests may surface good additions to our [frequently asked questions](<https://etcd.io/docs/v3.5/faq>).

If you identify that an issue is a support request please:

1. Add the `type/support` or `type/question` label.
2. Add the following comment to inform the issue creator that discussions should be used instead and that this issue will be converted to a discussion.

> Thank you for your question, this support issue will be moved to our [Discussion Forums](<https://github.com/etcd-io/etcd/discussions>).

>

> We are trying to consolidate the channels to which questions for help/support are posted so that we can improve our efficiency in responding to your requests, and make it easier for you to find answers to frequently asked questions and how to address common use cases.

>

> We regularly see messages posted in multiple forums, with the full response thread only in one place or, worse, spread across multiple forums. Also, the large volume of support issues on GitHub is making it difficult for us to use issues to identify real bugs.

>

> Members of the etcd community use Discussion Forums to field support requests. Before posting a new question, please search these for answers to similar questions, and also familiarize yourself with:

>

> 1. [user documentation](<https://etcd.io/docs/latest>)

> 2. [frequently asked questions](<https://etcd.io/docs/v3.5/faq>)

>

> Again, thanks for using etcd and raising this question.

>

> The etcd team

3. Finally, click `Convert to discussion` on the right-hand panel, selecting the appropriate discussion category.

Bug reports

If an issue has been raised as a bug it should already have the `type/bug` label, however, if this is missing for an issue you determine to be a bug please add the label manually.

The next step is to validate if the issue is indeed a bug. If not, add a comment with the findings and close the trivial

issue. For non-trivial issues, wait to hear back from the issue reporter and see if there is any objection. If the issue reporter does not reply in 30 days, close the issue.

If the problem can not be reproduced or requires more information, leave a comment for the issue reporter as soon as possible while the issue is fresh for the issue reporter.

Feature requests

New feature requests should be created via the etcd feature request template and in theory already have the `type/feature` label, however, if this is missing for an issue you determine to be a feature please add the label manually.

Test flakes

Test flakes

are a specific type of bug that the etcd project tracks separately as these are a priority to address. These should be created via the test flake template and in theory already have the `type/flake` label, however, if this is missing for an issue you determine to be related to a flaking test please add the label manually.

Step 4 - Define the areas impacted

Adding an `area` label to an issue helps create visibility on which areas of the etcd project require attention and helps contributors find issues to work on relating to their particular skills or knowledge of the etcd codebase.

If an issue crosses multiple domains please add additional `area` labels to reflect that.

Below is a brief summary of the area labels in active use by the etcd project along with any notes on their use:

Label	Notes
---	---
area/external	Tracking label for issues raised that are external to etcd.
area/community	
area/raft	
area/clientv3	
area/performance	
area/security	
area/tls	
area/auth	
area/etcdctl	
area/etcdutl	
area/contrib	Not to be confused with `area/community` this label is specifically used for issues relating to community-maintained scripts or files in the `contrib` directory which aren't part of the core etcd project.
area/documentation	
area/tooling	Generally used in relation to the third party / external utilities or tools that are used in various stages of the etcd build, test, or release process, for example, tooling to create sboms.
area/testing	

Step 5 - Prioritise the issue

If an issue lacks a priority label it has not been formally prioritized yet.

Adding a `priority` label helps the etcd project understand what is important and should be worked on now, and conversely, what is not as important and is on the project backlog.

Priority label	What it means	Examples
---	---	---
`priority/critical-urgent`	Maintainers are responsible for making sure that these issues (in their area) are being actively worked on i.e., drop what you're doing. The stuff is burning. These should be fixed before the next release.	user-visible critical bugs in core features broken builds on tier1 supported platforms tests and critical security issues
`priority/important-soon`	Must be staffed and worked on either currently or very soon ideally in time for the next release.	
`priority/important-longterm`	Important over the long term, but may not be currently staffed and/or may require multiple releases to complete.	
`priority/backlog`	General agreement that this is a nice-to-have, but no one's available to work on it anytime soon. Community contributions would be most welcome in the meantime, though it might take a while to get them reviewed if reviewers are fully occupied with higher-priority issues for example, immediately before a release.	
`priority/awaiting-more-evidence`	Possibly useful, but not yet enough support to actually get it done. Mostly placeholders for potentially good ideas, so that they don't get completely forgotten, and can be referenced or deduped every time they come up	

Step 6 - Support new contributors

As part of the `etcd` triage process once the `kind` and `area` have been determined, please consider if the issue would be suitable for a less experienced contributor. The `good first issue` label is a subset of the `help wanted` label, indicating that members have committed to providing extra assistance for new contributors. All `good first issue` items also have the `help wanted` label.

Help wanted

Items marked with the `help wanted` label need to ensure that they meet these criteria:

* **Low Barrier to Entry** - It should be easy for new contributors.

* **Clear** - The task is agreed upon and does not require further discussions in the community.

* **Goldilocks priority** - The priority

should not be so high that a core contributor should do it, but not too low that it isn't useful enough for a core contributor to spend time reviewing it, answering questions, helping get it into a release, etc.

Good first issue

Items marked with `good first issue` are intended for first-time contributors. It indicates that members will keep an

eye out for these pull requests and shepherd it through our processes.

New contributors should not be left to find an approver, ping for reviews, decipher test commands, or identify that their build failed due to a flake. It is important to make new contributors feel welcome and valued. We should assure them that they will have an extra level of help with their first contribution.

After a contributor has successfully completed one or two `good first issue` items, they should be ready to move on to `help wanted` items.

* **No Barrier to Entry** - The task is something that a new contributor can tackle without advanced setup or domain knowledge.

*

* **Solution Explained** - The recommended solution is clearly described in the issue.

* **Gives Examples** - Link to examples of similar implementations so new contributors have a reference guide for their changes.

* **Identifies Relevant Code** - The relevant code and tests to be changed should be linked in the issue.

* **Ready to Test** - There should be existing tests that can be modified, or existing test cases fit to be copied. If the area of code doesn't have tests, before labeling the issue, add a test fixture. This prep often makes a great help wanted task!

Step 7 - Follow up

Once initial triage has been completed, issues need to be re-evaluated over time to ensure they don't become stale incorrectly.

Track important issues

If an issue is at risk of being closed by the stale bot in the future, but is an important issue for the etcd project, then please apply the `stage/tracked` label and remove any `stale` labels that exist. This will ensure the project does not lose sight of the issue.

Close incomplete issues

Issues that lack enough information from the issue reporter should be closed if the issue reporter does not provide information in 30 days. Issues can always be re-opened at a later date if new information is provided.

Check for incomplete work

If an issue owned by a developer has no pull request created in 30 days, contact the issue owner and kindly ask about the status of their work, or to release ownership on the issue if needed.

PR management

Purpose

Speed up PR management.

The `etcd` PRs are listed at <https://github.com/etcd-io/etcd/pulls>

A PR can have various labels, milestones, reviewers, etc. The detailed list of labels can be found at <https://github.com/kubernetes/kubernetes/labels>

Following are a few example searches on PR for convenience:

- * [Open PRs for milestone etcd-v3.6](<https://github.com/etcd-io/etcd/pulls?utf8=%E2%9C%93&q=is%3Apr+is%3Aopen+milestone%3Aetcd-v3.6>)
- * [PRs under investigation](<https://github.com/etcd-io/etcd/labels/Investigating>)

Scope

These guidelines serve as a primary document for managing PRs in `etcd`. Everyone is welcome to help manage PRs but the work and responsibilities discussed in this document are created with `etcd` maintainers and active contributors in mind.

Ensure tests are run

The etcd project use Kubernetes Prow and GitHub Actions to run tests. To ensure all required tests run if a pull request is ready for testing and still has the `needs-ok-to-test` label then please comment on the pull request `/ok-to-test`.

Handle inactive PRs

Poke PR owner if review comments are not addressed in 15 days. If the PR owner does not reply in 90 days, update the PR with a new commit if possible. If not, inactive PR should be closed after 180 days.

Poke reviewer if needed

Reviewers are responsive in a timely fashion, but considering everyone is busy, give them some time after requesting a review if a quick response is not provided. If the response is not provided in 10 days, feel free to contact them via adding a comment in the PR or sending an email or message on Slack.

Verify important labels are in place

Make sure that appropriate reviewers are added to the PR. Also, make sure that a milestone is identified. If any of these or other important labels are missing, add them. If a correct label cannot be decided, leave a comment for the maintainers to do so as needed.

Roadmap

etcd uses GitHub milestones to track all tasks in each major or minor release. The `roadmap.md` file only records the most important tasks for each release. The list is based on the current maintainer capacity that may shift over time. Proposed milestones are what we think we can deliver with the people we have. If we have more support on the important stuff, we could pick up more items from the backlog. Note that etcd will continue to mainly focus on technical debt over the next few major or minor releases.

Each item has an assigned priority. Refer to [priority definitions](https://github.com/etcd-io/etcd/blob/main/Documentation/contributor-guide/triage_issues.md#step-5---prioritise-the-issue).

v3.6.0

For a full list of tasks in `v3.6.0`, please see [milestone etcd-v3.6](https://github.com/etcd-io/etcd/milestone/38).

Title	Priority	Status	Note
[Support downgrade](https://github.com/etcd-io/etcd/issues/11716)	priority/important-soon	In progress	etcd will support downgrade starting from 3.6.0. But it will also support offline downgrade from 3.5 to 3.4.
[StoreV2 deprecation](https://github.com/etcd-io/etcd/issues/12913)	priority/important-soon	In progress	This task will be covered in both 3.6 and 3.7.
[Release raft 3.6.0](https://github.com/etcd-io/raft/issues/89)	priority/important-soon	Not started	etcd 3.6.0 will depends on raft 3.6.0
[Release bbolt 1.4.0](https://github.com/etcd-io/bbolt/issues/553)	priority/important-soon	Not started	etcd 3.6.0 will depends on bbolt 1.4.0
[Support /livez and /readyz endpoints](https://github.com/etcd-io/etcd/issues/16007)	priority/important-longterm	In progress	It provides clearer APIs, and can also work around the stalled writes issue
[Bump gRPC](https://github.com/etcd-io/etcd/issues/16290)	priority/important-longterm	Completed	It isn't guaranteed to be resolved in 3.6, and might be postponed to 3.7 depending on the effort and risk.
[Deprecate grpc-gateway or bump it](https://github.com/etcd-io/etcd/issues/14499)	priority/important-longterm	Completed	It isn't guaranteed to be resolved in 3.6, and might be postponed to 3.7 depending on the effort and risk.
[bbolt: Add logger into bbolt](https://github.com/etcd-io/bbolt/issues/509)	priority/important-longterm	Completed	It's important to diagnose bbolt issues
[bbolt: Add surgery commands](https://github.com/etcd-io/bbolt/issues/370)	priority/important-longterm	Completed	Surgery commands are important for fixing corrupted db files
[Evaluate and (Graduate or deprecate/remove) experimental features](https://github.com/etcd-io/etcd/issues/16292)	priority/backlog	Not started	This task will be covered in both 3.6 and 3.7.

v3.7.0

For a full list of tasks in `v3.7.0`, please see [milestone etcd-v3.7](https://github.com/etcd-io/etcd/milestone/39).

Title	Priority	Note

[StoreV2 deprecation](https://github.com/etcd-io/etcd/issues/12913)	P0	Finish	
the remaining tasks 3.7.			
[Refactor lease: Lease might be revoked by mistake by old leader](https://github.com/etcd-io/etcd/issues/15247)	P1	to be investigated & discussed	
[Integrate raft's new feature (async write) into etcd](https://github.com/etcd-io/etcd/issues/16291)	P1		
It should improve the performance			
[bbolt: Support customizing the bbolt rebalance threshold](https://github.com/etcd-io/bbolt/issues/422)	P2		
It may get rid of etcd's defragmentation. Both bbolt and etcd need to be changed.			
[Evaluate and (graduate or deprecate/remove) experimental features](https://github.com/etcd-io/etcd/issues/16292)	P2	Finish the remaining tasks 3.7.	

Backlog (future releases)

Title	Priority	Note	
[Remove the dependency on grpc-go's experimental API](https://github.com/etcd-io/etcd/issues/15145)			
[Protobuf: cleanup both golang/protobuf and gogo/protobuf](https://github.com/etcd-io/etcd/issues/14533)			
[Proposals should include a merkle root](https://github.com/etcd-io/etcd/issues/13839)			
[Add Distributed Tracing using OpenTelemetry](https://github.com/etcd-io/etcd/issues/12460)			
[Support CA rotation](https://github.com/etcd-io/etcd/issues/11555)			
[bbolt: Migrate all commands to cobra style commands](https://github.com/etcd-io/bbolt/issues/472)			
[raft: enhance the configuration change validation](https://github.com/etcd-io/raft/issues/80)			

Release

The guide talks about how to release a new version of etcd.

The procedure includes some manual steps for sanity checking, but it can probably be further scripted. Please keep this document up-to-date if making changes to the release process.

Release management

The following pool of release candidates manages the release of each etcd major/minor version as well as manages patches to each stable release branch. They are responsible for communicating the timelines and status of each release and for ensuring the stability of the release branch.

- Benjamin Wang [@ahrtr](https://github.com/ahrtr)
- James Blair [@jmhbznz](https://github.com/jmhbnz)
- Marek Siarkowicz [@serathius](https://github.com/serathius)
- Sahdev Zala [@spzala](https://github.com/spzala)
- Wenjia Zhang [@wenjiaswe](https://github.com/wenjiaswe)

All release version numbers follow the format of [semantic versioning 2.0.0](http://semver.org/).

Major, minor version release, or its pre-release

- Ensure

the relevant [milestone](https://github.com/etcd-io/etcd/milestones) on GitHub is complete. All referenced issues should be closed or moved elsewhere.

- Ensure the latest [upgrade documentation](https://etcd.io/docs/next/upgrades) is available.

- Bump [hardcoded MinClusterVersion in the repository](https://github.com/etcd-io/etcd/blob/v3.4.15/version/version.go#L29), if necessary.

- Add feature capability maps for the new version, if necessary.

Patch version release

- To request a backport, developers submit cherry-pick PRs targeting the release branch. The commits should not include merge commits. The commits should be restricted to bug fixes and security patches.

- The cherry-pick PRs should target the appropriate release branch (`base:release-<major>-<minor>`). The k8s infra cherry pick robot `/cherry-pick <branch>` PR chatops command may be used to automatically generate cherry-pick PRs.

- The release patch manager reviews the cherry-pick PRs. Please discuss carefully what is backported to the patch release. Each patch release should be strictly better than its predecessor.

- The release patch manager will cherry-pick these commits starting from the oldest one into stable branch.

Write a release note

- Write an introduction for the new release. For example, what major bug we fix, what new features we introduce, or what performance improvement we make.

- Put `[GH XXXX]` at the head of the change line to reference the Pull Request that introduces the change. Moreover, add a link on it to jump to the Pull Request.

- Find PRs with the `release-note` label and explain them in the `NEWS` file, as a straightforward summary of changes for end-users.

Patch release criteria

The etcd project aims to release a new patch version if any of the following conditions are met:

- Fixed one or more major CVEs (≥ 7.5).

- Fixed one or more critical bugs.

- Fixed three or more major bugs.

- Fixed five or more minor bugs.

Release guide

Prerequisites

There are some

prerequisites, which should be done before the release process. These are one-time operations, which don't need to be executed before releasing each version.

1. Generate a GPG key and add it to your GitHub account. Refer to the links on [settings](https://github.com/settings/keys).
2. Ensure you have a Linux machine, on which the git, Golang, and docker have been installed.
 - Ensure the Golang version matches the version defined in `.go-version` file.
 - Ensure non-privileged users can run docker commands, refer to the [Linux postinstall](https://docs.docker.com/engine/install/linux-postinstall/).
 - Ensure there is at least 5GB of free space on your Linux machine.
3. Install gsutil, refer to [gsutil_install](https://cloud.google.com/storage/docs/gsutil_install). When asked about cloud project to use, pick `etcd-development`.
4. Authenticate the image registry, refer to [Authentication methods](https://cloud.google.com/container-registry/docs/advanced-authentication).
 - `gcloud`
`auth login`
 - `gcloud auth configure-docker`
5. Install gh, refer to [GitHub's documentation](https://github.com/cli/cli#installation). Ensure that running `gh auth login` succeeds for the GitHub account you use to contribute to etcd, and that `gh auth status` has a clean exit and doesn't show any issues.

Release steps

1. Raise an issue to publish the release plan, e.g. [issues/17350](https://github.com/etcd-io/etcd/issues/17350).
2. Raise a `kubernetes/org` pull request to temporarily elevate permissions for the GitHub release team.
3. Once permissions are elevated, temporarily relax [branch protections](https://github.com/etcd-io/etcd/settings/branches) to allow pushing changes directly to `release-*` branches in GitHub.
4. Verify you can pass the authentication to the image registries,
 - `docker login gcr.io`
 - `docker login quay.io`
 - If the release person doesn't have access to 1password, one of the owners (@ahrtr, @ivanvc, @jmhbnz, @serathius) needs to share the password with them per [this guide](https://support.1password.com/share-items/). See rough steps below,
 - [Sign in](https://team-etcd.1password.com/home) to your account on 1password.com.
 - Click `Your Vault Items` on the right side.
 - Select `Password of quay.io`.
 - Click `Share` on the top right, and set expiration as `1 hour` and only available to the release person using his/her email.
 - Click `Copy Link` then send the link to the release person via slack or email.
5. Clone the etcd repository and checkout the target branch,
 - `git clone --branch release-3.X git@github.com:etcd-io/etcd.git`
6. Run the release script under the repository's root directory, replacing `${VERSION}` with a value without the `v` prefix, i.e. `3.5.13`.
 - `DRY_RUN=false ./scripts/release.sh ${VERSION}`
 - **NOTE:** When doing a pre-release (i.e., a version from the main branch, 3.6.0-alpha.2), you will need to explicitly set the branch to main:

```

```
DRY_RUN=false BRANCH=main ./scripts/release.sh ${VERSION}
```

```

It generates all release binaries under the directory ``tmp/etcd-release-${VERSION}/etcd/release/`` and images. Binaries are pushed to the Google Cloud bucket

under project ``etcd-development``, and images are pushed to ``quay.io`` and ``gcr.io``.

7. Publish the release page on GitHub

- Open the ****draft**** release URL shown by the release script
- Click the pen button at the top right to edit the release
- Review that it looks correct, reviewing that the bottom checkboxes are checked depending on the release version (v3.4 no checkboxes, v3.5 has the set as latest release checkbox checked, v3.6 has the set as pre-release checkbox checked)
- Then, publish the release

8. Announce to the etcd-dev googlegroup

Follow the format of previous release emails sent to `etcd-dev@googlegroups.com`, see an example below. After sending out the email, ask one of the mailing list maintainers to approve the email from the pending list. Additionally, label the release email as ``Release``.

``text

Hello,

etcd v3.4.30 is now public!

<https://github.com/etcd-io/etcd/releases/tag/v3.4.30>

Thanks to everyone who contributed to the release!

etcd team

```

#### 9. Update the changelog to reflect the correct release date.

#### 10. Paste the release link to the issue raised in Step 1 and close the issue.

#### 11. Restore standard branch protection settings and raise a follow-up ``kubernetes/org`` pull request to return to least privilege permissions.

#### 12. Create a new stable branch through ``git push origin release-${VERSION_MAJOR}.${VERSION_MINOR}`` if this is a new major or minor stable release.

#### 13. Re-generate a new password for quay.io if needed (e.g. shared to a contributor who isn't in the release team, and we should rotate the password at least once every 3 months).

#### #### Release known issues

1. Timeouts pushing binaries - If binaries fail to fully upload to Google Cloud storage, the script must be re-run using the same command. Any artifacts that are already pushed will be overwritten to ensure they are correct. The storage bucket does not use object versioning so incorrect files cannot remain.

2. Timeouts pushing images - It is rare, although possible for connection timeouts to occur when publishing etcd



release images to `quay.io` or `gcr.io`. If this occurs, it is known to be safe to rerun the release script command appending the `--no-upload` flag, and image uploads will gracefully resume.

3. GPG vs SSH signing - The release scripts assume that git tags will be signed with a GPG key. Since 2022 GitHub has supported [signing commits and tags using ssh](https://github.blog/changelog/2022-08-23-ssh-commit-verification-now-supported). Until further release script updates are completed you will need to disable this feature in your `~/.gitconfig` and revert to signing via GPG to perform etcd releases.

# Golang modules

The etcd project (since version 3.5) is organized into multiple [golang modules](https://golang.org/ref/mod) hosted in a [single repository](https://golang.org/ref/mod#vcs-dir).

![modules graph](modules.svg)

There are the following modules:

- **go.etcd.io/etcd/api/v3** - contains API definitions (like protos & proto-generated libraries) that defines communication protocol between etcd clients and servers.
- **go.etcd.io/etcd/pkg/v3** - a collection of utility packages used by etcd without being specific to etcd itself. A package belongs here only if it could possibly be moved out into its own repository in the future. Please avoid adding here code that has a lot of dependencies on its own, as they automatically become dependencies of the client library (that we want to keep lightweight).
- **go.etcd.io/etcd/client/v3** - client library used to contact etcd over the network (grpc). Recommended for all new usage of etcd.
- **go.etcd.io/raft/v3**
  - implementation of distributed consensus protocol. Should have no etcd specific code. Hosted in a separate repository: <https://github.com/etcd-io/raft>.
- **go.etcd.io/etcd/server/v3** - etcd implementation.
  - The code in this package is internal to etcd and should not be consumed by external projects. The package layout and API can change within the minor versions.
- **go.etcd.io/etcd/etcdctl/v3** - a command line tool to access and manage etcd.
- **go.etcd.io/etcd/tests/v3** - a module that contains all integration tests of etcd.
  - Notice: All unit tests (fast and not requiring cross-module dependencies) should be kept in the local modules of the code under the test.
- **go.etcd.io/bbolt** - implementation of persistent b-tree.
  - Hosted in a separate repository: <https://github.com/etcd-io/bbolt>.

### ### Operations

1. All etcd modules should be released in the same versions, e.g.  
`go.etcd.io/etcd/client/v3@v3.5.10` must depend on `go.etcd.io/etcd/api/v3@v3.5.10`.

The consistent updating of versions can be performed using:

```
```shell script
% DRY_RUN=false TARGET_VERSION="v3.5.10" ./scripts/release_mod.sh update_versions
```
```

2. The released modules should be tagged according to <https://golang.org/ref/mod#vcs-version> rules,  
i.e. each module should get its own tag.

The tagging can be performed using:

```
```shell script
% DRY_RUN=false REMOTE_REPO="origin" ./scripts/release_mod.sh push_mod_tags
```
```

3. All etcd modules should depend on the same versions of underlying dependencies.

This can be verified using:

```
```shell script
% PASSES="dep" ./test.sh
```
```

4. The go.mod files must not contain dependencies not being used and must  
conform to `go mod tidy` format.

This is being verified by:

```
```
% PASSES="mod_tidy" ./test.sh
```
```

5. To trigger actions across all modules (e.g. auto-format all files), please  
use/expand the following script:

```
```shell script
% ./scripts/fix.sh
```
```

### ###

#### Future

As a North Star, we would like to evaluate etcd modules towards the following model:

![modules graph](modules-future.svg)

This assumes:

- Splitting etcdmigrate/etcdadm out of etcdctl binary.

Thanks to this etcdctl would become clearly a command-line wrapper  
around network client API,

while etcdmigrate/etcdadm would support direct physical operations on the

etcd storage files.

- Splitting etcd-proxy out of ./etcd binary, as it contains more experimental code so carries additional risk & dependencies.
- Deprecation of support for v2 protocol.

## # Reporting bugs

If any part of the etcd project has bugs or documentation mistakes, please let us know by [opening an issue][etcd-issue]. We treat bugs and mistakes very seriously and believe no issue is too small. Before creating a bug report, please check that an issue reporting the same problem does not already exist.

To make the bug report accurate and easy to understand, please try to create bug reports that are:

- Specific. Include as many details as possible: which version, what environment, what configuration, etc. If the bug is related to running the etcd server, please attach the etcd log (the starting log with the etcd configuration is especially important).
- Reproducible. Include the steps to reproduce the problem. We understand some issues might be hard to reproduce, please include the steps that might lead to the problem. If possible, please attach the affected etcd data dir and stack trace to the bug report.
- Isolated. Please try to isolate and reproduce the bug with minimum dependencies. It would significantly slow down the speed to fix a bug if too many dependencies are involved in a bug report. Debugging external systems that rely on etcd is out of scope, but we are happy to provide guidance in the right direction or help with using etcd itself.
- Unique. Do not duplicate existing bug reports.
- Scoped. One bug per report. Do not follow up with another bug inside one report.

It may be worthwhile to read [Elika Etemads article on filing good bug reports][filing-good-bugs] before creating a bug report.

We might ask for further information to locate a bug. A duplicated bug report will be closed.

## ## Frequently asked questions

### ### How to get a stack trace

```
``` bash
$ kill -QUIT $PID
```
```

### ### How to get the etcd version

```
``` bash
$ etcd --version
```
```

### How to get etcd configuration and log when it runs as systemd service etcd2.service

```
``` bash
$ sudo systemctl cat etcd2
$ sudo journalctl -u etcd2
```
```

Due to an upstream systemd bug, journald may miss the last few log lines when its processes exit. If journalctl says etcd stopped without a fatal or panic message, try `sudo journalctl -f -t etcd2` to get the full log.

[etcd-issue]: <https://github.com/etcd-io/etcd/issues/new>

[filing-good-bugs]: <http://fantasai.inkedblade.net/style/talks/filing-good-bugs/>

# Community membership

This doc outlines the various responsibilities of contributor roles in etcd.

| Role       | Responsibilities                             | Requirements                                                  | Defined by |
|------------|----------------------------------------------|---------------------------------------------------------------|------------|
| Member     | Active contributor in the community          | Sponsored by 2 reviewers and multiple contributions           |            |
| Reviewer   | Review contributions from other members      | History of review and authorship                              |            |
| Maintainer | Set direction and priorities for the project | Demonstrated responsibility and excellent technical judgement |            |

## ## New contributors

New contributors should be welcomed to the community by existing members, helped with PR workflow, and directed to relevant documentation and communication channels.

## ## Established community members

Established community members are expected to demonstrate their adherence to the principles in this document, familiarity with project organization, roles, policies, procedures, conventions, etc., and technical and/or writing ability. Role-specific expectations, responsibilities, and requirements are enumerated below.

## ## Member

Members are continuously active contributors to the community. They can have issues and PRs assigned to them. Members are expected to remain active contributors to the community.

**\*\*Defined by:\*\*** Member of the etcd GitHub organization.

### ### Requirements

- Enabled [two-factor authentication] on their GitHub account
- Have made multiple contributions to the project or community. Contribution may include, but is not limited to:
  - Authoring or reviewing PRs on GitHub. At least one PR must be **\*\*merged\*\***.
  - Filing or commenting on issues on

#### GitHub

- Contributing to community discussions (e.g. meetings, Slack, email discussion forums, Stack Overflow)
- Subscribed to [etcd-dev@googlegroups.com](https://groups.google.com/g/etcd-dev)
- Have read the [contributor guide]
- Sponsored by two active maintainers or reviewers.
  - Sponsors must be from multiple member companies to demonstrate integration across the community.
  - With no objections from other maintainers
- Open a [membership nomination] issue against the `kubernetes/org` repo
  - Ensure your sponsors are @mentioned on the issue
  - Make sure that the list of contributions included is representative of your work on the project.
- Members can be removed by a supermajority of the maintainers or can resign by notifying the maintainers.

### ### Responsibilities and privileges

- Responsive to issues and PRs assigned to them
- Granted "triage access" to etcd project
- Active owner of code they have contributed (unless ownership is explicitly transferred)
  - Code is well-tested
  - Tests consistently pass
  - Addresses bugs or issues discovered after code is accepted

**\*\*Note:\*\*** Members who frequently contribute code are expected to proactively perform code reviews and work towards becoming a *\*reviewer\**.

### ## Reviewers

Reviewers are contributors who have demonstrated greater skill in reviewing the code from other contributors. They are knowledgeable about both the codebase and software engineering principles. Their LGTM counts towards merging a code change into the project. A reviewer is generally on the ladder towards maintainership.

**\*\*Defined by:\*\*** *\*reviewers\** entry in the [OWNERS] file.

### ### Requirements

- member for at least 3 months.

- Primary reviewer for at least 5 PRs to the codebase.
- Reviewed or contributed at least 20 substantial PRs to the codebase.
- Knowledgeable about the codebase.
- Sponsored by two active maintainers.
  - Sponsors must be from multiple member companies to demonstrate integration across the community.
  - With no objections from other maintainers
- Reviewers can be removed by a supermajority of the maintainers or can resign by notifying the maintainers.

### ### Responsibilities and privileges

- Code reviewer status may be a precondition to accepting large code contributions
- Responsible for project quality control via code reviews
  - Focus on code quality and correctness, including testing and factoring
  - May also review for more holistic issues, but not a requirement
- Expected to be responsive to review requests
- Assigned PRs to review related to area of expertise
- Assigned test bugs related to area of expertise
- Granted "triage access" to etcd project

### ## Maintainers

Maintainers are first and foremost contributors who have shown they are committed to the long-term success of a project. Maintainership is about building trust with the current maintainers and being a person that they can depend on to make decisions in the best interest of the project in a consistent manner.

**\*\*Defined by:\*\*** **\*approvers\*** entry in the [OWNERS] file.

### ### Requirements

- Deep understanding of the technical goals and direction of the project
- Deep understanding of the technical domain of the project
- Sustained contributions to design and direction by doing all of:
  - Authoring and reviewing proposals
  - Initiating, contributing, and resolving discussions (emails, GitHub issues, meetings)
  - Identifying subtle or complex issues in the designs and implementation of PRs
- Directly contributed to the project through implementation and/or review
- Sponsored by two active maintainers and elected by supermajority
  - Sponsors must be from multiple member companies to demonstrate integration across the community.
- To become a maintainer send an email with your candidacy to [etcd-maintainers-private@googlegroups.com](mailto:etcd-maintainers-private@googlegroups.com)
  - Ensure your sponsors are @mentioned in the email
  - Include a list of contributions representative of your work on the project.

Existing maintainers vote will privately and respond to the email with either acceptance or feedback for suggested improvement.

- With your membership approved you are expected to:
- Open a PR and add an entry to the [OWNERS] file
- Subscribe to [etcd-maintainers@googlegroups.com](mailto:etcd-maintainers@googlegroups.com) and [etcd-maintainers-private@googlegroups.com](mailto:etcd-maintainers-private@googlegroups.com)
- Request to join [etcd-maintainer teams of etcd organization of GitHub](<https://github.com/orgs/etcd-io/teams/maintainers-etcd>)
- Request to join the private slack channel for etcd maintainers on [kubernetes slack](<http://slack.kubernetes.io/>)
- Request access to etcd-development GCP project where we publish releases
- Request access to passwords shared between maintainers

### ### Responsibilities and privileges

- Make and approve technical design decisions
- Set technical direction and priorities
- Define milestones and releases
- Mentor and guide reviewers, and contributors to the project.
- Participate when called upon in the [security disclosure and release process]
- Ensure the continued health of the project
  - Adequate test coverage to confidently release
  - Tests are passing reliably (i.e. not flaky) and are fixed when they fail
- Ensure a healthy process for discussion and decision-making is in place.
- Work with other maintainers to maintain the project's overall health and success holistically

### ### Retiring

Life priorities, interests, and passions can change. Maintainers can retire and move to [emeritus maintainers]. If a maintainer needs to step down, they should inform other maintainers and, if possible, help find someone to pick up the related work. At the very least, ensure the related work can be continued. Afterward, they can remove themselves from the list of existing maintainers.

If a maintainer has not been performing their duties for 12 months, they can be removed by other maintainers. In that case, the inactive maintainer will be first notified via an email. If the situation doesn't improve, they will be removed.

If an emeritus maintainer wants to regain an active role, they can do so by renewing their contributions. Active maintainers should welcome such a move. Retiring other maintainers or regaining the status should require the approval of at least two active maintainers.

### ## Acknowledgements

Contributor roles and responsibilities were written based on [Kubernetes community membership]

[OWNERS]: /OWNERS

[contributor guide]: /CONTRIBUTING.md

[membership nomination]: <https://github.com/kubernetes/org/issues/new?assignees=&labels=area%2Fgithub-membership&projects=&template=membership.yml&title=REQUEST%3A+New+membership+for+%3Cyour-GH->

handle%3E

[Kubernetes community membership]: <https://github.com/kubernetes/community/blob/master/community-membership.md>

[emeritus maintainers]: [/README.md#etcd-emeritus-maintainers](#)

[security disclosure and release process]: [/security/README.md](#)

[two-factor authentication]: <https://docs.github.com/en/authentication/securing-your-account-with-two-factor-authentication-2fa/about-two-factor-authentication>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).



"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

## APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

### # Logging Conventions

etcd uses the [zap][zap] library for logging application output categorized into \*levels\*. A log message's level is determined according to these conventions:

\* Debug: Everything is still fine, but even common operations may be logged, and less helpful but more quantity of notices. Usually not used in production.

\* Examples:

- \* Send a normal message to a remote peer
- \* Write a log entry to disk

\* Info: Normal, working log information, everything is fine, but helpful notices for auditing or common operations. Should rather not be logged more frequently than once per a few seconds in a normal server's operation.

\* Examples:

- \* Startup configuration
- \* Start to do a snapshot

\* Warning: (Hopefully) Temporary conditions that may cause errors, but may work fine. A replica disappearing (that may reconnect) is a warning.

\* Examples:

- \* Failure to send a raft message to a remote peer
- \* Failure to receive heartbeat message within the configured election

timeout

\* Error: Data has been lost, a request has failed for a bad reason, or a required resource has been lost.

\* Examples:

\* Failure to allocate disk space for WAL

\* Panic: Unrecoverable or unexpected error situation that requires stopping execution.

\* Examples:

\* Failure to create the database

\* Fatal: Unrecoverable or unexpected error situation that requires immediate exit. Mostly used in the test.

\* Examples:

\* Failure to find the data directory

\* Failure to run a test function

[zap]: <https://github.com/uber-go/zap>

# Dependency management

## ## Table of Contents

- **[Main branch](#main-branch)**
- [Dependencies used in workflows](#dependencies-used-in-workflows)
- [Bumping order](#bumping-order)
- [Steps to bump a dependency](#steps-to-bump-a-dependency)
- [Indirect dependencies](#indirect-dependencies)
- [Known incompatible dependency updates](#known-incompatible-dependency-updates)
  - [arduino/setup-protoc](#arduinsetup-protoc)
- [Rotation worksheet](#rotation-worksheet)
- **[Stable branches](#stable-branches)**
- **[Golang versions](#golang-versions)**
- **[Core dependencies mappings](#core-dependencies-mappings)**

## ## Main branch

The dependabot is enabled & [configured](<https://github.com/etcd-io/etcd/blob/main/.github/dependabot.yml>) to manage dependencies for etcd `main` branch. But dependabot doesn't work well for multi-module repository like `etcd`,

see [dependabot-core/issues/6678](<https://github.com/dependabot/dependabot-core/issues/6678>).

Usually, human intervention is required

each time when dependabot automatically opens some PRs to bump dependencies.

Please see the guidance below.

### ### Dependencies used in workflows

The PRs that automatically bump dependencies (see examples below) used in workflows are fine and can be approved & merged directly as long as all checks are successful.

- [build(deps): bump github/codeql-action from 2.2.11 to 2.2.12](<https://github.com/etcd-io/etcd/pull/15736>)

- [build(deps): bump actions/checkout from 3.5.0 to 3.5.2](https://github.com/etcd-io/etcd/pull/15735)
- [build(deps): bump ossf/scorecard-action from 2.1.2 to 2.1.3](https://github.com/etcd-io/etcd/pull/15607)

### ### Bumping order

When multiple etcd modules depend on the same package, please bump the package version for all the modules in the correct order. The rule is simple:

if module A depends on module B, then bump the dependency for module B before module A. If the two modules do not depend on each other, then

it doesn't matter to bump which module first. For

example, multiple modules depend on `github.com/spf13/cobra`, so we need to bump the dependency in the following order,

- go.etcd.io/etcd/pkg/v3
- go.etcd.io/etcd/server/v3
- go.etcd.io/etcd/etcdctl/v3
- go.etcd.io/etcd/etcdutl/v3
- go.etcd.io/etcd/tests/v3
- go.etcd.io/etcd/v3
- go.etcd.io/etcd/tools/v3

For more details about etcd Golang modules, please check <<https://etcd.io/docs/next/dev-internal/modules>>

Note the module `go.etcd.io/etcd/tools/v3` doesn't depend on any other modules, nor by any other modules, so it doesn't matter when to bump dependencies for it.

### ### Steps to bump a dependency

Use the `github.com/spf13/cobra` as an example, follow the steps below to bump it from 1.6.1 to 1.7.0 for module `go.etcd.io/etcd/etcdctl/v3`,

```
```bash
cd ${ETCD_ROOT_DIR}/etcdctl
go get github.com/spf13/cobra@v1.7.0
go mod tidy
cd ..
./scripts/fix.sh
```
```

Execute the same steps for all other modules. When you finish bumping the dependency for all modules, then commit the change,

```
```bash
git
add .
git commit --signoff -m "dependency: bump github.com/spf13/cobra from 1.6.1 to 1.7.0"
```
```

Please close the related PRs which were automatically opened by dependabot.

When you bump multiple dependencies in one PR, it's recommended to create a separate commit for each dependency. But it isn't a must; for example, you can get all dependencies bumping for the module ``go.etcd.io/etcd/tools/v3`` included in one commit.

#### #### Troubleshooting

In an event of bumping the version of `protoc`, `protoc` plugins or `grpc-gateway`, it might change ``*.proto`` file which can result in the following error:

```
```bash
[0;31mFAIL: 'genproto' FAILED at Wed Jul 31 07:09:08 UTC 2024
make: *** [Makefile:134: verify-genproto] Error 255
```
```

To fix the above error, run the following script from the root of `etcd` repository:

```
```bash
./scripts/genproto.sh
```
```

#### ### Indirect dependencies

Usually, we don't bump a dependency if all modules just indirectly depend on it, such as ``github.com/go-logr/logr``.

If

an indirect dependency (e.g. ``D1``) causes any CVE or bugs that affect `etcd`, usually the module (e.g. ``M1``, not part of `etcd`, but used by `etcd`) which depends on it should bump the dependency (``D1``), and then `etcd` just needs to bump ``M1``. However, if the module (``M1``) somehow doesn't bump the problematic dependency, then `etcd` can still bump it (``D1``) directly following the same steps above. But as a long-term solution, `etcd` should try to remove the dependency on such module (``M1``) that lack maintenance.

For mixed cases, in which some modules directly while others indirectly depend on a dependency, we have multiple options,

- Bump the dependency for all modules, no matter it's direct or indirect dependency.
- Bump the dependency only for modules that directly depend on it.

We should try to follow the first way, and temporarily fall back to the second one if we run into any issue on the first way. Eventually we should fix the issue and ensure all modules depend on the same version of the dependency.

#### ### Known incompatible dependency updates

##### #### arduino/setup-protoc

Please refer to [build(deps): bump arduino/setup-protoc from 1.3.0 to 2.0.0](https://github.com/etcd-io/etcd/pull/16016)

### ### Rotation worksheet

The dependabot scheduling interval is weekly; it means dependabot will automatically raise a bunch of PRs per week.

Usually, human intervention is required each time. We have a [rotation worksheet](https://docs.google.com/spreadsheets/d/1jodHIO7Dk2VWTs1IRnfMFaRktS9IH8XRyifOnPdSY8I/edit#gid=1394774387),

and everyone is welcome to participate; you just need to register your name in the worksheet.

### ## Stable branches

Usually, we don't proactively bump dependencies for stable releases unless there are any CVEs or bugs that affect etcd.

If we have to do it, then follow the same guidance above. Note that there is no `./scripts/fix.sh` in release-3.4, so no need to execute it for 3.4.

### ## Golang versions

The etcd project aims to maintain a development branch that is on the latest [Go version](https://go.dev/dl), ideally, this will align with the Go version in use for Kubernetes project development. For an example of how to update etcd to a new minor release of Go refer to issue <https://github.com/etcd-io/etcd/issues/16393> and the linked pull requests.

Suggested steps for performing a minor version upgrade for the etcd development branch:

1. Carefully review new Go version release notes and potentially related blog posts for any deprecations, performance impacts, or other considerations.
2. Create a GitHub issue to signal intent to upgrade and invite discussion, for example, <https://github.com/etcd-io/etcd/issues/16393>.
3. Complete the upgrade locally in your development environment by editing `.go-version` and running `make fix`.
4. Run performance benchmarks locally to compare before and after.
5. Raise a pull request for the changes, for example, <https://github.com/etcd-io/etcd/pull/16394>.

Stable etcd release branches will be maintained to stay on the latest patch release of a supported Go version. Upgrading minor versions will be completed before the minor version in use currently is no longer supported. Refer to the [Go release policy](https://go.dev/doc/devel/release).

For an example of how to update etcd to a new patch release of Go refer to issue <https://github.com/etcd-io/etcd/issues/16343> and the linked pull requests.

References:



- <<https://github.com/kubernetes/sig-release/blob/master/release-engineering/handbooks/go.md>>

## ## Core dependencies mappings

[bbolt](<https://github.com/etcd-io/bbolt>) and [raft](<https://github.com/etcd-io/raft>) are two core dependencies of etcd.

Both etcd 3.4.x and 3.5.x depend on bbolt 1.3.x, and etcd 3.6.x (`main` branch) depends on bbolt 1.4.x.

raft is included in the etcd repository for release-3.4 and release-3.5 branches, so etcd 3.4.x and 3.5.x do not depend on any

external raft module. We moved raft into [a separate repository](<https://github.com/etcd-io/raft>) starting from 3.6 (`main` branch), and the first raft release will be v3.6.0, so etcd 3.6.x will depend on raft 3.6.x.

Please see the table below:

| etcd versions | bbolt versions | raft versions |
|---------------|----------------|---------------|
| 3.4.x         | v1.3.x         | N/A           |
| 3.5.x         | v1.3.x         | N/A           |
| 3.6.x         | v1.4.x         | v3.6.x        |

## 1.230 Iz4 4.1.23

### 1.230.1 Available under license :

Copyright (c) 2015, Pierre Curto

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of xxHash nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.231 logrus 1.9.3

### 1.231.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Simon Eskildsen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.232 robot-robot-api 0.0.0-20260112112853-887f57c2bd53

### 1.232.1 Available under license :

# Protocol Documentation

[top](#)

## Table of Contents

- [cw\_ztp\_license\_device.proto](#cw\_ztp\_license\_device-proto)

- [ZtpLicenseDevice](#cwztpsvc-ZtpLicenseDevice)

- [Scalar Value Types](#scalar-value-types)

<a name="cw\_ztp\_license\_device-proto"></a>

<p align="right"><a href="#top">Top</a></p>

## cw\_ztp\_license\_device.proto

<a name="cwztpsvc-ZtpLicenseDevice"></a>

### ZtpLicenseDevice

| Field              | Type              | Label | Description |
|--------------------|-------------------|-------|-------------|
| deviceSerialNumber | [string](#string) |       |             |

## Scalar Value Types

| .proto              | Type   | Notes                                                                                                                                         | C++    | Java   | Python   | Go      | C#     | PHP            | Ruby                           |
|---------------------|--------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|----------|---------|--------|----------------|--------------------------------|
| <a name="double" /> | double |                                                                                                                                               | double | double | float    | float64 | double | float          | Float                          |
| <a name="float" />  | float  |                                                                                                                                               | float  | float  | float    | float32 | float  | float          | Float                          |
| <a name="int32" />  | int32  | Uses variable-length encoding. Inefficient for encoding negative numbers if your field is likely to have negative values, use sint32 instead. | int32  | int    | int      | int32   | int    | integer        | Bignum or Fixnum (as required) |
| <a name="int64" />  | int64  | Uses variable-length encoding. Inefficient for encoding negative numbers if your field is likely to have negative values, use sint64 instead. | int64  | long   | int/long | int64   | long   | integer/string | Bignum                         |

| <a name="uint32" /> uint32 | Uses variable-length encoding. | uint32 | int | int/long | uint32 | uint | integer | Bignum or Fixnum (as required) |

| <a name="uint64" /> uint64 | Uses variable-length encoding. | uint64 | long | int/long | uint64 | ulong | integer/string | Bignum or Fixnum (as required) |

| <a name="sint32" /> sint32 | Uses variable-length encoding. Signed int value. These more efficiently encode negative numbers than regular int32s. | int32 | int | int | int32 | int | integer | Bignum or Fixnum (as required) |

| <a name="sint64" /> sint64 | Uses variable-length encoding. Signed int value. These more efficiently encode negative numbers than regular int64s. | int64 | long | int/long | int64 | long | integer/string | Bignum |

| <a name="fixed32" /> fixed32 | Always four bytes. More efficient than uint32 if values are often greater than 2<sup>28</sup>. | uint32 | int | int | uint32 | uint | integer | Bignum or Fixnum (as required) |

| <a name="fixed64" /> fixed64 | Always eight bytes. More efficient than uint64 if values are often greater than 2<sup>56</sup>. | uint64 | long | int/long | uint64 | ulong | integer/string | Bignum |

| <a name="sfixed32" /> sfixed32 | Always four bytes. | int32 | int | int | int32 | int | integer | Bignum or Fixnum (as required) |

| <a name="sfixed64" /> sfixed64 | Always eight bytes. | int64 | long | int/long | int64 | long | integer/string | Bignum |

| <a name="bool" /> bool | | bool | boolean | boolean | bool | bool | boolean | TrueClass/FalseClass |

| <a name="string" /> string | A string must always contain UTF-8 encoded or 7-bit ASCII text. | string | String | str/unicode | string | string | string | String (UTF-8) |

| <a name="bytes" /> bytes | May contain any arbitrary sequence of bytes. | string | ByteString | str | []byte | ByteString | string | String (ASCII-8BIT) |

UNRECOGNIZED LICENSE; MD5 sum: 4319530930bc90ff04369306a3073aaa

# Protocol Documentation

<a name="top"></a>

## ## Table of Contents

- [cw\_ztp\_license\_device\_v2.proto](#cw\_ztp\_license\_device\_v2-proto)
  - [ZtpLicenseDeviceV2](#cwztpsvc-ZtpLicenseDeviceV2)
- [Scalar Value Types](#scalar-value-types)

<a name="cw\_ztp\_license\_device\_v2-proto"></a>

<p align="right"><a href="#top">Top</a></p>

## ## cw\_ztp\_license\_device\_v2.proto

<a name="cwztpsvc-ZtpLicenseDeviceV2"></a>

### ### ZtpLicenseDeviceV2

| Field | Type | Label | Description |

|  |              |  |                   |  |          |  |       |
|--|--------------|--|-------------------|--|----------|--|-------|
|  | ----         |  | ----              |  | -----    |  | ----- |
|  | uuid         |  | [string](#string) |  |          |  |       |
|  | serialNumber |  | [string](#string) |  | repeated |  |       |
|  | locationId   |  | [string](#string) |  |          |  |       |

## ## Scalar Value Types

|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  |                                |
|--|-----------------------|--|----------|--|-----------------------------------------------------------------------------------------------------------------------------------------------|--|--------|--|---------|--|----------|--|---------|--|--------|--|--------------------------------|
|  | .proto Type           |  | Notes    |  | C++                                                                                                                                           |  | Java   |  | Python  |  | Go       |  | C#      |  | PHP    |  | Ruby                           |
|  | -----                 |  | -----    |  | ---                                                                                                                                           |  | ----   |  | -----   |  | --       |  | --      |  | ---    |  | ----                           |
|  | <a name="double" />   |  | double   |  |                                                                                                                                               |  | double |  | double  |  | float    |  | float64 |  | double |  | float                          |
|  | <a name="float" />    |  | float    |  |                                                                                                                                               |  | float  |  | float   |  | float    |  | float32 |  | float  |  | float                          |
|  | Float                 |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  |                                |
|  | <a name="int32" />    |  | int32    |  | Uses variable-length encoding. Inefficient for encoding negative numbers if your field is likely to have negative values, use sint32 instead. |  | int32  |  | int     |  | int      |  | int32   |  | int    |  | integer                        |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | Bignum or Fixnum (as required) |
|  | <a name="int64" />    |  | int64    |  | Uses variable-length encoding. Inefficient for encoding negative numbers if your field is likely to have negative values, use sint64 instead. |  | int64  |  | long    |  | int/long |  | int64   |  | long   |  | integer/string                 |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | Bignum                         |
|  | <a name="uint32" />   |  | uint32   |  | Uses variable-length encoding.                                                                                                                |  | uint32 |  | int     |  | int/long |  | uint32  |  | uint   |  | integer                        |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | Bignum or Fixnum (as required) |
|  | <a name="uint64" />   |  | uint64   |  | Uses variable-length encoding.                                                                                                                |  | uint64 |  | long    |  | int/long |  | uint64  |  | ulong  |  | integer/string                 |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | Bignum or Fixnum (as required) |
|  | <a name="sint32" />   |  | sint32   |  | Uses variable-length encoding. Signed int value. These more efficiently encode negative numbers than regular int32s.                          |  | int32  |  | int     |  | int      |  | int32   |  | int    |  | integer                        |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | Bignum or Fixnum (as required) |
|  | <a name="sint64" />   |  | sint64   |  | Uses variable-length encoding. Signed int value. These more efficiently encode negative numbers than regular int64s.                          |  | int64  |  | long    |  | int/long |  | int64   |  | long   |  | integer/string                 |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | Bignum                         |
|  | <a name="fixed32" />  |  | fixed32  |  | Always four bytes. More efficient than uint32 if values are often greater than 2^28.                                                          |  | uint32 |  | int     |  | int      |  | uint32  |  | uint   |  | integer                        |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | Bignum or Fixnum (as required) |
|  | <a name="fixed64" />  |  | fixed64  |  | Always eight bytes. More efficient than uint64 if values are often greater than 2^56.                                                         |  | uint64 |  | long    |  | int/long |  | uint64  |  | ulong  |  | integer/string                 |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | Bignum                         |
|  | <a name="sfixed32" /> |  | sfixed32 |  | Always four bytes.                                                                                                                            |  | int32  |  | int     |  | int      |  | int32   |  | int    |  | integer                        |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | Bignum or Fixnum (as required) |
|  | <a name="sfixed64" /> |  | sfixed64 |  | Always eight bytes.                                                                                                                           |  | int64  |  | long    |  | int/long |  | int64   |  | long   |  | integer/string                 |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | Bignum                         |
|  | <a name="bool" />     |  | bool     |  |                                                                                                                                               |  | bool   |  | boolean |  | boolean  |  | bool    |  | bool   |  | boolean                        |
|  |                       |  |          |  |                                                                                                                                               |  |        |  |         |  |          |  |         |  |        |  | TrueClass/FalseClass           |

```
|
| string | A string must always contain UTF-8 encoded or 7-bit ASCII text. | string | String |
str/unicode | string | string | string | String (UTF-8) |
| bytes | May contain any arbitrary sequence of bytes. | string | ByteString | str | []byte |
ByteString | string | String (ASCII-8BIT) |
// Code generated by protoc-gen-go. DO NOT EDIT.
// source: cw_ztp_license.proto
```

```
package cwztpsvc
```

```
import (
 fmt "fmt"
 proto "github.com/golang/protobuf/proto"
 _ "google.golang.org/genproto/googleapis/api/annotations"
 math "math"
)
```

```
// Reference imports to suppress errors if they are not otherwise used.
```

```
var _ = proto.Marshal
```

```
var _ = fmt.Errorf
```

```
var _ = math.Inf
```

```
// This is a compile-time assertion to ensure that this generated file
```

```
// is compatible with the proto package it is being compiled against.
```

```
// A compilation error at this line likely means your copy of the
```

```
// proto package needs to be updated.
```

```
const _ = proto.ProtoPackageIsVersion3 // please upgrade the proto package
```

```
type ZtpLicense struct {
```

```
 Id int32 `protobuf:"varint,1,opt,name=id,proto3" json:"id,omitempty"`
```

```
 Status string `protobuf:"bytes,2,opt,name=status,proto3" json:"status,omitempty"`
```

```
 IsLabEnabled bool `protobuf:"varint,3,opt,name=isLabEnabled,proto3" json:"isLabEnabled,omitempty"`
```

```
 LastUpdated
```

```
 int64 `protobuf:"varint,4,opt,name=lastUpdated,proto3" json:"lastUpdated,omitempty"`
```

```
 XXX_NoUnkeyedLiteral struct{} `json:"-" gorm:"-"`
```

```
 XXX_unrecognized []byte `json:"-" gorm:"-"`
```

```
 XXX_sizecache int32 `json:"-" gorm:"-"`
```

```
}
```

```
func (m *ZtpLicense) Reset() { *m = ZtpLicense{} }
```

```
func (m *ZtpLicense) String() string { return proto.CompactTextString(m) }
```

```
func (*ZtpLicense) ProtoMessage() {}
```

```
func (*ZtpLicense) Descriptor() ([]byte, []int) {
```

```
 return fileDescriptor_4e24d0294ce39e81, []int{0}
```

```
}
```

```
func (m *ZtpLicense) XXX_Unmarshal(b []byte) error {
```

```
 return xxx_messageInfo_ZtpLicense.Unmarshal(m, b)
```

```

}
func (m *ZtpLicense) XXX_Marshal(b []byte, deterministic bool) ([]byte, error) {
 return xxx_messageInfo_ZtpLicense.Marshal(b, m, deterministic)
}
func (m *ZtpLicense) XXX_Merge(src proto.Message) {
 xxx_messageInfo_ZtpLicense.Merge(m, src)
}
func (m *ZtpLicense) XXX_Size() int {
 return xxx_messageInfo_ZtpLicense.Size(m)
}
func (m *ZtpLicense)
XXX_DiscardUnknown() {
 xxx_messageInfo_ZtpLicense.DiscardUnknown(m)
}

var xxx_messageInfo_ZtpLicense proto.InternalMessageInfo

func (m *ZtpLicense) GetId() int32 {
 if m != nil {
 return m.Id
 }
 return 0
}

func (m *ZtpLicense) GetStatus() string {
 if m != nil {
 return m.Status
 }
 return ""
}

func (m *ZtpLicense) GetIsLabEnabled() bool {
 if m != nil {
 return m.IsLabEnabled
 }
 return false
}

func (m *ZtpLicense) GetLastUpdated() int64 {
 if m != nil {
 return m.LastUpdated
 }
 return 0
}

func init() {
 proto.RegisterType((*ZtpLicense)(nil), "cwztpsvc.ZtpLicense")
}

```

```

func init() {
 proto.RegisterFile("cw_ztp_license.proto", fileDescriptor_4e24d0294ce39e81)
}

var fileDescriptor_4e24d0294ce39e81 = []byte{
 // 241 bytes of a gzipped FileDescriptorProto
 0x1f, 0x8b, 0x08, 0x00, 0x00, 0x00, 0x00, 0x00, 0x02, 0xff, 0x54, 0x8f, 0x4d, 0x4b, 0x03, 0x31,
 0x10, 0x86, 0x49, 0xab, 0xa5, 0x46, 0x11, 0x0c, 0x22, 0x8b, 0x88, 0x84, 0x9e, 0xf6, 0xe2, 0x06,
 0xe9, 0x3f, 0x58,
 0xf1, 0x56, 0x68, 0x09, 0x8a, 0xd0, 0x4b, 0xc9, 0x17, 0x69, 0x20, 0xcd, 0x84,
 0x66, 0x6a, 0x61, 0x7f, 0xbd, 0xb4, 0xdb, 0xa2, 0x1e, 0xe7, 0x9d, 0x79, 0x1f, 0x9e, 0xa1, 0xf7,
 0x66, 0xbf, 0xea, 0x30, 0xaf, 0x62, 0x30, 0x2e, 0x15, 0xd7, 0xe4, 0x2d, 0x20, 0xb0, 0xb1, 0xd9,
 0x77, 0x98, 0xcb, 0xb7, 0x79, 0x7c, 0xf2, 0x00, 0x3e, 0x3a, 0xa1, 0x72, 0x10, 0x2a, 0x25, 0x40,
 0x85, 0x01, 0x52, 0xe9, 0xef, 0x26, 0x1d, 0xa5, 0x4b, 0xcc, 0xb3, 0xbe, 0xcb, 0x6e, 0xe9, 0x20,
 0xd8, 0x8a, 0x70, 0x52, 0x5f, 0xca, 0x41, 0xb0, 0xec, 0x81, 0x8e, 0x0a, 0x2a, 0xdc, 0x95, 0x6a,
 0xc0, 0x49, 0x7d, 0x25, 0x4f, 0x13, 0x9b, 0xd0, 0x9b, 0x50, 0x66, 0x4a, 0xbf, 0x27, 0xa5, 0xa3,
 0xb3, 0xd5, 0x90, 0x93, 0x7a, 0x2c, 0xff, 0x65, 0x8c, 0xd3, 0xeb, 0xa8, 0x0a, 0x7e, 0x66, 0xab,
 0xd0, 0xd9, 0xea, 0x82, 0x93, 0x7a, 0x28, 0xff, 0x46, 0xed, 0x9a, 0x3e, 0x1b, 0xd8, 0x34, 0x26,
 0x14, 0x03, 0xcd, 0x16, 0x34, 0x60, 0x2f, 0xd5, 0x9c, 0xdd, 0xdb, 0xbb, 0xb7, 0xaf, 0x5f, 0xbb,
 0xc5, 0x61, 0xb7, 0x20, 0xcb, 0x57, 0x1f, 0x70,
 0xbd, 0xd3, 0xd3, 0x53, 0xd1, 0xc0, 0x46, 0xc8,
 0x79, 0x3b, 0xff, 0x10, 0x47, 0xc4, 0xcb, 0xe1, 0x4f, 0x0f, 0x51, 0x25, 0x2f, 0xce, 0x1c, 0x3d,
 0x3a, 0x72, 0xa7, 0x3f, 0x01, 0x00, 0x00, 0xff, 0xff, 0xf4, 0xb4, 0x37, 0x45, 0x2c, 0x01, 0x00,
 0x00,
}

Protocol Documentation

Table of Contents

- [cw_ztp_license.proto](#cw_ztp_license-proto)
 - [ZtpLicense](#cwztpsvc-ZtpLicense)

- [Scalar Value Types](#scalar-value-types)

<p align="right">Top</p>

cw_ztp_license.proto

ZtpLicense

```



| Field       | Type              | Label | Description |
|-------------|-------------------|-------|-------------|
| id          | [int32](#int32)   |       |             |
| status      | [string](#string) |       |             |
| lastUpdated | [int64](#int64)   |       |             |

## ## Scalar Value Types

| .proto Type                    | Notes                                                                                                                                         | C++    | Java   | Python         | Go      | C#      | PHP            | Ruby                           |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------|--------|----------------|---------|---------|----------------|--------------------------------|
| <a name="double" /> double     | Uses variable-length encoding. Inefficient for encoding negative numbers if your field is likely to have negative values, use sint32 instead. | double | double | double         | float   | float64 | double         | float                          |
| <a name="float" /> float       | Uses variable-length encoding. Inefficient for encoding negative numbers if your field is likely to have negative values, use sint64 instead. | float  | float  | float          | float32 | float   | float          | Float                          |
| <a name="int32" /> int32       | Uses variable-length encoding. Inefficient for encoding negative numbers if your field is likely to have negative values, use sint32 instead. | int    | int    | int            | int32   | int     | integer        | Bignum or Fixnum (as required) |
| <a name="int64" /> int64       | Uses variable-length encoding. Inefficient for encoding negative numbers if your field is likely to have negative values, use sint64 instead. | long   | long   | int/long       | int64   | long    | integer/string | Bignum or Fixnum (as required) |
| <a name="uint32" /> uint32     | Uses variable-length encoding.                                                                                                                | uint   | uint   | integer        | uint32  | uint    | integer        | Bignum or Fixnum (as required) |
| <a name="uint64" /> uint64     | Uses variable-length encoding.                                                                                                                | ulong  | ulong  | integer/string | uint64  | ulong   | integer/string | Bignum or Fixnum (as required) |
| <a name="sint32" /> sint32     | Uses variable-length encoding. Signed int value. These more efficiently encode negative numbers than regular int32s.                          | int    | int    | int            | int32   | int     | integer        | Bignum or Fixnum (as required) |
| <a name="sint64" /> sint64     | Uses variable-length encoding. Signed int value. These more efficiently encode negative numbers than regular int64s.                          | long   | long   | int/long       | int64   | long    | integer/string | Bignum or Fixnum (as required) |
| <a name="fixed32" /> fixed32   | Always four bytes. More efficient than uint32 if values are often greater than 2^28.                                                          | uint   | uint   | integer        | uint32  | uint    | integer        | Bignum or Fixnum (as required) |
| <a name="fixed64" /> fixed64   | Always eight bytes. More efficient than uint64 if values are often greater than 2^56.                                                         | ulong  | ulong  | integer/string | uint64  | ulong   | integer/string | Bignum or Fixnum (as required) |
| <a name="sfixed32" /> sfixed32 | Always four bytes.                                                                                                                            | int    | int    | integer        | int32   | int     | integer        | Bignum or Fixnum (as required) |

required) |

| <a name="sfixed64" /> sfixed64 | Always eight bytes. | int64 | long | int/long | int64 | long | integer/string | Bignum |

| <a name="bool" /> bool | | bool | boolean | boolean | bool | bool | boolean | TrueClass/FalseClass |

| <a name="string" /> string | A string must always contain UTF-8 encoded or 7-bit ASCII

text. | string | String | str/unicode | string | string | string | String (UTF-8) |

| <a name="bytes" /> bytes | May contain any arbitrary sequence of bytes. | string | ByteString | str | []byte |

ByteString | string | String (ASCII-8BIT) |

```
{
 "swagger": "2.0",
 "info": {
 "title": "proto/cw_ztp_license_device.proto",
 "version": "version not set"
 },
 "consumes": [
 "application/json"
],
 "produces": [
 "application/json"
],
 "paths": {},
 "definitions": {
 "protobufAny": {
 "type": "object",
 "properties": {
 "type_url": {
 "type": "string"
 },
 },
 "value": {
 "type": "string",
 "format": "byte"
 }
 }
 },
 "runtimeError": {
 "type": "object",
 "properties": {
 "error": {
 "type": "string"
 },
 },
 "code": {
 "type": "integer",
 "format": "int32"
 },
 "message": {
 "type": "string"
 },
 "details": {
 "type": "array",
```

```

 "items": {
 "$ref": "#/definitions/protobufAny"
 }
 }
}
}
}
}
}
}
}
}

// Code generated by protoc-gen-go. DO NOT EDIT.
// source: cw_ztp_license_device_v2.proto

package cwztpsvc

import (
 fmt "fmt"
 proto "github.com/golang/protobuf/proto"
 math "math"
)

// Reference imports to suppress errors if they are not otherwise used.
var _ = proto.Marshal
var _ = fmt.Errorf
var _ = math.Inf

// This is a compile-time assertion to ensure that this generated file
// is compatible with the proto package it is being compiled against.
// A compilation error at this line likely means your copy of the
// proto package needs to be updated.
const _ = proto.ProtoPackageIsVersion3 // please upgrade the proto package

type ZtpLicenseDeviceV2 struct {
 Uuid string `protobuf:"bytes,1,opt,name=uuid,proto3" json:"uuid,omitempty"`
 SerialNumber []string `protobuf:"bytes,2,rep,name=serialNumber,proto3" json:"serialNumber,omitempty"`
 LocationId string `protobuf:"bytes,3,opt,name=locationId,proto3" json:"locationId,omitempty"`
 XXX_NoUnkeyedLiteral
 struct{} `json:"- " gorm:"- "`
 XXX_unrecognized []byte `json:"- " gorm:"- "`
 XXX_sizecache int32 `json:"- " gorm:"- "`
}

func (m *ZtpLicenseDeviceV2) Reset() { *m = ZtpLicenseDeviceV2{} }
func (m *ZtpLicenseDeviceV2) String() string { return proto.CompactTextString(m) }
func (*ZtpLicenseDeviceV2) ProtoMessage() {}
func (*ZtpLicenseDeviceV2) Descriptor() ([]byte, []int) {
 return fileDescriptor_187379be6b6c9b7c, []int{0}
}

func (m *ZtpLicenseDeviceV2) XXX_Unmarshal(b []byte) error {

```

```

return xxx_messageInfo_ZtpLicenseDeviceV2.Unmarshal(m, b)
}
func (m *ZtpLicenseDeviceV2) XXX_Marshal(b []byte, deterministic bool) ([]byte, error) {
return xxx_messageInfo_ZtpLicenseDeviceV2.Marshal(b, m, deterministic)
}
func (m *ZtpLicenseDeviceV2) XXX_Merge(src proto.Message) {
xxx_messageInfo_ZtpLicenseDeviceV2.Merge(m, src)
}
func (m *ZtpLicenseDeviceV2) XXX_Size() int {
return xxx_messageInfo_ZtpLicenseDeviceV2.Size(m)
}
func (m *ZtpLicenseDeviceV2) XXX_DiscardUnknown()
{
xxx_messageInfo_ZtpLicenseDeviceV2.DiscardUnknown(m)
}

var xxx_messageInfo_ZtpLicenseDeviceV2 proto.InternalMessageInfo

func (m *ZtpLicenseDeviceV2) GetUuid() string {
if m != nil {
return m.Uuid
}
return ""
}

func (m *ZtpLicenseDeviceV2) GetSerialNumber() []string {
if m != nil {
return m.SerialNumber
}
return nil
}

func (m *ZtpLicenseDeviceV2) GetLocationId() string {
if m != nil {
return m.LocationId
}
return ""
}

func init() {
proto.RegisterType((*ZtpLicenseDeviceV2)(nil), "cwztpsvc.ZtpLicenseDeviceV2")
}

func init() {
proto.RegisterFile("cw_ztp_license_device_v2.proto", fileDescriptor_187379be6b6c9b7c)
}

var fileDescriptor_187379be6b6c9b7c = []byte{

```

```
// 219 bytes of a gzipped FileDescriptorProto
0x1f, 0x8b, 0x08, 0x00, 0x00, 0x00, 0x00, 0x00, 0x02, 0xff, 0x64, 0x8e, 0x4f, 0x4b, 0xc3, 0x40,
0x10, 0x47, 0x89, 0x15, 0xb1, 0x8b, 0xa7, 0x3d, 0xc5, 0x4b, 0x28, 0x3d, 0xf5, 0x62, 0x16, 0xdb,
0x6f, 0x10, 0xbd, 0x08, 0x62, 0x4b, 0x10, 0x85, 0x5e, 0x96, 0xdd,
0xc9, 0x12, 0x07, 0x36, 0x99,
0x65, 0xff, 0xa4, 0xd0, 0x4f, 0x2f, 0x6e, 0x2d, 0x28, 0xbd, 0x0d, 0x3f, 0xde, 0x3c, 0x1e, 0xab,
0xe0, 0x20, 0x8f, 0xd1, 0x49, 0x8b, 0x60, 0xc6, 0x60, 0x64, 0x67, 0x26, 0x04, 0x23, 0xa7, 0x75,
0xed, 0x3c, 0x45, 0xe2, 0xb7, 0x70, 0x38, 0x46, 0x17, 0x26, 0x58, 0x5a, 0xc6, 0xf7, 0xd1, 0xbd,
0x9e, 0xb8, 0xe7, 0x8c, 0x7d, 0xac, 0x39, 0x67, 0xd7, 0x29, 0x61, 0x57, 0x16, 0x8b, 0x62, 0x35,
0x6f, 0xf3, 0xcd, 0x97, 0xec, 0x2e, 0x18, 0x8f, 0xca, 0xbe, 0xa5, 0x41, 0x1b, 0x5f, 0x5e, 0x2d,
0x66, 0xab, 0x79, 0xfb, 0x6f, 0xe3, 0x15, 0x63, 0x96, 0x40, 0x45, 0xa4, 0xf1, 0xa5, 0x2b, 0x67,
0xf9, 0xfb, 0xcf, 0xd2, 0x38, 0x56, 0x01, 0x0d, 0x35, 0x60, 0x00, 0xaa, 0x3d, 0x69, 0x8a, 0xa7,
0xa0, 0xfa, 0xdc, 0xd3, 0xdc, 0x3f, 0x7d, 0x5e, 0xf6, 0xec, 0x7e, 0x98, 0x5d, 0xb1, 0x7f, 0xec,
0x31, 0x7e, 0x25, 0xbd, 0xf9, 0x15, 0x00, 0x0d, 0xa2, 0xdd, 0x36, 0xdb, 0x77, 0x91, 0x55, 0x0f,
0xca, 0xa1, 0xe8, 0xc9, 0xaa, 0xb1, 0x17, 0x67, 0x9f, 0xbe, 0xc9, 0xfe, 0xcd, 0x77, 0x00, 0x00,
0x00,
0xff, 0xff, 0x66, 0x8d, 0x49, 0xba, 0x12, 0x01, 0x00, 0x00,
}
```

UNRECOGNIZED LICENSE; MD5 sum: 592ce646d353b65bfd4198cf8cb1377d

```
{
 "swagger": "2.0",
 "info": {
 "title": "proto/cw_ztp_license_device_v2.proto",
 "version": "version not set"
 },
 "consumes": [
 "application/json"
],
 "produces": [
 "application/json"
],
 "paths": {},
 "definitions": {
 "protobufAny": {
 "type": "object",
 "properties": {
 "type_url": {
 "type": "string"
 },
 "value": {
 "type": "string",
 "format": "byte"
 }
 }
 }
 },
 "runtimeError": {
 "type": "object",
 "properties": {
```

```

 "error": {
 "type": "string"
 },
 "code": {
 "type": "integer",
 "format": "int32"
 },
 "message": {
 "type": "string"
 },
 "details": {
 "type": "array",
 "items": {
 "$ref": "#/definitions/protobufAny"
 }
 }
 }
}
{
 "swagger": "2.0",
 "info": {
 "title": "proto/cw_ztp_license.proto",
 "version": "version not set"
 },
 "consumes": [
 "application/json"
],
 "produces": [
 "application/json"
],
 "paths": {},
 "definitions": {
 "protobufAny": {
 "type": "object",
 "properties": {
 "type_url": {
 "type": "string"
 }
 },
 "value": {
 "type": "string",
 "format": "byte"
 }
 }
 },
 "runtimeError": {
 "type": "object",

```

```

"properties": {
 "error": {
 "type": "string"
 },
 "code": {
 "type": "integer",
 "format": "int32"
 },
 "message": {
 "type": "string"
 },
 "details": {
 "type": "array",
 "items": {
 "$ref": "#/definitions/protobufAny"
 }
 }
}
}
}
}
}
// Code generated by protoc-gen-go. DO NOT EDIT.
// source: cw_ztp_license_device.proto

package cwztpsvc

import (
 fmt "fmt"
 proto "github.com/golang/protobuf/proto"
 _ "google.golang.org/genproto/googleapis/api/annotations"
 math "math"
)

// Reference imports to suppress errors if they are not otherwise used.
var _ = proto.Marshal
var _ = fmt.Errorf
var _ = math.Inf

// This is a compile-time assertion to ensure that this generated file
// is compatible with the proto package it is being compiled against.
// A compilation error at this line likely means your copy of the
// proto package needs to be updated.
const _ = proto.ProtoPackageIsVersion3 // please upgrade the proto package

type ZtpLicenseDevice struct {
 DeviceSerialNumber string `protobuf:"bytes,1,opt,name=deviceSerialNumber,proto3"
 json:"deviceSerialNumber,omitempty"`
 XXX_NoUnkeyedLiteral struct{} `json:"-" gorm:"-"`

```

```

XXX_unrecognized []byte `json:"- " gorm:"-`
XXX_sizecache int32 `json:"- " gorm:"-`
}

func
(m *ZtpLicenseDevice) Reset() { *m = ZtpLicenseDevice{} }
func (m *ZtpLicenseDevice) String() string { return proto.CompactTextString(m) }
func (*ZtpLicenseDevice) ProtoMessage() {}
func (*ZtpLicenseDevice) Descriptor() ([]byte, []int) {
 return fileDescriptor_4637a3ce942b5232, []int{0}
}

func (m *ZtpLicenseDevice) XXX_Unmarshal(b []byte) error {
 return xxx_messageInfo_ZtpLicenseDevice.Unmarshal(m, b)
}
func (m *ZtpLicenseDevice) XXX_Marshal(b []byte, deterministic bool) ([]byte, error) {
 return xxx_messageInfo_ZtpLicenseDevice.Marshal(b, m, deterministic)
}
func (m *ZtpLicenseDevice) XXX_Merge(src proto.Message) {
 xxx_messageInfo_ZtpLicenseDevice.Merge(m, src)
}
func (m *ZtpLicenseDevice) XXX_Size() int {
 return xxx_messageInfo_ZtpLicenseDevice.Size(m)
}
func (m *ZtpLicenseDevice) XXX_DiscardUnknown() {
 xxx_messageInfo_ZtpLicenseDevice.DiscardUnknown(m)
}

var xxx_messageInfo_ZtpLicenseDevice proto.InternalMessageInfo

func (m *ZtpLicenseDevice) GetDeviceSerialNumber()
string {
 if m != nil {
 return m.DeviceSerialNumber
 }
 return ""
}

func init() {
 proto.RegisterType((*ZtpLicenseDevice)(nil), "cwztpsvc.ZtpLicenseDevice")
}

func init() {
 proto.RegisterFile("cw_ztp_license_device.proto", fileDescriptor_4637a3ce942b5232)
}

var fileDescriptor_4637a3ce942b5232 = []byte{
 // 201 bytes of a gzipped FileDescriptorProto

```



```
0x1f, 0x8b, 0x08, 0x00, 0x00, 0x00, 0x00, 0x00, 0x02, 0xff, 0x6c, 0xce, 0x31, 0x4b, 0xc7, 0x30,
0x10, 0x05, 0x70, 0xba, 0x88, 0x66, 0x92, 0x2e, 0x8a, 0x8a, 0x88, 0x93, 0x8b, 0x09, 0xf2, 0xff,
0x06, 0xd1, 0x51, 0xfc, 0x97, 0x2a, 0x08, 0x5d, 0x4a, 0x72, 0x86, 0x18, 0x48, 0x73, 0x21, 0xb9,
0xb6, 0xd0, 0x4f, 0x2f, 0x6d, 0xec, 0x22, 0xce, 0xf7, 0xee, 0xf7, 0x1e, 0xbb, 0x86, 0xb9, 0x5f,
0x28, 0xf6, 0xde, 0x81, 0x09, 0xd9, 0xf4, 0x5f, 0x66, 0x72, 0x60, 0x78, 0x4c, 0x48, 0x58, 0x9f,
0xc2, 0xbc, 0x50, 0xcc, 0x13, 0x5c, 0xdd, 0x58, 0x44, 0xeb, 0x8d, 0x50, 0xd1, 0x09, 0x15, 0x02,
0x92, 0x22, 0x87, 0x21, 0x97, 0xdc, 0xbd, 0x64,
0xe7, 0x1d, 0xc5, 0xd7, 0x42, 0xbc, 0x6c, 0x42,
0xcd, 0x59, 0x5d, 0xac, 0x77, 0x93, 0x9c, 0xf2, 0x6f, 0xe3, 0xa0, 0x4d, 0xba, 0xac, 0xee, 0xaa,
0x87, 0xb3, 0xf6, 0x9f, 0x8b, 0x0c, 0xec, 0x16, 0x70, 0xe0, 0xe0, 0x32, 0x20, 0x4f, 0xa8, 0x91,
0x0a, 0xce, 0xf7, 0x0d, 0xf2, 0xe2, 0xf9, 0xf3, 0x6f, 0x4b, 0xb3, 0x26, 0x9a, 0xaa, 0x7b, 0xb2,
0x8e, 0xbe, 0x47, 0x7d, 0xf8, 0x7d, 0x07, 0x1c, 0x44, 0x7b, 0x94, 0xc7, 0x0f, 0xb1, 0x41, 0x8f,
0xeb, 0x6a, 0x8b, 0x5e, 0x05, 0x2b, 0x76, 0x4d, 0x9f, 0x6c, 0xfa, 0xe1, 0x27, 0x00, 0x00, 0xff,
0xff, 0xe7, 0xa2, 0x96, 0xc2, 0x01, 0x01, 0x00, 0x00,
}
```

## 1.233 robot-infra-utils 1.0.2- 0.20260112120652-53e304ab3cfa

### 1.233.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts  
as the successor of the GNU Library Public License, version 2, hence  
the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your  
freedom to share and change it. By contrast, the GNU General Public  
Licenses are intended to guarantee your freedom to share and change  
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some  
specially designated software packages--typically libraries--of the  
Free Software Foundation and other authors who decide to use it. You  
can use it too,  
but we suggest you first think carefully about whether  
this license or the ordinary General Public License is the better

strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those

libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination

fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC

## LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library

with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this

License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must

be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.



b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices.

Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU  
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public  
License along with this library; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, 5th Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You  
should also get your employer (if you work as a programmer) or your  
school, if any, to sign a "copyright disclaimer" for the library, if  
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!  
Copyright (c) 2000-2005 INRIA, France Telecom  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its  
contributors may be used to endorse or promote products derived from  
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"  
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE  
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE  
ARE DISCLAIMED. IN NO  
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE  
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR  
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the

editorial  
revisions, annotations, elaborations, or other modifications  
represent, as a whole, an original work of authorship. For the purposes  
of this License, Derivative Works shall not include works that remain  
separable from, or merely link (or bind by name) to the interfaces of,  
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including  
the original version of the Work and any modifications or additions  
to that Work or Derivative Works thereof, that is intentionally  
submitted to Licensor for inclusion in the Work by the copyright owner  
or by an individual or Legal Entity authorized to submit on behalf of  
the copyright owner. For the purposes of this definition, "submitted"  
means any form of electronic, verbal, or written communication sent  
to the Licensor or its representatives, including but not limited to  
communication on electronic mailing lists, source code control systems,  
and issue tracking systems that are managed by, or on behalf of, the  
Licensor for the purpose of discussing and improving the Work, but  
excluding communication that is conspicuously marked or otherwise  
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity  
on behalf of whom a Contribution has been received by Licensor and  
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of  
this License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
copyright license to reproduce, prepare Derivative Works of,  
publicly display, publicly perform, sublicense, and distribute the  
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of  
this  
License, each Contributor hereby grants to You a perpetual,  
worldwide, non-exclusive, no-charge, royalty-free, irrevocable  
(except as stated in this section) patent license to make, have made,  
use, offer to sell, sell, import, and otherwise transfer the Work,  
where such license applies only to those patent claims licensable  
by such Contributor that are necessarily infringed by their  
Contribution(s) alone or by combination of their Contribution(s)  
with the Work to which such Contribution(s) was submitted. If You  
institute patent litigation against any entity (including a  
cross-claim or counterclaim in a lawsuit) alleging that the Work  
or a Contribution incorporated within the Work constitutes direct  
or contributory patent infringement, then any patent licenses  
granted to You under this License for that Work shall terminate  
as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.



To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in  
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR  
IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

Copyright (c) 2003-2008, Objenesis Team and all contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical

transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made,

use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to

the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuity of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

(BSD License: <http://www.opensource.org/licenses/bsd-license>)

Copyright (c) 2011, Joe Walnes, Aslak Hellesy and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Webbit nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright (c) 2000-2007, jMock.org  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of jMock nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Mockito license - MIT.

Libraries used:

Cglib - Apache License 2.0  
ASM - BSD license

Mockito all distribution:

Objenesis - MIT license  
Hamcrest - BSD license

The Netty Project  
=====



Please visit the Netty web site for more information:

\* <http://netty.io/>

Copyright 2011 The Netty Project

The Netty Project licenses this file to you under the Apache License, version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Also, please refer to each LICENSE.<component>.txt file, which is located in the 'license' directory of the distribution file, for the license terms of the components that this product depends on.

-----  
This

product contains the extensions to Java Collections Framework which has been derived from the works by JSR-166 EG, Doug Lea, and Jason T. Greene:

\* LICENSE:

\* [license/LICENSE.jsr166y.txt](#) (Public Domain)

\* HOMEPAGE:

\* <http://gee.cs.oswego.edu/cgi-bin/viewcvcs.cgi/jsr166/>

\* <http://viewvc.jboss.org/cgi-bin/viewvc.cgi/jboss/cache/experimental/jsr166/>

This product contains a modified version of Robert Harder's Public Domain Base64 Encoder and Decoder, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.base64.txt](#) (Public Domain)

\* HOMEPAGE:

\* <http://iharder.sourceforge.net/current/java/base64/>

This product contains a modified version of 'JZlib', a re-implementation of zlib in pure Java, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.jzlib.txt](#) (BSD Style License)

\* HOMEPAGE:

\* <http://www.jcraft.com/jzlib/>

This product contains a modified version of 'Webbit', a Java event based WebSocket and HTTP server:

\* LICENSE:

\* [license/LICENSE.webbit.txt](#) (BSD License)

\* HOMEPAGE:

\* <https://github.com/joewalnes/webbit>

This product optionally depends on 'Protocol Buffers', Google's data interchange format, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.protobuf.txt](#) (New BSD License)

\* HOMEPAGE:

\* <http://code.google.com/p/protobuf/>

This product optionally depends on 'Bouncy Castle Crypto APIs' to generate a temporary self-signed X.509 certificate when the JVM does not provide the equivalent functionality. It can be obtained at:

\* LICENSE:

\* [license/LICENSE.bouncycastle.txt](#) (MIT License)

\* HOMEPAGE:

\* <http://www.bouncycastle.org/>

This product optionally depends on 'SLF4J', a simple logging facade for Java, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.slf4j.txt](#) (MIT License)

\* HOMEPAGE:

\* <http://www.slf4j.org/>

This product optionally depends on 'Apache Commons Logging', a logging framework, which can be obtained at:

\* LICENSE:

\* [license/LICENSE.commons-logging.txt](#) (Apache License 2.0)

\* HOMEPAGE:

\* <http://commons.apache.org/logging/>

This product optionally depends on 'Apache Log4J', a logging framework, which can be obtained at:

\* LICENSE:

- \* license/LICENSE.log4j.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <http://logging.apache.org/log4j/>

This product optionally depends on 'JBoss Logging', a logging framework, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.jboss-logging.txt (GNU LGPL 2.1)

- \* HOMEPAGE:

- \* <http://anonsvn.jboss.org/repos/common/common-logging-spi/>

This product optionally depends on 'Apache Felix', an open source OSGi framework implementation, which can be obtained at:

- \* LICENSE:

- \* license/LICENSE.felix.txt (Apache License 2.0)

- \* HOMEPAGE:

- \* <http://felix.apache.org/>

The person or persons who have associated work with this document (the "Dedicator" or "Certifier") hereby either (a) certifies that, to the best of his knowledge, the work of authorship identified is in the public domain of the country from which the work is published, or (b) hereby dedicates whatever copyright the dedicators holds in the work of authorship identified below (the "Work") to the public domain. A certifier, moreover, dedicates any copyright interest he may have in the associated work, and for these purposes, is described as a "dedicator" below.

A certifier has taken reasonable steps to verify the copyright status of this work. Certifier recognizes that his good faith efforts may not shield him from liability if in fact the work certified is not in the public domain.

Dedicator makes this dedication for the benefit of the public at large and to the detriment of the Dedicator's heirs and successors. Dedicator intends this dedication to be an overt act of relinquishment in perpetuate of all present and future rights under copyright law, whether vested or contingent, in the Work. Dedicator understands that such relinquishment of all rights includes the relinquishment of all rights to enforce (by lawsuit or otherwise) those copyrights in the Work.

Dedicator recognizes that, once placed in the public domain, the Work may be freely reproduced, distributed, transmitted, used, modified, built upon, or otherwise exploited by anyone for any purpose, commercial or non-commercial, and in any way, including by methods that have not yet been invented or conceived.

The MIT License (MIT)

Copyright (c) 2000 - 2013 The Legion of the Bouncy Castle Inc.  
(<http://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache log4j

Copyright 2007 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

/\*

\* Copyright (c) 2007 Mockito contributors

\* This program is made available under the terms of the MIT License.



Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its

representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you  
may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright 2008, Google Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

/\*

\* Copyright (c) 2004-2007 QOS.ch

\* All rights reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

\* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

\* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

\* LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

\* OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

\* WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Copyright (c) 2012 Ingo Oeser

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE

OR THE USE OR OTHER DEALINGS IN  
THE SOFTWARE.

Copyright (c) 2000,2001,2002,2003,2004 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,  
this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in  
the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products  
derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,  
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND  
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT,  
INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE  
BE LIABLE FOR ANY DIRECT, INDIRECT,  
INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA,  
OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE,  
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,  
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by  
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all  
other entities that control, are controlled by, or are under common  
control with that entity. For the purposes of this definition,  
"control" means (i) the power, direct or indirect, to cause the  
direction or management of such entity, whether by contract or  
otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of



this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,  
incidental, or consequential damages of any character arising as a  
result of this License or out of the use or inability to use the  
Work (including but not limited to damages for loss of goodwill,  
work stoppage, computer failure or malfunction, or any and all  
other commercial damages or losses), even if such Contributor  
has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing  
the Work or Derivative Works thereof, You may choose to offer,  
and charge a fee for, acceptance of support, warranty, indemnity,  
or other liability obligations and/or rights consistent with this  
License. However, in accepting such obligations, You may act only  
on Your own behalf and on Your sole responsibility, not on behalf  
of any other Contributor, and only if You agree to indemnify,  
defend, and hold each Contributor harmless for any liability  
incurred by, or claims asserted against, such Contributor by reason  
of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

BSD License

Copyright (c) 2000-2006, [www.hamcrest.org](http://www.hamcrest.org)

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of  
conditions and the following disclaimer. Redistributions in binary form must reproduce  
the above copyright notice, this list of conditions and the following disclaimer in  
the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse  
or promote products derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND  
ANY

EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED  
WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO  
EVENT

SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,

INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED

TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR

BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.234 inflection 1.0.0

## 1.234.1 Available under license :

MIT

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2026 Cisco Systems, Inc. All rights reserved.